

INDEX TO VOL. XI.

(See also "List of New Mineral Names," p. 323, and list of
"British Pseudomorphs," p. 279.)

- Absorption brushes in epidote, 97.
- Adams (F. D.)—Nepheline-syenite, Ontario, 46.
- and Harrington (B. J.)—Hastingsite, 244.
- Ægirite, Greenland, 101.
- Albite, cleavage and parting planes, 43.
- Aleksyev (V.)—Alexejewite, 236.
- Alexejewite, 236.
- Allport (S.)—Death of, 345.
- Alnö (Sweden), nepheline-syenite, etc., 250.
- Alnöite, 251.
- Alston "satin spar," 184.
- Altuite, Burma, 215.
- Aluminium phosphates, 4, 16, 226, 332, 336.
- Alumino-silicates, constitution of, 111.
- Alunite, Bolivia, 298.
- Amianthus, 342.
- Amphibole, soda-, 35, 244.
- Amphibolites, Piedmont, 260.
- Analcite, constitution of, 38.
- in monchiquites, 262.
- group of rocks, 262.
- Anatase in rocks, 262.
- Andorite, 286.
- Andradite, titaniferous, Ontario, 244.
- Anhydrite, artificial, 45.
- Anglesey, basic ferric sulphate, 13.
- Anglesite, cryst., 197.
- Anorthoclase, Massachusetts, 252.
- Vulcano, 35.
- augite rock, Vulcano, 35.
- Anthophyllite, asbestosiform, 342.
- , Bengal, 118.
- Apatite in peridotites, Bengal, 117.
- Aplite, xenotime, &c., in, 306.
- Apophyllite, constitution, 38.
- , S. Africa, 318.
- Aragonite and calcite, massive, 184, 165.
- Argyrodite, Bolivia, 40.
- Artificial anhydrite, 45.
- boleite, cumengeite and percylite, 164.
- powellite, 164.
- silica, 248, 343.
- Arzruni (A.) and Thaddéeff (K.)—Celestite, 234.
- Asbestiform minerals, 341.
- Asterism in corundum, 52.
- Augelite, Bolivia, 16.
- Augite, Vulcano, 35.
- Bäckström (H.)—Leucite rocks in the Lipari Is., 255.
- Baddeleyite, Brazil, 110, 39.
- Bagotite, 323.
- Ball (V.)—Obituary, 92.
- Barlow (W.)—Homogeneous structures and the symmetrical partitioning of them, 119.
- Homogeneous structures and circular polarisation, xvi.
- Barytocelestite, 235.
- Basalt, Montana, 253.
- Bauer (M.)—Edelsteinkunde, 220, 92.
- Jadeite, Burma, 160.

- Bauer (M.) Jadeite, "Tibet," 241.
 Baumhauer (H.)—Rathite, 225.
 Beckenkamp (J.)—345.
 Berkeley (Earl of)—Determination of density, 64.
 Bertrandite, Bohemia, 106.
 Beryl, Bohemia, 106.
 Berzelite, chem., 10.
 Binnenthal, rathite, 225.
 Binnite, 77.
 Biotite, altered, 243.
 —— -kyanite-cordierite rock, 141.
 Bleinierite after zinckenite, 23.
 Blödite, Punjab, 314.
 Blue ground, S. Africa, 321.
 Boleite, artificial, 164.
 ——, N. S. Wales, 165.
 Bolivia, 16, 40, 298, 339.
 Bonney (T. G.)—Cone-in-cone structure, 24.
 Bostonite, 247, 249.
 Bouronite, cryst., 228.
 —— Bolivia, 22.
 Box-stones, 43.
 Brauns (R.)—91.
 —— artificial anhydrite, 45.
 Brazil, 80, 176, 302.
 Breithauptite, cryst., 107.
 British Mineralogical Society, 184.
 —— Museum, Introduction to the Study of Rocks, 148.
 —— pseudomorphs, 263.
 Brögger (W. C.)—Dyke rocks near Christiania, 114.
 —— Triassic eruptive rocks of S. Tyrol, 155.
 Broken Hill, N. S. W., 165, 236.
 Brown (A. P.)—Pyrites and marcasite, 105.
 Brown (C. B.) & Judd (J. W.)—Rubies of Burma, 232.
 Brush (G. J.)—Determinative mineralogy, 216.
 Bücking (H.)—Sulfoborite, 103.
 Building materials in the Vienna Museum, 34.
 Burma, 160, 215, 232.
 Busz (K.)—146.
- Busz (K.)—Breithauptite, 107.
 —— Caledonite, 108.
 —— Kamarezite, 108.
 —— Pyrrhotite, 109.
 —— Pierite, Devon, 154.
- Cacoxenite, chem., 8.
 Calaverite, Colorado, 235.
 Calcite, etching, 242.
 —— and aragonite, massive, 184, 165.
 —— primary in eruptive rocks, 250.
 Caledonite, Leadhills, cryst., 108.
 Calker (F. J. P. van)—Pseudogaylusite, 344.
 Canfieldite, 40.
 Carynite, chem., 162.
 Cassiterite, cryst., 107; Bolivia, 299.
 Caswellite, 243.
 Cataforite, 115, 250.
 Catapleite, Greenland, 101.
 Celebes, leucite rocks, 36.
 Celestite, cryst., 234.
 Cerussite coated with galena, 235.
 Cesàro (G.)—Valleite, 228.
 Chabazite, constitution, 37.
 Chalcanthite, Bolivia, 23.
 Chalcophanite, 44.
 Chalcostibite, cryst., 188.
 —— Bolivia, Spain, 338.
 Chemical crystallography (Fock), 95.
 Chester (A. H.)—Caswellite, 243.
 Chili, 104, 240.
 Chondrodite, cryst., 138.
 Christiania, rocks, 114, 156, 250.
 Chromite deposits, 112.
 Chrustchoff (K. von)—32.
 Church (A. H.)—Chemical study of arsenates and phosphates, 1.
 —— Basic ferric sulphate from Anglesey, 13.
 —— Determination of density, v.
 Cinnabar gravels of Tripuhy, 179.
 Clarite = enargite, 75.
 Clarke (F. W.)—Constitution of zeolites, 37.
 —— Garnet, 235.
 Clinoclase, chem., 4.

- Clinohumite, cryst., 138.
 Clinozoite, 237.
 Cole (G. A. J.)—Hullite, 229.
 Concretions in sandstone, 42.
 Cone-in-cone structure, 24.
 Constitution of zeolites, 37.
 Cooksey (T.)—Opal from N. S. Wales, 244.
 Cordierite rock, Himalayas, 141.
 Corrosion of minerals in magmas, 145.
 Corundum, alteration, 52, 233.
 —— structure planes, 49.
 —— Burma, 232.
 —— -rocks, India, 57.
 Crocidolite, asbestosiform, 342.
 Crossite, 35.
 Cryptopyramid, 98.
 Crystal angles, variation of, in celestite, 234.
 —— structure, 119, xvi.
 —— systems, 150.
 Crystallography, chemical, 95.
 —— for beginners (Woodward), 222.
 Crystals, Morphology of (Maskelyne), 93.
 Cubic system, structure, 120.
 Cumengite, artificial, 164.
 Dana (J. D.)—Obituary of, 89.
 Darapskite, cryst., 104.
 Darling (C.)—Analysis of mica, 209.
 Daubrée (G. A.)—Obituary of, 146.
 Davison (J. M.)—Wardite, 226.
 Delessite, Catyre, 28.
 Density, determination of, v., 64, 186.
 Derby (O. A.)—Monazite and xenotime in rocks, 304.
 Derbylite, 176, 85.
 Des Cloizeaux (A.)—Death of, 345.
 Determinative mineralogy, 219.
 Diamond in garnet, xvii.
 —— phosphorescent, 241.
 Dietzeite, cryst., 104.
 Differentiation in magmas, 38, 112, 114, 251.
 Diopside, chrome-, Montana, 253.
 Double salts, 300.
 Dudgeon (P.)—Mispickel form Kirkcudbright, 15.
 —— Obituary of, 30.
 Dune sands of Holland, 113.
 Dungannon (Ontario), 46, 244.
 Dyke-rocks, Christiania, 114.
 Eakle (A. S.) and Muthmann (W.)—Schneebergite, 229.
 Edingtonite, Sweden, xi. 340.
 Elæolite-syenite, Ontario, 46, 244; Monchique, 246; Alnö, 250; Texas, 248.
 Enargite, cryst., 69, 196.
 Enclosures in crystals, xvi. xvii. 41, 199, 233, 296.
 English (G. L.)—Catalogue of minerals, 33.
 Enstatite and humite, 139.
 Epididymite, 100.
 Epidote, optics, 97, 245.
 —— and zoisite, 237.
 Epistilbite, constitution, 37.
 Etching, augelite, 19; calcite, 242; corundum, 53.
 Euchroite, chem., 1.
 Euphyllite, India, 58.
 Famatinite, 77.
 Faujasite, constitution, 37.
 Fayalite, opt., 240.
 Felsite-porphyry, New Brunswick, 253.
 Fernando Noronha, monchiquite, 171.
 Ferric sulphate, basic, Anglesey, 13.
 Fibrolite-rock, India, 60.
 Fletcher (L.)—Introduction to the study of rocks, 148.
 Flink (G.)—New minerals from Greenland, 100.
 Fluor-adelite, 229.
 Fluorine and hydroxyl in minerals, 41.
 Fock (A.)—Chemical crystallography] 95.
 Foote (A. E.)—Death of, 146.
 Foote (H. W.) and Penfield (S. L.)—Rœblingite, 343.
 Foote (W. M.)—Northupite, 159.
 Forbes (E. H.)—Epidote, 245.

- Forbes (E. H.) and Penfield (S. L.)—
 Olivine group, 239.
 Foresite, constitution, 37.
 Foster (C. le N.)—Diamond in garnet,
 xvii.
 Foulon (H. v.)—Obituary, 217.
 France, mineralogy of, 218.
 Franckeite, 41.
 Frenzel (A.) and Penfield (S. L.)—
 Identity of chalcostibite and
 guejarite, 338.
 Friedel (C.)—Artificial cumengeite,
 boleite and percylite, 164.
 Fuchsite, India, 58.
 Futterer (K.)—91.
 Gabbro, metamorphosed, Zermatt, 256.
 Gadolin (A.)—Crystal systems, 150.
 Garnet group, 238.
 — simulating jade, 235.
 — rock, N. S. Wales, 63.
 Gismondite, constitution, 37.
 Glauophane-eclogite, Zermatt, 257.
 Glencullen (Co. Wicklow), mica, 209.
 Glockerite, chem., 14.
 Gmelinite, constitution, 37.
 Gneiss, monazite, etc., in, 304.
 Gold, Burma, 215.
 — in granite, 227.
 — moss., 101.
 — origin of nuggets, 101.
 — hexagonal forms, 102.
 — moiré-métallique, 103.
 — condition in veins, 101.
 Granite, monazite, etc., in, 307; gold
 in, 227.
 Green (A. H.)—Obituary, 147.
 Greenland, minerals, 100.
 Grorudite, 115, 249.
 Groth (P.)—Gadolin's crystal systems,
 150.
 Guejarite=chalcostibite, 338.
 — Bolivia, 23.
 Gypsum and anhydrite, artificial, 45.
 — with fluid enclosures, Sicily,
 44.
 Hackman (V.) and Kraatz-Koschlau
 (K. v.)—Elæolite-syenite, 246.
 Hæmatite, cryst., Brazil, 85.
 — pseudomorphs, 269.
 Hamberg (A.)—Etching of calcite, 242.
 Hanksite, chem., 227.
 Harrington (B. J.) and Adams (F. D.)
 — Hastingsite, 244.
 Harrison (W. J., Junr.)—Prehnite in
 Wales, 198.
 Hartley (W. N.)—Analysis of mica,
 210.
 Hastingsite, 244.
 Haughton (S.)—Obituary of, 346.
 Haushofer (C. v.)—Death of, 32.
 Hautefeuillite, 162.
 Heavy fluids for the separation of
 minerals, 44, 114, 228.
 Heddle (M. F.) Death of, 345.
 — and Thomson (J. S.)—
 Delessite from Cantyre, 28.
 Henderson (J. A. L.)—Apophyllite in
 S. Africa, 318.
 Henderson (J. M. C.)—Mica-syenite
 in Saxony, 259.
 Herderite, chem., 42.
 Herschel (A. S.)—Crystal models, ix.
 Herz (W.)—Salvadorite, 240.
 Heteromorphite, 195.
 Heulandite, action of acids on, 243.
 — constitution, 37.
 Hidden (W. E.)—Peridotite in pyrope,
 &c., xvi.
 Highwood Mtns. (Montana), 151.
 Hillebrand (W. F.)—Calaverite, 235.
 Hintze (C.)—Handbuch der Mineral-
 ogie, 217.
 Hobbs (W. H.)—Volcanite, 35.
 — Cerussite, 235.
 Hoeferite, 161.
 Hoffmann (G. C.)—Native iron from
 Ontario, 160.
 Högbom (A. G.)—Nepheline-syenite
 from Alnö, 250.
 Holland, 113, 344.
 Holland (T. H.)—Mica-hypersthene-
 hornblende-peridotite, from Bengal,
 117.
 Holland (T. H.)—Phosphatic mica-
 peridotites from Bengal, 117.

- Holmquist (P. J.)—Knopite, 158.
 ——— Pyrochlore, 231.
- Homogeneous structures, 119.
- Hornblende, Montana, 254.
 ——— alkali, 35, 244.
- Hortonolite, opt., 240.
- Howe (W. T. H.) and Penfield (S. L.)
 —Chondrodite, etc., 161.
- Hullite, 229.
- Humite series, 137, 161.
 ——— Zermatt, 258.
- Hussak (E.)—Baddeleyite from Brazil, 110.
 ——— Perofskite-magnetic-rock, 117.
 ——— & Prior (G. T.)—Lewisite and zirkelite, 80.
 ——— Derbylite, 176.
 ——— ——— Tripuhylite, 302.
- Hutchinson (A.)—Pyrites from Cornwall, xv.
 ——— Calcite from Cleator Moor, xvi.
 ——— Epidote from the Mourne Mtns., xvii.
- Hydrofranklinite = chalcophanite, 44.
- Hydronephelite, 37, 112.
- Hydroxyl and fluorine in minerals, 41.
- Idocrase, chem., 230.
- Igelström (L. J.)—Lindesite & pyrrhotite, 105. Death of, 345.
- Igneous rock masses, form of, 156.
- Ijolite, 47.
- Ilmenite-norite, Norway, 38.
- Iron, native, Ontario, 160.
- Jablonowskische Gesellschaft, prize, 146.
- Jacupirangite, 86, 110, 117.
- Jadeite, Burma, 160.
 ——— "Tibet," 241.
 ——— -plagioclase-nephelite rock, 242.
- Jarrowite, 264, 328.
- Johnstrup (F.)—Obituary, 32.
- Judd (J. W.)—Structure planes of corundum, 49.
 ——— Simple massive minerals, 56.
 ——— and Brown (C. B.)—Rubies of Burma, 232.
- Kaliophilite, 111.
- Kamarezite, 108.
- Kaolin, xenotime, etc., in, 301.
- Karrer (F.)—Building materials in the Vienna Museum, 34.
- Katzer (F.)—Hoeferite, 161.
- Kauaiite, 166.
- Kennott (G. A.)—Obituary, 346.
- Keratophyres in U. S. A., 252.
- Klinozoisite, 237.
- Knistersalz, 234.
- Knopite, 158.
- Knoblauch (H.)—Death of, 91.
- Kohlmann (W.)—Cassiterite, 107.
- Koken (—) — 91.
- Kraatz-Koschlau (K. v.) and Hackman (V.)—Elaolite-syenite, 246.
- Kreider (D. A.) and Penfield (S. L.)—Identity of hydrofranklinite and chalcophanite; heavy fluid for separating minerals, 44.
- Krenner (J. A.)—Lorandite, 32, 168.
- Kühnite, chem., 10.
- Kunz (G. F.)—Phosphorescent diamonds, 241.
- Kyanite, cryst., Brazil, 84.
 ——— Himalayas, 142.
- Laccionites, 156, 151.
- Lacroix (A.)—Min. of France, 218.
 ——— Edingtonite and natrolite, 341.
- Lamprophyre, Montana, 255.
- Lapparent (A. de)—845.
- Laumontite, constitution, 37.
- Laurion (Greece), 43, 106, 108.
- Lautarite, cryst., 104.
- Lautite, 78.
- Lawson (A. C.)—Basic orthoclase rock, 153.
- Lawsonite, 157.
- Leadhillite, Missouri, 103.

- Leucite, constitution, 38.
 —— rocks, 36, 255, 262.
- Levynite, constitution, 37.
- Lewis (W. J.)—Humite series, 137.
- Lewisite, 80, 179.
- Limestone of igneous origin, 250.
- Lindesite, 105, 168.
- Lindöite, 116.
- Lindström (G.)—Edingtonite from Sweden, 341.
- Lipari Is., rocks, 35, 255.
- Liparite, Texas, 249.
- Liroconite, chem., 3.
- Litchfieldite, 47.
- Lithical characters, 148.
- Lithiophilite and triphyllite, 158.
- Liversidge (A.)—Gold, 101.
 —— Boleite from N. S. Wales, 165.
 —— Marshite, 236.
- Lorandite, 32, 168.
- Lossenite, 106.
- Louis (H.)—Altaite from Burma, 215.
- Luzonite, 77.
- Machacamarca, Bolivia, 22.
- McMahon (C. A.)—Biotite-kyanite-cordierite rock, 141.
- Magmatic differentiation, 28, 112, 114, 251.
- Malignite, 153.
- Mallet (F. R.)—Nemalite, 211.
 —— Blödite, 314.
- Marbles, 165, 187.
- Marcasite and pyrites, constitution, 105.
- Marsh (C. W.)—Marshite, 236.
- Marshite, 236.
- Martite, Brazil, 85.
- Maskelyne (N. S.)—146.
 —— Morphology of crystals, 93.
- Massachusetts, rocks, 252.
- Massive minerals, 56.
- Matthew (W. D.)—Lavas of New Brunswick, 253.
- Mauzelilite, 229, 82.
- Melaconite, Bolivia, 23.
- Merrill (G. P.)—Sandstone concretions, 42.
 —— Onyx marbles, 165.
 —— Gold in granite, 227.
 —— Rocks of Montana, 253.
 —— Asbestiform minerals, 341.
- Metadesmine, 343.
- Metamorphism of rocks, 247, 251, 256, 259.
- Mica, Co. Dublin, 199.
 —— peridotites, Bengal, 117.
 —— syenite, Saxony, 259.
- Michel (L.)—Hautefeuillite, 162.
 —— Artificial powellite, 164.
- Miers (H. A.)—12, 146, 236.
 —— Cleveite and helium, vi.
 —— Obituary of J. D. Dana, 89.
 —— Indexing mineralogical literature, xvii.
- Simple names for the 32 types of crystal symmetry, xvii.
- A horizontal goniometer, xvii.
- British pseudomorphs, 263.
- Milch (L.)—Lossenite, 106.
- Mineral chemistry, 149.
- Minerals, new names, 323.
- Mineralogy, determinative, 219.
 —— Hintze's Handbuch, 217.
 —— of France, 218.
- Minor (J. C., Jun.) & Penfield (S. L.)—Topaz, 41.
- Mispickel, Bolivia, 23.
 —— Kirkcudbright, 15.
- Missourite, 262.
- Monazite, cryst., Brazil, 83.
 —— in rocks, 304.
- Monchiquite, 262; Fernando Noronha, 171; Monchique, 247.
- Montana, rocks, 251, 253, 262.
- Monzonites, Tyrol, 155.
- Mordenite, 38.
- Moses (A. J.)—345.
- Moss-gold, origin, 101.
- Mügge (O.)—146.

- Muthmann (W.) and Eakle (A. S.)—
 Schneebergite, 229.
Muscovite, constitution, 111.
 — Co. Dublin, 199.
- Natrolite, constitution, 37.
 — Wales, 198.
Navarro (L. F.)—Quiroguite, 241.
Nemalite, Afghanistan, 211.
Nephelite, constitution, 112.
 — in a crystalline schist, 242.
 — Ontario, 46.
 — syenite. *See* Eleolite.
Neptunite, 100.
Neumann (F. E.)—Obituary, 92.
New mineral names, 323.
New rock names, *See* Rocks.
Nickel sulphide ores, 39.
Nies (F.)—Death of, 146.
Nordenskiöld (G.)—Death of, 91.
Nordenskiöld (O.)—Edingtonite from
 Sweden, 341.
Nordmarkite, 114, 115.
Northupite, 159, 226.
Notes and comments, 32, 91, 146, 217,
 346.
- Obituary, S. Allport, 349.
 — V. Ball, 92.
 — J. D. Dana, 89.
 — G. A. Daubrée, 146.
 — A. Des Cloizeaux, 345.
 — P. Dudgeon, 30.
 — A. E. Foote, 146.
 — H. v. Fonlon, 217.
 — A. H. Green, 147.
 — S. Haughton, 347.
 — M. F. Heddle, 345.
 — L. J. Igelström, 345.
 — F. Johnstrup, 32.
 — G. A. Kennett, 346.
 — H. Knoblauch, 91.
 — F. E. Neumann, 92.
 — F. Nies, 146.
 — G. Nordenskiöld, 91.
 — J. W. Retgers, 217.
 — F. Sansoni, 91.
 — J. J. Steenstrup, 345.
- Obituary, A. Streng, 217.
Oebbeke (K.)—91.
Offretite, 37.
Oligoclase, parting planes, 43.
Olivine and humite, 139.
 — group, chem., opt., 239.
Onyx marbles, 165, 187.
Opal, Australia, 244, iii.
Optical anomalies, topaz, 42; garnet,
 239.
Ore deposits and magmatic differen-
 tiation, 38.
 — classification of, 112.
O'Reilly (J. P.)—Mica from Co. Dublin,
 199.
Oriental alabaster, 165.
Osann (A.)—345. Chilian minerals,
 104.
 — Eleolite-syenites, Texas, 248.
Osmiridium, occurrence, 39.
- Paisanite, 249.
Palache (C.)—Crossite, 35.
Parting planes, felspar, 43.
 — corundum, 49.
Pearceite, 224.
Peck (F. B.)—Bournonite, 228.
Pegmatite, monazite, etc., in, 305.
Penfield (S. L.)—Canfieldite and
 argyrodite, 40.
 — Herderite, 42.
 — Penfieldite, 43.
 — Cleavage and parting
 planes in oligoclase and albite, 43.
 — Brush's Determinative
 Mineralogy, 14th Edit., 219.
 — Pearceite and
 polybasite, 224.
 — Calaverite, 236.*
 — and Foote (H. W.)—
 Røblingite, 343.
 — and Forbes (E. H.)—
 Olivine group, 239.
 — and Frenzel (A.)—Ident-
 ity of chalcostibite and guejarite,
 338.
 — and Howe (W. T. H.)—
 Chondrodite, etc., 161.

- Penfield (S. L.) and Kreider (D. A.)—
 Identity of hydrofranklinite and
 chalcophanite; heavy fluids for
 separating minerals, 44.
 _____ and Minor (J. C., Junr.)—
 Topaz, 41.
 _____ and Pratt (J. H.)—
 Lithiophilite and triphylite, 158.

 Thaumasite, 342.
 Penfieldite, 43.
 Percylite, artificial, 164.
 Peridotites, ores in, 112; Bengal, 117;
 Montana, 254; Piedmont, 260.
 Perofskite-magnetite-rock, Brazil, 117.
 Petrical characters, 148.
 Petrology and mineralogy, 56.
 Petterd (W. F.)—Catalogue of minerals of Tasmania, 218.
 Pharmacolite, chem., 7.
 Phenakite, Bohemia, 107.
 Phillipsite, constitution, 37.
 Phonolite, Texas, 248.
 Phosgenite, artificial, 164.
 Phosphatic peridotites, Bengal, 117.
 Phosphorescent diamonds, 241.
 Phyllites, metamorphism of, 259.
 Picotite-rock, N. S. Wales, 63.
 Picrite, Devon, 154.
 _____ hornblende-, Montana, 254.
 Pipra (India), corundum, 57.
 Pirsson (L. V.)—Monchiquite, 262.
 _____ and Weed (W. H.)—
 Highwood Mtns., Montana, 151.

 Missourite, 262.
 Pirsonite, 226.
 Pisani (F.)—Thaumasite, 343.
 Pisaniite, 240.
 Pisek (Bohemia), 106.
 Pisomite, Carlsbad (Bohemia), 189.
 Pittman (E. F.)—Willyamite, 236.
 Plagionite, cryst., 192.
 Platania (G.)—Xiphonite, 168.
 Platinum, occurrence, 39.
 Plumbo-resinite, pseudomorphs, 272.
 Point systems, 119.
 Polybasite, cryst., 224.
 Pope (W. J.)—Chemical crystallography, 95.
 _____ Determining optic axial angles, x.
 Porro (C.)—Peridotites, Piedmont, 260.
 Potassium natrolite, 111.
 Powellite, artificial, 164.
 Pratt (J. H.)—Northupite, pirssonite, and hanksite, 226.
 _____ and Penfield (S. L.)—
 Lithiophilite and triphylite, 158.

 Thaumasite, 342.
 Precious stones, 220.
 Prehnite, Wales, 198.
 Prior (G. T.)—Monchiquite from Fernando Noronha, 171.
 _____ Composition of zirkelite, 180.
 _____ and Hussak (E.)—Lewisite and zirkelite, 80.
 _____ Derbylite, 176.
 _____ Tripnhyite, 302.
 _____ and Spencer (L. J.)—
 Augelite, 16.

 Identity of andorite, sandtite, and webnerite, 286.
 Prolectite, 139, 161.
 Pseudobrookite, Limoges, 305.
 Pseudogaylussite, 344.
 Pseudomorphs, 23, 112, 235, 344.
 _____ British, 263.
 Ptilolite, 38.
 Pyknometer, 66.
 Pyrites and marcasite, constitution, 105.
 _____ Bolivia, 23, 293.
 _____ Brazil, 85.
 Pyroaurite, Sweden, 163.
 Pyrochlore, Sweden, 231.
 Pyroxenite, Montana, 254; Piedmont, 260; Tyrol 155.
 Pyrrhoarsenite, 106.
 Pyrrhotite, cryst., 109.
 _____ nickeliferous, 39.

- Quiroguite, 241.
 Rammelsberg (C. F.)—Handbuch der Mineralchemie, 149.
 Ransome (F. L.)—Lawsonite, 157.
 Rathite, 225.
 Refractive indices, determining in thin sections, 245.
 Regnolite, 77.
 Regular growth of enargite and barytes, 75.
 Retgers (J. W.)—Dune-sands of Holland, 113.
 — Heavy fluids for separation of minerals, 228.
 — Obituary, 217.
 Retzian, 166.
 Rhyolites, ancient, from N. America, 252, 253.
 Riebeckite, cryst., 231.
 Rinne (F.)—Artificial silica, 243.
 — Dehydration of stibnite, 343.
 Robertson (Miss M. W.)—Analyses of mica, 200.
 Rocks, Introduction to study of, 148.
 — monazite, xenotime, &c., in, 304.
 — simple, 56.
 — new names; Cataforite, 115;
 Lindöite, 116; Malignite, 153;
 Missourite, 262; Paisanite, 249;
 Shonkinite, 151; Sölvsbergite, 115;
 Stubachite, 116; Sussexite, 116;
 Volcanite, 35.
 Røblingite, 343.
 Ruby, Burma, 232.
 Rutile, cryst., Brazil, 85.
 Rutley (F.)—Globular forms of chalybite from Cornwall, x.
 Salvadorite, 240.
 Sands, sea- and dune-, 113.
 Sandstone concretions, 42.
 Sansoni (F.)—Obituary, 91.
 Satin spar, Alston, 164.
 Saussurite-gabbro, Zermatt, 256.
 Saxonite, Montana, 254
 Schäfer (R. W.)—Metamorphosed gabbros, etc., Zermatt, 256.
 Schiller structure in corundum, 52.
 Schimpff (W.)—Sylvite, 233.
 Schneebergite=garnet, 229.
 Schorl-rock, India, 61.
 Schulter (A. de)—Artificial northupite, etc., 226.
 Scolecite, constitution, 37.
 Sears (J.)—Ancient lavas in Massachusetts, 252.
 Serpentine as an original igneous product, 116.
 Separation of minerals by heavy fluids, 44, 113, 228, 304.
 Shonkinite, 151.
 Silica, artificial form of, 243, 343.
 Silver-thallium nitrate, 44, 228.
 Sjögren (H.)—Fluid enclosures in gypsum, 44.
 — Prolectite, 161.
 — Carynite and soda-berzelite, 162.
 — Pyroaurite, 163.
 — Retzian, 166.
 — Urbanite, 167.
 — Tilasite, 229.
 — Mauzelite, 229, 83.
 Soda-anorthite, 111.
 — berzelite, 163.
 — nepheline-hydrate, 111.
 Sodalite, constitution, 111.
 — syenite, Montana, 151, 255.
 Sollas (W. J.)—Riebeckite, 231.
 Solution planes in corundum, 53.
 Sölvsbergite, 115.
 Spencer (L. J.)—Enargite, 69.
 — Alston satin spar and massive calcites and aragonites, 184.
 — Zincenite and wolfsbergite, 188.
 — Plagionite, stephanite, enargite, anglesite, 192.
 — Identity of guejarite and wolfsbergite, x. 338.
 — List of new minerals, 323.
 — & Prior (G. T.)—Aegelite, 16.
 — Identity of andorite, sundtite and webnerite, 286.

- Stalactitic marbles, 165, 187.
 Steenstrup (J. J. S.)—Death of, 345.
 Stephanite, cryst., 196.
 Stilbite, constitution, 37.
 — dehydration, 343.
 Streng (A.)—91; Obituary, 217.
 Structure planes of corundum, 49.
 Structures, homogeneous, 119.
 Stubachite, 116.
 Sulfoborite, 103.
 Sulphur, native, origin of, 45.
 Sulphides, heavy fluids for separating, 228.
 Sulphosalts, cryst., 225.
 Sulphuretted hydrogen enclosed in gypsum, 44; in sylvite, 233.
 Sundite=andorite, 286.
 Sussexite, 116.
 Sylvite, Stassfurt, 233.
 Syntagmatite, 244.

 Talmage (J. E.)—32.
 Tasmania, minerals of, 218.
 Texas, nephelite rocks, 248.
 Thaddéeff (K.) and Arzruni (A.)—
 Celestite, 234.
 Thaumasite, New Jersey, 342.
 Thomson (J. S.) and Heddle (M. F.)
 —Delessite from Cartyre, 28.
 Thomsonite, constitution, 37.
 Thugutt (S. J.)—Constitution of alumino-silicates, 111.
 Tiffanyite, 241.
 Tilasite, 229.
 Tinguaite, Christiania, 116; Monchique, 247; Texas, 249.
 Tolstopiatow (M.)—Recherches minéralogiques, 97.
 Topaz, chem., opt., 41.
 — cryst., 99.
 Tourmaline, Burma, 233.
 —rock, India, 61.
 Trachybasalts, Fernando Noronha, 172.
 Triphylite and lithiophilite, 158.
 Tripuhy (Brazil), 83, 176.
 Tripuhyte, 302.
 Tutton (A. E.)—Instrument for cutting crystal sections, vi.
 Twin lamellæ in corundum, 53.
 Tyrol, rocks, 155.
 Tyrolite, chem., 5.
 Urbanite, 167, 105.
 Ussing (N. V.)—91.
 Valleite, 228.
 Vicinal faces, augelite, 17.
 Vienna Museum, guide to building materials, 34.

 Viola (C.)—Determination of refractive power in thin sections, 245.
 Vogt (J. H. L.)—Ore deposits and magmatic differentiation, 38.
 — Classification of ore deposits, 112.
 Volcanite, 35.
 Vrba (C.)—Beryl, etc., from Bohemia, 106.

 Wardite, 226.
 Warren (C. H.)—345.
 Water enclosed in gypsum, 44.
 — of crystallisation, etc., 1, 46, 316.
 Wax, mineral, Russia, 236.
 Webnerite=andorite, 286.
 Websterite, Montana, 254.
 Weed (W. H.) and Pirsson (L. V.)—
 Highwood Mtns., Montana, 151;
 Missouri, 262.
 Wehrlite, Montana, 254.
 Weibull (M.)—Idocrase, 230.
 Weidman (S.)—Ancient lavas in Wisconsin, 252.
 Weinschenk (E.)—Serpentine-rocks, 116.
 — Epidote and zoisite, 237.
 — Garnet group, 238.
 Wells (H. L.)—Leadhillite, 103.
 Wichmann (A.)—Leucite rocks, Celebes, 36.
 Willyamite, 236.
 Wisconsin, ancient lavas, 252.
 Wolfsbergite, cryst., 188.
 — Bolivia, Spain, 338.
 Woodward (C. J.)—Lecture-room apparatus for crystallography, x.
 — Crystallography for beginners, 222.
 Woodward (H. P.)—Geol. map of Western Australia, 32.

 Xenotime, cryst., Brazil, 83.
 — in rocks, 304.
 Xiphonite, 168.

 Zeolites, constitution, 37.
 Zermatt, rocks, 256.
 Zinckenite group, 188.
 — Bolivia, 23.
 — Harz, 188.
 Zircon, Brazil, 84.
 — in rocks, 304.
 Zirconium and titanium, separation, 181.
 Zirkelite, 86, 180.
 Zoisite and epidote, 237.