

## INDEX TO VOL. XII.

(See also "List of New Mineral Names," p. 378.)

- Abyssinia, rocks, 92, 255.  
 Ægirine-augite, Little I. of Trinidad, 319.  
 Ægirine rocks, Abyssinia, 255.  
 "Æschynite" of Hitterö, 99.  
 Africa, soda-rich igneous rocks, 273.  
 Albite, Tintagel, 360.  
 Allen (E. T.).—Native iron in coal measures, 46.  
 Alunite-quartz rock, 134.  
 Analcite, Barrhead, 130.  
 ——— constitution, 312.  
 ——— dehydration, 131.  
 ——— optical anomalies, 51.  
 Anatase, Tintagel, 362.  
 Anorthite, cryst. 181, opt. 309.  
 Anorthoclase rocks, Abyssinia, 255.  
 Antarctic rocks, 69.  
 Apatite, blue, Ceylon, ix.  
 Apophyllite, S. Africa, 130.  
 Aragonite, cryst. 218, 219.  
 ——— group, 218.  
 ——— absence of in animal kingdom, 368.  
 Argyrodite, stanniferous, Bolivia, 5.  
 Arsenates and phosphates, 120, 152, 223, 234.  
 Arzruni (A.).—Obituary of, 129.  
 ——— and Thaddéeff (K.).—New minerals, 307.  
 Arzrunite, 308.  
 Atacamite, Chili, cryst. opt. 15.  
 Angelite, Bolivia, 1.  
 Axial representation, Grassmann's method, 333.  
 Axinite, Cornwall, 281.  
 Bäckström (H.).—Phenakite, 134.  
 Båddeleyite, Sweden, 215.  
 Barium chloride, dehydration of, 312.  
 Barlow (W.).—New method of deriving the 32 crystal classes, xvi.  
 Barytes, cryst. 220.  
 ——— in igneous rock, 49.  
 ——— Bolivia, 4.  
 ——— Hungary, 53.  
 ——— Sardinia, 217.  
 Basalt, Abyssinia, 271.  
 ——— Antarctic, 71-91.  
 ——— -glass, Antarctic, 88.  
 Baumhauer (H.).—Anomalous etched figures; colemanite, 135.  
 Beckenkamp (J.).—Symmetry of crystals, 218.  
 Beudantite, composition, 234, 251.  
 ——— cryst. opt. 242.  
 ——— group, 249.  
 Binnenthal minerals, 285.  
 Binnite = tennantite, 184, 282.  
 Bismuth basic carbonate, Chili, 309.  
 Blende with metallic lustre, 111.  
 Blomstrand (C. W.).—Death of, 35.  
 Blowpipe analysis, 153.  
 Bolivia, 1, 5, 13, 46, 58.  
 Bonney (T. G.).—Parent-rock of diamond in S. Africa, 310.  
 Bornite, Tyrol, 135.  
 Boulangerite, Sweden, 48.  
 Bowman (H. L.).—Rhombic pyroxene, S. Africa, 349.  
 ——— Thermal conductivity in crystals, 353.  
 ——— Twin crystal of sapphire, 355.  
 ——— Monazite, etc., Tintagel, 358.  
 Brauns (R.).—Fuchs' Anleitung zum Bestimmen der Mineralien, 43.

- Brazil, 30, 244.  
 British minerals, 45, 92, 111, 120, 130,  
 152, 192, 215, 227, 237, 239, 242,  
 274, 324, 353, 358.  
 Brochantite, Chili, 309.  
 Brögger (W. C.).—Mossite and skog-  
 bölite, 130.  
 Broken Hill (N.S.W.), ii, 47.  
 Bronniardite (so-called crystallised) =  
 argyrodite, 11.  
 Brush (G. J.).—Determinative Mine-  
 ralogy, 126.
- Cadell (H. M.).—Vivianite, 130.  
 Calcite, colouring matter of, 48.  
 ———— cryst. 219.  
 ———— Tintagel, 361.  
 ———— etc. in animal kingdom, 369.  
 Calcium carbonate, new form of, 363.  
 ———— amorphous, 369.  
 ———— in animal king-  
 dom, 363.  
 Caldbeck mines, 240, 227.  
 Canfieldite, 5.  
 Caracolite, 19.  
 Cassiterite, Swaziland, 100.  
 Cerium, valency of, 248.  
 Cerussite, Tuscany, 54.  
 Chalcophyllite, composition, 120.  
 Chalyphite, 135.  
 Chert, Antarctic, 73.  
 Chester (A. H.).—Krennerite, 132.  
 Chili, 15, 307.  
 Church (A. H.).—Experiments with  
 zeolites, ix.  
 ———— Blue apatite, Ceylon,  
 ix.  
 Clarke (F. W.).—Formula of tourma-  
 line, 310.  
 ———— and Steiger (G.).—  
 Constitution of silicates, 311.  
 Cliftonite, 171.  
 Clinohedrite, 133.  
 Cohen (E.).—Cohenite, 135.  
 Cohenite, in telluric iron, 135.  
 Colemanite, etching, 135.  
 Colouring matter in calcite, 48.  
 Conchite, 363.  
 Copper-pyrites, Cornwall, cryst., 324.  
 ———— alteration of, 376.  
 Copper sulphate, dehydration of, 312.  
 Cordierite, formation in magmas, 314.  
 Corundum, artificial, 314.  
 ———— formation in magmas, 314,  
 148.  
 ———— N. Carolina, 139, 150.  
 ———— twin crystal, 355.  
 Crystal angles, table of, 43.  
 ———— structure, 218, 305.  
 ———— symmetry, 218.  
 Crystallography, treatises, 123, 214,  
 302.  
 Crystals in blowpipe beads, 153.  
 Cubic tetartohedrism in minerals, 51,  
 112.  
 Currie (J.).—Minerals from Mull, 130.  
 ———— Apophyllite, 130.  
 Cusack (R.).—Melting points of mine-  
 rals, 49.
- D'Achiardi (G.).—Optical anomalies of  
 analcite, 51.  
 ———— Tuscan minerals, 53.  
 Dana (E. S.).—Text-book of Minera-  
 logy and Crystallography, 123.  
 ———— Appendix to System of  
 Mineralogy, 303.  
 Dannenberg (A.).—New minerals, 307.  
 Daviesite, 308.  
 Dehydration of minerals, 131, 312.  
 Des Cloizeaux (A. O.).—Obituary of,  
 37.  
 Diamond, artificial, 54.  
 ———— parent-rock in S. Africa,  
 310.  
 Dick (A.).—Crystals of lead, 118.  
 Dolerite, Abyssinia, 271.  
 ———— Antarctic, 83.  
 Domingite, 58.  
 Double-plate, quartz, 52.  
 Dufrenoyite, 286, 288.
- Electrical phenomena, 218.  
 Embrithite, 49.  
 Enstatite, S. Africa, 349.  
 Epidiorite, Antarctic, 82.

- Epsomite, Tuscany, 53.  
 Etch-figures, 21, 218, 357.  
 ———— anomalous, 135.  
 Euxenite, Swaziland, 96.  
 Evans (J. W.).—Alteration of pyrites, 371.
- Fahlerz, composition, 193.  
 Faroelite, 29.  
 Farrington (O. C.).—Average sp. gr. of meteorites, 50.  
 Feather-ore, 2, 58.  
 Felspar-basalt, Antarctic, 71.  
 Fergusonite (?), Swaziland, 100.  
 Fiedlerite, cryst. opt. 107.  
 Fletcher (L.). — Meteoric iron from Caperr, Patagonia, 167.  
 ———— Cliftonite and tænite in Younegin iron, 171.  
 Fletcher (T.).—Coal gas, 36.  
 Florence (W.).—Crystals in blowpipe beads, 153.  
 Florencite, 244, 249.  
 Flos ferri, 369.  
 Foote (H. W.) and Penfield (S. L.).—Clinohedrite, 133.
- 
- Formula of tourmaline, 216, 309.  
 Foote (W. M.).—Native lead, 315.  
 Franklin Furnace (N. J.), 133, 315.  
 Friedel (G.).—Dehydration of analcite, 131.  
 Fromme (J.).—Colouring matter of calcite, 48.  
 Fuchs (C. W. C.).—Anleitung zum Bestimmen der Mineralien, 43.
- Galena, zinciferous, Utah, 112.  
 Garnet (rhodolite), 145, 133.  
 ———— (soda-), 314.  
 Geinitz (H. B.).—Obituary of, 300.  
 Geocronite, 290.  
 Germanium, detection of, 9.  
 Glaucochroite, 316.  
 Glauconitic sandstone, Antarctic, 90.  
 Gneiss, Antarctic, 91.  
 Gold nuggets, crystalline structure, 135.
- Goldschmidt (V.). — Krystallographische Winkeltabellen, 43.  
 Goniometer, theodolite-, 52, 114, 176.  
 ———— three-circle, 175.  
 Goodchild (J. G.). — Obituary of M. F. Heddle, 38.  
 ———— Minerals from Hilderston silver mines, 130.  
 Granite, Antarctic, 77, 82, 89.  
 Grassmann's method of axial representation, 333.  
 Gregory (J. R.). — Obituary of, 301.  
 Grönrdite, Abyssinia, 255.  
 Groth (P.).—Tabell. Uebers d. Mineralien, 36.  
 Grünlingite, 45.  
 Gypsum, conduction of heat in, 353.  
 ———— cryst., 219.  
 ———— weathering figures, 137, 354.  
 ———— Bolivia, 2.
- Hall (A. L.) and Lewis (W. J.).—Crystals of copper-pyrites, Cornwall, 324.  
 Hamlinite, composition, 45.  
 ———— group, 249.  
 Hancockite, 316.  
 Hardness of minerals, 50.  
 Hardystonite, 315.  
 Hartley (E. G. J.).—Constitution of mineral arsenates and phosphates:  
 I. Chalcophyllite, 120.  
 II. Pharmacosiderite, 152.  
 III. Plumbogummite and hitchcockite, 223.  
 IV. Beudantite, 234.  
 ———— analysis by, 111.  
 Hartley (W. N.) and Ramage (H.).—Spectrographic analysis of meteorites, 50.  
 Heat, curve of conductivity in crystals, 353.  
 Heavy liquid for separating minerals, 131.  
 Heddle (M. F.).—Analcite, 130.  
 ———— Riebeckite, 130.  
 ———— Mineralogy of Scotland, v, 215.

- Hedde (M. F.).—Obituary of, 38.  
 Heimerl (A.).—Bornite, 135.  
 Hemimorphite, constitution, 312.  
 Heteromorphite, 57.  
 Heulandite, optical characters and loss of water, 313.  
 Hidden (W. E.) and Judd (J. W.).—Ruby in N. Carolina, 139.  
 ————— and Pratt (J. H.).—Rhodolite, 133.  
 Hintze (C.).—Handbuch der Mineralogie, 36.  
 ————— Phenakite, 134.  
 Hitchcockite, composition, 223, 250.  
 ————— Cumberland, 227, 239.  
 ————— Georgia, 228, 241.  
 Hlawatsch (C.).—Stolzite and raspite, 47.  
 Holland (T. H.).—Quartz-barytes rock, 49.  
 Hudson (R. W. H. T.).—Determination of position of points and planes after rotation about a known axis, 343.  
 Hussak (E.).—Baddeleyite, Sweden, 215.  
 ————— and Prior (G. T.).—Senaitite, a new mineral, 30.  
 ————— Florencite, a new mineral, 244.  
 Hutchinson (A.).—Stokesite, a new mineral, 274.  
 ————— Optical properties of chalybite and dialogite, xvii.  
 ————— Obituary of C. F. Rammelsberg, 298.  
 J'Anson (J.).—Death of, 35.  
 Ilmenite group, 30.  
 Iron, native, in coal measures of Missouri, 46.  
 ————— telluric, cohenite in, 135.  
 Isomorphism, theory of, 305.  
 ————— mass effect, 217, 203, 253.  
 Jackson (H.).—Analyses by, 282.  
 Jagger (T. A. Junr.).—Microsclerometer for determining hardness, 50.  
 Jamesonite, 58.  
 Japan, minerals, 313.  
 Jimbō (K.).—Minerals of Japan, 313.  
 John (C. von).—Moldavite, 311.  
 Jordanite, composition, 288.  
 ————— cryst. 290.  
 Judd (J. W.) and Hidden (W. E.).—Ruby in N. Carolina, 139.  
 Kelley (J. G.).—Boy Mineral Collectors, 128.  
 Kelly (A.).—Conchite, a new form of calcium carbonate, 363.  
 Klein (C.).—Leucite and analcite, 51.  
 ————— Bornite, 135.  
 ————— Optical studies, 309.  
 Krennerite, Colorado, 132.  
 Kyschtymite, 314.  
 Lacroix (A.).—Modification of granitic magma by limestone, 136.  
 Lagoriolite, 314.  
 Langbeinite, Prussia, 51.  
 ————— India, 159.  
 Laurionite, cryst. opt. 102.  
 Lead crystals, 113, 118.  
 Leonard (J. W.).—Gold Fields of Klondike, 36.  
 Leucite, optical anomalies, 51.  
 Leucophoenicite, 316.  
 Lewis (W. J.).—Grassmann's method of axial representation, 333.  
 ————— Treatise on crystallography, 302.  
 ————— and Hall (A. L.).—Crystals of copper-pyrites, Cornwall, 324.  
 Limburgite, Little I. of Trinidad, 322.  
 Limestone, Antarctic, 74.  
 Lindgren (W.).—Orthoclase in mineral veins, 133.  
 Lindöite, Abyssinia, 261, 262.  
 Liversidge (A.).—Crystalline structure of gold nuggets, 135.  
 Luedecke (O.).—Langbeinite, 51.  
 Machacamarca, Bolivia, 3.  
 Madagascar, rocks, 272.

- Magma, granitic, modified by limestone, 136.
- Magmas, formation of minerals in, 313.
- Majorana (Q.).—Artificial diamond, 54.
- Mallet (F. R.).—Langbeinite, Punjab, 159.
- Marcasite, alteration of, 376.
- Marsh (C. W.).—Stolzite, 47.
- Matildite, Japan, 313.
- Melanotekite, New Mexico, 134.
- Meldometer, 49.
- Melting points of minerals, 49.
- Meneghinite, 290.
- Merohedrism, theory of, 306.
- Mesole, 29.
- Meteoritic iron, Caperr, Patagonia, 167.  
 ————— Youdegin, 171.
- Meteoritic origin of moldavite, 311.
- Meteorites, average sp. gr. 50.  
 ————— gallium, etc., in, 50.  
 ————— spectrographic analysis, 50.
- Miargyrite, Bolivia, 12.
- Microsclerometer, 50.
- Miers (H. A.).—Blende, galena, pyrites, lead, 111.  
 ————— Hitchcockite, plumbogummite, beudantite, 239.  
 ————— Obituary of A. O. Des Cloizeaux, 37.  
 ————— A. Schrauf, 42.
- Miltosevich (F.).—Sulphur, etc., Sardinia, 217.
- Mineral analyses, reliability of, 249.
- Mineralogy, determinative, 43, 126.  
 ————— Treatises, 36, 123, 303, 395, 397.
- Minerals, action of water on, 375.  
 ————— British, *see* British.  
 ————— formation of in magmas, 313.  
 ————— hardness, 50.  
 ————— melting points, 49.  
 ————— new names, 378.  
 ————— heavy liquid for separating, 131.
- Mispickel, constitution, 132.
- Moldavite, cosmic origin of, 311.
- Monazite, Cornwall, 358.  
 ————— Swaziland, 101.
- Morozewicz (J.).—Formation of minerals in magmas, 313.
- Morphotropic series, 66.
- Moses (A. J.).—Characters of Crystals, 214.
- Mossite, 130.
- Muthmann (W.).—Heavy liquid for separating minerals, 131.  
 ————— and Schröder (E.).—Grünlingite, 45.
- Nasonite, 316.
- Nepheline-basanite (?), Antarctic, 91.
- Nepheline rocks, Little I. of Trinidad, 318.
- Niobates, Swaziland, 96.
- North Carolina, 139, 133.
- Nosean rocks, Little I. of Trinidad, 320.
- Obituary, Arzruni, A., 129.  
 ————— Blomstrand, C. W., 35.  
 ————— Des Cloizeaux, A. O., 37.  
 ————— Geinitz, H. B., 300.  
 ————— Gregory, J. R., 301.  
 ————— Heddle, M. F., 38.  
 ————— I'Anson, J., 35.  
 ————— Rammelsberg, C. F., 298.  
 ————— Sandberger, K. L. F. von, 35.  
 ————— Schrauf, A., 42.  
 ————— Ulrich, G. H. F., 395.
- Opal, precious, New Zealand, 34.
- Optical anomalies, 51, 305.  
 ————— determinations, 52, *see* refractive indices.  
 ————— indicatrix, 124.
- Orthoclase in mineral veins, 133.
- Oxford Mineralogical Laboratory, 111, 120, 152, 223-239, 349.
- Paisanite, Abyssinia, 95, 263.
- Palagonite-tuff, Antarctic, 77, 86, 89.
- Paralaurionite, 108, 183.
- Pectolite, constitution, 311.
- Penfield (S. L.).—Hamlinite, 45.  
 ————— New edition of Brush's Determinative Mineralogy, 126.

- Penfield (S. L.) and Foote (H. W.).—  
Clinohedrite, 133.
- 
- Formula of tourmaline, 216, 309.  
——— and Warren (C. H.).—  
New minerals, 315.
- Pharmacosiderite, composition, 152.
- Phenakite, new localities, 134.
- Phillipsite, ix.
- Phonolite, Antarctic, 78.  
——— Little I. of Trinidad, 318.  
——— nephelinite, Little I. of  
Trinidad, 321.
- Phosgenite, Laurium, 107.
- Picromerite, Punjab, 166.
- Pirsson (L. V.).—36.
- Pitchstone, Abyssinia, 270.
- Plagionite, 56.
- Platinum nuggets, crystalline struc-  
ture, 135.
- Plumbogummite, 223, 241, 250.
- Plumosite, 58.
- Polymorphism, theory of, 305.
- Pratt (J. H.).—Crystallography of  
ruby, N. Carolina, 150.  
——— and Hidden (W. E.)—  
Rhodolite, 133.
- Prior (G. T.).—Sphærostilbite, 26.  
——— Antarctic rocks, 69.  
——— Riebeckite in trachytic  
rocks from Abyssinia, 92.  
——— Minerals from Swaziland:  
the "æschynite" of Hitterö, 96.  
——— Hamlinite, florencite,  
plumbogummite, beudantite, svan-  
bergite group, 249.  
——— Ægirine and riebeckite  
anorthoclase rocks, Abyssinia, 255.  
——— Rocks from Little I. of  
Trinidad, 317.  
——— Analyses by, 55, 102.  
——— and Hussak (E.).—Sena-  
ite, a new mineral, 30.
- 
- Floren-  
cite, a new mineral, 244.  
——— and Spencer (L. J.).—  
Stanniferous argyrodite from Bolivia;  
Identity of "crystallised brongniar-  
dite" with argyrodite-canfieldite, 5.
- Prior (G. T.) and Spencer (L. J.).—  
Identity of binnite with tennantite:  
composition of fahlerz, 184.
- Pseudomorphs, 33, 239.  
——— after pyrites, 372.
- Punjab Salt Range, 165.
- Pyrrargyrite, Bolivia, 6.
- Pyrites, alteration of, 371.  
——— tetartohedral (?), Colorado,  
112.  
——— Bolivia, 2.  
——— Tintagel, 361.  
——— Tuscany, 54.
- Pyromorphite, aluminous, 233.
- Pyrophyllite, constitution, 311.
- Pyroxene, rhombic, S. Africa, 349.
- Quartz, Japan, 313.  
——— Tintagel, 360.  
——— double-plate, 52.  
——— pseudomorphs, 33.  
——— -alunite rock, 134.  
——— -barytes rock, 49.  
——— -grit, Antarc'ic, 85.
- Rafaelite = paralaurionite, 183, 308.
- Ramage (H.) and Hartley (W. N.).—  
Spectrographic analysis of meteor-  
ites, 50.
- Rammelsberg (C. F.).—Obituary of,  
298.
- Raspite, 47.
- Rathite, composition, 287.
- Refractive indices, determination, 22,  
105, 309.
- Renard (A. F.) and Stöber (F.).—  
Notions de Minéralogie, 397.
- Rheineck (H.).—Formula of tourma-  
line, 310.
- Rhodolite, 133, 145.
- Rhombohedral system, 338.
- Rhyolite, Antarctic, 85, 90.
- Riebeckite, Abyssinia, 92, 255.  
——— Ailsa Craig, 130.
- Rinne (F.).—Water of crystallisation,  
312.
- Rocks, Abyssinia, 92, 255.  
——— (soda-rich) Africa, 271.  
——— Antarctic, 69.

- Rocks, Little I. of Trinidad, 317.  
 ——— corundum-bearing, N. Carolina, 139.  
 ———— Urals, 314.
- Ross (Sir J. C.).—Antarctic Expedition (1839–43), 69, 317.
- Rotary polarisation, 221.
- Rotation about axis, positions of points and planes after, 343, 330.
- Roughten Gill mines, 240, 227.
- Ruby, North Carolina, 139, 150.
- Rutile, Cornwall, 360.
- Rutley (F.) Mineralogy, 395.
- Sandberger (K. L. F. von).—Obituary of, 35.
- Sapphire, twin crystal, 355.
- Sapolite, 142.
- Sartorite, chem. 286, cryst. 297.
- Schists, Antarctic, 85.
- Schmidt (A.).—Minerals from Hungary, 53.
- Schrauf (A.).—Obituary of, 42.
- Schröder (E.) and Muthmann (W.).—Grünlingite, 45.
- Schroeder van der Kolk (J. L. C.).—36.
- Scolecite, Mull, 130.
- Semseyite, Harz, 60.
- Senaite, 30.
- Shells, molluscan, etc., 363.
- Shock (H. L.). See Starke (F. W.).
- Silicates, constitution, 311.
- Sillimanite, formation in magmas, 314.
- Sjögren (H.).—Boulangerite, 48.
- Skertchley's Geology, 395.
- Skogbölite = tapiolite, 131.
- Smith (E. F.). See Starke (F. W.).
- Smith (G. F. H.).—Atacamite, Chili, 15.  
 ———— Lead minerals from Laurium; laurionite, phosgenite, fiedlerite, and (new species) para-laurionite, 102.  
 ———— Three-circle goniometer, 175.  
 ———— Identity of paralaurionite and rafaelite, 183.
- Sohncke (L.).—"Weathering figures" of gypsum, 137.
- Solly (R. H.).—Sulpharsenites of lead, Binnenthal, 282.
- Sölvbergite, Abyssinia, 265.
- Spectrographic analysis of meteorites, 50.
- Spencer (L. J.).—Angelite, Bolivia, 1.  
 ———— Plagionite, heteromorphite and semseyite, 55.  
 ———— List of new mineral names, 378.  
 ———— Measurements by, 95, 101.  
 ———— and Prior (G. T.).—Stanniferous argyrodite from Bolivia; Identity of "crystallised brongniardite" with argyrodite-canfieldite, 5.  
 ———— Identity of binnite with tennantite; composition of fahlerz, 184.
- Spbærostilbite = thomsonite, 26.
- Spinel, artificial, 314.  
 ———— formation in magmas, 314.
- Stannite, Bolivia, cryst. 46. xv.
- Starke (F. W.), Shock (H. L.) and Smith (E. F.).—Constitution of mispickel, 132.
- Stauroscopic measurements, 52.
- Steiger (G.) and Clarke (F. W.).—Constitution of Silicates, 311.
- Stelzner (A. W.).—Crystallised stannite, Bolivia, 46.
- Stelznerite, 308.
- Stephanite, Bolivia, 6.
- Stibnite, conduction of heat in, 355.  
 ———— Hungary, 53.
- Stilbite, radiating, 29.  
 ———— dehydration of, 312.
- Stöber (F.).—Quartz double-plate, 52.  
 ———— Theodolite-goniometer, 52.  
 ———— and Renard (A. F.).—Notions de Minéralogie, 397.
- Stokesite, 274.
- Stolzite, N.S. Wales, 47.
- Strontianite, cryst. 218.
- Suess (F. E.).—Cosmic origin of mol-davite, 311.
- Sulpharsenites of lead, 282.
- Sulphostannates in Bolivia, 13, 46.

- Sulphur**, Sardinia, 217.  
**Svanbergite**, composition, 252.  
 Swaziland, 96.  
  
**Tænite** in Youndeggin iron, 172.  
**Tammela tantalite**, 131.  
**Tapiolite**, Finland, Maine, 131.  
**Tennantite**, Binnenthal, 184.  
 ————— Cornwall, 192.  
 ————— composition, 193.  
**Termier (P.)**.—Zoisite, 215.  
**Tetradymite**, Hungary, 46.  
**Tetrahedrite**, Baden, 200.  
 ————— Dauphiné, 196.  
 ————— Horhausen, 198.  
 ————— composition, 193.  
**Thaddéeff (K.) and Arzruni (A.)**.—  
 New minerals, 307.  
**Theodolite-goniometer**, 52, 114, 176.  
**Thermal conductivity** in crystals, 353.  
**Thomsonite** ("sphaerostilbite"), 26.  
**Three-circle goniometer**, 175.  
**Tin silicate**, 280.  
**Tinguaite**, Abyssinia, 255.  
**Tintagel** (Cornwall), 358.  
**Tourmaline**, formula, 216, 309.  
**Trachyte**, Abyssinia, 90, 270.  
 ————— Madagascar, 272.  
**Trinidad**, Little I. of, rocks, 317.  
**Tschermak (G.)**.—Formula of tourmaline, 310.  
**Turner (H. W.)**.—Quartz-alunite rock, 134.  
**Twin-crystals**, 7, 108, 220, 327.  
  
**Twin-crystals**, drawing, 330.  
**Twisted crystals**, 68.  
  
**Ulrich (G. H. F.)**.—Quartz pseudomorphs, New Zealand, 33.  
 ————— Obituary of, 395.  
**Utahite**, Chili, 308.  
  
**Vicinal faces**, 2, 219.  
**Vivianite**, Linlithgow, 130.  
  
**Wallerant (F.)**.—Theory of optical anomalies, isomorphism and polymorphism, 305.  
**Warren (C. H.)**.—Tapiolite, 131.  
 ————— Melanotekite, phenakite, 134.  
 ————— and Penfield (S. L.).—  
 New minerals, 315.  
**Warrenite**, 58.  
**Water of crystallisation**, 131, 312.  
**Watts (W. W.)**.—Geology for Beginners, 125.  
**Weathering figures** of gypsum, 137, 354.  
**Weinschenk (E.)**.—Bornite, 135.  
**Wolff (J. E.)**.—Native copper, hardy-  
 stonite, 315.  
  
**Zeitschrift f. Kryst. Min., Repertorium**  
 u. General Register, 304.  
**Zinc-blende**, *see* Blende.  
**Zoisite**, opt. 215.