

## INDEX TO VOL. XIV.

(See also 'List of New Mineral Names,' p. 394.

- Aegirite-riebeckite-gneiss from Ross-shire, 119.
- Albite from Binnenthal, 16.  
— German East Africa, 178.
- Allen (E. T.), synthesis of minerals, 281.
- Allophane from Wales, 168.
- Alum, crystallization of, 184.
- Amethyst from German East Africa, 178.
- Amiantos of ancients = chrysotile, 143.
- Ammonium haloids, 235.
- Amphibole in serpentine-rock, 366.
- Anatase in Cleveland ironstone, 96, 98.  
— from Binnenthal, 16.
- Andorite from Bolivia, 316.  
— systematic position of, 319.
- Antigorite in serpentine-rock, 368.
- Antimonite, optical characters, 199.
- Apatite from Bolivia, 338.
- Appointments to chairs of mineralogy, 418.
- Arsenopyrite, *see* Mispickel.
- Augelite from Bolivia, 323.
- Aurichalcite from Cornwall, xxviii.  
— Co. Wicklow, 349.
- Babel-quartz from Cornwall, xxvii.
- Baddeleyite from Ceylon, 378.
- Balance-sheet, xxiv, xxx, xl, xliv.
- Barker (T. V.), regular growth of soluble salts on each other, 235.  
— elected member, xxv.
- Barlow (W.), atom-arrangements of crystals in carbon compounds, xxii.
- Barrow (G.), axinite from Bodmin district, xxxvi.
- Barytes from Binnenthal, 190.  
— Co. Tipperary, 352.
- Bastite in serpentine-rock, 370.
- Baumhauer (H.), elected hon. member, xxxi.
- Becke (F.), skiodroms, 276.  
— measurement of optic axial angle from isogyes, 280.
- Becker (G. F.) and Day (A. L.), linear force exerted by growing crystal, 197.
- Behrens (T. H.), obituary, 118.
- Bertrandite from Cornwall, xxvii.
- Bethany meteorite, 35.
- Binnenthal (Switzerland) minerals, xxxiv, xlvi, 16, 72, 184, 204, 212, 283, 389.
- Birley (Miss C.), collection, 419.
- Bishop (H. R.), collection of jade, 419.
- Blake (G. S.), elected member, xxxvi.  
— and Smith (G. F. H.), baddeleyite from Ceylon, 378.
- Blende with metallic lustre, from the Binnenthal, 81.
- Boeggild (O. B.), 'Mineralogia Groenlandica,' 195.
- Bolivian minerals, 21, 208, 308, 345.  
— rocks, 335.
- Bonney (T. G.), obituary of C. A. McMahon, 56.
- Bornite, formula of, 120.
- Bowman (H. L.), hamlinite from Binn, 389.  
— bertrandite from Cornwall, xxvii.
- Bowmanite, 80, 389, 396.
- Brackebusch (L.), obituary, 418.
- British minerals, xxvii, xxviii, xxxvi, xxxix, 93, 96, 98, 109, 116, 118, 167, 207, 311, 348, 350, 385.
- Brookite in Cleveland ironstone, 96.
- Butler (F. H.), silver-ore in Perran mine, Cornwall, 385.
- Bye-laws, vii.
- Caesium haloids, 235.
- Calamine-ore from Co. Tipperary, 351.
- Caledonite from Co. Wicklow, 348.
- Campbell (D. F.), elected member, xix.
- Canadian economic minerals, 196.
- Cape of Good Hope meteorite, 37.
- Caperr meteorite, 41.
- Carborundum, 121, 396.
- Cassiterite from Bolivia, 332.  
— Ross-shire, 118.
- Cerargyrite from Cornwall, 385.
- Cerrussite, angles, 51.
- Ceylon, minerals from, 43, 160, 194, 378.

- Chalcostibite from Bolivia, 322.  
 Chalybite from Bolivia, 342.  
 — Cornwall, 385.  
 Chapman (E. J.), obituary, 65.  
 Chemical analysis of rocks, 115.  
 Chevalier (J.), crystallization of potash-alum, 184.  
 — and Miers (H. A.), crystallization of sodium nitrate, 123.  
 Chlormanganokalite, 397.  
 Chlornatrokalite, 397.  
 Chrysotile from Canada, 196.  
 — Cyprus, 143.  
 — in ancient writings, 143.  
 Church (A. H.), handbook of precious stones, 194.  
 Claremont (L.), the gem-cutter's craft, 275.  
 Cleve (P. T.), obituary, 194.  
 Cleveland ironstone, brookite, &c. in, 96.  
 Clinochlore in serpentine-rock, 367.  
 Cohen (E. W.), obituary, 194.  
 Colombia (S. America), minerals, 196.  
 Copper from Bolivia, 309.  
 Cornish minerals, xxvii, xxviii, xxxvi, 311, 385.  
 Corundum from German East Africa, 178.  
 Crook (T.), elected member, xli.  
 — and Jones (B. M.), geikielite and the ferro-magnesian titanates, 160.  
 Crystal-structure, 417.  
 Crystallization of sodium nitrate, 123.  
 — of potash-alum, 134.  
 — spontaneous, 123, 134.  
 — by inoculation, 123, 134.  
 — force of, 197.  
 Crystallographic projections, 99.  
 Crystals, thirty-two classes, 261, 360.  
 — irregular development, 43.  
 'Cullinan' diamond, 119.  
 Cumenge (E.), obituary, 65.  
 Curie (P.), obituary, 273.  
 Currie (J.), new localities for gyrolite and tobermorite, 93.  
 Cylindrite, analysis, 25.  
 D'Achiardi (A.), memorial volume, 68.  
 Day (A. L.), synthesis of minerals, 281.  
 Diamond, 'Cullinan,' from Premier mine, Transvaal, xxviii, 119.  
 Diopside from German East Africa, 179.  
 Domingite = jamesonite, 207.  
 Double salts, 321.  
 Drawing of crystals, 120.  
 Dufret (J. B. H.), obituary, 194.  
 Dundasite from Wales, 167.  
 'Economic Geology,' 196.  
 Enargite from Bolivia, 344.  
 Epidote, angles, 52.  
 — optical constants and chem. comp., 113.  
 — from Inverness-shire, 109.  
 Erubescite, formula of, 120.  
 Evans (J. W.), new forms of quartz-wedge, 87.  
 — identity of the amiantos or Karytian stone of the ancients with chrysotile, 143.  
 — gnomonic projection on two planes, 149.  
 — determination of optic axial angle in parallel light, 157.  
 — skiodroms and isogynes, 230.  
 — thirty-two classes of symmetry, 360.  
 Færöes, zeolites, 94, 419.  
 Feather-ore, 207.  
 Fichtelite, cryst., 197.  
 Fielderite, composition of, 121.  
 Fletcher (L.), meteoric irons from Great Namaqualand, 28.  
 — meteoric irons labelled 'Cape of Good Hope' and 'Great Fish River', 37.  
 — meteoric iron from Caperr, Patagonia, 41.  
 — obituary of H. P. Gurney, 61.  
 Fletcher (M.), cobaltiferous mispickel from Norway, 54.  
 Fluorite from Bolivia, 337.  
 Foster (C. Le N.), obituary, 57.  
 Fouqué (F. A.), obituary, 64.  
 Fowler (A.), spectroscopic determinations by, 384.  
 Franckeite, analysis, 24.  
 Geikielite analyses, 160.  
 — alteration products, 164.  
 German East Africa, phenacite, &c., 178.  
 Glauberite, pseudomorphs of opal after, 198.  
 Glimmerzeolith, 95, 409.  
 Gnomonic net, 18.  
 — projection, 104, 149.  
 Goniometer, three-circle, 1.  
 — signal, 4.  
 Goodehild (J. G.), obituary, 271.  
 Goodchild (W.), elected member, xxvii.  
 Graham (G. W.), elected member, xix.  
 Great Fish River meteorite, 37.  
 Great Namaqualand, meteoric irons, 28.

- Greenland, minerals of, 95, 195.  
 Greg (R. P.), obituary and portrait, 268.  
 Groth (P. von), 'Physikalische Krys-tallographie,' 195.  
 — testimonial to, portrait of, 66.  
 Growth, regular, of salts on each other, 235.  
 Guejarite from Bolivia, 322.  
 Gurney (H. P.), obituary, 61.  
 Gypsum crystals from chemical works, 211.  
 Gyrolite, new localities for, 93.
- Hallowes (K. A. K.), apparatus for determining sp. gr. of grains, xxviii.  
 Hamlinite from Binn, 389.  
 Harrington (B. J.), formula of bornite, 121.  
 — isomorphism in magnetite, 373.  
 Hartley (H.), apparatus for separating minerals with heavy liquids, 69.  
 — microscopic heating stage, xxxvi.  
 — and Thomas (N. G.), pseudomorph of quartz after apophyllite from Tyrol, xxxvi.  
 Hatch (F. H.) and Corstorphine (G. S.), large diamond from Transvaal, xxviii, 119.  
 Heavy liquids, separating apparatus, 69.  
 Hemimorphite from Co. Tipperary, 351.  
 Hilton (H.), gnomonic net, 18.  
 — construction of crystallographic projections, 99.  
 — gnomonic projection, 104.  
 — thirty-two classes of symmetry, 261.  
 — brushes in convergent light, 281.  
 — elected member, xliv.  
 Hohmann (T.), collection, 309, 344.  
 Hopeite from Rhodesia, xlivi.  
 Hornfels, tourmaline-, from Bolivia, 335.  
 Hudson (R. W. H. T.), obituary, 118.  
 Hutchinson (A.), mineralogical chemistry, 120.  
 — optical characters of antimonite, 199.  
 — chemical composition of lengenbachite, 204.  
 Hutchinsonite, 72, 284, 400.  
 Hyalophane from Binnenthal, 16, 190.
- Iddings (J. P.), rock minerals, 416.  
 Identities, minerals, 121.  
 Ilmenite, magnesium, 165.  
 — from Binnenthal, 184.
- Ilmenite, Brazil, 258.  
 Indices of faces, determination of, with moriogram, 49.  
 International Catalogue of Scientific Literature, xxii, xxviii, xxxv, xlvi.  
 Irish minerals, 348, 350.  
 Iron-pyrites from Hungary, 68.  
 Ironstone, brookite, rutile, and anatase in, 96.  
 Isogypes and skiodroms, 159, 230, 276, 281.  
 Isomorphism in magnetite, 373.  
 Jade collection of H. R. Bishop, 419.  
 Jamesonite, chem. formula, 312.  
 — and feather-ore, 207.  
 — from Bolivia, 310.  
 Japanese minerals, 117, 120.  
 Jarosite from Bolivia, 342.  
 Jervis (W. P.), obituary, 418.  
 Johnston-Lavis (H. J.) and Spencer (L. J.), chlormanganokalite, xlivi.  
 Jones (B. M.), elected member, xxxi.  
 — and Crook (T.), geikielite and the ferro-magnesian titanates, 160.  
 Judd (J. W.), obituary of C. Le N. Foster, 57.  
 — — F. Rutley, 59.  
 Kaolin from German East Africa, 179.  
 Karystian stone = chrysotile, 143.  
 Kylindrite, 25.
- Labile and metastable solutions, 123, 134.  
 Laumontite from Binnenthal, 16.  
 Lead sulphantimonites, 210.  
 — sulpharsenites, 206.  
 Lengenbachite, 78, 204, 402.  
 Leucoxene, 164.  
 Lewis (W. J.), Pyroxene and albite, xxix.  
 Linarite from Co. Wicklow, 348.  
 Lindsey (C. R.), brookite in Cleveland ironstone, 96.  
 Lion River meteorite, 31, 34.  
 Localities of minerals, inconsistencies in statements of, 68.
- McMahon (C. A.), obituary, 56.  
 Magnetite from Ross-shire, 119.  
 — titaniferous, from Canada and Arkansas, 373.  
 Marrite, 76, 188, 403.  
 Mears (J. B.), elected member, xli.  
 Members, list of, xi.  
 Metastable and labile solutions, 123, 134.  
 Meteoric irons from S. Africa, 28, 37.  
 — — Caperr, Patagonia, 41.

- Miargyrite from Bolivia, 339, 340.  
 Mica mines in Canada, 196.  
 Micaceous zeolite, 95, 409.  
 Miers (H. A.), Kimberley diamond mines, xxiii.  
 — danalite from Cornwall, xxvii.  
 — barium-radium bromide, xxvii.  
 — experiments bearing on the order of crystallization of rock-constituents, xli.  
 — obituary of S. L. Penfield, 264.  
 — and Chevalier (J.), crystallization of sodium nitrate, 123.  
 Mineral-veins in Co. Tipperary, 350.  
 — Cornwall, 385.  
 Mineralogical chemistry, report of progress, 120.  
 Minerals, list of identities, 121.  
 — new names, 394.  
 Mispickel from Bolivia, 334.  
 — cobaltiferous, from Norway, 54.  
 Moissan (H.), obituary, 418.  
 Moissanite, 121, 404.  
 Moissenet (V. L.), obituary, 272.  
 Molecular volumes and parallel growth of crystals, 248.  
 Monoclinic-hemimorphic class, 197.  
 Moriogram, 49.  
 Morphotropic relations, 322.  
 Mukerop meteorite, 34.  
 Muscovite from German East Africa, 179.  
 Naegite, 117, 404.  
 Namaqualand, Great, meteoric irons, 28.  
**Obituaries:**—  
 Behrens (T. H.), 118.  
 Brackebusch (L.), 418.  
 Chapman (E. J.), 65.  
 Cleve (P. T.), 194.  
 Cohen (E. W.), 194.  
 Cumenge (E.), 65.  
 Curie (P.), 273.  
 Dufret (J. B. H.), 194.  
 Foster (C. Le N.), 57.  
 Fouqué (F. A.), 64.  
 Goodchild (J. G.), 271.  
 Greg (R. P.), 268.  
 Gurney (H. P.), 61.  
 Hudson (R. W. H. T.), 118.  
 Jervis (W. P.), 418.  
 McMahon (C. A.), 56.  
 Moissan (H.), 418.  
 Moissenet (V. L.), 272.  
 O'Reilly (J. P.), 118.  
 Penfield (S. L.), 264.  
 Rutley (F.), 59.  
 Schmidt (S.), 65.  
 Obituaries (*continued*) :—  
 Soret (C.), 65.  
 Vorobjev (V. I.), 418.  
 Walker (J. F.), 418.  
 Ward (H. A.), 273.  
 Optic axial angle, determination of, from isogynes, 280.  
 — determination of, in parallel light, 157.  
 Optical characters of stibnite, 199.  
 Orange River district meteorite, 36.  
 O'Reilly (J. P.), obituary, 118.  
 Orpiment from Co. Tipperary, 352.  
 Orthoclase from German East Africa, 178.  
 Parallel growth of crystals, 235, 327.  
 Paratacamite, 170, 406.  
 Parkinson (J.), elected member, xl'.  
 Pearce (R.), cassiterite pseudomorphs from Bolivia, 345.  
 Penfield (S. L.), elected hon. member, xxi.  
 — obituary and portrait, 264.  
 Peru, 'Boletin . . . de Minas,' 196.  
 Phenacite from Cornwall, xxviii.  
 — German East Africa, 178.  
 Picroilmenite from Ceylon, analyses, 165.  
 Plumosite, 207.  
 — from Bolivia, 315.  
 Polymorphism in zircon, 48.  
 Potash-alum, crystallization of, 134.  
 Potassium haloids and cyanide, 235.  
 Precious stones, cutting, 275.  
 Premier diamond mine, Transvaal, 119.  
 Prior (G. T.), Teallite, franckeite and cylindrite, 21.  
 — dundasite from Wales, 167.  
 — analyses by, 170, 308.  
 — and Smith (G. F. H.), red silver minerals from Binn, 283.  
 — and Solly (R. H.), zinciferous tennantite from Binn, xlii.  
 — and Zambonini (F.), strüverite, xlii.  
 Projections, crystallographic, 99.  
 — gnomonic, 18, 104, 149.  
 Proustite from Binnenthal, 189.  
 Pseudomorphous cassiterite from Bolivia, 345.  
 Pseudomorphs ('pine-apple') of opal, 197.  
 Pyrites, *see* iron-pyrites.  
 Pyrophyllite from Bolivia, 324, 335.  
 Pyrostilpnite from Bolivia, 328.  
 Pyroxene in serpentine-rock, 365.  
 Quartz-wedge, new forms of, 87.  
 — use of, 157.

- Radium-barium bromide, cryst., xxvii.  
 Rashleigh collection, xxi.  
 Rastall (R. H.), elected member, xix.  
 Refractive index diagram, 191.  
 Refractometer, improved form, 83, 854.  
 Regular growth of soluble salts on each other, 235.  
 — tetrahedrite and stannite, 327.  
 Reinite, a pseudomorph, 117.  
 Reviews of books, 115, 275, 416.  
 Riebeckite from Ross-shire, 119.  
 Rock-forming minerals, 416.  
 — synthesis of, 281.  
 Rocks, chemical analysis of, 115.  
 — from Bolivia, 335.  
 Rosenbusch (H.), 419.  
 — 'Mikroskopische Physiographie,' 195.  
 Rubidium haloids and cyanide, 235.  
 Rudler (F. W.), handbook of British minerals, 116.  
 Russell (A.), linalite and caledonite in Co. Wicklow, 348.  
 — Silvermines district, Co. Tipperary, 350.  
 — new mineral localities in Cornwall and Devon, xxviii.  
 — exhibition of Cornish minerals, xxvii, xxviii, xxxiv, xxxix.  
 Rutile from alteration of geikielite, 164.  
 — in ironstone, 96, 98.  
 — from German East Africa, 178.  
 Rutley (F.), obituary, 59.  
 Sartorite from Binn, cryst., 212.  
 Schmidt (S.), obituary, 65.  
 Scotch minerals, 93, 109, 118.  
 Seligmannite, 82, 186.  
 Semseyite from Bolivia, 314.  
 Separating apparatus with heavy liquids, 69.  
 Serpentine-minerals, 368.  
 Serpentine - rock from Tarnthaler-Köpfe, Tirol, 365.  
 Silver minerals from Binn, 283.  
 — Bolivia, 342.  
 Silver-ore in Cornwall, 385.  
 Skiodroms and isogynes, 230, 276.  
 Smith (G. F. H.), three-circle goniometer, 1.  
 — the moriogram, 49.  
 — improved form of refractometer, 83.  
 — paratacamite, a new oxychloride of copper, 170.  
 — determination of refractive indices, with diagram, 191.  
 — ilmenite from Brazil, 258.  
 — new model of refractometer, 854.  
 — obituary of R. P. Greg, 268.  
 Smith (G. F. H.), prismatic method of determining refractive indices, xxi.  
 — crystallographic determinations by, 184, 329, 331, 348.  
 — and Blake (G. S.), baddeleyite from Ceylon, 378.  
 — and Prior (G. T.), red silver minerals from Binn, 288.  
 Smithite, 74, 293, 409.  
 Smythe (J. A.), analysis by, 55.  
 Sodium haloids, 235.  
 Sodium nitrate, crystallization of, 123.  
 Solly (R. H.), anatase, &c., from Binn, 16.  
 — new minerals from Binn, 72.  
 — ilmenite, &c., from Binn, 184.  
 — the Lengenbach quarry, xxxix.  
 — and Prior (G. T.), zinciferous tennantite from Binn, xlvi.  
 Sommerfeldt (E.), *Physikalische Kristallographie*, 417.  
 Soret (C.), obituary, 65.  
 South African meteorites, 28, 37.  
 Spencer (L. J.), zircon (sp. gr. 4.0) from Ceylon, 43.  
 — phenacite, &c., from German East Africa, 178.  
 — 'feather-ore'; identity of 'dominigte' (= 'Warrenite') with jamesonite, 207.  
 — Bolivian minerals, jamesonite, tourmaline, &c., 308.  
 — list of new mineral names, 394.  
 — list of identities, 121.  
 — crystallographic determinations by, 345.  
 — pleochroism of adamite, xxi.  
 — and Johnston-Lavis (H. J.), chlor-manganokalite, xlvi.  
 Sphene from alteration of geikielite, 165.  
 Spherical triangles, solution of, with three-circle goniometer, 14.  
 Springbok River meteorite, 35.  
 Stannite, regular grouping with tetrahedrite, 327.  
 Stibnite, optical characters, 199.  
 — plumose, 208.  
 Story-Maskelyne (N. S.), letter to P. Groth, 66.  
 Symmetry, thirty-two classes of, 261, 360.  
 — axes of, 360.  
 Synthesis of rock-forming minerals, 281.  
 Tarbuttite, 411.  
 Teallite, 21, 411.  
 Tetrahedrite from Bolivia, 325.

- Tetrahedrite, regular grouping with stannite, 327.  
Textbooks, reviews, 115, 195, 416.  
Thomas (H. H.), epidote from Inverness-shire, 109.  
Three-circle goniometer, 1.  
Tin-ores, Bolivian, 332, 345.  
Tobermorite, new localities for, 93.  
Topic axes and parallel growth of crystals, 253.  
Tourmaline from Bolivia, 338.  
— German East Africa, 178.  
Tourmaline-hornfels from Bolivia, 335.  
Trechmann (C. O.), crystallography of sartorite, 212.  
Trechmannite, 75, 189, 300, 412.  
Tremolite in serpentine-rock, 366.  
Tschermak (G.), 419.  
  
Valentinitite from Bolivia, 328.  
Vivianite from Bolivia, 324.  
Vorobjev (V. I.), obituary, 418.  
  
Wada (T.), minerals of Japan, 117.  
  
Wada (T.), 'Beiträge zur Mineralogie von Japan,' 120.  
Walker (J. F.), obituary, 418.  
Ward (H. A.), obituary, 273.  
Warrenite = jamesonite, 207.  
Washington (H. S.), manual of the chemical analysis of rocks, 115.  
Wild meteorite, 32.  
Withamite from Glencoe, 119.  
Wolframite from Bolivia, 334.  
Woodgate (J.), elected member, xxv.  
Woodward (C. J.), gypsum crystals from chemical works, 211.  
Worobieff (V. von), obituary, 418.  
  
Young (A. P.), serpentine-rock from Tarnthaler-Köpfe, Tirol, 365.  
  
Zambonini (F.) and Prior (G. T.), strü-verite, xlvi.  
Zircon, irregular crystals from Ceylon, 43.  
— modifications of, 48.  
Zonal growth of crystals, 252.  
Zone-axes, 360.