

ALPHABETICAL INDEX

Names of authors and countries are in capitals, subjects in lower case roman, and localities in *italics*; book reviews are placed at the end.

- Affinity factor, to describe the influence of sulphide in magmatic development of a PGE deposit, 613
AFRICA, REE patterns in carbonado from, 607
ALASKA, gold vein formation in metamorphic rocks from, 375
ALGERIA, *Ouzzal Complex*, osumilite in high-grade metamorphic rocks, 354
Alkaline complex, at *Yakutia, Russia*, 651
Alkaline rocks, crystal-chemistry of apatites from, 709
Alluaudite, isostructural with caryinite, 721
Altered metacarbonatite, supposed sövite from *Tanzania*, 93
Ammonium, -content in granites from *Donegal*, 591
Amphibole, crystal structure of Cl-rich hastingsite, 677
Amphibolite facies, zincian staurolite in rocks of upper, 736
ANDREW, A.S., 423
Anorthosites, variations of minor elements in orthopyroxenes, 257
Antimonite, bottinoite from *Britain*, 543
Antimony, As-Sb exchange energies in tetrahedrite-tennantite fahlores and bournonite-seligmannite solid solutions, 635
ANTONIOLI, G., 249, 671
Apatite, crystal-chemistry of, 709
Apatite porphyroblasts, oriented monazite inclusions in, 697
ARGENTINA, *Cordillera Frontal Range*, compositional zoning in Zn-chromites from, 131
Arsenate, and caryinite from *Sweden*, 721
Arsenic, dispersion patterns of and chalcogen gases, 599;—, As-Sb exchange energies in tetrahedrite-tennantite fahlores and bournonite-seligmannite solid solutions, 635
Arseniopleite, site prediction of caryinite and, 721
Arsenoclasite, similar to gatehouseite, a new mineral, 309
ARTIOLI, G., 249, 671
Asbecasite, crystal structure refinement and chemistry, 315
Asbestos, five-fold symmetry in chrysotile, 729
AUDIBERT, N., cordierite-K-feldspar-quartz-orthopyroxene symplectite from *S. Algeria*, 354
AUSTRALIA, *Iron Monarch*, gatehouseite, a new mineral from, 309;—, metamorphic fluids and gold from, 423;—, *Mt. Isa*, chalcopyrite ore from, 45;—, *New England fold belt*, namansilite occurrences from the, 533;—, *Tasmania*, bellite from, 538;—, deformed polycrystalline pyrite ores from, 29;—, *Woods Mine*, namansilite occurrences from, 533
Austroalpine basement, eclogitic amphibolites and mica schists from, 189
AZAÑÓN, J.M., 530
BANKS, D.A., 407
BANNO, S., sector-zoning of epidote, 739
BARBIERI, M., 203
Barium, distribution of, in metacherts and quartzofeldspathic schists, 265
BARKER, A.J., metamorphic fluids and mineral deposits, 363
Basite, mineral chemistry and reaction textures in, 113
Betic Cordillera, see *Spain*
Bellite, new mineral data, 538
BERTRAND, P., 354
Beryllium, rare oxide from *N.E. Greenland*, 121
Biotite megacryst, from pegmatite, 746
BIRCH, W.D., 309
BIJERG, E.A., zoning in Zn-chromites, 131
BONEV, I.K., anisometric galena crystals, 231
Bottinoite, new occurrences of, in *Britain*, 543
BOTTRELL, S.H., 407
Bournonite, As-Sb exchange energies in bournonite-seligmannite solid solutions, 635
BOYLE, A.P., 1, 67
BRAZIL, kamafugitic rocks from, 165;—, REE patterns in carbonado from, 607
Brianyoungite, a new mineral, from *Cumbria*, 665
Britholite-(Ce), in a Sr, REE-rich carbonatite dyke, 495
BROWN, D., deformation textures, 55
BROWN, W.L., 687
BULGARIA, *Madan* ore district, anisometric crystals from, 231
Calcite, thermoluminescence spectra of, 217
CALDERON, T., 217, 329
Caledonian intrusive, associated with matildite, 751
Caledonide, from *Norway*, 19

- CANADA, Yukon, deformation textures in pyrite from, 55;—, Ontario, oriented monazite inclusions in apatite porphyroblasts from, 697
 CAPEDRI, S., 203
 Carbocernaite, exsolution and cotectic textures in a Sr, REE-rich carbonatite dyke, 495
 Carbonado, rare earth element patterns of, 607
 Carbonate, crystal-chemistry of, 709
 Carbonatite, crystal-chemistry of, 709;—, Sr, REE-rich dyke in India, 495
 Carynite, from *Långban, Sweden*, 721
 Cassiterite, herzenbergite as a replacement of, 489
 CESBRON, F., uranophane synthesis, 301
 CHADWICK, B., musgravite from *Greenland*, 121
 Chalcogen gases and mineral deposits, 599
 Chalcopyrite, preferred orientation of experimentally deformed chalcopyrite, 45
 CHAMPNESS, P.E., 141, 665
 CHANG, L.L.Y., 515
 CHINA, zoning patterns in hyalophane from olivine leucites from, 565
 Chlorine effect, on the crystal structure of a Cl-rich hastingsite, 677
 Chlorite breakdown, kinetic controls on the formation of metastable phases during, 141
 Chromite, compositional zoning in, 131
 Chrysotile, five-fold symmetry in, 729
 Cl-rich hastingsite, effect of chlorine on the crystal structure of, 677
 CLARK, A.M., bottinoite, a mineral new to *Britain*, 543
 COGHILL, B.M., platinum group minerals, 613
 COMODI, P., 709
 Compensation effect, in crystal growth rates, 337
 CONTINI, S., armalcolite-bearing lamproites, 203
 COOK, N.J., deformation of massive sulphides, 67
 COOMBS, D.S., 533
 Copper sulphosalt, watanabeite from *Japan*, 643
 Corresponding states equation, in crystal growth rates, 337
 Cosalite, from *Dunjeon gold mine, Korea*, 515
 Cotectic, textures in a Sr, REE-rich carbonatite dyke, 495
 COX, S.F., 29
 CRAIG, J.R., metamorphism of pyrite, 3;—, 19
 CRESSEY, B.A., five-fold symmetry in chrysotile, 729
 CRIDDLE, A.J., 643
 Crystal chemistry, of apatites, 709;—, of asbecasite, 315;—, of garnets, 671;—, X-ray absorption study of garnets, 249
 Crystal growth, of non-equilibrium crystals, 231
 Crystal morphology, of highly anisometric crystals and whiskers of galena, 231,
 Crystal structure, of asbecasite, 315;—, of carynite, 721;—, of eosphorite, 329;—, of KBSi₃O₈, 157
 Crystallization, of armalcolite-bearing lamproites, 203
 DAHMS, M., 45
 Dalyite, ferrian high sanidine in, 289
 Danburite, crystal structure of KBSi₃O₈ isostructural with, 157
 DASGUPTA, S., metabasites, 113
 Dating, by use of thermoluminescence spectra, 217
 DAWSON, J.B., supposed sôvite from *Oldoinyo Lengai*, 93
 DE ALBUQUERQUE SGARBI, P.B., kalsilite in *Brazilian* kamafugitic rocks, 165
 DE BRODTKORB, M.K., 131
 DEARNLEY, R., equation and compensation effects in crystal growth rates, 337
 DEE, S., gold mineralisation, 437
 Deep crust, Fe K-edge of garnets, 249
 Deformation, of massive sulphides, 67
 Deformation textures, in pyrite, 55
 DELLA VENTURA, G., 315
 Dendrites, Bi-Ni-Co quartz vein, 241
 DERIU, A., 671
 Destabilisation, and diffusion phenomena in xenocrystic richterite, 515
 Diamond, X-ray topography of natural tetrahedral, 223;—, REE patterns in carbonado, 607
 DIAMOND, L.W., 407
 Diffusion, and destabilisation phenomena in xenocrystic richterite, 515
 DONALDSON, C.H., convective fractionation, 469
 DROOP, G.T.R., 141
 DUCKWORTH, R.C., sulphide mylonites, 83
 DUNGAN, M.A., 565
 DYER, A., stellerite from *Scotland*, 540
 EALES, H., orthopyroxenes of the *Bushveld complex*, 257
 EASTERN ALPS, *Schobergruppe*, eclogitic amphibolites and mica schists from, 189
 EBEL, D.S., 635
 Edingtonite, from *Shropshire*, 349
 ELTON, N.J., sodium-zippeite from *Cornwall*, 352
 ENAMY, H., 349, 540
 ENGLAND, *Cornwall*, sodium-zippeite from *Geevor Mine*, 352;—, *Cumbria*, brianyoungite from, 665;—, first *British* occurrence of namibite from *Buckbarrow Beck*, 754;—, *Shropshire*, *Squilver Quarry*, edingtonite from, 349
 Eosphorite, new structural and spectroscopic data for, 329
 Epidote, sector-zoning of, 739
 EPMA, study of Au and PGE accumulations in black shale, 103
 ERCIT, T.S., carynite revisited, 721

- Eucolite, variety of eudialyte, 743
 Eudialyte, optical, X-ray and chemical analysis of, 743
 Eulytite, occurrences with namibite from *Cumbria*, 754
 EXAFS spectroscopy, at Fe K-edge of garnets, 249
 Experimental deformation, of chalcopyrite ore, 45;—, of pyrite, measured by neutron diffraction, 29
 Exsolution, calcite and carbocernaite, 495
 Fahlore, As-Sb exchange energies in, 635
 FAKES, R.D., 754
 Feldspar, isostructural with danburite, 157;—, thermoluminescence spectra of, 217
 Ferritchromite, from the *Cordillera Frontal Range, Argentina*, 131
 Five-fold symmetry, in chrysotile asbestos, 729
 FLEET, M.E., 697
 Fluid inclusions, in gold mineralisation, 437;—, in gold vein formation, 375;—, in turbidite-hosted gold deposits, 423
 Fluorite, thermoluminescence spectra of, 217
 FMASH, of sapphirine from orthopyroxenite, 273
 FOSTER, R.P., 363
 Fractionation, convective, during magnetite and hematite dissolution, 469
 FRIEND, C.R.L., 121;—, sapphirine from orthopyroxenite, 273
 FUKUOKA, M., 113
 Gahnite, in the breakdown of a Zn-rich staurolite, 530
 Galena, anisometric crystals and whiskers of, 231
 GARCIA-SOLÉ, J., 329
 Garnet-plagioclase barometry, with albitic plagioclase, 189
 Garnets, Mössbauer investigation on, 671
 Gatehouseite, new manganese hydroxy phosphate, 309
 Geochemistry, of plutonic spinels, 575
 Geochronology, in gold vein formation, 375
 GEORGE, M.C., 121
 Geothermometer, As-Sb exchange energies in tetrahedrite-tennantite fahlores and bournonite-seligmannite solid solutions, 635
 GERMANY, siderite mineralisation of the *Rhenish Massif*, 451
 Gold, mesothermal gold from *Alaska*, 375;—, metamorphic fluids and, 365;—, metamorphic fluids and, 423;—, mineralisation during regional uplift and the role of nitrogen, 437;—, quartz veins from *N.W. Italy*, 407;—, vein formation within metamorphic rocks, 375
 GOLDFARB, R.J., gold vein formation, 375
 GOODMAN, S., zincian staurolite, 736
 GOPALAN, K., 733
 Granite, ammonium content of from *Donegal*, 591
 Granulite, from the *Eastern Ghats belt, India*, 113;—, osumilite in high-grade granite, 354;—, solution-redeposition and the orthoclase-microcline transformation, 687
 GRAPES, R.H., barian mica, 265
 GREENLAND, musgravite from, 121
 GULSON, B.L., 423
 GUNTER, M.E., optical, X-ray and chemical analysis of eudialytes, 743
 HALE, M., mineral deposits and chalcogen gases, 599
 HALL, A., ammonium in granite, 591
 HALLS, C., 67
 HEIN, U.F., siderite mineralisation, 451
 Hematite, convective fractionation during dissolution, 469
 HENSEN, B.-J., 354
 Herzenbergite, in Proterozoic granite pegmatites from *Sweden*, 489
 High-*T* thermal events, orogenesis and gold vein formation, 375
 HITCHEN, G.J., 538
 Hollandite, crystal structure of, 157
 HOOPER, J.J., 352
 HOYOS, M.A., eosporite structure, 329
 HUBBARD, N., edingtonite, from *Shropshire*, 349
 Hyalophane, zoning patterns in, 565
 Hydrozincite, related to brianyoungite, a new mineral, 665
 HYSLOP, E.K., 754
 ILDEFONSE, P., 301
 INDIA, *Eastern Ghats*, metabasites from, 113;—, *Deccan Traps*, magnesian ilmenites in picrite basalts from, 733;—, *Rajasthan*, Sr, REE-rich dyke in, 495;—, *S. Karnataka*, spinel-orthopyroxenite from, 273
 Insulators, thermoluminescence studies of, 217
 IRELAND, *Donegal*, ammonium contents of granites from the *Rosses complex*, 591
 Isotopes, gold deposits and metamorphic fluids, 423
 ITALY, asbecasite from, 315;—, *Baratti*, paralauronite from, 323;—, gold-quartz veins from, 407;—, *Ivrea-Verbano Zone*, Mössbauer investigation on garnets from, 671;—, *Ivrea-Verbano zone*, X-ray study of garnets from, 249
 JANARDHAN, A.S., 273
 JANSEN, E.M., orientation of deformed chalcopyrite, 45
 JAPAN, sector-zoning of epidote from, 739;—, watanabeite from *Teine mine, Hokkaido*, 643

- JOHNSON, N.E., 743
- Kalsilite, in *Brazilian* kamafugitic rocks, 165
- Kamafugitic rocks, kalsilite in, 165
- KAMINSKY, F.V., 607
- KAMIOKA, H., 607
- KATO, A., 643
- KAWACHI, Y., namansilite, 533
- KEPEZHINSKAS, P.K., spinels from *Kamchatka*, 575
- KHANLARY, M.-R., 217
- KIEFT, C., 241
- KIENAST, J.-R., 354
- KIMATA, M., danburite structural analogue, 157
- Kinetics, control on the formation of metastable phases during the experimentally induced breakdown of chlorite, 141
- KNOWLES, C.R., 743
- KOPTIL, V.I., 607
- KOREA, *Dunjeon* gold mine, Sb-cosalite from, 515
- KRISHNAMURTHY, P., 733
- KUCHA, H., Au and PGE in black shale, 103
- KUNZE, K., 29
- Lamproite, ferrian high sanidine in, 289
- Lamproitic magma, from *Canarix, S.E. Spain*, 203
- LANKOSZ, M., 103
- Laurionite, OD relationships with paralaurionite, 323
- LE BAS, M.J., 495
- LEE, C.H., Sb-cosalite from *Korea*, 527
- Leucitites, zoning patterns in hyalophane from olivine, 565
- LINTHOUT, K., sanidine from lamproite, 289
- Lithium pegmatites, herzenbergite in, from *Sweden*, 489
- LIU, Y., crystal chemistry of apatites, 709
- LIVINGSTONE, A., brianyoungite, a new mineral, 665
- LOTTICI, P.P., 249, 671
- Low-salinity fluids, and gold, 365
- Low-temperature reactivity, in solution-redeposition and the orthoclase-microcline transformation, 687
- LOWRY, D., first occurrences of matildite, 751
- LU, J., 423
- LUFF, B.J., 217
- Luminescence optical absorption, of eosporite, 329
- LUSTENHOUWER, W.J., 289
- MACRAE, N.D., 697
- Mafic, plutonic spinels from *Kamchatka*, 575
- Magmatic differentiation, convective fractionation in the cause of, 469
- Magnesian ilmenite, in picrite basalts, 733
- Magnetite, convective fractionation during dissolution, 469
- MAIER, W.D., 257
- MAIER, C., 746
- MAKINO, K., Cl-rich hastingsite, 677
- MANDARINO, J.A., new minerals, 175
- Manganese, hydroxy phosphate, gatehouseite from *S. Australia*, 309;—, minerals, with namansilite occurrences, 533
- MARAS, A., 315
- Matildite, first occurrence of, 751
- MATSUBARA, S., 643
- MCKLAY, K.R., 55
- MERLINO, S., paralaurionite crystal structure, 323
- MERZ, P., 29, 45
- Metabasite, breakdown of a Zn-rich staurolite in a, 530;—, mineral chemistry and reaction textures in, 113
- Metachert, barian mica and distribution of barium in, 265
- Metacolloids, dendrite-rich Bi-Ni-Co quartz vein, 241
- Metamorphic fluids, and gold, 365;—, and gold, 423;—, and mineral deposits, 363
- Metamorphic grade, zincian staurolite in rocks of upper amphibolite facies, 736
- Metamorphic rocks, gold vein formation in, from Alaska, 375
- Metamorphism, of massive sulphides, 67;—, of metabasite, 530;—, of pyrite, 3;—, of stratabound sulphide ores, 19
- MEXICO, *Chihuahua*, uranophane from, 301
- Mica, in metacherts and quartzofeldspathic schists, 265
- Micro-PIXE, study of Au and PGE accumulations in black shale, 103
- Micrographic intergrowth, in a Sr, REE-rich carbonatite dyke, 495
- Microprobe data, in the identification of matildite, 751
- Microprobe investigations, of PGE in *Zimbabwe*, 613
- Microtextures, of metamorphosed sulphide ores, 19
- Mimetite, comparison to bellite, 538
- Mineral chemistry, of eclogitic amphibolites and mica schists, 189
- Mineral deposits, metamorphic fluids and, 363;—, and chalcogen gases, 599
- Mineral growth rates, dependence on temperature variation of, 337
- MITCHELL, R.H., REE-bearing tausonite, 651
- Mixite, occurrences with namibite from *Cumbria*, 754
- MIZON, K.J., 423
- MOKHTARI, A., 515
- Monazite, inclusions in apatite porphyroblasts, 697
- MONDAL, A., 113
- Monocryst Rb-Sr isochron, from a single biotite crystal, 746

- MOORE, M., 223
 MOROCCO, xenocrystic richterite from, 515
 Mössbauer spectra, of garnets from the *Ivrea-Verbano Zone*, 671
 MOTTANA, A., 315
 MURARI, R., magnesian ilmenites in picrite basalts, 733
 MURAVYEVA, N.S., trevorite in pyroxenite nodules, 171
 Musgravite, new occurrence of, from *N.E. Greenland*, 121
 MYERS, R.E., sulphidation in the *Witwatersrand Goldfields*, 395
 Mylonite, sulphide from *N. Sweden*, 83
- Namansilite, a widespread clinopyroxene?, 533
 Namibite, the first *British* occurrence, 754
 NEALL, T., namibite, the first *British* occurrence, 754
 Neutron diffraction texture analysis, to separate overlapping peaks of chalcopyrite, 45
 Neutron texture goniometry, to measure orientation of pyrite, 29
 New minerals, 175;—, brianyoungite from *Cumbria*, 665;—, gatehouseite from *S. Australia*, 309;—, watanabeite from *Japan*, 643
 NEW ZEALAND, *Southern Alps* metacherts and quartzofeldspathic schists of, 265
 Nickel, alloy to form trevorite, 171;—, bottinoite from *Britain*, 543
 NICKEL, E.H., ‘bellite’ revisited, 538;—, standardisation of polype type suffixes, 757
 Nitrogen, gold mineralisation and the role of, 437
 Noble metals, in black shale, 103
 NORWAY, *Bamble Sector*, Rb-Sr isochron from a single biotite crystal from, 746;—, *Gressli*, metamorphosed sulphide ores from, 19;—, *Sulitjelma*, massive sulphides from, 67
- ^{18}O exchange, relevance to solution-redeposition and the orthoclase-microcline transformation in granites, 687
 OEN, I.S., Bi-Ni-Co quartz vein, 241
 Olivine, as a replacement for chlorite, 141
 Olivine leucitites, zoning patterns in hyalophane from, 565
 Olivine-nepheline, xenocrystic richterite in, 515
 Order-Disorder (OD) structures, of paralauryonite, 323
 Ore fluid, in gold-quartz veins, 407
 Organometallic compounds, accumulations of, in black shale, 103
 Orientation distribution function, of experimentally deformed pyrite, 29
 Oriented intergrowth, of monazite in apatite porphyroblasts, 697
- Orogenesis, high-*T* thermal events and gold vein formation, 375
 Orthoclase-microline transformation, solution redeposition and, 687
 Orthopyroxene, as a replacement of chlorite, 141;—, variations of minor elements in, 257
 Osumilite, new evidence for, in high-grade metamorphic rocks, 354
 OUZEGANE, K.M., 354
 Oxidation, mineral deposits and chalcogen gases, 599
 Oxygen fugacity, of Cr-Zn-armalcolite-bearing lamproites, 203
- P-T-t* deformation paths, of eclogitic amphiboles and mica schists, 189
 PAN, Y., monazite inclusions in apatite, 697
 Paracelsian, structure of KBSi_3O_8 , 157
 Paralauryonite, crystal structure of and OD relationships with lauryonite, 323
 PARK, H.I., 527
 PARODI, G.C., 315
 PARSONS, I., 687
 PASERO, M., 323
 Pegmatite, biotite crystal from, 746;—, herzenbergite in, from *Sweden*, 489
 Per-aluminous sapphirine, from orthopyroxenite, 273
 PERCHIAZZI, N., 323
 PERKINS, W.T., 121
 Perthite, ^{18}O exchange in, 687
 PGE, collection elements from *Zimbabwe*, 613
 PHILLIPS, G.N., metamorphic fluids and gold, 365; 395
 PICKTHORN, W.J., 375
 Picrite basalts, magnesian ilmenites in, 733
 Platinum-group minerals, from *Zimbabwe*, 613
 Pluton, geochemistry of, from *Kamchatka*, 575
 Plutonic spinels, geochemistry of, from *Kamchatka*, 575
 POLAND, Au and PGE in black shale from *Lubin*, 103
 Polype type suffixes, standardisation of, 757
 Post-metamorphic, gold-quartz veins, 407
 Preferred orientation, of experimentally deformed chalcopyrite ore, 45;—, of experimentally deformed pyrite, 29
 Pressure solution, in the plastic deformation of pyrite, 83
 PRING, A., gatehouseite, a new mineral, 309
 Proterozoic, granite pegmatites, herzenbergite in, 489
 PRZYBLOWICZ, W., 103
 Pyrite, deformation textures in, 55;—, metamorphism of, 3;—, orientation of experimentally deformed, 29

- P**yroxenes, namansilite, a widespread clinopyroxene?, 533
Pyroxenite, nodules from *Baikal* rift zone, *Russia*, 171;—, variations of minor elements in, 257
Pyrhotite, metamorphism of, 3
- Q**UARTIERI, S., Fe-Mössbauer investigation on garnets, 671;—, garnets from the *Ivrea-Verbano zone*, 249
Qartz, gold veins from *N.W. Italy*, 407
- R**eaction mechanisms, of experimentally induced chlorite breakdown, 141
REE, of monazite inclusions in apatite porphyroblasts, 697;—, patterns of carbonado and yakutite, 607;—, rich carbonatite dyke, 495
Reedmergnerite, structure compared to $KBSi_3O_8$, 157
RENDELL, H.M., thermoluminescence spectra, 217
Rhenish Massif, see *Germany*
Richterite, xenocrystic in an olivine-nephelinite, 515
RICKARD, D., 83
ROBERTS, S., 437
RUSSIA, *Baikal* rift zone, trevorite in pyroxenite nodules from, 171;—, *Kamchatka*, geochemistry of plutonic spinels from, 575;—, *Siberian traps*, magnesian ilmenites in picrite basalts from, 733;—, *Yakutia*, *REE* patterns in yakutite from, 607;—, *Yakutia*, *REE*-bearing tausonite and potassium bearing titanites from, 651
RUST, S.A., 543
- S**ACERDOTI, M., asbecasite crystal structure, 315
SACK, R.O., As-Sb exchange energies, 635
Sanbagawa schists miscibility gap, sector-zoning of epidote from, 739
Sanidine, in lamproite, 289
Sargur supracrustal rocks, ultrabasic enclaves of orthopyroxenite, 273
SCHAEBEN, H., 29
SCHAFFER, W., 29, 45
Schist, barian mica and distribution of barium in quartzofeldspathic schist, 265
SCHULZ, B., pre-alpine metamorphism, 189
SCOTLAND, matildite from, 751;—, stellerite from, 540
SECOMBE, P.K., metamorphic fluids and gold deposits, 423
Secondary alteration, influence of, on the ammonium content of granites, 591
Sector-zoning, of epidote, 739
SENGUPTA, P., 113
SENIN, V.G., 171
SHADAKSARA SWAMY, N., 273
SHIBATA, K., carbonado and yakutite, 607
- S**HIMIZU, M., watanabeite, a new mineral, 643
SICHERE, M.-C., 301
Siderite, synmetamorphic Variscan mineralisation, 451
SIEMES, H., experimentally deformed pyrite, 29; 45
Silicate melts, convective fractionation during dissolution in, 469
SMEDS, S-A., herzenbergite from *Sweden*, 489
SNEE, L.W., 375
Sodium-zippeite, from *Cornwall*, 352
SOLIE, D.N., 743
Solution-redeposition, and the orthoclase-microcline transformation, 687
SOTO, J.I., Zn-rich staurolite in a metabasite, 530
SOUTH AFRICA, *Bushveld* complex, orthopyroxenes of, 257;—, sulphidation in the *Witwatersrand Goldfields*, 395
Sövite, supposed sövite from *Tanzania*, 93
SPAIN, *Canarix*, armalcolite-bearing lamproites from, 203;—, gold mineralisation from *La Codosera*, 437;—, lamproite from, 289;—, metabasite from the *Betic Cordillera*, 530;—, *Pozoblanco*, Bi-Ni-Co quartz vein from, 241
Spinel, as a replacement for chlorite, 141;—, geochemistry of, from *Kamchatka*, 575
Spinel-orthopyroxenite, sapphirine-cordierite-talc paragenesis in, 273
SRIVASTAVA, R.K., 495
Stable isotope, gold vein formation, 375
STANLEY, C.J., 643
Stellerite, from *Scotland*, 540
Stilbite, comparison with stellerite, 540
Strontian calcite, and carbocernaite exsolution, 495
Strontianite, in a Sr, *REE*-rich carbonatite dyke, 495
Structure refinement, of a Cl-rich hastingsite, 677
STUMPFEL, E.F., 131
SUDDABY, P., 565
Sulphidation, in the *Witwatersrand Goldfields*, 395
Sulphide deformation, and metamorphism of, from *Norway*, 67
Sulphide minerals, and chalcogen gases, 599
Sulphide mylonites, from *N. Sweden*, 83
Sulphide ores, metamorphosed stratabound, 19
Sulphur isotopes, exchange of, 3
SUWA, K., 677
SVISERO, D.P., 607
SWEDEN, herzenbergite from, 489;—, caryinite from *Långban*, 721;—, *Skellefte District*, sulphide mylonites from, 83
SWITZERLAND, asbecasite from, 315
Synchrotron source, X-ray topography, 223
Synmetamorphic, Variscan siderite mineralisation, 451
Synthesis, experiments in crystallising uranophane, 301

- Talc, as a replacement of chlorite, 141
 TANAKA, H., 575
 TANZANIA, supposed sövite from *Oldoinyo Lengai*, 93
 Tausonite, REE-bearing, from *Russia*, 651
 TAYLOR, R.N., 575
 TEIGLER, B., 257
 Tellurium, dispersion patterns of and chalcogen gases, 599
 TEM, study of Au and PGE accumulations in black shale, 103
 Tetrahedrite, As-Sb exchange energies in tetrahedrite-tennantite fahlores, 635
 Texture, deformation texture in pyrite, 55;—, of metabasites from *India*, 113
 Thermodynamics, of As-Sb in tetrahedrite-tennantite fahlores and bournonite-seligmannite, 635
 Thermoluminescence, spectra of minerals, 217
 THOMPSON, R.N., 565
 Thucholite, shale at *Kupferschiefer*, *Poland*, 103
 TIKHONENKO, P.I., 733
 Titanites, potassium bearing- from *Russia*, 651
 TOMITA, K., 677
 TOSCANI, L., 203
 TOWNSEND, P., 217
 Transmission electron microscopy, revealing five-fold symmetry in chrysotile, 729
 TRAXEL, K., 103
 Trevorite, in pyroxenite nodules from the *Baikal* rift zone, *Russia*, 171
 Turbidite-hosted gold deposits, and metamorphic fluids, 423
 UGANDA, kamafugitic rocks from *Toro-Ankola*, 165
 Ullmannite, altered to form bottinoite, 543
 Ultramafic, plutonic spinels from *Kamchatka*, 575
Ural Mountains, deformed polycrystalline pyrite ores from, 29
 Uranophane, new mineralogical data on and synthesis of, 301
 UNITED STATES OF AMERICA, *Adirondack Mountains*, solution-redeposition and the orthoclase-microcline transformation in granulite from, 687;—, *Alaska*, eudialytes from, 743
 VALENÇA, J.G., 165
 VAN LANGEVELDE, F., 103
 Vangorda deposit, pyrite from, 55
 Variscan, age of eclogitic amphibolites and mica schists, 189;—, synmetamorphic siderite mineralisation, 451
 VELDE, D., 515
 VENTURELLI, G., 203
 VERGARA, I., 329
 VERSCHURE, R.H., Rb-Sr isochron, 746
 VLADYKIN, N., 651
 VOKES, F.M., 3, metamorphosed sulphide ores, 19
 Volcanogenic massive sulphide deposit, at *Renstrom*, *Norway*, 83
 WAGNER, S., xenocrystic richterite, 515
 WALDRON, K., orthoclase-microline transformation, 687
 WALDRON, K.A., chlorite breakdown, 141
 WALL, F., carbocernite exsolution, 495
 Watanabeite, a new mineral from *Japan*, 643
 WHITTAKER, E.J.W., 729
 WILL, G., 29, 45
 WILLIAMS, C.D., 540
 WILSON, A.H., 613
 WILSON, O.M., 540
 X-ray texture analysis, to show preferred orientation of experimentally deformed chalcopyrite ore, 45
 X-ray topography, of natural tetrahedral diamonds, 223
 XANES spectroscopy, at Fe K-edge of garnets, 249
 YACOOT, A., diamond topography, 223
 Yakutite, rare earth element patterns of, 607
 YARDLEY, B.W.D., gold-quartz veins, 407
 YOSHIZAWA, H., 739
 YOUNG, B., 754
 Zeolite, from *Shropshire*, 349;—, stellerite from *Scotland*, 540
 ZHANG, M., zoning in olivine leucitites, 565
 ZHOU, T., 395
 ZILLES, D., 29
 ZIMBABWE, *Great Dyke*, platinum-group minerals from, 613
 Zincian staurolite, breakdown of in a metabasite, 530;—, in rocks of upper amphibolite facies metamorphic grade, 736
 Zippeite, from *Cornwall*, 352
 Zircon, thermoluminescence spectra of, 217
 Zoning, in Zn-chromites, 131;—, patterns in hyalophane from olivine leucitites, 565