

ALPHABETICAL INDEX

Names of authors are in capitals, subjects in lower case roman, and localities in *italics*; book reviews are placed at the end.

- Accessory minerals, from Variscan granites of the *Erzgebirge, Germany*, 239
Ag-Cu exchange, 399
Agate, defect structure and luminescence behaviour of, 149
Age determination, by instrument analysis, 297
Agrostis capillaris, mineralogy of Pb-P grains in, 777
AIKAWA, N., 693
Al mass transfer, and diffusion in water, 633
Albite metasomatises, 519
Alkaline rocks, occurrence of several mineral phases in, from *Khaldzan Buregte* and *Tsakhir*, 165
Allanite-(Ce) in granitic gneisses from the ultrahigh-pressure metamorphic terrane, *Dabie Shan, China*, 579
Alluvial diamonds, from *Wellington, NSW*, 447
Almandine-spessartine-rich garnet, 503
Aluminosilicates, Al mass transfer and diffusion in water, 633
Aluminous efflorescences from the Te Kopia goothermal field, Taupo volcanic Zone, *New Zealand*, 413
Alunogen, 413
 α -miarygrite, 399
Analcime, synthesis of thallium-leucite pseudomorph after, 75
ANDERSON, P., 791
Antimony (Sb), crystal structure of antimonian dussertite and the role of Sb in oxysalt minerals, 17
Apatite, 587; crystal chemistry of Si-, S- and REE-rich apatite, 661; Palaeolithic bone diagenesis in the Arago cave at *Tautavel, France*, 801
APPEL, P. W. U., ludwigite from central Sweden, 511
ARAI, S., potarite in dunite, *SW Japan*, 369
As-Sb solution model, 399
ATEM, mineralogy of Pb-P grains in grass roots, 777
ATENCIO, D., 'coutinite', 'coutinhite' and 'neodymite' discredited, 761
AUSTRALIA, bariosincosite, a new Ba-V phosphate mineral from Spring Creek Mine, 735; *NSW, Wellington*, diamonds from, 447; *Queensland*, silvialite, new member of the scapolite group, 321
AYYAPPAN, P., 735
Baikal Alkaline Province, *Russia*, loparite from, 519
BAILEY, D. K., 615
Bariosincosite, a new Ba-V phosphate mineral, 735
Barometer, empirical calibration of the S valence barometer, 421
Barstowite, crystal structure of, 901
Bayan Obo Fe-Nb-REE deposit, *Inner Mongolia*, stable isotope study of the carbonatitic dolomite host of the, 927
BELLATRECCIA, F., 123; zirconolite and calzirtite, 649
BENVENUTI, M., 111
BEYER, B. D., 735
BILAL, E., 567
BIRCH, W. D., 735
Bi-Sb energetics in sulphosalts and sulphides, 723
Bismuthinite-stibnites, energetics in sulphosalts and sulphides, 723
Bone diagenesis, Palaeolithic, in the Arago cave at *Tautavel, France*, 801
Borate, crystal structure refinement of ludwigite, 511
Bornite, exsolution behaviour in the bornite-digenite series, 1
Braggite, Raman spectra of, 363
Brazil, Curitiba, coutinite, discredited as identical to lanthanite-(La) and/or lanthanite-(Nd), 761; Jacupiranga, crystal chemistry of zirconolite and calzirtite from, 649
BRIGATTI, M. F., 511
BROWNE, P. R. L., 413
BÜHMANN, D., 37
Burpala alkaline province, *Russia*, loparite from, 519
Calciosamarskite, new data on, 27
Calcite, 321
Calzirtite, crystal chemistry of, 649
CAMPBELL, L. S., isotope study of *Bayan Obo* deposit, 927
CANADA, Nova Scotia, scapolite pegmatite from the Minas fault, 387
CAPRILLI, E., 649
Carbon isotopes, a SIMS study of carbon isotope composition in complex diamonds from *George Creek, Colorado*, 857; for some diamonds from the *Kaapvaal Province, S. Africa*, 829; in diamonds, 447
Carbonatite, carbonatite-syenite-phonolite-diatreme, 615; O, C and Sr isotopes study of the carbonatitic dolomite host of the Bayan Obo Fe-Nb-REE deposit, *Inner Mongolia*, 927; REE uptake by sector growth of monazite in, 813
Carboniferous, evaporite-derived hydrothermal fluids

ALPHABETICAL INDEX

- in the western Cobequid highlands, 387
 Caries (dental), crystal chemistry and dissolution of calcium phosphate in dental enamel, 791
 CARIO, L., 879
 Carrara Marble, fluid inclusions, in the Apuan Alps core complex, 111
 CARROLL, M.R., 421
 Cathodoluminescence (CL), as a probe of surface structure and composition, 199; combined with SHRIMP ion probe measurements of detrital zircons, 179; for some diamonds from the *Kaapvaal Province, S. Africa*, 829; in a study of the petrogenesis of plagioclase phenocrysts of Mt Etna, 189; in the investigation of the luminescence behaviour of agate, 149; magmatic and metasomatic processes during formation of the Nb-Zr-REE deposits at *Khaldzan Buregte* and *Tskhir (Mongolian Altai)*, 165; of carbon isotope composition in complex diamonds from *George Creek, Colorado*, 857
 Cation ordering, in exsolution in the bornite–digenite series, 1
 ČERNÝ, P., 313
 CERVELLE, B., 879
 CHAKMOURADIAN, A. R., loparite and ‘metaloparite’ from *Russia*, 519
 Chalcopyrite, surface oxidation studies of, 559
 Chalcostibite, 399
 CHAMPNESS, P. E., 777
 Charge transfer, in yushkinite, 879
 CHARLET, L., 801
 CHARNOCK, J. M., 559; 769; 777
 CHATTOPADHYAY, P.K., Zn-spinel in metamorphosed sulphide deposit, 743
 Chemical composition, of uraninite in Variscan granites of the *Erzgebirge, Germany*, 239
 CHINA, *Dabie-Shan*, allanite-(Ce) in granitic gneisses from the ultrahigh-pressure metamorphic terrane, 579; *Inner Mongolia*, Bayan Obo Fe-Nb-REE deposit, stable isotope study of the carbonatitic dolomite host of, 927
 CHINN, I. L., 857
 Chloritoid, zoning of, from kyanite-facies metapsammites, *Alpi Apuane, Italy*, 105
 Chondrites, fusion crusts of enstatite chondrites, 473
 Chromian illite, from the Coire Dhuinnid Fault zone, *Scottish Highlands*, 37
 CHUKANOV, N. V., 519
 CL, see cathodoluminescence
 Classification, in trioctahedral micas, 57
 CLIFFORD, T.N., chromian illite-ankerite-quartz parageneses, 37
 Clinzoisite, zoisite-clinozoisite in the Meliata blueschists, Western Carpathians, *Slovakia*, 489
 CO₂ metasomatism, in the Coire Dhuinnid Fault zone, *Scottish Highlands*, 37
 Cobaltite-framboidal pyrite association from the Kupferschiefer, 353
 Commission on New Minerals and Mineral Names (IMA), new minerals approved in 1998 by the, 763
 COMODI, P., Si-, S- and REE-rich apatite, 661
 Compaction, post-depositional changes in the north-east Niğde ignimbrites, *Anatolia, Turkey*, 131
 Composition (surface), CL as a probe of, 199
 Compositional zoning, of zirconolite and calzirtite, 649
 COMPSTON, W., geological age by instrument analysis, 297
 COOPER, M. A., 13
 Copper speciation, in natural waters, 769
 Core Complex, fluid inclusions, in the Apuan Alps core complex, 111
 COSTAGLIOOLA, P., fluid circulation in the Apuan Alps, 111
 COTTER-HOWELLS, J. D., Pb-P grains in grass roots, 777
 Coutinhite, discredited as identical to lanthanite-(La) and/or lanthanite-(Nd), 761
 Coutinite, discredited as identical to lanthanite-(La) and/or lanthanite-(Nd), 761
 Crandallite group, crystal structure of antimonian dussertite and the role of Sb in oxysalt minerals, 17; Palaeolithic bone diagenesis in the Arago cave at *Tautavel, France*, 801
 CRESSEY, B. A., 813
 CRESSEY, G., REE-uptake in monazite, 813
 Crystal chemistry, of cation ordering in Mg-Al rich spinels from high-grade hornfels, 257; of the monazite-(Ce)–huttonite solid solution series, 587; of Si-, S- and REE-rich apatite, 661
 Crystal growth, REE uptake by sector growth of monazite, 813; zones, for some diamonds from the *Kaapvaal Province, S. Africa*, 829; zoning patterns (concentric) in crystallizing (Cd,Ca)CO₃ solid solutions from aqueous solutions, 321
 Crystal structure, of antimonian dussertite and the role of Sb in oxysalt minerals, 17; of barstowite, 901; refinement of ludwigite, 511
 DANDAR, S., 165
 DAVIES, R. M., diamonds from *Wellington, NSW*, 447
 DE MIN, A., 257
 DE WAAL, D., 363
 Deccan Traps, *India*, xenoliths in lamprophyres from, 703
 Deep crust boundary, *India*, xenoliths in lamprophyres from the Deccan Traps, 703
 Defect structure of quartz and agate, investigated using EPR, 149
 DELLA GIUSTA, A., 257

ALPHABETICAL INDEX

- DELLA VENTURA, G., Zr- and LREE-rich titanite, 123; 649
 Demineralization, crystal chemistry and dissolution of calcium phosphate in dental enamel, 791
 Dental enamel, crystal chemistry and dissolution of calcium phosphate in, 791
 DESSAI, A. G., xenoliths in lamprophyres, 703
 Devitrification, post-depositional changes in the northeast Niğde ignimbrites, *Anatolia, Turkey*, 131
 Diagenesis, trace element behaviour during, 353
 Diamond, carbon isotope ratios and nitrogen abundances in relation to CL characteristics for some diamonds from the *Kaapvaal Province, S. Africa*, 829; extreme chemical variation in complex diamonds from *George Creek, Colorado*, 857; from *Wellington, NSW*, 447
 Diatreme, carbonatite-syenite-phonolite-diatreme from *West Eifel, Germany*, 615
 Digenite, exsolution behaviour in the bornite–digenite series, 1
 Diopside, oxygen diffusion in, 673
 Disorder, in lillianite group minerals, 917
 Djerfisherite, in the Kugda alkaline complex, *Siberia*, 433
 DONG, SHUWEN, 579
 DOWKER, S.E.P., calcium phosphate in dental enamel, 791
 DSDP/ODP Hole 504B, pumpellyite from, 891
 DUNCAN, A. M., 189
 Dunite, metamorphosed, 369
 DURIN, L., 633
 Dussertite, structure of antimonian dussertite and the role of Sb in oxysalt minerals, 17
 Efflorescence, sideronatrite efflorescence formed in a coastal sea-spray environment, 757
 Electron microprobe, data, re-examination of yushkinite, 879; in the study of the chemical composition of uraninite in Variscan granites of the *Erzgebirge, Germany*, 239
 Electron microscopy, mineralogy of Pb-P grains in grass roots, 777
 Electron paramagnetic resonance (EPR), in the investigation of the defect structure of agate, 149
 ELLIOT, J.C., 791
 ELLIOT, P., 735
 Empirical calibration of the S valence barometer, 421
 Enamel, crystal chemistry and dissolution of calcium phosphate in dental enamel, 791
 ENGLAND, Cornwall, *Bounds Cliff*, crystal structure of barstowite from, 901; *Warwickshire*, Judkins Quarry, wooldridgeite, a new mineral from, 13
 ENGLAND, K. E. R., surface oxidation studies of chalcopyrite and pyrite, 559
 Enstatite, fusion crusts of enstatite chondrites, 473
 EXAFS, mineralogy of Pb-P grains in grass roots, 777; of copper in hydrosulphide solutions, 769
 Exchange equilibria (Ag-Cu), between α -miarygite, chalcostibite, pyrargyrite, and high-skinnerite, 399
 Exsolution behaviour in the bornite–digenite series, 1
 Extensional veins, fluid circulation in the Apuane Alps core complex, 111
 FALICK, A. E., Mineralogical Society-Schlumberger medallist (1997), 281
 FALSTER, A. U., 27
 FARYAD, S. W., contrasting blueschist mineral assemblages, 489
 Fault zone, Coire Dhuinnid, *Scottish Highlands*, chromian illite-ankerite-quartz rocks from, 37
 Fe-Ir-S, phase system, 379
 Fe-Li micas, a new approach to the substitution series, 933
 FERNANDEZ-GONZALEZ, A., zoning patterns in (Cd,Ca)CO₃ solid solutions, 331
 FERRARIS, G., 763
 FILATOV, S.K., 263
 FINCH, A. A., Luminescence phenomena in minerals, introduction, 147; 189
 FISHER, P.C., 369
 FITZSIMONS, I. C. W., 829; extreme chemical variation in diamonds, 857
 Fluid inclusions, in the Apuane Alps core complex, 111
 Fluorite, in the carbonatitic dolomite host of the Bayan Obo Fe-Nb-REE deposit, *Inner Mongolia*, 927
 FONTAN, F., 535
 FOORD, E.E., 27
 FÖRSTER, H.-J., 57; chemical composition of uraninite, 239; monazite-(Ce)–huttonite solid solutions in metabasites, 587
 Fractional crystallization, in Hercynian granites, geochemical study of two, from *Iberia*, 85
 Fractionation, of ultrabasic peralkaline melt inclusions, 433
 Framboid, cobaltite-framboidal pyrite association from the Kupferschiefer, 353
 FRANCE, Tautavel, Palaeolithic bone diagenesis in the Arago cave at, 801
 FRANCESCHELLI, M., zoning of chloritoid, 105
 FTIR (Fourier Transform Infrared) spectroscopy of pyrochlore, 567
 FUCHS, H., 149
 Fusion crusts, of enstatite chondrites, 473
 GAFT, M., luminescence of REE in scheelite, 199
 GAO, X. J., 791
 Garnet, zoning profiles in, 227

ALPHABETICAL INDEX

- GARVIE, L. A. J., sideronatrite and metasideronatrite, 757
 GENGE, M. J., fusion crusts of enstatite chondrites, 473
 Geological age, by instrument analysis, Hallimond Lecture, 297
 GERMANY, carbonatite-syenite-phonolite-diatreme, 615; *Erzgebirge*, chemical composition of uraninite in Variscan granites of the, 239
 GHOSAL, S., Bi-Sb energetics in sulphosalts and sulphides, 723
 GIBERT, R., 567
 GITTINS, J., 53
 Glancing angle X-ray absorption spectroscopy, 559
 Gold grains, magmatic, in the El Tale lamproite, *Fortuna, SE Spain*, 595
 Goldmanite from the black slates of the Ogneon belt, *Korea*, 253
 GOTTESMANN, B., 57
 GÖTZE, J., defect structure of agate, 149; 165; high-resolution CL of zircons, 179
 GRADY, M. G., 473
 Grain-boundary diffusion, 227
 Granite, chemical composition of uraninite in Variscan granites of the *Erzgebirge, Germany*, 239; geochemical study of two, from *Iberia*, 85
 Granitic gneiss, allanite-(Ce) in, from the ultrahigh-pressure metamorphic terrane, *Dabie Shan, China*, 579
 Granitic pegmatites of the *Fregeneda area, Salamanca, Spain*, 535
 Granulite, -facies metabasites, monazite-(Ce)-buttonite solid solutions in, from the Ivrea-Verbano Zone, *Italy*, 587; (HP-HT), zoning profiles in garnet from, 227; Zn-spinel in the metamorphosed Zn-Pb-Cu sulphide deposit at *Mamandur, India*, 743
 Grass, mineralogy of Pb-P grains in grass roots, 777
 GREECE, almandine-spessartine-rich garnet from, 503
 GREEN, D. I., 13
 GREENLAND, *Ivigtut*, disorder and compositional variation in lillianite group minerals from, 917
 GREENOUGH, J. D., 387
 GRGURIC, B. A., exsolution behaviour in the bornite-digenite series, 1
 GRICE, J. D., 13; new minerals in 1998, 763
 GRIFFIN, W. L., 447
 Growth structures in diamond, 447
 GUEST, J. E., 189
 GURNEY, J. J., 857
 HABERMANN, D., 149; 165; 179
 Hallimond Lecture, geological age by instrument analysis, 297
 HANSON, S. L., the samarskite group, 27
 HARLOV, D. E., Ag-Cu exchange equilibria, 399; 587
 HARMER, R. E., 615
 HARRIS, J. W., 829
 HARTE, B., CL characteristics, 829; 857
 HATTA, T., 75
 HAWTHORNE, F. C., wooldridgeite, a new mineral, 13; 321; 313
 Heavy metal tolerance, mineralogy of Pb-P grains in grass roots, 777
 HENDERSON, C. M. B., fractionation of ultrabasic peralkaline melt inclusions, 433
 Hercynian granites, geochemical study of two, from *Iberia*, 85
 Hg in PGE mineralization in peridotite, 369
 HOINKES, G., 489
 Hornfels, cation ordering in Mg-Al spinels from high-grade hornfels, 257
 HRTEM, of lillianite group minerals, 917
 HUAIMIN XUE, 579
 Huttonite, monazite-(Ce)-huttonite solid solutions in granulite-facies metabasites from the Ivrea-Verbano Zone, *Italy*, 587
 Hydrogen bonding, in yushkinite, 879
 Hydrogen-related species, IR absorption band at 3596 cm⁻¹ of the recrystallized quartz from Mt. Takamiyama, *SW Japan*, 693
 Hydrosulphide solutions, EXAFS of copper in, 769
 Hydrothermal alteration, of pumpellyite from the oceanic crust, 891
 Hydroxyapatite, mineralogy of Pb-P grains in grass roots, 777
 Hydroxy-sulphide, re-examination of yushkinite, 879
 ICP-MS, geological age by instrument analysis, 297
 Ignimbrite, SEM study of post-depositional changes in the northeast Niğde ignimbrites, *Anatolia, Turkey*, 131
 IMA, new minerals approved in 1998 by the Commission on New Minerals and Mineral Names, 763
 Inazumi-yama ultramafic complex, *Japan*, potarite from, 369
 Inclusions, in diamonds, from *Wellington, NSW*, 447
 INDIA, *Mamandur*, Zn-spinel in the metamorphosed Zn-Pb-Cu sulphide deposit at, 743; xenoliths in lamprophyres from the Deccan Traps, 703
 INGRIN, J., 673
 Instrument analysis, geological age by, 297
 International Mineralogical Association, nomenclature of the micas, 267
 IR, absorption band at 3596 cm⁻¹ of the recrystallized quartz from Mt. Takamiyama, *SW Japan*, 693; spectroscopy of pyrochlore, 567
 Ishikawaite, new data on, 27
 ISHIZUKA, H., pumpellyite from the oceanic crust, 891

ALPHABETICAL INDEX

- ITALY, Abruzzi, crystal chemistry, of Si-, S- and REE-rich apatite from, 661; fluid inclusions, in the Apuan Alps core complex, 111; Predazzo-Monzoni, cation ordering in Mg-Al spinels from high-grade hornfels, 257; Sicily, CL in a study of the petrogenesis of plagioclase phenocrysts from Mt Etna, 189; Vico volcanic complex, Zr- and LREE-rich titanite from, 123; zoning of chloritoid from kyanite-facies metapsammites, 105
- ITO, K., 909
- Itoigawaite, a new mineral from the Itoigawa-Ohmi district, Japan, 909
- Ivrea-Verbano Zone, Italy, monazite-(Ce)-buttonite solid solutions in granulite-facies metabasites from the, Italy, 587
- Jadeite, itoigawaite, a new mineral from Japan, associated with, 909
- Jadeitite, itoigawaite, a new mineral from Japan, found in, 909
- JAGO, B.C., Mn and F-bearing rasvumite, 53
- JAOU, O., 673
- JAPAN, Itoigawa-Ohmi district, new mineral, itoigawaite, from, 909; Mt. Takamiyama, IR absorption band at 3596 cm^{-1} of the recrystallized quartz from, 693; potarite from the Inazumi-yama ultramafic complex, 369
- JEONG, G. Y. goldmanite from black slates, 253
- JERCHER, M., 917
- JIANXIONG ZHOU, 579
- JIE, YU, 933
- Kalsilite-bearing leucite, crystal chemistry of Si-, S- and REE-rich apatite from, 661
- Kaolinite, 413
- KARALI, T., 211
- KARUP-MØLLER, S., 379
- KATERINOPoulos, A., 503
- KEMPE, U., magmatic and metasomatic processes, 165; 179
- K-feldspar, Rb-dominant, from the Morra pegmatite, Mozambique, 313
- KIM, Y.H., 253
- KIMATA, M., 75
- KOGARKO, L. N., 433
- KOKKINAKIS, A., 503
- KOLITSCH, U., structure of antimonian dussertite, 17; 735
- KOREA, goldmanite from the black slates of the Ogcheon belt, 253
- KRIVOVICHEV, S. V., oxocentred tetrahedra in crystal structures, 263
- Kugda alkaline complex, Siberia, djerfisherite from, 433
- Kupferschiefer, cobaltite-framboidal pyrite association from the, 353
- Kyanite facies rocks, zoning of chloritoid from Alpi Apuane, Italy, 105
- KYONO, A., synthesis of thallium-leucite, 75
- Lamproite, magmatic gold grains in the El Tale lamproite, Fortuna, SE Spain, 595
- Lamprophyres, xenoliths in, from the Deccan Traps, India, 703
- Lanthanite-(La) or lanthanite-(Nd), coutinite, discredited as identical to, 761
- LARGE, D. J., cobaltite-framboidal pyrite association, 353
- Laser-induced time-resolved luminescence of REE in scheelite, 199
- LATTANZI, P., 111
- Lawsonite, itoigawaite, a new mineral from Japan, associated with, 909; oscillatory zoned chrome lawsonite, 687
- LE ROEX, A. P., 37
- Lead, mineralogy of Pb-P grains in grass roots, 777
- LEE, M. R., Max Hey Medallist (1998), 604
- Leucite, synthesis of thallium-leucite pseudomorph after analcime, 75
- LICHTE, F. E., 27
- LIEBSCH, H., 615
- Lillianite group minerals, disorder and compositional variation in, 917
- LIU, XIAOCHUN, allanite-(Ce) in granitic gneisses, 579
- LIU, Y., 661
- LLOYD, F. E., 615
- Loparite from the Burpala alkaline complex, Baikal alkaline Province, Russia, 519
- LOPEZ-ANDRES, S., 331
- Ludwigite from Sweden, 511
- Luminescence phenomena in minerals, (introduction), 147
- LUMLEY, H. DE, 801
- MADAGASCAR, Western Andriamena, Lavatrafo, palladium oxides in ultramafic complexes, 345
- Magmatic, gold grains in the El Tale lamproite, Fortuna, SE Spain, 595; processes, use of CL in the study of, 189
- MAINERI, C., 111
- MAKOVICKY, E., the system Fe-Ir-S, 379; 917
- MALAWI, Kangankunde, REE uptake by sector growth of monazite from, 813
- MARTIN, R., sulphate-rich, aluminous efflorescences, 413
- MATSUBARA, S., 909
- MATSUMOTO, I., 369
- MATTHEWS, S. J., calibration of the S valence O barometer, 421
- MCDONALD, I., palladium oxides in ultramafic complexes, 345
- Meionite, 321

ALPHABETICAL INDEX

- MEMMI, I., 105
 MENENDEZ, L. G., 85
 MENU, M., 801
 MERKLE, R. K. W., Raman spectra of synthetic braggite, 363
 Metaloparite from the Burpala alkaline complex, Baikal alkaline Province, *Russia*, 519
 Metamict state, ishikawaite and calciosamarskite, 27
 Metapelite, Al mass transfer and diffusion in water, 633
 Metasideronatrite, efflorescence formed in a coastal sea-spray environment, 757
 Meteorites, fusion crusts of enstatite chondrites, 473
 Mg-Al spinel, crystal chemistry of cation ordering in, 257
 Mg-Fe zoning in chloritoid, from kyanite-facies metapsammites, 105
 Mica, correlation between Li and Mg in trioctahedral micas, 57; Fe-Li, a new approach to the substitution series, 933; nomenclature of, 267
 Microradiography, crystal chemistry and dissolution of calcium phosphate in dental enamel, 791
 Microtomography, crystal chemistry and dissolution of calcium phosphate in dental enamel, 791
 Minas fault, *Nova Scotia*, scapolite pegmatite from the, 387
 Mineral assemblages in the Meliata blueschists, Western Carpathians, *Slovakia*, 489
 Mineral chemistry, of braggite, 363; of zirconolite and calzirtite from *Jacupiranga, Brazil*, 649
 Mineralogy of granitic pegmatites of the *Fregeneda area, Salamanca, Spain*, 535
 MITCHELL, R. H., 519
 MITROPOULOS, P., primary garnet and mica phenocrysts, 503
 MIYAJIMA, H., itoigawaite, a new lawsonite group mineral, 909
 MIYAWAKI, R., 909
 MÖELO, Y., re-examination of yushkinite, 879
 Monazite, -(Ce)-buttonite solid solutions in granulite-facies metabasites from the Ivrea-Verbano Zone, *Italy*, 587; REE uptake by sector growth of, 813
 MONCRIEFF, D.H.S., 421
Mongolian Altai, Khaldzan Buregte and Tsakhir, Rare metals, magmatic and metasomatic processes during formation of the Nb-Zr-REE deposits, 165
 Montgomeryite, Palaeolithic bone diagenesis in the Arago cave at *Tautavel, France*, 801
 Morrua pegmatite, *Mozambique*, Rb-dominant feldspar from, 313
 Mössbauer spectroscopy, correlated with CL data of surface structure and composition, 199
 MOSSELMANS, J.F.W., EXAFS of copper in hydro-sulphide solutions, 769
 MOZAMBIQUE, Rb-dominant feldspar from the Morrua pegmatite, 313
 Mt Etna, *Sicily*, CL in a study of the petrogenesis of plagioclase phenocrysts from, 189
 Muscovite-phengite, in the Meliata blueschists, Western Carpathians, *Slovakia*, 489
 NASDALA, L., 179
 NASRAOUI, M., pyrochlore studies by FTIR spectroscopy, 567
 Natrocarbonatite, F- and Mn-bearing rasvumite in, from Oldoinyo Lengai volcano, *Tanzania*, 53
 Neodymite, discredited as identical to lanthanite-(La) and/or lanthanite-(Nd), 761
 Neogene rhyolite, zinnwaldite phenocrysts in a, *Greece*, 503
 New minerals, approved in 1998 by the IMA Commission on New Minerals and Mineral Names, 763; bariosincosite, a new Ba-V phosphate mineral, 735; itoigawaite, from the *Itoigawa-Ohmi district, Japan*, 909; silvialite, new member of the scapolite group, 321; wooldridgeite, from *Warwickshire, England*, 13
 NEW ZEALAND, aluminous efflorescences from the Te Kopua geothermal field, Taupo volcanic zone, 413
 NIIMI, N., quartz infrared absorption band, 693
 NISHIDA, N., 75
 Nitrogen abundance, a SIMS study of carbon isotope composition in complex diamonds from *George Creek, Colorado*, 857; for some diamonds from the *Kaapvaal Province, S. Africa*, 829
 Nitrogen aggregation in diamond, 447
 Nomenclature, of the micas, 267
 Nuclear Reaction Analysis, oxygen diffusion in diopside, 673
 NUESER, R. D., 179
 O'BRIEN, P. J., asymmetric zoning in garnet, 227
 O'REILLY, S. Y., 447
 Obituaries
 Cox, K.G., 439
 Dunham, A.C., 287
 Edgar, A.E., 288
 Tunell, G., 289
 Oceanic crust, pumpellyite from, 891
 OHNSTETTER, D., 345
 OHNSTETTER, M., 345
 OKAY, A. I., 687
 Omphacite, in the Meliata blueschists, Western Carpathians, *Slovakia*, 489
 Ordering and exchange reactions, Bi-Sb energetics in sulphosalts and sulphides, 723
 Ore assemblages, exsolution behaviour in the bornite-digenite series and its effect on, 1

ALPHABETICAL INDEX

- Oscillatory, zoned chrome lawsonite, 687; zoning, 321
 Otavite, 321
 OTTER, M. L., 829
 OWEN, J. V., scapolite pegmatite from *Nova Scotia*, 387
 Oxidation, fusion crusts of enstatite chondrites, 473
 Oxygen, barometer, empirical calibration of the, 421; diffusion in diopside, 673; fugacity, 421
 Oxsalt minerals, crystal structure, of antimonian dussertite and the role of Sb in, 17
- PACAUD, L., oxygen diffusion in diopside, 673
 Palaeolithic bone diagenesis in the Arago cave at *Tautavel, France*, 801
 Palladium oxides in ultramafic complexes, 345
 PALMER, M. R., 615
 PANCZER, G., 199
 PANKOV, A. V., 519
 PARODI, G. C., 649
 PATTRICK, R. A. D., 559; 769
 Peralkaline melt inclusions, fractionation of, 433
 Peraluminous granites, geochemical study of, from *Iberia*, 85
 PESQUERA PEREZ, A., 535
 Petrogenesis, granitic pegmatites of the *Fregeneda area, Salamanca, Spain*, 535
 PGE, 595; mineralization, Hg in, in peridotite, 369
 Phase system Fe-Ir-S, 379
 Phengite, muscovite-phengite, in the Meliata blueschists, Western Carpathians, *Slovakia*, 489
 Phonolite, carbonatite-syenite-phonolite-diatreme, 615
 Phosgenite, from *Bounds Cliff, Cornwall, England*, 901
 Phosphate, bariosincosite, a new Ba-V phosphate mineral, 735; mineralogy of Pb-P grains in grass roots, 777
 PICCIRILLO, E. M., 257
 PIENAAR, H. S., 37
 PIGME, Palaeolithic bone diagenesis in the Arago cave at *Tautavel, France*, 801
 PIKL, R., 363
 PIXE, Palaeolithic bone diagenesis in the Arago cave at *Tautavel, France*, 801
 Plagioclase phenocrysts, CL in a study of the petrogenesis of, from Mt Etna, 189
 PLANT, D. A., 433
 Platinum group, elements, 345; 379; minerals, braggite, 363
 PLÖTZE, M., 149
 PLUTH, J. J., 901
 POLAND, cobaltite-framboidal pyrite association from the Kupferschiefer in, 353
 Potarite, from the Inazumi-yama ultramafic complex, *Japan*, 369
- Premelting, oxygen diffusion in diopside, 673
 PRICHARD, H. M., 369
 PRIETO, M., 331
 PRINCIVALLE, F., cation ordering in spinels, 257
 PRING, A., 17; bariosincosite, a new Ba-V phosphate mineral, 735; the lillianite homologous series, 917
 Prograde metamorphism, in the Meliata blueschists, Western Carpathians, *Slovakia*, 489
 Pseudomorph, synthesis of thallium-leucite pseudomorph after analcime, 75
 Pumpellyite, from the oceanic crust, 891
 PUTNIS, A., 1; 331
 Pyrargyrite, 399
 Pyrite cobaltite-framboidal pyrite association from the Kupferschiefer, 353; oxidation studies of, 559; sideronatrite formed from weathering of, 757
 Pyrochlore studies, by FTIR with thermal analysis, 567
 Pyromorphite, mineralogy of Pb-P grains in grass roots, 777
 Pyrophosphate, wooldridgeite, a new mineral from *Warwickshire, England*, 13
- Quartz, defect structure and luminescence behaviour of, 149; (recrystallized), IR absorption band at 3596 cm^{-1} of the, from Mt. Takamiyama, *SW Japan*, 693
 QUATTROPANI, L., bone diagenesis, 801
- Radiogenic isotopes, carbonatite-syenite-phonolite-diatreme, 615; in chromian illite-ankerite-quartz rocks from the *Scottish Highlands*, 37
 Raman spectra of synthetic braggite, 363
 RAMANAN, A., 735
 RAMIREZ, J. A., peraluminous granites from *Iberia*, 85
 Rare earth mineralization, stable isotope study of the carbonatitic dolomite host of the Bayan Obo Fe-Nb-REE deposit, *Inner Mongolia*, 927
 Rare metals, magmatic and metasomatic processes during formation of the Nb-Zr-REE deposits at *Khaldzan Buregte and Tsakhir*, 165
 Rasvumite, F- and Mn-bearing, in natrocarbonatite at Oldoinyo Lengai volcano, *Tanzania*, 53
 Rb-dominant feldspar from the Morrua pegmatite, *Mozambique*, 313
 REE, luminescence of, in scheelite, 199; patterns, of titanite, 123; uptake by sector growth of monazite, 813
 REFLEXAFS, 559
 REISFELD, R., 199
 Renge metamorphic belt, itoigawaite, a new mineral from *Japan*, found in, 909
 REX, D. C., 37
 RICHTER, D. K., 179
 RIEDER, M. (with 14 others), nomenclature of the micas, 267

ALPHABETICAL INDEX

- RILEY, T. R., carbonate-syenite-phonolite diatreme, 615
 ROBERTS, A. C., 13
 RODA ROBLES, E., granitic pegmatites of the *Fregeneda area, Spain*, 535
 RODGERS, K. A., 413
 ROUER, O., 879
 ROWBOTHAM, G., 131
 ROWLANDS, A. P., 211
 RUGGIERI, G., 111
 RUSSIA, loparite from the Burpala alkaline complex, 519
- SACK, R. O., 723
 SAITO, S., 75
 SALJE, E., Mineralogical Society-Schlumberger medallist (1998), 603
 Samarskite group, nomenclature of, 27
 Sangun zone, *Japan*, 369
 SAWŁOWICZ, L., 353
 Scapolite group, silvialite, new member of the, 321; pegmatite from the Minas fault, *Nova Scotia*, 387
 Scheelite, luminescence of REE in, 199
 SCHINDLER, M., 321
Scottish Highlands, chromian illite-ankerite-quartz parageneses from, 37
 Sector zoning, of monazite, 813
 SEM, CL combined with SHRIMP ion probe measurements of detrital zircons, 179
 SHERLOCK, S. C., oscillatory zoned chrome lawsonite, 687
 SHERRIFF, B. L., 321
 SHIHUA, SUN, 933
 SHIMIZU, M., 75
 SHINODA, K., 693
 SHRIMP, CL, combined with SHRIMP ion probe measurements of detrital zircons, 179
 SHUWEN DONG, 579
 Sideronatrite, efflorescence formed in a coastal sea-spray environment, 757
 Silvialite, new member of the scapolite group, 321
 SIMMONS, W. B., 27
 SIMS, geological age by instrument analysis, 297; study of carbon isotope composition in complex diamonds from *George Creek, Colorado*, 857
 Sincosite, bariosincosite, a new Ba-V phosphate mineral, 735
 Skinnerite, 399
 SLADE, P. G., 17
 Slates (black), goldmanite from, *Ogcheon belt, Korea*, 253
Slovakia, mineral assemblages in the Meliata blueschists, *Western Carpathians*, 489
 SMITH, V. A., 211
 SOLÉ, V. A., 769
- Solid solution, concentric zoning patterns in crystallizing $(\text{Cd}, \text{Ca})\text{CO}_3$ solid solutions from aqueous solutions, 321
 SOUTH AFRICA, *Kaapvaal Province*, carbon isotope ratios and nitrogen abundances in relation to CL characteristics for some diamonds from the, 829
 SPAIN, *Fortuna*, magmatic gold grains in the El Tale lamproite, 595; *Salamanca*, granitic pegmatites of the *Fregeneda area*, 535
 Specular reflectance data, re-examination of yushkinite, 879
 Spinel, Mg-Al, crystal chemistry of cation ordering in, 257
 SPRATT, J., 353
 Spring Creek Mine, *South Australia*, bariosincosite, a new Ba-V phosphate mineral from, 735
 Stable isotopes, carbonatite-syenite-phonolite-diatreme, 615; study of the carbonatitic dolomite host of the Bayan Obo Fe-Nb-REE deposit, *Inner Mongolia*, 927
 STANLEY, C. J., 901
 STARKEY, R. E., 13
 STAROVA, G. L., 263
 STEELE, I. M., crystal structure of barstowite, 901
 Stibiopalladinite, 369
 STIRLING, D., petrogenesis of plagioclase phenocrysts, 189
 STOPPA, F., 661
 Structural refinement, of Si-, S- and REE-rich apatite, 661
 Substitution series, Fe-Li micas, 933
 Sulphate, silvialite, new member of the scapolite group, 321
 Sulphide metamorphism, Zn-spinel in metamorphosed sulphide deposit, 743
 Sulphides, Bi-Sb energetics in, 723
 Sulphosalts, Bi-Sb energetics in, 723
 Sulphur-rich apatite, crystal chemistry of apatite, 661
 SUN SHIHUA, Fe-Li micas, 933
 Surface oxidation studies of chalcopyrite and pyrite, 559
 Surface structure, CL as a probe of, 199
 SWEDEN, ludwigite from, 511
 Syenite, carbonatite-syenite-phonolite-diatreme, 615
- TANZANIA, F- and Mn-bearing rasvumite in natrocarbonatite from Oldoinyo Lengai volcano, 53
 Tavşanlı Zone, *Turkey*, oscillatory zoned chrome lawsonite from, 687
 TAYLOR, W. R., 857
 Te Kopua geothermal field, Taupo volcanic zone, *New Zealand*, aluminous efflorescences from the, 413
 Tectonic juxtaposition, 579

ALPHABETICAL INDEX

- TEERTSTRA, D. K., Rb-dominant feldspar from *Mozambique*, 313; silvialite, a new member of the scapolite group, 321
- Teeth, crystal chemistry and dissolution of calcium phosphate in dental enamel, 791
- Thallium, synthesis of thallium-leucite pseudomorph after analcime, 75
- Thermal analysis of pyrochlore, 567
- Thermal gradient, Al mass transfer and diffusion in water, 633
- Thermal metamorphism, 369
- TIEKINK, E. R. T., 17
- TISCHENDORF, G., Li and Mg in trioctahedral micas, 57
- Titanite, Zr- and LREE-rich titanite from Vico volcanic complex, *Italy*, 123
- TOSCANI, L., magmatic gold grains, 595
- TOWNSEND, P. D., surface structure and composition, 211
- Trace element, behaviour during early diagenesis, 353; modelling, granitic pegmatites of the *Fregeneda area, Salamanca, Spain*, 535
- Trace elements, in quartz and agate, 149
- Trioctahedral micas, correlation between Li and Mg in, 57
- Tube-in-tube experiments, Al mass transfer and diffusion in water, 633
- TURKEY, *Anatolia*, SEM study of post-depositional changes in the northeast Niğde ignimbrites, 131; oscillatory zone chrome lawsonite from the Tavşanlı Zone, 687
- U.S.A., *Colorado, George Creek*, extreme chemical variation in complex diamonds from, 857
- UHP rocks, from the ultrahigh-pressure metamorphic terrane, *Dabie Shan, China*, 579
- Uplift path, fluid circulation in the Apuane Alps core complex, 111
- Uraninite, chemical composition of, in Variscan granites of the *Erzgebirge, Germany*, 239
- USPENSKY, E., 199
- Vanadium, in goldmanite from the black slates of the *Ogcheon belt, Korea*, 253
- VASELLI, O., 703
- VAUGHAN, D. J., 345; 559
- VAZQUEZ, G., 211
- VELASCO ROLDAN, F., 535
- VERRYN, S. M. C., 363
- Vibrational spectra, of Si-, S- and REE-rich apatite, 661
- Vico volcanic complex, *Italy*, Zr- and LREE-rich titanite from, 123
- VIDAL, O., Al mass transfer and diffusion in water, 633
- Volcanic complex, (Vico), *Italy*, Zr- and LREE-rich titanite from, 123
- WALL, F., 813
- Weathering of pyrite, to give sideronatrite, 757; of pyrochlore, 567
- Welding, post-depositional changes in the northeast Niğde ignimbrites, *Anatolia, Turkey*, 131
- Western Carpathians, mineral assemblages in the Meliata blueschists, *Slovakia*, 489
- WILKINSON, J. J., Max Hey Medallist (1997), 283
- WILLIAMS, C. T., 123; 649
- WOOLLEY, A. R., 661
- Wooldridgeite, a new mineral from *Warwickshire, England*, 13
- XANES, 559
- Xenoliths, in lamprophyres from the Deccan Traps, *India*, 703
- XIAOCHUN, LIU, 579
- X-ray absorption spectroscopy, 559
- X-ray data, for silvialite, new member of the scapolite group, 321
- XRD, Palaeolithic bone diagenesis in the Arago cave at *Tautavel, France*, 801
- XUE, HUAIMIN, 579
- YU, JIE, 933
- YURTGEN, S., post-deformation changes in ignimbrites, 131
- Yushkinit, re-examination of, 879
- ZHOU, JIANXIONG, 579
- Zinnwaldite phenocrysts in a Neogene rhyolite, *Greece*, 503
- Zircon, geological age by instrument analysis, 297; high-resolution CL combined with SHRIMP on probe measurements of detrital zircons, 179
- Zirconolite, crystal chemistry of, 649
- Zn-spinel in the metamorphosed Zn-Pb-Cu sulphide deposit at *Manamdur, India*, 743
- Zoisite-clinozoisite, in the Meliata blueschists, Western Carpathians, *Slovakia*, 489
- Zoning, patterns (concentric) in crystallizing (Cd,Ca)CO₃ solid solutions from aqueous solutions, 321; profiles in garnet from HP-HT granulite, 227