

## 1998 AUTHOR INDEX

- Agnew, S.F., see Johnston et al., 75  
Ague, J.J., see Poggi et al., 1122  
Ahn, J.H. and Buseck, P.R.: Transmission electron microscopy of muscovite alteration of tourmaline, 535  
Alberti, A., see Coombs et al., 935  
Altaner, S.P., see Cuadros and Altaner, 762  
Amthauer, G. and Rossman, G.R.: The hydrous component in andradite garnet, 835  
Anderson, O.L.: Thermoelastic properties of  $MgSiO_3$  perovskite using the Debye approach, 23  
Andrault, D., Neuville, D.R., Flank, A.-M., and Wang, Y.: Cation sites in Al-rich  $MgSiO_3$  perovskites, 1045  
Angel, R.J., see Arlt et al., 1176  
Angel, R.J., see Knoche et al., 1168  
Angel, R.J., see Reichmann et al., 1357  
Angel, R.J., see Schmidt et al., 881  
Angel, R.J., see Woodland and Angel, 404  
Angert, E.R., Northup, D.E., Reysenbach, A.-L., Peek, A.S., Goebel, B.M., and Pace, N.R.: Molecular phylogenetic analysis of a bacterial community in Sulphur River, Parker Cave, Kentucky, 1583  
Apitz, S.E., see Kubicki and Apitz, 1054  
Aranovich, L.Y. and Newton, R.C.: Reversed determination of the reaction: Phlogopite + quartz = enstatite + potassium feldspar +  $H_2O$  in the ranges 750–875 °C and 2–12 kbar at low  $H_2O$  activity with concentrated KCl solution, 193  
Arlt, T., Angel, R.J., Miletich, R., Armbruster, T., and Peters, T.: High-pressure  $P2_1/c$ - $C2/c$  phase transitions in clinopyroxenes: Influence of cation size and electronic structure, 1176  
Arlt, T., Armbruster, T., Ulmer, P., and Peters, T.:  $MnSi_2O_5$  with the titanite structure: A new high-pressure phase in the  $MnO$ - $SiO_2$  binary, 657  
Armbruster, T., see Arlt et al., 657  
Armbruster, T., see Arlt et al., 1176  
Armbruster, T., see Coombs et al., 935  
Armbruster, T., see Nyfeler and Armbruster, 119  
Artioli, G., see Coombs et al., 935  
Artioli, G., see Gualtieri et al., 590  
Artioli, G., see Passaglia et al., 577  
Asimow, P.D. and Ghiorso, M.S.: Algorithmic modifications extending MELTS to calculate subsolidus phase relations, 1127  
Bai, T.B. and Koster van Groos, A.F.: Phase relations in the system  $MgO$ - $NaCl$ - $H_2O$ : The dehydroxylation of brucite in the presence of  $NaCl$ - $H_2O$  fluids, 205  
Bailey, E.H., see Haas et al., 1494  
Bancroft, G.M., see Legrand et al., 1256  
Bancroft, G.M., see Maddox et al., 1240  
Bancroft, G.M., see Nesbitt et al., 1067  
Bancroft, G.M., see Scaini et al., 316  
Banerjee, D., see Nesbitt and Banerjee, 305  
Banfield, J.F.: Acceptance of the Mineralogical Society of America Award for 1997, 917  
Banfield, J.F. and Murakami, T.: Atomic-resolution transmission electron microscope evidence for the mechanism by which chlorite weathers to 1:1 semi-regular chlorite-vermiculite, 348  
Banfield, J.F., see Barker et al., 1551  
Banfield, J.F., see Edwards et al., 1444  
Banfield, J.F., see Janney and Banfield, 799  
Banfield, J.F., see Kogure and Banfield, 925  
Banfield, J.F., see Penn and Banfield, 1077  
Banno, S., see Radvenac et al., 273  
Barker, W.W., Welch, S.A., Chu, A., and Banfield, J.F.: Experimental observations of the effects of bacteria on aluminosilicate weathering, 1551  
Barkov, A.Y., Laajoki, K.V.O., Gornostayev, S.S., Pakhomovskii, Y.A., and Men'shikov, Y.P.: Sorosite, Cu (Sn,Sb), a new mineral from the Baimka placer deposit, western Chukotka, Russian Far East, 901  
Barnes, H.L., see Wilkin and Barnes, 746  
Baron, V., Gutzmer, J., Rundlöf, H., and Tellgren, R.: The influence of iron substitution on the magnetic properties of hausmannite,  $Mn^{2+}(Fe,Mn)_2O_4$ , 786  
Bassett, W.A., see Reichmann et al., 1357  
Bassett, W.A., see Schmidt et al., 995  
Bayliss, P., see Smith et al., 126  
Bazylinski, D.A., see 1387 et al., 1387  
Bazylinski, D.A., see Pósfai et al., 1469  
Bebie, J., see Guevremont et al., 1353  
Bebout, B.M., see Visscher et al., 1482  
Benna, P., see Tribaudino et al., 159  
Bennett, P.C., see Rogers et al., 1532  
Berger, B.R.: *Magmas, Fluids, and Ore Deposits*. Edited by J.F.H. Thompson, 190  
Berman, R.G., see Chernosky et al., 726  
Bernhard, F., Walter, F., Ettinger, K., Taucher, J., and Mereiter, K.: Pretilite,  $ScPO_4$ , a new scandium mineral from the Styrian and Lower Austrian lazulite occurrences, Austria, 625  
Bernhardt, H.-J., see Effenberger et al., 607  
Berry, S.L., see Hofmeister et al., 1293  
Bertka, C.M., see Mysen et al., 942  
Bigi, S., see Gualtieri et al., 590  
Birch, W.D., Pring, A., McBriar, E.M., Gatehouse, B.M., and McCammon, C.A.: Bamfordite,  $Fe^{3+}Mo_3O_6(OH)_3$ • $H_2O$ , a new hydrated iron molybdenum oxyhydroxide from Queensland, Australia: Description and crystal chemistry, 172  
Bish, D.L., see Johnston et al., 75  
Bismayer, U., see Chrosch et al., 1083  
Blake, R.E., O'Neil, J.R., and Garcia, G.A.: Effects of microbial activity on the  $\delta^{18}O$  of dissolved inorganic phosphate and textural features of synthetic apatites, 1516  
Bodnar, R.J., see Schmidt et al., 995  
Boffa Ballaran, T., Carpenter, M.A., Domeneghetti, M.C., and Tazzoli, V.: Structural mechanisms of solid solution and cation ordering in augite-jadeite pyroxenes: I. A macroscopic perspective, 419  
Boffa Ballaran, T., Carpenter, M.A., Domeneghetti, M.C., Salje, E.K.H., and Tazzoli, V.: Structural mechanisms of solid solution and cation ordering in augite-jadeite pyroxenes: II. A microscopic perspective, 434  
Bohlen, S.R., see Hemmingway et al., 409  
Böhm, H., see Kahlenberg and Böhm, 631  
Boldish, S.I. and White, W.B.: Optical band gaps of selected ternary sulfide minerals, 865  
Bosenick, A., see Hammonds et al., 476

- Bouska, V., Císařová, I., Skála, R., Dvorák, Z., Zelinka, J., and Zák, J.: Hartite from Blína, 1340
- Brett, R., see Nasdala et al., 1111
- Brigatti, M.F., Frigieri, P., and Poppi, L.: Crystal chemistry of Mg-, Fe-bearing muscovites- $2M_1$ , 775
- Brodholt, J.P., see Dobson et al., 794
- Brodholt, J.P., see Richmond and Brodholt, 947
- Brooker, R., Holloway, J.R., and Hervig, R.: Reduction in piston-cylinder experiments: The detection of carbon infiltration into platinum capsules, 985
- Broska, I., see Finger et al., 248
- Brouwers, G.J., de Vrind, J.P.M., Corstjens, P.L.A.M., and de Vrind-de Jong, E.W.: Involvement of genes of the two-step protein secretion pathway in the transport of the manganese-oxidizing factor across the outer membrane of *Pseudomonas putida* strain GB-I, 1573
- Brown, D.A., Sawicki, J.A., and Sherriff, B.L.: Alteration of microbially precipitated iron oxides and hydroxides, 1419
- Brown, G.E. Jr., see Foster et al., 553
- Brugger, J., Gieré, R., Grobety, B., and Uspensky, E.: Scheelite-powellite and paraniite-(Y) from the Fe-Mn deposit at Fianel, Eastern Swiss Alps, 1100
- Bruno, E., see Tribaudino et al., 159
- Buckley, A., see Salje et al., 811
- Buseck, P.R., see Ahn and Buseck, 535
- Buseck, P.R., see Devouard et al., 1387
- Buseck, P.R., see Pósfai and Buseck, 373
- Buseck, P.R., see Pósfai et al., 1469
- Buseck, P.R., see Xu et al., 542
- Caballero, J.M., Monge, A., La Iglesia, A., and Tornos, F.: Ferri-clinoholmquistite,  $\text{Li}_2(\text{Fe}^{2+},\text{Mg})_3 \text{Fe}^{3+}_2 \text{Si}_8\text{O}_{22}(\text{OH})_2$ , a new  $^6\text{Li}$  clinoamphibole from the Pedriza Massif, Sierra de Guadarrama, Spanish Central System, 167
- Caballero, J.M., Monge, A., La Iglesia, A., and Tornos, F.: Erratum: Ferri-clinoholmquistite,  $\text{Li}_2(\text{Fe}^{2+},\text{Mg})_3 \text{Fe}^{3+}_2 \text{Si}_8\text{O}_{22}(\text{OH})_2$ , a new  $^6\text{Li}$  clinoamphibole from the Pedriza Massif, Sierra de Guadarrama, Spanish Central System, 668
- Caberet, D., Sainctavit, P., Ildefonse, P., and Flank, A.-M.: Full multiple scattering calculations of the X-ray absorption near edge structure at the magnesium K-edge in pyroxene, 300
- Campbell, K.R., see Hofmeister et al., 1293
- Capobianco, C.J.: Ruthenium solubility in hematite, 1152
- Carey, J.W.: *Chemical Fundamentals of Geology, second edition*. By Robin Gill 1138
- Carlson, E.H., see Lower et al., 147
- Carmichael, I.: Acceptance of the Roebling Medal of the Mineralogical Society of America for 1997, 914
- Carmichael, I.S.E., see Moore et al., 36
- Carpenter, M.A., Salje, E.K.H., Graeme-Barber, A., Wruck, B., Dove, M.T., and Knight, K.S.: Calibration of excess thermodynamic properties and elastic constant variations associated with the  $\alpha \leftrightarrow \beta$  phase transition in quartz, 2
- Carpenter, M.A., see Boffa Ballaran et al., 419
- Carpenter, M.A., see Boffa Ballaran et al., 434
- Carter, D., see Poggi et al., 1122
- Casey, W.H., see Mercy et al., 739
- Cavazzini, G., see Rieder et al., 1366
- Cerny, R., see Sarp and Cerny, 383
- Cerny, P., see Selway et al., 896
- Cerny, P., see Teertstra et al., 1335
- Chakraborty, S., see Dohmen et al., 970
- Chakraborty, S., see Meissner et al., 546
- Chaplin, T., Price, G.D., and Ross, N.L.: Computer simulation of the infrared and Raman activity of pyrope garnet, and assignment of calculated modes to specific atomic motions, 841
- Chaplot, S.L., Choudhury, N., and Rao, K.R.: Molecular dynamics simulation of phase transitions and melting in  $\text{MgSiO}_3$  with the perovskite structure, 937
- Cherniak, D.J., see Moore et al., 700
- Chernosky, J.V. Jr., Berman, R.G., and Jenkins, D.M.: The stability of tremolite: New experimental data and a thermodynamic assessment, 726
- Chinner, G.: Memorial of Stuart Olof Agrell, 1913–1996, 666
- Chinnery, N.J., see Pawley et al., 1030
- Choi, W.J., see Rogers et al., 1532
- Chou, I.-M., see Schmidt et al., 995
- Choudhury, N., see Chaplot et al., 937
- Chrosch, J., Colombo, M., Malcherek, T., Salje, E.K.H., Groat, L.A., and Bisemayer, U.: Thermal annealing of radiation damaged titanite, 1083
- Chu, A., see Barker et al., 1551
- Císařová, I., see Bouska et al., 1340
- Clark, S.M., see Pawley et al., 1030
- Cohen, N.S., see Dobson et al., 794
- Cohen, R., see Mazin et al., 451
- Colella, C., see Coombs et al., 935
- Colombo, M., see Chrosch et al., 1083
- Coombs, D.S., Alberti, A., Armbruster, T., Artioli, G., Colella, C., Galli, E., Grice, J.D., Liebau, F., Mandarino, J.A., Minato, H., Nickel, E.H., Passaglia, E., Peacor, D.R., Quartieri, S., Rinaldi, R., Ross, M., Sheppard, R.A., Tillmanns, E., and Vezzalini, G.: Special Notice: Web Paper. Recommended nomenclature for zeolite minerals: Report of the subcommittee on zeolites of the International Mineralogical Association, Commission on New Minerals and Mineral Names, 935
- Cooper, M.A., Hawthorne, F.C., Roberts, A.C., Grice, J.D., Stirling, J.A.R., and Moffatt, E.A.: Georgeericksenite,  $\text{Na}_6\text{CaMg}(\text{IO}_3)_6(\text{CrO}_4)_2(\text{H}_2\text{O})_{12}$ , a new mineral from Oficina Chacabuco, Chile: Description and crystal structure, 390
- Corstjens, P.L.A.M., see Brouwers et al., 1573
- Cridle, A.J., see Grey et al., 1323
- Cuadros, J. and Altaner, S.P.: Characterization of mixed-layer illite-smectite from bentonites using microscopic, chemical, and X-ray methods: Constraints on the smectite-to-illite transformation mechanism, 762
- Davis, M.J. and Ihinger, P.D.: Heterogeneous crystal nucleation on bubbles in silicate melt, 1008
- Delaney, J.S., see Dyar et al., 1361
- Devouard, B., Pósfai, M., Hua, X., Bazylinski, D.A., Frankel, R.B., and Buseck, P.R.: Magnetite from magnetotactic bacteria: Size distributions and twinning, 1387
- de Vrind, J.P.M., see Brouwers et al., 1573
- de Vrind-de Jong, E.W., see Brouwers et al., 1573
- Dingwell, D.B. and Hess, K.-U.: Melt viscosities in the system Na-Fe-Si-O-F-Cl: Contrasting effects of F and Cl in alkaline melts, 1016
- Dingwell, D.B., Hess, K.-U., and Romano, C.: Viscosity data for hydrous peraluminous granitic melts: Comparison with a metaluminous model, 236
- Dingwell, D.B., see Mungall et al., 685
- Dinnebier, R.E., see Schmidt et al., 881
- Dobson, D.P., Cohen, N.S., Pankhurst, Q.A., and Brodholt, J.P.: A convenient method for measuring ferric iron in magnesiowüstite ( $\text{MgO-Fe}_{1-x}\text{O}$ ), 794
- Dohmen, R., Chakraborty, S., Palme, H., and Rammensee, W.: Solid-solid reactions mediated by a gas phase: An ex-

- perimental study of reaction progress and the role of surfaces in the system olivine+iron metal, 970
- Domeneghetti, M.C., see Boffa Ballaran et al., 419
- Domeneghetti, M.C., see Boffa Ballaran et al., 434
- Dove, M.T., see Carpenter et al., 2
- Dove, M.T., see Hammonds et al., 476
- Downs, R., see Mazin et al., 451
- Drits, V.A., Lanson, B., Gorshkov, A.I., and Manceau, A.: Substructure and superstructure of four-layer Ca-exchanged birnessite, 97
- Drits, V.A., Lindgreen, H., Salyn, A.L., Ylagan, R., and McCarty, D.K.: Semiquantitative determination of trans-vacant and cis-vacant 2:1 layers in illites and illite-smectites by thermal analysis and X-ray diffraction, 1188
- Dvorák, Z., see Bouska et al., 1340
- D'Yakonov, Y.S., see Rieder et al., 1366
- Dyar, M.D., Delaney, J.S., Sutton, S.R., and Schaefer, M.W.: Fe<sup>3+</sup> distribution in oxidized olivine: A synchrotron micro-XANES study, 1361
- Dyar, M.D., Taylor, M.E., Lutz, T.M., Francis, C.A., Guidotti, C.V., and Wise, M.: Inclusive chemical characterization of tourmaline: Mössbauer study of Fe valence and site occupancy, 848
- Dymek, R.F. and Hofmeister, A.M.: *American Mineralogist* in Transition, 1
- Eberl, D.D., see Sucha et al., 58
- Edwards, K.J., Schrenk, M.O., Hamers, R., and Banfield, J.F.: Microbial oxidation of pyrite: Experiments using microorganisms from an extreme acidic environment, 1444
- Effenberger, H., Giester, G., Krause, W., and Bernhardt, H.-J.: Tschörtnerite, a copper-bearing zeolite from the Bellberg volcano, Eifel, Germany, 607
- Elsass, F., see Sucha et al., 58
- Elsetinow, A.R., see Guevremont et al., 1353
- Enami, M., see Nagasaki and Enami, 240
- Endo, K., see Sarashina and Endo, 1510
- Ernst, W.G. and Liu, J.: Experimental phase-equilibrium study of Al- and Ti-contents of calcic amphibole in MORB—A semiquantitative thermobarometer, 952
- Ernst, W.G., see Radvenac et al., 273
- Ettinger, K., see Bernhard et al., 625
- Evans, B.W. and Yang, H.: Fe-Mg order-disorder in tremolite–actinolite–ferro-actinolite at ambient and high tempera-
- ture, 458
- Evans, H.T. Jr., see Medrano et al., 889
- Ewing, R.C., see Teertstra et al., 1335
- Fagan, T.J., see Hofmeister et al., 1293
- Farges, F.: Mineralogy of the Louvres Merovingian garnet cloisonné jewelry: Origins of the gems of the first kings of France, 323
- Farmer, G.L.: *Chemical Fundamentals of Geology, second edition*. By Robin Gill 1139
- Fei, Y., see Mazin et al., 451
- Ferris, F.G., see Fortin et al., 1399
- Finger, F., Broska, I., Roberts, M.P., and Schermaier, A.: Replacement of primary monazite by apatite-allanite-epidote coronas in an amphibolite facies granite gneiss from the eastern Alps, 248
- Finger, L.W., see Schmidt et al., 881
- Finger, L.W., see Yang et al., 288
- Fiske, P.S., Nellis, W.J., Xu, Z., and Stebbins, J.F.: Shocked quartz: A <sup>29</sup>Si magic-angle spinning nuclear magnetic resonance study, 1285
- Flank, A.-M., see Andrault et al., 1045
- Flank, A.-M., see Cabaret et al., 300
- Fleet, M.E.: Sodium heptasilicate: A high-pressure silicate with six-membered rings of tetrahedra interconnected by SiO<sub>6</sub> octahedra: (Na<sub>8</sub>Si[Si<sub>2</sub>O<sub>18</sub>]), 618
- Flesch, L.M., Li, B., and Liebermann, R.C.: Sound velocities of polycrystalline MgSiO<sub>3</sub>-orthopyroxene to 10 GPa at room temperature, 444
- Flervoet, T.F., see Knoche et al., 1168
- Fockenberg, T.: An experimental study of the pressure-temperature stability of MgMgAl-pumpellyite in the system MgO-Al<sub>2</sub>O<sub>3</sub>-SiO<sub>2</sub>-H<sub>2</sub>O, 220
- Förster, H.-J.: The chemical composition of REE-Y-Th-U-rich accessory minerals in peraluminous granites of the Erzgebirge-Fichtelgebirge region, Germany, Part I: The monazite-(Ce)-brabantite solid solution series, 259
- Förster, H.-J.: The chemical composition of REE-Y-Th-U rich accessory minerals in peraluminous granites of the Erzgebirge-Fichtelgebirge region, Germany. Part II: Xenotime, 1302
- Fortin, D., Ferris, F.G., and Scott, S.C.: Formation of Fe-silicates and Fe-oxides on bacterial surfaces in samples collected near hydrothermal vents on the Southern Explorer Ridge in the northeast Pacific Ocean, 1399
- Foster, A.L., Brown, G.E. Jr., Tingle, T.N., and Parks, G.A.: Quantitative arsenic speciation in mine tailings using X-ray absorption spectroscopy, 553
- Francis, C.A., see Dyer et al., 848
- Frank-Kamenetskii, V.A., see Rieder et al., 1366
- Frankel, R.B., see Devouard et al., 1387
- Frankel, R.B., see Pósfai et al., 1469
- Fredrickson, J.K., see Zachara et al., 1426
- Frigieri, P., see Brigatti et al., 775
- Frost, R.L., Kloprogge, J.L., Thu Han Thi Tran, and Kristof, J.: The effect of pressure on the intercalation of an ordered kaolinite, 1182
- Fuchs, Y., Lagache, M., and Linares, J.: Tourmaline synthesis under different *T* and *f*<sub>O<sub>2</sub></sub> conditions, 525
- Galli, E., see Coombs et al., 935
- Garcia, G.A., see Blake et al., 1516
- Gassman, P.L., see Zachara et al., 1426
- Gatehouse, B.M., see Birch et al., 172
- Gates, W.P., see Sucha et al., 58
- George, A.M., Richet, P., and Stebbins, J.F.: Cation dynamics and premelting in lithium metasilicate (Li<sub>2</sub>SiO<sub>3</sub>) and sodium metasilicate (Na<sub>2</sub>SiO<sub>3</sub>): A high-temperature NMR study, 1277
- George, A.M. and Stebbins, J.F.: Structure and dynamics of magnesium in silicate melts: A high-temperature <sup>25</sup>Mg NMR study, 1022
- Gessmann, C.K., Spiering, B., and Raith, M.: Erratum: Experimental study of the Fe-Mg exchange between garnet and biotite: Constraints on the mixing behavior and analysis of the cation-exchange mechanisms, 936
- Ghiorso, M.S., see Asimow and Ghiorso, 1127
- Gieré, R., see Brugger et al., 1100
- Giester, G., see Effenberger et al., 607
- Giester, G., Ni, Y., Jarosch, D., Hughes, J.M., Rønbo, J., Yang, Z., and Zemann, J.: Cordylite-(Ce): A crystal chemical investigation of material from four localities, including type material, 178
- Goebel, B.M., see Angert et al., 1583
- Gornostayev, S.S., see Barkov et al., 901
- Gorshkov, A.I., see Drits et al., 97
- Gottardi, G., see Rieder et al., 1366
- Graeme-Barber, A., see Carpenter et al., 2
- Graetsch, H.: Characterization of the high-temperature modifications of incommensurate tridymite L3-T<sub>0</sub>(MX-1) from 25 to 250 °C, 872
- Grew, E.S., McGee, J.J., Yates, M.G., Peacor, D.R., Rouse, R.C., Huijsmans,

- J.P.P., Shearer, C.K., Wiedenbeck, M., Thost, D.E., and Su, S.-C.: Boralsilite ( $\text{Al}_{10}\text{B}_6\text{Si}_2\text{O}_{37}$ ): A new mineral related to sillimanite from pegmatites in granulite-facies rocks, 638
- Grew, E.S., see Jambor et al., 185
- Grew, E.S., see Jambor et al., 1347
- Grey, I.E., Velde, D., and Criddle, A.J.: Haggertyite, a new magnetoplumbite-type titanate mineral from the Prairie Creek (Arkansas) lamproite, 1323
- Grguric, B.A., Putnis, A., and Harrison, R.J.: An investigation of the phase transitions in bornite ( $\text{Cu}_3\text{FeS}_4$ ) using neutron diffraction and differential scanning calorimetry, 1231
- Grice, J.D., see Coombs et al., 935
- Grice, J.D., see Cooper et al., 390
- Groat, L.A., see Chrosch et al., 1083
- Grobéty, B., see Brugger et al., 1100
- Grzechnik, A. and McMillan, P.F.: Temperature dependence of the  $\text{OH}^-$  absorption in the  $\text{SiO}_2$  glass and melt to 1975 K, 331
- Gualtieri, A., Artioli, G., Passaglia, E., Bigi, S., Viani, A., and Hanson, J.C.: Crystal structure-crystal chemistry relationships in the zeolites erionite and offretite, 590
- Gualtieri, A., see Passaglia et al., 577
- Gudfinnsson, G.H. and Wood, B.J.: The effect of trace elements on the olivine-wadsleyite transformation, 1037
- Guevremont, J.M., Elsetinow, A.R., Strongin, D.R., Bebie, J., and Schoonen, M.A.A.: Structure sensitivity of pyrite oxidation: Comparison of the (100) and (111) planes, 1353
- Guevremont, J.M., Strongin, D.R., and Schoonen, M.A.A.: Thermal chemistry of  $\text{H}_2\text{S}$  and  $\text{H}_2\text{O}$  on the (100) plane of pyrite: Unique reactivity of defect sites, 1246
- Guggenheim, S., see Rieder et al., 1366
- Guidotti, C.V., see Dyer et al., 848
- Gutzmer, J., see Baron et al., 786
- Guyot, F., see Zhang et al., 280
- Haas, J.R., Bailey, E.H., and Purvis, O.W.: Bioaccumulation of metals by lichens: Uptake of aqueous uranium by *Peltigera membranacea* as a function of time and pH, 1494
- Hall, A.: *Igneous Petrology, second edition.* By Calvin F. Miller 190
- Hamers, R., see Edwards et al., 1444
- Hammer, V.M.F., Libowitzky, E., and Rossman, G.R.: Single-crystal IR spectroscopy of very strong hydrogen bonds in pectolite,  $\text{NaCa}_2[\text{Si}_3\text{O}_8(\text{OH})]$ , and serandite,  $\text{NaMn}_2[\text{Si}_3\text{O}_8(\text{OH})]$ , 569
- Hammonds, K.D., Bosenick, A., Dove, M.T., and Heine, V.: Rigid unit modes in crystal structures with octahedrally coordinated atoms, 476
- Hankins, W.B., see Hemmingway et al., 409
- Hanson, B. and Jones, J.H.: The systematics of  $\text{Cr}^{3+}$  and  $\text{Cr}^{2+}$  partitioning between olivine and liquid in the presence of spinel, 669
- Hanson, J.C., see Gualtieri et al., 590
- Harrison, R.J., Redfern, S.A.T., and O'Neill, H.S.C.: The temperature dependence of the cation distribution in synthetic hercynite ( $\text{FeAl}_2\text{O}_4$ ) from in-situ neutron structure refinements, 1092
- Harrison, R.J., see Grguric et al., 1231
- Hawthorne, F.C., see Cooper et al., 390
- Hawthorne, F.C., see Selway et al., 896
- Hawthorne, F.C., see Teertstra et al., 1335
- Hazen, R.M., see Yang et al., 288
- Heine, V., see Hammonds et al., 476
- Helsen, J., see Johnston et al., 75
- Hemingway, B.S., Bohlen, S.R., Hankins, W.B., Westrum, E.F. Jr., and Kuskov, O.L.: Heat capacity and thermodynamic properties for coesite and jadeite, reexamination of the quartz-coesite equilibrium boundary, 409
- Hemley, R.J., see Yang et al., 288
- Hervig, R., see Brooker et al., 985
- Herzberg, C., and Zhang, J.: Melting experiments in the systems  $\text{CaO}-\text{MgO}-\text{Al}_2\text{O}_3-\text{SiO}_2$  and  $\text{MgO}-\text{SiO}_2$  at 3 to 15 GPa, 491
- Hess, K.-U., see Dingwell et al., 236
- Hess, K.-U., see Dingwell and Hess, 1016
- Hildmann, B., see Rehak et al., 1266
- Hoeft, S.H., see Visscher et al., 1482
- Hofmeister, A.M., Schaal, R.B., Campbell, K.R., Berry, S.L., and Fagan, T.J.: Prevalence and origin of birefringence in 48 garnets from the pyrope-almandine-grossularite-spessartine quaternary, 1293
- Hofmeister, A.M., see Dymek and Hofmeister, 1
- Holloway, J.R., see Brooker et al., 985
- Hoshi, T. and Tagai, T.: Erratum: Interpretation on microtextures of potassium-calcium feldspar inclusions in a Bøggild plagioclase, 1368
- Hovis, G.L., Roux, J., and Richet, P.: A new era in hydrofluoric acid solution calorimetry: Reduction of required sample size below 10 milligrams, 931
- Hua, X., see Devouard et al., 1387
- Hughes, J.M., see Giester et al., 178
- Huijsmans, J.P.P., see Grew et al., 638
- Ihinger, P.D., see Davis and Ihinger, 1008
- Ildefonse, P., see Cabaret et al., 300
- Ishibashi, Y., see Salje et al., 811
- Jäger, C., see Rehak et al., 1266
- Jambor, J.L. and Roberts, A.C.: New Mineral Names, 400
- Jambor, J.L., Grew, E.S., and Roberts, A.C.: New Mineral Names, 185
- Jambor, J.L., Grew, E.S., and Roberts, A.S.: New Mineral Names, 1347
- Jambor, J.L., Kovalenker, V.A., and Roberts, A.C.: New Mineral Names, 1117
- Jambor, J.L., Pertsev, N.N., and Roberts, A.C.: New Mineral Names, 907
- Jambor, J.L., Puziewicz, J., and Roberts, A.C.: New Mineral Names, 652
- Janney, D.E. and Banfield, J.F.: Distribution of cations and vacancies and the structure of defects in oxidized intermediate olivine by atomic-resolution TEM and image simulation, 799
- Jarosch, D., see Giester et al., 178
- Jenkins, D.M., see Chernosky et al., 726
- Johnston, A.D., see Pickering et al., 228
- Johnston, C.: *Scanning Probe Microscopy of Clay Minerals.* Edited by K.L. Nagy and A.E. Blum, 190
- Johnston, C.T., Helsen, J., Schoonheydt, R.A., Bish, D.L., and Agnew, S.F.: Single-crystal Raman spectroscopic study of dickite, 75
- Jones, J.H., see Hanson and Jones, 669
- Kadohara, H., see Murakami et al., 1209
- Kahlenberg, V. and Böhm, H.: Crystal structure of hexagonal trinepheline—A new synthetic  $\text{NaAlSiO}_4$  modification, 631
- Kampf, A.R.: *Gemstones of North America, volume III.* By John Sinkankas 1139
- Kennedy, D.W., see Zachara et al., 1426
- Keppler, H., see Nowak and Keppler, 43
- Keppler, H., see Zotov and Keppler, 823
- Kim, Y. and Kirkpatrick, R.J.: High-temperature multi-nuclear NMR investigation of analcime, 339
- Kim, Y. and Kirkpatrick, R.J.: NMR  $T_1$  relaxation study of  $^{133}\text{Cs}$  and  $^{23}\text{Na}$  adsorbed on illite, 661
- Kirkpatrick, R.J., see Kim and Kirkpatrick, 339
- Kirkpatrick, R.J., see Kim and Kirkpatrick, 661
- Kitakaze, A., see Sugaki and Kitakaze, 133

- Klinowski, J., see Welch et al., 85  
 Kloprogge, J.L., see Frost et al., 1182  
 Knight, K.S., see Carpenter et al., 2  
 Knipe, S.W., see Scaini et al., 316  
 Knoche, K., Angel, R.J., Seifert, F., and Fliervoet, T.F.: Complete substitution of Si for Ti in titanite  $\text{Ca}(\text{Ti}_{1-x}\text{Si}_x)^{\text{VI}}\text{Si}^{\text{IV}}\text{O}_5$ , 1168  
 Kogure, T. and Banfield, J.F.: Direct identification of the six polytypes of chlorite characterized by semi-random stacking, 925  
 Kogure, T. and Murakami, T.: Structure and formation mechanism of low-angle grain boundaries in chlorite, 358  
 Kogure, T., see Murakami et al., 1209  
 Kohn, M.J., Riciputi, L.R., Stakes, D., and Orange, D.L.: Sulfur isotope variability in biogenic pyrite: Reflections of heterogeneous bacterial colonization?, 1454  
 Komadel, P., see Sucha et al., 58  
 Korenowski, G.M., see Winther et al., 1141  
 Koster van Groos, A.F., see Bai and Koster van Groos, 205  
 Koval, P.V., see Rieder et al., 1366  
 Kovalenker, V.A., see Jambor et al., 1117  
 Koziol, A.M. and Newton, R.C.: Experimental determination of the reaction: Magnesite + enstatite = forsterite +  $\text{CO}_2$  in the ranges 6–25 kbar and 700–1100 °C, 213  
 Krause, W., see Effenberger et al., 607  
 Kristof, J., see Frost et al., 1182  
 Kubicki, J.D. and Apitz, S.E.: Molecular cluster models of aluminum oxide and aluminum hydroxide surfaces, 1054  
 Kuchta, L., see Sucha et al., 58  
 Kunath-Fandrei, G., see Rehak et al., 1266  
 Kuskov, O.L., see Hemmingway et al., 409  
 Kyser, T.K., see Selway et al., 896  
 Laajoki, K.V.O., see Barkov et al., 901  
 Lagache, M., see Fuchs et al., 525  
 La Iglesia, A., see Caballero et al., 167  
 La Iglesia, A., see Caballero et al., 668  
 Lange, R.: Presentation of the Roebling Medal of the Mineralogical Society of America for 1997 to Ian Carmichael, 912  
 Lanson, B., see Drits et al., 97  
 Larsen, I., Little, B., Nealson, K.H., Ray, R., Stone, A., and Tian, J.: Manganite reduction by *Shewanella putrefaciens* MR-4, 1563  
 Lasaga, A.C., see Lüttge et al., 501  
 Legrand, D.L., Nesbitt, H.W., and Bancroft, G.M.: X-ray photoelectron spec- troscopic study of a pristine millerite ( $\text{NiS}$ ) surface and the effect of air and water oxidation, 1256  
 Li, S.-M., see Zachara et al., 1426  
 Li, B., see Flesch et al., 444  
 Li, Z., see Shinno and Li, 1316  
 Liebau, F., see Coombs et al., 935  
 Liebau, F., see Smith et al., 126  
 Lieberman, R.C., see Flesch et al., 444  
 Libowitzky, E., see Hammer et al., 569  
 Linares, J., see Fuchs et al., 525  
 Lindgreen, H., see Drits et al., 1188  
 Lindsley, D.H., see Xirouchakis and Lindsley, 712  
 Little, B., see Larsen et al., 1563  
 Liu, J., see Ernst and Liu, 952  
 Liu, S., see Welch et al., 85  
 Liu, S.V., see Zhang et al., 1409  
 Lorimer, J.W., see Maddox et al., 1240  
 Losso, P., see Rehak et al., 1266  
 Lower, S.K., Maurice, P.A., Traina, S.J., and Carlson, E.H.: Aqueous Pb sorption by hydroxylapatite: Applications of atomic force microscopy to dissolution, nucleation, and growth studies, 147  
 Lu, R., see Yang et al., 288  
 Luo, G., see Xu et al., 542  
 Lüttge, A., Neumann, U., and Lasaga, A.C.: The influence of heating rate on the kinetics of mineral reactions: An experimental study and computer models, 501  
 Lutz, T.M., see Dyer et al., 848  
 MacIntyre, I.G., see Visscher et al., 1482  
 Maddox, L.M., Bancroft, G.M., Scaini, M.J., and Lorimer, J.W.: Invisible gold: Comparison of Au deposition on pyrite and arsenopyrite, 1240  
 Madejová, J., see Sucha et al., 58  
 Malcherek, T., see Chrosch et al., 1083  
 Manceau, A., see Drits et al., 97  
 Mandarino, J. A., see Coombs et al., 935  
 Martinez, I., see Zhang et al., 280  
 Mathez, E.A. and Mogk, D.M.: Characterization of carbon compounds on a pyroxene surface from a gabbro xenolith in basalt by time-of-flight secondary ion mass spectrometry, 918  
 Maurice, P.A., see Lower et al., 147  
 Mazin, I.I., Fei, Y., Downs, R., and Cohen, R.: Possible polytypism in  $\text{FeO}$  at high pressures, 451  
 McBriar, E.M., see Birch et al., 172  
 McCammon, C.A., see Birch et al., 172  
 McCarty, D.K., see Drits et al., 1188  
 McGee, J.J., see Grew et al., 638  
 McMillan, P.F., see Grzechnik and McMillan, 331  
 Medrano, M.D., Evans, H.T. Jr., Wenk, H.-R., and Piper, D.Z.: Phosphovanadylite: A new vanadium phosphate mineral with a zeolite-type structure, 889  
 Meissner, E., Sharp, T.G., and Chakraborty, S.: Quantitative measurement of short compositional profiles using analytical transmission electron microscopy, 546  
 Men'shikov, Y.P., see Barkov et al., 901  
 Mercy, M.A., Rock, P.A., Casey, W.H., and Mokarram, M.M.: Gibbs energies of formation for hydrocerussite [ $\text{Pb}(\text{OH})_2 \bullet (\text{PbCO}_3)_2(s)$ ] and hydrozincite [ $\{\text{Zn}(\text{OH})_2\}_3 \bullet (\text{ZnCO}_3)_2(s)$ ] at 298 K and 1 bar from electrochemical cell measurements, 739  
 Mereiter, K., see Bernhard et al., 625  
 Miletich, R., see Arlt et al., 1176  
 Miller, C.F.: *Igneous Petrology*, 2nd Edition. By Anthony Hall, 190  
 Minato, H., see Coombs et al., 935  
 Moffatt, E.A., see Cooper et al., 390  
 Mogk, D.M., see Mathez and Mogk, 918  
 Mokarram, M.M., see Mercy et al., 739  
 Monge, A., see Caballero et al., 167  
 Monge, A., see Caballero et al., 668  
 Moore, D.K., Cherniak, D.J., and Watson, E.B.: Oxygen diffusion in rutile from 750 to 1000 °C and 0.1 to 1000 MPa, 700  
 Moore, G., Vennemann, T., and Carmichael, I.S.E.: An empirical model for the solubility of  $\text{H}_2\text{O}$  in magmas to 3 kilobars, 36  
 Mukhamet-Galeev, A., see Zotov et al., 516  
 Müller, G., see Rieder et al., 1366  
 Mungall, J.E., Romano, C., and Dingwell, D.B.: Multicomponent diffusion in the molten system  $\text{K}_2\text{O}-\text{Na}_2\text{O}-\text{Al}_2\text{O}_3-\text{SiO}_2-\text{H}_2\text{O}$ , 685  
 Murakami, T., Kogure, T., Kadohara, H., and Ohnuki, T.: Formation of secondary minerals and its effect on anorthite dissolution, 1209  
 Murakami, T., see Banfield and Murakami, 348  
 Murakami, T., see Kogure and Murakami, 358  
 Mysen, B.O., Virgo, D., Popp, R.K., and Bertka, C.M.: The role of  $\text{H}_2\text{O}$  in Martian magmatic systems, 942  
 Nagasaki, A. and Enami, M.: Sr-bearing zoisite and epidote in ultra-high pressure (UHP) metamorphic rocks from the Su-Lu province, eastern China: An important Sr reservoir under UHP conditions, 240  
 Nagy, K.L. and Blum, A.E.: *Scanning Probe Microscopy of Clay Materials*.

- By Cliff Johnston 190
- Nasdala, L., Witzke, T., Ullrich, B., and Brett, R.: Gordaite  $[Zn_2Na(OH)_6(SO_4)Cl \cdot 6H_2O]$ : Second occurrence in the Juan de Fuca Ridge, and new data, 1111
- Nealson, K.H., see Larsen et al., 1563
- Neiva, A.M.R., see Rieder et al., 1366
- Nellis, W.J., see Fiske et al., 1285
- Nesbitt, H.W. and Banerjee, D.: Interpretation of XPS Mn(2p) spectra of Mn oxyhydroxides and constraints on the mechanism of  $MnO_2$  precipitation, 305
- Nesbitt, H.W., Bancroft, G.M., Pratt, A.R., and Scaini, M.J.: Sulfur and iron surface states on fractured pyrite surfaces, 1067
- Nesbitt, H.W., see Legrand et al., 1256
- Neumann, U., see Lütge et al., 501
- Neuville, D.R., see Andrault et al., 1045
- Nevins, D. and Spera, F.J.: Molecular dynamics simulations of molten  $CaAl_2Si_2O_8$ : Dependence of structure and properties on pressure, 1220
- Newton, R.C., see Aranovich and Newton, 193
- Newton, R.C., see Koziol and Newton, 213
- Ni, Y., see Giester et al., 178
- Nickel, E.H., see Coombs et al., 935
- Nord, G.L. Jr., see Salje et al., 811
- Northup, D.E., see Angert et al., 1583
- Novák, M., see Selway et al., 896
- Nowak, M. and Keppler, H.: The influence of water on the environment of transition metals in silicate glasses, 43
- Nyfeler, D. and Armbruster, T.: Silanol groups in minerals and inorganic compounds, 119
- Ohnuki, T., see Murakami et al., 1209
- O'Neil, J.R., see Blake et al., 1516
- O'Neill, H.St.C., see Harrison et al., 1092
- Orange, D.L., see Kohn et al., 1454
- Orlandi, P., Pasero, M., and Vezzalini, G.: Scandiobabingtonite, a new mineral from the Baveno pegmatite, Piedmont, Italy, 1330
- Ottolini, L., see Selway et al., 896
- Pace, N.R., see Angert et al., 1583
- Pakhomovskii, Y.A., see Barkov et al., 901
- Palme, H., see Dohmen et al., 970
- Pankhurst, Q.A., see Dobson et al., 794
- Parker, S.C., see Wright et al., 141
- Parks, G.A., see Foster et al., 553
- Pasero, M., see Orlandi et al., 1330
- Passaglia, E., Artioli, G., and Gualtieri, A.: Crystal chemistry of the zeolites erionite and offretite, 577
- Passaglia, E., see Coombs et al., 935
- Passaglia, E., see Gualtieri et al., 590
- Pawley, A.R.: The reaction talc + forsterite = enstatite +  $H_2O$ : New experimental results and petrological implications, 51
- Pawley, A.R., Chinnery, N.J., and Clark, S.M.: Volume measurements of zoisite at simultaneously elevated pressure and temperature, 1030
- Peacor, D.R., see Coombs et al., 935
- Peacor, D.R., see Grew et al., 638
- Peek, A.S., see Angert et al., 1583
- Penn, R.L. and Banfield, J.F.: Oriented attachment and growth, twinning, polytypism, and formation of metastable phases: Insights from nanocrystalline  $TiO_2$ , 1077
- Pertsev, N.N., see Jambor et al., 907
- Peters, T., see Arlt et al., 657
- Peters, T., see Arlt et al., 1156
- Phelps, T.S., see Zhang et al., 1409
- Pickering, J.M., Schwab, B.E., and Johnston, A.D.: Off-center hot spots: Double thermocouple determination of the thermal gradient in a 1.27 cm ( $1/2$  in.)  $CaF_2$  piston-cylinder furnace assembly, 228
- Pier, J., see Teertstra et al., 1335
- Piper, D.Z., see Medrano et al., 889
- Poggi, S.H., Skinner, H.C.W., Ague, J.J., and Carter, D.: Using scanning electron microscopy to study mineral deposits in breast tissues, 1122
- Popp, R.K., see Mysen et al., 942
- Poppi, L., see Brigatti et al., 775
- Pósfai, M., Buseck, P.R., Bazylinski, D.A., and Frankel, R.B.: Iron sulfides from magnetotactic bacteria: Structure, composition, and phase transitions, 1469
- Pósfai, M. and Buseck, P.R.: Relationships between microstructure and composition in enargite and luzonite, 373
- Pósfai, M. and Sundberg, M.: Stacking disorder and polytypism in enargite and luzonite, 365
- Pósfai, M., see Devouard et al., 1387
- Post, J.E., see Ross and Post, 1133
- Pratt, A.R., see Nesbitt et al., 1067
- Prewitt, C.T., see Yang et al., 288
- Price, G.D., see Chaplin et al., 841
- Pring, A., see Birch et al., 172
- Purvis, O.W., see Haas et al., 1494
- Putnis, A., see Grguric et al., 1231
- Puziewicz, J., see Jambor et al., 65
- Quartieri, S., see Coombs et al., 935
- Radoslovich, E.W., see Rieder et al., 1366
- Radvanec, M., Banno, S., and Ernst, W.G.: Chemical microstructure of Franciscan jadeite from Pacheco Pass, California, 273
- Raith, M., see Gessmann et al., 936
- Rammensee, W., see Dohmen et al., 970
- Rao, K.R., see Chaplot et al., 937
- Ray, R., see Larsen et al., 1563
- Redfern, S.A.T., see Harrison et al., 1092
- Reeder, R.J., see Zhang et al., 280
- Rehak, P., Kunath-Fandrei, G., Losso, P., Hildmann, B., Schneider, H., and Jäger, C.: Study of the Al coordination in mullites with varying Al:Si ratio by  $^{27}Al$  NMR spectroscopy and X-ray diffraction, 1266
- Reichmann, H.J., Angel, R.J., Spetzler, H., and Bassett, W.A.: Ultrasonic interferometry and X-ray measurements on  $MgO$  in a new diamond anvil cell, 1357
- Reid, P.R., see Visscher et al., 1482
- Richet, P., see George et al., 1277
- Richet, P., see Hovis et al., 931
- Riciputi, L.R., see Kohn et al., 1454
- Rieder, M., Cavazzini, G., D'Yakonov, Y.S., Frank-Kamenetskii, V.A., Gottardi, G., Guggenheim, S., Koval, P.V., Müller, G., Neiva, A.M.R., Radoslovich, E.W., Robert, J.-L., Sassi, F.P., Takeda, H., Weiss, Z., and Wones, D.R.: Special Notice: Web paper. Nomenclature of the micas, 1366
- Richmond, N.C. and Brodholt, J.P.: Calculated role of aluminum in the incorporation of ferric iron into magnesium silicate perovskite, 947
- Rinaldi, R., see Coombs et al., 935
- Robbins, L.L., see Yates and Robbins, 1503
- Robert, J.-L., see Rieder et al., 1366
- Roberts, A.C., see Cooper et al., 390
- Roberts, A.C., see Jambor and Roberts, 400
- Roberts, A.C., see Jambor et al., 185
- Roberts, A.C., see Jambor et al., 652
- Roberts, A.C., see Jambor et al., 907
- Roberts, A.C., see Jambor et al., 1117
- Roberts, A.C., see Jambor et al., 1347
- Roberts, A.C., see Smith et al., 126
- Roberts, M.P., see Finger et al., 248
- Rock, P.A., see Mercy et al., 739
- Rogers, J.R., Bennett, P.C., and Choi, W.J.: Feldspars as a source of nutrients for microorganisms, 1532
- Romanek, C.S., see Zhang et al., 1409
- Romano, C., see Dingwell et al., 236
- Romano, C., see Mungall et al., 685
- Rønsbo, J., see Giester et al., 178
- Rosenberg, P.E., see Yates and Rosenberg, 1199
- Ross, M. and Post, J.E.: Memorial of Daniel

- E. Appleman, 1931–1998, 1133  
 Ross, M., see Coombs et al., 935  
 Ross, N.L., see Chaplin et al., 841  
 Rossman, G.R., see Amthauer and Rossman, 835  
 Rossman, G.R., see Hammer et al., 569  
 Rouse, R.C., see Grew et al., 638  
 Roux, J., see Hovis et al., 931  
 Rundlöf, H., see Baron et al., 786
- Sainctavit, P., see Cabaret et al., 300  
 Salje, E.K.H., Buckley, A., Van Tendeloo, G., Ishibashi, Y., and Nord, G.L. Jr.: Needle twins and right-angled twins in minerals: Comparison between experiment and theory, 811  
 Salje, E.K.H., see Boffa Ballaran et al., 434  
 Salje, E.K.H., see Carpenter et al., 2  
 Salje, E.K.H., see Chrosch et al., 1083  
 Salyn, A.L., see Drits et al., 1188  
 Sarashina, I. and Endo, K.: Primary structure of the soluble matrix protein of scallop shell: Implications for calcium carbonate biomineralization, 1510  
 Sarp, H. and Cerny, R.: Description and crystal structure of Yvonite, Cu(AsO<sub>3</sub> OH)2H<sub>2</sub>O, 383  
 Sassi, F.P., see Rieder et al., 1366  
 Sawicki, J.A., see Brown et al., 1419  
 Scaini, M.J., Bancroft, G.M., and Knipe, S.W.: Reactions of aqueous Au<sup>1+</sup> sulfide species with pyrite as a function of pH and temperature, 316  
 Scaini, M.J., see Maddox et al., 1240  
 Scaini, M.J., see Nesbitt et al., 1067  
 Schaal, R.B., see Hofmeister et al., 1293  
 Schaefer, M.W., see Dyar et al., 1361  
 Schermaier, A., see Finger et al., 248  
 Schmidt, C., Chou, I.-M., Bodnar, R.J., and Bassett, W.A.: Microthermometric analysis of synthetic fluid inclusions in the hydrothermal diamond-anvil cell, 995  
 Schmidt, M.W., Finger, L.W., Angel, R.J., and Dinnebier, R.E.: Synthesis, crystal structure, and phase relations of AlSiO<sub>3</sub> OH, a high-pressure hydrous phase, 881  
 Schoonen, M.A.A., see Guevremont et al., 1253  
 Schoonheydt, R.A., see Johnston et al., 75  
 Schott, J., see Zotov et al., 516  
 Schrenk, M.O., see Edwards et al., 1444  
 Schwab, B.E., see Pickering et al., 228  
 Scott, S.C., see Fortin et al., 1399  
 Seifert, F., see Knoche et al., 1168  
 Selway, J.B., Novák, M., Hawthorne, F.C., Cerny, P., Ottolini, L., and Kyser, T.K.: Rossmanite,  $\square$ (LiAl<sub>2</sub>)Al<sub>6</sub>(Si<sub>6</sub>O<sub>18</sub>)(BO<sub>3</sub>)<sub>3</sub> (OH)<sub>4</sub>, a new alkali-deficient tourmaline: Description and crystal structure, 896  
 Sharp, T.G., see Meissner et al., 546  
 Shearer, C.K., see Grew et al., 638  
 Sheppard, R.A., see Coombs et al., 935  
 Sherriff, B.L., see Brown et al., 1419  
 Shinno, I. and Li, Z.: Octahedral site Fe<sup>2+</sup> quadrupole splitting distributions from the Mössbauer spectra of arrojadite, 1316  
 Siering, P.L.: The double helix meets the crystal lattice: The power and pitfalls of nucleic acid approaches for biomimetic investigations, 1593  
 Simon, O.J., see Verschure and Simon, 1136  
 Skála, R., see Bouska et al., 1340  
 Skinner, H.C.W., see Poggi et al., 1122  
 Smith, D.K., Roberts, A.C., Bayliss, P., and Liebau F.: A systematic approach to general and structure-type formulas for minerals and other inorganic phases, 126  
 Smith, S.C., see Zachara et al., 1426  
 Spera, F.J., see Nevins and Spera, 1220  
 Spetzler, H., see Reichmann et al., 1357  
 Spiering, B., see Gessmann et al., 936  
 Stakes, D., see Kohn et al., 1454  
 Stebbins, J.F., see Fiske et al., 1285  
 Stebbins, J.F., see George and Stebbins, 1022  
 Stebbins, J.F., see George et al., 1277  
 Stirling, J.A.R., see Cooper et al., 390  
 Stone, A., see Larsen et al., 1563  
 Strongin, D.R., see Guevremont et al., 1246  
 Strongin, D.R., see Guevremont et al., 1353  
 Su, S.-C., see Grew et al., 638  
 Sucha, V., Elsass, F., Eberl, D.D., Kuchta, L., Madejová, J., Gates, W.P., and Komadel, P.: Hydrothermal synthesis of ammonium illite, 58  
 Sugaki, A., and Kitakaze, A.: High form of pentlandite and its thermal stability, 133  
 Sundberg, M., see Pósfai and Sundberg, 365  
 Sutton, S.R., see Dyar et al., 1361
- Tait, S.: Erratum: Selective preservation of melt inclusions in igneous phenocrysts, 1367  
 Takeda, H., see Rieder et al., 1366  
 Taucher, J., see Bernhard et al., 625  
 Taylor, A.P., see Uwins et al., 1541  
 Taylor, M.E., see Dyer et al., 848  
 Tazzoli, V., see Boffa Ballaran et al., 419  
 Tazzoli, V., see Boffa Ballaran et al., 434  
 Teertstra, D.K., Cerny, P., Hawthorne, F.C., Pier, J., Wang, L.-M., and Ewing, R.C.: Rubicline, a new feldspar from San Piero in Campo, Elba, Italy, 1335  
 Tellgren, R., see Baron et al., 786  
 Thompson, J.F.: *Magmas, Fluids, and Ore Deposits*. By B.R. Berger 191  
 Thompson, J.A. Jr., see Visscher et al., 1482  
 Thost, D.E., see Grew et al., 638  
 Thu Ha Thi Tran, see Frost et al., 1182  
 Tian, J., see Larsen et al., 1563  
 Tillmanns, E., see Coombs et al., 935  
 Tingle, T.N., see Foster et al., 553  
 Todd, C.S.: Limits on the precision of geobarometry at low grossular and anorthite content, 1161  
 Toplis, M.J.: Energy barriers to viscous flow and the prediction of glass transition temperatures of molten silicates, 480  
 Tornos, F., see Caballero et al., 167  
 Tornos, F., see Caballero et al., 668  
 Traina, S.J., see Lower et al., 147  
 Tribaudino, M., Benna, P., and Bruno, E.: Structural variations induced by thermal treatment in lead feldspar (PbAl<sub>2</sub>Si<sub>2</sub>O<sub>8</sub>), 159
- Ullrich, B., see Nasdala et al., 1111  
 Ulmer P., see Arlt et al., 657  
 Uspensky, E., see Brugger et al., 1100  
 Uwins, P.J.R., Webb, R.I., and Taylor, A.P.: Novel nano-organisms from Australian sandstones, 1541
- Vali, H., see Zhang et al., 1409  
 Van Tendeloo, G., see Salje et al., 811  
 Vaughan, D.J., see Wright et al., 141  
 Veblen, D.R.: Presentation of the Mineralogical Society of America Award for 1997 to Jillian Fiona Banfield, 916  
 Velde, D., see Grey et al., 1323  
 Vennemann, T., see Moore et al., 36  
 Verschure, R.H. and Simon, O.J.: Memorial of Oen Ing Soen, 1928–1996, 1136
- Vezzalini, G., see Coombs et al., 935  
 Vezzalini, G., see Orlandi et al., 1330  
 Viani, A., see Gualtieri et al., 590  
 Virgo, D., see Mysen et al., 942  
 Visscher, P.T., Reid, R.P., Bebout, B.M., Hoeft, S.H., MacIntyre, I.G., and Thompson, J.A. Jr.: Formation of lithified micritic laminae in modern marine stromatolites (Bahamas): The role of sulfur cycling, 1482
- Walter, F., see Bernhard et al., 625  
 Wang, L.-M., see Teertstra et al., 1335  
 Wang, Y., see Andrault et al., 1045  
 Watson, E.B., see Moore et al., 700  
 Watson, E.B., see Winther et al., 1141

- Watson, G.W., see Wright et al., 141  
 Webb, R.I., see Uwins et al., 1541  
 Weidner, D.J., see Xia et al., 68  
 Weiss, Z., see Rieder et al., 1366  
 Welch, M.D., Liu, S., and Klinowski, J.:  $^{29}\text{Si}$  MAS NMR systematics of calcic and sodic-calcic amphiboles, 85  
 Welch, S.A., see Barker et al., 1551  
 Wenk, H.-R., see Medrano et al., 889  
 Westrum, E.F. Jr., see Hemmingway et al., 409  
 White, W.B., see Boldish and White, 865  
 Wiedenbeck, M., see Grew et al., 638  
 Wilkin, R.T., and Barnes, H.L.: Solubility and stability of zeolites in aqueous solution: I. Analcime, Na-, and K-clinoptilolite, 746  
 Winther, K.T., Watson, E.B., and Korenowski, G.M.: Magmatic sulfur compounds and sulfur diffusion in albite melt at 1 GPa and 1300–1500 °C, 1141  
 Wise, M., see Dyer et al., 848  
 Witzke, T., see Nasdala et al., 1111  
 Wones, D.R., see Rieder et al., 1366  
 Wood, B.J., see Gudfinnsson and Wood, 1037  
 Woodland, A.B. and Angel, R.J.: Crystal structure of a new spinelloid with the wadsleyite structure in the system  $\text{Fe}_2\text{SiO}_4$ - $\text{Fe}_3\text{O}_4$  and implications for the Earth's mantle, 404  
 Wright, K., Watson, G.W., Parker, S.C., and Vaughan, D.J.: Simulation of the structure and stability of sphalerite ( $\text{ZnS}$ ) surfaces, 141  
 Wruck, B., see Carpenter et al., 2  
 Xia, X., Weidner, D.J., and Zhao, H.: Equation of state of brucite: Single-crystal Brillouin spectroscopy study and polycrystalline pressure-volume-temperature measurement, 68  
 Xirouchakis, D. and Lindsley, D.H.: Equilibria among titanite, hedenbergite, fayalite, quartz, ilmenite, and magnetite: Experiments and internally consistent thermodynamic data for titanite, 712  
 Xu, H., Buseck, P.R., and Luo, G.: HRTEM investigation of microstructures in length-slow chalcedony, 542  
 Xu, Z., see Fiske et al., 1285  
 Yang, H., Hazen, R.M., Prewitt, C.T., Finger, L.W., Lu, R., and Hemley, R.J.: High-pressure single-crystal X-ray diffraction and infrared spectroscopic studies of the  $\text{C}2/m$ - $\text{P}2_1/m$  phase transition in cummingtonite, 288  
 Yang, H., see Evans and Yang, 458  
 Yang, Z., see Giester et al., 178  
 Yates, D.M. and Rosenberg, P.E.: Characterization of neoformed illite from hydrothermal experiments at 250 °C and  $P_{\text{v}, \text{solv}}$ : An HRTEM/ATEM study, 1199  
 Yates, K.K. and Robbins, L.L.: Production of carbonate sediments by a unicellular green alga, 1503  
 Yates, M.G., see Grew et al., 638  
 Ylagan, R., see Drits et al., 1188  
 Zachara, J.M., Fredrickson, J.K., Li, S.-M., Kennedy, D.W., Smith, S.C., and Gassman, P.L.: Bacterial reduction of crystalline  $\text{Fe}^{3+}$  oxides in single phase suspensions and subsurface materials, 1426  
 Zák, K., see Bouska et al., 1340  
 Zelinka, J., see Bouska et al., 1340  
 Zemann, J., see Giester et al., 178  
 Zhang, C., Vali, H., Romanek, C.S., Phelps, T.S., and Liu, S.V.: Formation of single-domain magnetite by a thermophilic bacterium, 1409  
 Zhang, J., Martinez, I., Guyot, F., and Reeder, R.J.: Effects of Mg- $\text{Fe}^{2+}$  substitution in calcite-structure carbonates: Thermoelastic properties, 280  
 Zhang, J., see Herzberg and Zhang, 491  
 Zhao, H., see Xia et al., 68  
 Zotov, A., Mukhamet-Galeev, A., and Schott, J.: An experimental study of kaolinite and dickite relative stability at 150–300 °C and the thermodynamic properties of dickite, 516  
 Zotov, N. and Keppler, H.: The influence of water on the structure of hydrous sodium tetrasilicate glasses, 823