

# THE CANADIAN MINERALOGIST

## Volume 13, Index

*This index is prepared by Dr. A. G. Plant of the Geological Survey of Canada.*

*Typing was kindly done by A. Farrell*

### Author Index

- ANDERSON, J.B. with Dunning, C., 307  
APPLEYARD, E.C. Silica-poor hastingsitic amphiboles from metasomatic alkaline gneisses at Wolfe, eastern Ontario, 342  
——— with Mitchell, S.L., 310  
AUMENTO, F., Mitchell, W.S., Fratta, M., Dostal, J. & Gustajtis, A. Interaction between sea water and oceanic layer two as a function of time and depth, 305  
BALASUBRAMANIAM, K.S. & Paropkari, A.L. Mineralogy and genesis of bauxites of Nagardaswadi Plateau, Kolhapur District, Maharashtra State (India), 222  
BARBER, D.M., Malone, P.G. & Larson, R.J. The effect of cobalt ion on nucleation of calcium carbonate in model seawater systems, 305  
BAYLISS, P. Nomenclature of the trioctahedral chlorites, 178  
——— with Stout, M.Z., 86  
BENTLEY, S.P. with Smalley, I.J., 364  
BOETTCHER, A.L. The role of water fugacity and oxygen fugacity during anatexis in the mantle, 305  
BOGER, P.D. Geochemical studies of Red Sea cores, 306  
BONIN, B. with Martin, R.F., 310  
CABRI, L.J. & Feather, C.E. Platinum-iron alloys: a nomenclature based on a study of natural and synthetic alloys, 117  
——— & Harris, D.C. Zoning in Os-Ir alloys and the relation of the geological and tectonic environment of the source rocks to the bulk Pt:Pt+Ir+Os ratio for placers, 266  
——— & Laflamme, J.H.G. New data on some minerals in the Pd-As-Sb-Bi system, 306  
——— Laflamme, J.H.G., Stewart, J.M., Rowland, J.F. & Chen, T.T. New data on some palladium arsenides and antimonides, 321  
ČERNÝ, P. & Turnock, A.C. Beryl from the granitic pegmatites at Greer Lake, southeastern Manitoba, 55  
——— Rinaldi, R. & Surdam, R.D. Compositional variability in wellsite, 306  
CHANG, L.L.Y. with Hoda, S.N., 388  
CHAO, G.Y. with Chen, T.T., 22, 93  
CHAU, Y.K. Some significant chemical and biological processes in geochemical studies, 307  
CHEN, T.T. & Chao, G.Y. X-ray crystallography of weloganite, 22  
——— & Chao, G.Y. Cordylite from Mont St. Hilaire, Quebec, 93  
——— with Cabri, L.J., 321  
——— with Harris, D.C., 402, 408, 411  
CROCKET, J.H., Harms, A.A. & Hartwig, L.A. A note on the potential mineralogical application of neutron radiography, 79  
——— with Harmon, K.A., 308  
CURTIS, L., Gittins, J., Kocman, V., Rucklidge, J.C., Hawthorne, F.C. & Ferguson, R.B. Two crystal structure refinements of a  $P2_1/n$  titanian ferro-omphacite, 62  
DE VILLIERS, J.P.R. with Mihálik, P., 146  
DONNAY, G. with Fortier, S., 173  
DONNAY, J.D.H. & Le Page, Y. Twin laws versus electrical and optical characters in low quartz, 83  
DOSTAL, J. with Aumento, F., 305  
DUNNING, C., Shepley, S., Wheeler, R. & Anderson, J.B. Sedimentary, geochemical and fossil diatom analysis of sediment cores from Lake Macatawa: an assessment of man's Impact, 307  
——— with Wheeler, R., 314  
EDGAR, A.D. with Fryer, B.J., 308  
EHLMANN, A.J. with Ewing, R.C., 1  
EMSLIE, R.F. Pyroxene megacrysts from anorthositic rocks: new clues to the sources and evolution of the parent magmas, 138  
EWERT, W.D. with Watkinson, D.H., 198  
EWING, R.C. A numerical approach toward the classification of complex, orthorhombic, rare-earth  $AB_2O_6$ -type Nb-Ta-Ti oxides, 307  
——— & Ehlmann, A.J. Annealing study of metamict, orthorhombic, rare earth,  $AB_2O_6$ -type, Nb-Ta-Ti oxides, 1  
FAYE, G.H. Spectrum of  $Ni^{2+}$  in garnierite - reply, 302  
FEATHER, C.E. with Cabri, L.J., 117  
FERGUSON, R.B. with Curtis, L., 62  
——— with Hawthorne, F.C., 181, 289, 377  
FISCHER, R., Pertlik, F. & Zemann, J. The crystal structure of mroseite,  $CaTeO_3(CO_3)$ , 383  
FLEET, M.E. The growth habits of olivine - a structural interpretation, 293  
——— Growth habits of clinopyroxene, 336  
——— with Misra, K.C., 8  
FONG, C.C.K. with Papezik, V.S., 370  
FORTIER, S. & Donnay, G. Schorl refinement showing composition dependence of the tourmaline structure, 173  
FRATTA, M. with Aumento, F., 305  
FROESE, E. & Gasparrini, E. Metamorphic zones in the Snow Lake area, Manitoba, 162  
FRYER, B.J. & Edgar, A.D. Mineral rare earth element distribution in eudialyte-bearing alkaline rock complexes, 308  
FYFE, W.S. with Gupta, A.K., 361  
GABE, E.J. with Rowland, J.F., 188  
——— with Rucklidge, J.C., 15  
GASPARRINI, E. with Froese, E., 162  
GITTINS, J. with Curtis, L., 62  
GOODELL, P.C. Binary and ternary sulphosalts assemblages in the  $Cu_2S$ - $Ag_2S$ - $PbS$ - $As_2S_3$ - $Sb_2S_3$ - $Bi_2S_3$  system, 27  
GREEN, D.H. The roles of water and carbon dioxide in the upper mantle, 308  
GRICE, J.D. & Perrault, G. The crystal structure of trichlinic weloganite, 209  
GRIFFIN, W.L. with Hogarth, D.D., 89  
GRUNDY, H.D. with Hawthorne, F.C., 91  
GUPTA, A.K. & Fyfe, W.S. Leucite survival: the alteration to analcime, 361  
GUSTAJTIS, A. with Aumento, F., 305  
HALL, S.R. Crystal structures of the chalcopyrite series, 168  
——— with Rowland, J.F., 188  
HANCOCK, R.G.V. with Mandarino, J.A., 286  
HARMON, K.A., Crocket, J.H. & Shaw, D.M. Tungsten in iron formations, 308  
HARMS, A.A. with Crocket, J.H., 79  
HARRIS, D.C. & Chen, T.T. Benjaminitite, reinstated as a valid species, 402  
——— Studies of type pavonite material, 408  
——— Gustavite: two Canadian occurrences, 411  
HARRIS, D.C. with Cabri, L.J., 266  
HARTWIG, L.A. with Crocket, J.H., 79  
HARVEY, Y. with Perrault, G., 68  
HAUSEN, D.M. Petrologic significance of reversible reactions between pyrite and pyrrhotite in  $SO_2$ , 308  
HAWTHORNE, F.C. & Ferguson, R.B. Anhydrous sulphates. I: Refinement of the crystal structure of celestite with an appendix on the structure of thenardite, 181  
——— Anhydrous sulphates. II: Refinement of the crystal structure of anhydrite, 289  
——— Refinement of the crystal structure of cryolite, 377  
——— & Grundy, H.D. Resolution of the Mössbauer spectrum of oxykaersutite, 91  
——— with Curtis, L., 62

INDEX FOR VOLUME 13

- HELSEN, J.N. Tungsten and some other trace elements in basalts and andesites, 309
- HESLOP, J.B. with Watkinson, D.H., 198
- HIEMSTRA, S.A. with Mihálik, P., 146
- HODA, S.N. & Chang, L.L.Y. Phase relations in the pseudoternary system  $PbS-Cu_2S-Sb_2S_3$  and the synthesis of meneghinite, 388
- HOGARTH, D.D. & Griffin, W.L. Further data on lapis lazuli from Latium, Italy, 89
- JAMBOR, J.L. & Plant, A.G. The composition of the lead sulphantimonide, robinsonite, 415
- JEFFRIES, D.S. & Stumm, W. The metal adsorption chemistry of buserite, 309
- KISSIN, S.A. & Owens, D.R. New data on stannite and related sulphide minerals, 309
- KOCMAN, V. with Curtis, L., 62
- KRAMER, J.R. with Rucklidge, J.C., 15
- KRAMER, J.R. Mineralogical aspects of environmental problems, 309
- LAFLAMME, J.H.G. with Cabri, L.J., 306, 321
- LAGACHE, M. with Martin, R.F., 275
- LAKSHMAN, S.V.J. with Reddy, B.J., 300
- LARSON, R.J. with Barber, D.M., 305
- LE PAGE, Y. with Donnay, J.D.H., 83
- MACEK, J.J. Concerning the construction of the optical orientation diagram of acid and intermediate plagioclases by A.S. Marfunin, 105
- MALONE, P.G. with Barber, D.M., 305
- MANDARINO, J.A., Mitchell, R.S. & Hancock, R.G.V. Mroseite, a calcium tellurite-carbonate from Moctezuma, Sonora, Mexico, 286
- with Sturman, B.D., 313
- MANNING, P.G. Charge-transfer processes and the origin of colour and pleochroism of some titanium-rich vesuvianites, 110
- Mössbauer studies of the reduction spots in Welsh purple roofing slates, 358
- & Tricker, M.J. Optical-absorption and Mössbauer spectral studies of iron and titanium site-populations in vesuvianites, 259
- MARTIN, R.F. & Bonin, B. A petrogenetic model for the relationship hypersolvus granite-subsolvus granite, 310
- & Lagache, M. Cell edges and infrared spectra of synthetic leucites and pollucites in the system  $KAlSi_3O_8-RbAlSi_3O_8-CsAlSi_3O_8$ , 275
- McBIRNEY, A.R. Geologic constraints on models for wet melting of calc-alkaline magmas, 310
- McIVER, J.R. & Mihálik, P. Stannian andradite from "David Ost", South West Africa, 217
- MIHÁLIK, P., Hiemstra, S.A. & De Villiers, J.P.R. Rustenburgite and atokite, two new platinum-group minerals from the Merensky Reef, Bushveld Igneous Complex, 146
- with McIver, J.R., 217
- MISRA, K.C. & Fleet, M.E. Textural and compositional variations in a Ni-Co-As assemblage, 8
- MITCHELL, R.S. with Mandarino, J.A., 286
- MITCHELL, S.L. & Appleyard, E.C. Miaskitic coronites from the Bentley-Siddon lakes area, near Bancroft, Ontario, 310
- MITCHELL, W.S. with Aumento, F., 305
- MOON, C.F. with Smalley, I.J., 364
- MOORE, P.B. & Takaharu, A. Samuelsonite,  $(Ba,Ho)_2(Ca,Ho)_2(Fe^{2+},Mn^{2+},Na)_4Ca_8Al_2(OH)_2(PO_4)_{10}$ , a fragmented apatite structure, and some novel insights in the apatite structure type, 311
- MORIN, J.A. & Turnock, A.C. The clotty granite at Perrault Falls, Ontario, Canada, 352
- MURTY, M.S. with Reddy, G.L., 205
- NOWACKI, W. with Scott, J.D., 418
- NRIAGU, J.O. Diagenetic phosphate minerals and the environmental consequences of their formation, 311
- NUFFIELD, E.W. A device to aid in centring a crystal on the Gandolfi camera, 197
- Benjaminite - a re-examination of the type material, 394
- OWENS, D.R. with Kissin, S.A., 309
- with Petruk, W., 282, 298
- PAPEZIK, V.S. & Fong, C.C.K. Howlite and ulexite from the Carboniferous gypsum and anhydrite beds in western Newfoundland, 370
- PAROPKARI, A.I. with Balasubramaniam, K.S., 222
- PERRAULT, G., Harvey, Y. & Pertsowsky, R. La yofortierite, un nouveau silicate hydraté de manganèse de St-Hilaire, P.Q., 68
- with Grice, J.D., 209
- PERTLIK, F. with Fischer, R., 383
- PERTSOWSKY, R. with Perrault, G., 68
- PETERSON, R. The automatic evaluation of x-ray powder diffraction patterns and the construction of determinative curves for mineral compositions, 311
- PETRUK, W. Mineralogy and geology of the Zgounder silver deposit in Morocco, 43
- & Owens D.R. Electron microprobe analyses for pyrochlores from Oka, Quebec, 282
- Monazite from the Mount Pleasant deposit, New Brunswick, 298
- PINSENT, R.H. & Smith, D.E.W. The development of carbonate-bearing biotite isograd assemblages from Tête Jaune Cache, British Columbia, Canada, 151
- PIRIE, J. Mobilization of a migmatite from the Grenville province, Quebec, 311
- PLANT, A.G. with Jambor, J.L., 415
- PREWITT, C.T. with Rajamani, V., 75
- RAJAMANI, V. & Prewitt, C.T. Refinement of the structure of CogS<sub>8</sub>, 75
- RAMSDEN, A.R. Compositions of coexisting pyrrhotites, pentlandites and pyrites at Spargoville, Western Australia, 133
- REDDY, B.J. & Lakshman, S.V.J. Optical absorption spectrum of  $Ni^{2+}$  in garnierite - discussion, 300
- REDDY, G.L. & Murty, M.S. Amphibolites from Kuderu and Atmakuru areas, Anantapur District, Andhra Pradesh, South India, 205
- RINALDI, R. with Cerný, P., 306
- ROBERT, J.-L. An experimental study of phlogopite solid solutions in the system  $K_2O-MgO-Al_2O_3-SiO_2-H_2O$ . Solubility of titanium in phlogopite solid solutions, 312
- ROWLAND, J.F., Gabe, E.J. & Hall, S.R. The crystal structures of costibite (CoSbS) and paracostibite (CoSbS), 188
- with Cabri, L.J., 321
- RUCKLIDGE, J.C., Kocman, V., Whitlow, S.H. & Gabe, E.J. The crystal structures of three Canadian vesuvianites, 15
- with Curtis, L., 62
- SASSEVILLE, D.R. with Slatt, R.M., 312
- SCOTT, J.D. & Nowacki, W. New data on wakabayashilite, 418
- SEGGIN, M.K. Thermogravimetric and differential thermal analysis of malachite and azurite in inert atmospheres and in air, 127
- SEMKIN, R.G. Sediment geochemistry in lakes near Sudbury, Ontario, 312
- SHAW, D.M. with Harmon, K.A., 308
- SHEPLEY, S. with Dunning, C., 307
- SLATT, R.M. & Sasseville, D.R. Geochemical variability of bottom sediments in Newfoundland inlets, 312
- SMALLEY, I.J., Bentley, S.P. & Moon, C.F. The St. Jean Vianney quickclay, 364
- SMITH, D.G.W. with Pinsent, R.H., 151
- STEVENSON, J.S. & Stevenson, L.S. Fluorite-dawsonite relationships at a new Montreal locality, 313
- STEVENSON, L.S. with Stevenson, J.S., 313
- STEWART, J.M. with Cabri, L.J., 321
- STOUT, M.Z. & Bayliss, P. Crystal structure of a natural titanomagnetite, 86
- STUMM, W. with Jeffries, D.S., 309
- STURMAN, B.D. & Mandarino, J.A. Phosphate minerals from the Yukon Territory, Canada, 313
- SUBRAMANIAN, V. Experimental modelling of interelemental relationship in natural ferromanganese materials, 313
- SURDAM, R.D. with Cerný, P., 306
- TAKAHARU, A. with Moore, P.B., 311
- TRICKER, M.J. with Manning, P.G., 259
- TURNOCK, A.C. with Cerný, P., 55
- with Morin, J.A., 352
- VOGEL, T.A. with Younker, L.W., 314
- WARRY, D.N. Factors affecting the synthesis of cryptocrystalline strengite from amorphous iron oxyhydroxide, 313

- WATKINSON, D.H., Heslop, J.B. & Ewert, W.D. Nickel sulphide-arsenide assemblages associated with uranium mineralization, Zimmer Lake area, northern Saskatchewan, 198
- WHEELER, R. & Dunning, C. Trace element geochemistry of piston cores from western Michigan coastal lakes, 314
- \_\_\_\_\_ with Dunning, C., 307
- WHITLOW, S.H. with Rucklidge, J.C., 15
- WHITTAKER, E.J.W. with Wicks, F.J., 227
- WICKS, F.J. Proceedings of the Twentieth Annual Meeting of the Mineralogical Association of Canada, 303
- \_\_\_\_\_ & Whittaker, E.J.W. A reappraisal of the structures of the serpentine minerals, 227
- \_\_\_\_\_ & Zussman, J. Microbeam  $\alpha$ -ray diffraction patterns of the serpentine minerals, 244
- YOUNKER, L.W. & Vogel, T.A. Modification of thermal regime of lower crust via penetrative convection, 314
- ZEMANN, J. with Fischer, R., 383
- ZUSSMAN, J. with Wicks, F.J., 244

## Subject Index

- Abstracts, Twentieth Annual Meeting of the Mineralogical Association of Canada, May 1975, 305
- A device to aid in centring a crystal on the Gandolfi camera (Nuffield), 197
- Amphibolites from Kuderu and Atmakuru areas, Anantapur district, Andhra Pradesh, South India (Reddy & Murty), 205
- An experimental study of phlogopite solid solutions in the system  $K_2O$ - $MgO$ - $Al_2O_3$ - $SiO_2$ - $H_2O$ . Solubility of titanium in phlogopite solid solutions (Robert), 312
- Anhydrous sulphates. I: refinement of the crystal structure of celestite with an appendix on the structure of thenardite (Hawthorne & Ferguson), 181
- Anhydrous sulphates. II: refinement of the crystal structure of anhydrite (Hawthorne & Ferguson), 289
- Annealing study of metamict, orthorhombic, rare earth,  $AB_2O_6$ -type, Nb-Ta-Ti oxides (Ewing & Ehmann), 1
- A note on the potential mineralogical application of neutron radiography (Crocket, Harms & Hartwig), 79
- A numerical approach toward the classification of complex, orthorhombic, rare-earth  $AB_2O_6$ -type Nb-Ta-Ti oxides (Ewing), 307
- A petrogenetic model for the association hypersolvus granite-subsolvus granite (Martin & Bonin), 310
- A reappraisal of the structures of the serpentine minerals (Wicks & Whittaker), 227
- Bauxite, 222
- Benjaminite - a re-examination of the type material (Nuffield), 394
- Benjaminite, reinstated as a valid species (Harris & Chen), 402
- Beryl from the granitic pegmatites at Greer Lake, south-eastern Manitoba (Cerný & Turnock), 55
- Binary and ternary sulphosal assemblages in the  $Cu_2S$ - $Ag_2S$ - $PbS$ - $As_2S_3$ - $Sb_2S_3$ - $Bi_2S_3$  system (Goodeil), 27
- Cell edges and infrared spectra of synthetic leucites and pollucites in the system  $KAlSi_2O_6$ - $RbAlSi_2O_6$ - $CaAlSi_2O_6$  (Martin & Lagache), 275
- Charge-transfer processes and the origin of colour and pleochroism of some titanium-rich vesuvianites (Manning), 110
- CHEMICAL ANALYSIS (see also Electron microprobe analysis)
- Minerals*
- aeschynite, 2; amphibole, 344; beryl, 57; biotite, 355; blomstrandine, 2; cordylite, 94; euxenite, 2; hastingsite, 344; leucite, 361; mroseite, 287; orthopyroxene, 142; weloganite, 26, 210; yofortierite, 73
- Roofs*
- amphibolite, 206; andesite, 309; basalt, 309; granite, 355; granite clots, 355; granite groundmass, 355; iron formation, 307; lake sediment, 312, 314; metasediment, 159; sediments, 312; St. Jean Vianney clay, 365
- Compositional variability in wellsite (Cerný, Rinaldi & Surdam), 306
- Compositions of coexisting pyrrhotites, pentlandites and pyrites at Spargoville, Western Australia (Ramsden), 133
- Concerning the construction of the optical orientation diagram of acid and intermediate plagioclases by A.S. Marfunin (Macek), 105
- Cordylite from Mont St. Hilaire, Quebec (Chen & Chao), 93
- CRYSTAL STRUCTURE
- amesite, 230; anhydrite, 289; antigorite, 233; apatite, 311; celestite, 181; chalcopyrite, 168; chrysotile, 230; costibite, 188, 318; cronstedtite, 230; cryolite, 377;  $Ca_3AlF_6$ , 380; diopside, 337; forsterite, 295; haycockite, 168;  $K_2AlF_6$ , 380;  $Li_3AlF_6$ , 381; lizardite, 230; mooihoeite, 168; mroseite, 383; paracostibite, 188, 318;  $Rb_3AlF_6$ , 380; samuelsonite, 311; schorl, 173; serpentine minerals, 227; synthetic  $Co_2S_3$ , 75; talnakhite, 168; thenardite, 186; titanian ferro-omphacite, 62; titanomagnetite, 86; tourmaline, 173; vesuvianite, 15, 111; weloganite, 209
- Crystal structure of a natural titanomagnetite (Stout & Bayliss), 86
- Crystal structures of the chalcopyrite series (Hall), 168
- Diagenetic phosphate minerals and the environmental consequences of their formation (Nriagu), 311
- D.T.A.
- aeschynite, 5; azurite, 127, 131; bauxite, 224; blomstrandine, 5; boehmite, 224; clay, 224; euxenite, 5; gibbsite, 224; halloysite, 224; iron sulfides, 308;  $K_3AlF_6$ , 380;  $Li_3AlF_6$ , 381; malachite, 127, 131; Nb-Ta-Ti oxides, 5; pyrochlore, 5; pyrite, 5; pyrrhotite, 224; yofortierite, 71
- ELECTRON MICROPROBE ANALYSIS
- aeschynite, 2; aikinite, 410; amalgam, 50; andradite, 218; ankerite, 157; benjaminite, 398, 404; beryllite, 410; biotite, 155, 164; bravoite, 202; calcite, 157; chalcopyrite, 168; chlorite, 157, 164; clinopyroxene, 139, 142; cobaltite, 11; cordylite, 94; costibite, 188; ferroan platinum, 121; galena, 202; gersdorffite, 202; gustavite, 413; hauchecornite, 202; halynite, 89; haycockite, 168; iridosmine, 268; isoferroplatinum, 121, 122, 123, 125; mertiete II, 329; millerite, 202; monazite, 298; mooihoeite, 168; mroseite, 286; muscovite, 153; native platinum, 121; native silver, 50; orthopyroxene, 139, 142; osmiridium, 268; palladian rustenburgite, 147; palladoarsenide, 326; parammelsbergite, 11; pavonite, 409; pearceite, 51; pentlandite, 134; phases in Pt-Pd-S system, 147; pitchblende, 202; plagioclase, 139; platinian atokite, 147; platinum-iron alloys, 121; pyrite, 52, 134, 202; pyrochlore, 283; pyroxene, 139, 142; pyrrhotite, 134; rammelsbergite, 11; robinsonite, 415; rutheniridosmine, 268; ruthenosmiridium, 268; safflorite, 11; schorl, 174; siderite, 157; sperryllite, 327; sphalerite, 202; stannian andradite, 218; staurolite, 164; sternbergite, 52; stillwaterite, 325; synthetic  $Co_2S_3$ , 76; synthetic paracostibite, 188; synthetic  $Pb_6Sb_{10}S_{21}$ , 415; synthetic  $Pb_7Sb_{12}S_{25}$ , 415; synthetic robinsonite, 415; talnakhite, 168; tennantite, 52; tetraferroplatinum, 121; titanian ferro-omphacite, 63; titanomagnetite, 87; tourmaline, 174; unidentified Ag-Cu-Sb mineral, 52; unidentified Ag-Cu sulphide, 51; unknown (Cu,Ag),  $3Bi_3S_7.5$ , 400; unknown (Pd,Cu,As), 327; unknown (Pd,Ni,As), 327; unnamed  $Pb_4(Ag,Cu)_4(Bi,Pb)_{12}S_{24}$ , 398; unnamed  $Pd_5As_2$ , 326; unnamed  $Pd_6Sb_3$ , 327; uranian pyrrhotite, 283; uranopyrochlore, 283; vesuvianite, 16, 20, 111, 259; wellsite, 306; weloganite, 210
- Electron microprobe analyses for pyrochlores from Oka, Quebec (Petruk & Owens), 282
- Electron probe analyses, counting error and homogeneity index, 322
- Erratum, 318
- EXPERIMENTAL
- General*
- analclime, 361; anatexis, 305; annealing study of Nb-Ta-Ti oxides, 1; calc-alkaline magmas, 310; carbonate geothermometer, 158; carbon dioxide in upper mantle, 308; diagnosis, 361; ferromanganese materials, 313; interaction between sea water and basalt, 305; leucite, 361; metal adsorption chemistry of busierite, 309; nucleation of calcium carbonate, 305; oxygen fugacity, 305; phlogopite, 312; reversible reactions between pyrite and pyrrhotite, 308; sulphosal assemblages, 27; synthetic

- leucite, 275; synthetic pollucite, 275; synthesis of meneghinite, 388; synthesis of robinsonite, 416; synthesis of strengite, 313; upper mantle, 308; water fugacity, 305; water in upper mantle, 308
- System**  
 Ag<sub>2</sub>S-As<sub>2</sub>S<sub>3</sub>, 28; Ag<sub>2</sub>S-As<sub>2</sub>S<sub>3</sub>-Bi<sub>2</sub>S<sub>3</sub>, 37; Ag<sub>2</sub>S-As<sub>2</sub>S<sub>3</sub>-Sb<sub>2</sub>S<sub>3</sub>, 37; Ag<sub>2</sub>S-Bi<sub>2</sub>S<sub>3</sub>, 28; Ag<sub>2</sub>S-PbS, 28; Ag<sub>2</sub>S-PbS-As<sub>2</sub>S<sub>3</sub>, 31, 34; Ag<sub>2</sub>S-PbS-Bi<sub>2</sub>S<sub>3</sub>, 31, 35; Ag<sub>2</sub>S-PbS-Sb<sub>2</sub>S<sub>3</sub>, 31, 35; Ag<sub>2</sub>S-Sb<sub>2</sub>S<sub>3</sub>, 28; Ag<sub>2</sub>S-Sb<sub>2</sub>S<sub>3</sub>-Bi<sub>2</sub>S<sub>3</sub>, 31, 37; As<sub>2</sub>S<sub>3</sub>-Bi<sub>2</sub>S<sub>3</sub>, 28; As<sub>2</sub>S<sub>3</sub>-Sb<sub>2</sub>S<sub>3</sub>, 28; CaCO<sub>3</sub>-MgCO<sub>3</sub>-FeCO<sub>3</sub>, 158; Cu<sub>2</sub>S-Ag<sub>2</sub>S, 28; Cu<sub>2</sub>S-Ag<sub>2</sub>S-As<sub>2</sub>S<sub>3</sub>, 31, 33; Cu<sub>2</sub>S-Ag<sub>2</sub>S-Bi<sub>2</sub>S<sub>3</sub>, 31, 33; Cu<sub>2</sub>S-Ag<sub>2</sub>S-PbS-As<sub>2</sub>S<sub>3</sub>-Sb<sub>2</sub>S<sub>3</sub>-Bi<sub>2</sub>S<sub>3</sub>, 27; Cu<sub>2</sub>S-Ag<sub>2</sub>S-Sb<sub>2</sub>S<sub>3</sub>, 31, 33; Cu<sub>2</sub>S-As<sub>2</sub>S<sub>3</sub>, 29; Cu<sub>2</sub>S-As<sub>2</sub>S<sub>3</sub>-Bi<sub>2</sub>S<sub>3</sub>, 37; Cu<sub>2</sub>S-As<sub>2</sub>S<sub>3</sub>-Sb<sub>2</sub>S<sub>3</sub>, 37; Cu<sub>2</sub>S-Bi<sub>2</sub>S<sub>3</sub>, 28; Cu<sub>2</sub>S-PbS, 28; Cu<sub>2</sub>S-PbS-As<sub>2</sub>S<sub>3</sub>, 31, 33; Cu<sub>2</sub>S-PbS-Bi<sub>2</sub>S<sub>3</sub>, 31, 34; Cu<sub>2</sub>S-PbS-Sb<sub>2</sub>S<sub>3</sub>, 31, 34; Cu<sub>2</sub>S-Sb<sub>2</sub>S<sub>3</sub>, 28; Cu<sub>2</sub>S-Sb<sub>2</sub>S<sub>3</sub>-Bi<sub>2</sub>S<sub>3</sub>, 37; KAlSi<sub>2</sub>O<sub>6</sub>-RbAlSi<sub>2</sub>O<sub>6</sub>-CsAlSi<sub>2</sub>O<sub>6</sub>, 275; K<sub>2</sub>O-MgO-Al<sub>2</sub>O<sub>3</sub>-SiO<sub>2</sub>-H<sub>2</sub>O, 312; Os-Ir-Ru, 268; PbS-As<sub>2</sub>S<sub>3</sub>, 28; PbS-As<sub>2</sub>S<sub>3</sub>-Bi<sub>2</sub>S<sub>3</sub>, 31, 39; PbS-As<sub>2</sub>S<sub>3</sub>-Sb<sub>2</sub>S<sub>3</sub>, 31, 37; PbS-Bi<sub>2</sub>S<sub>3</sub>, 28; PbS-Cu<sub>2</sub>S-Sb<sub>2</sub>S<sub>3</sub>, 388; PbS-Sb<sub>2</sub>S<sub>3</sub>, 28; PbS-Sb<sub>2</sub>S<sub>3</sub>-Bi<sub>2</sub>S<sub>3</sub>, 31, 39; Pd-As, 329; Pd-As-Sb, 329; Pd-Sb, 329; Pt-Pd-Sn, 146; Pt-PtFe, 118; Sb<sub>2</sub>S<sub>3</sub>-Bi<sub>2</sub>S<sub>3</sub>, 28;
- Experimental modelling of interelemental relationship in natural ferromanganese materials (Subramanian), 313  
 Factors affecting the synthesis of cryptocrystalline strengite from amorphous iron oxyhydroxide (Warry), 313  
 Fluorite-dawsonite relationships at a new Montreal locality (Stevenson & Stevenson), 313  
 Further data on lapis lazuli from Latium, Italy (Hogarth & Griffin), 89  
 Geochemical studies of Red Sea cores (Boger), 306  
 Geochemical variability of bottom sediments in Newfoundland inlets (Slatt & Sasseville), 312
- GEOCHEMISTRY**  
 amphibolites, 205; andesites, 309; basalts, 309; busenite, 309; chemical and biological processes, 307; diagenetic phosphate minerals, 311; ferromanganese materials, 313; lake sediments, 312, 314; oceanic basalts, 305; rare earth element distributions in eudialyte-bearing alkaline rock complexes, 308; Red Sea cores, 306; sediment cores, 307; sediments, 312; trace elements in lake sediments, 314; tungsten in andesites, 309; tungsten in basalts, 309; tungsten in iron formation, 308
- GEOGRAPHICAL LOCALITIES**
- Australia**  
 Archean ultramafic body, 133; chalcocopyrite, 133; chromite, 267; costibite, 188; gold, 267; Heazlewood River Complex, 266; irarsite, 266; iridosmine, 266; magnetite, 267; osmiridium, 266; pentlandite, 133; piccotite, 267; placers, 266; pyrite, 133, 267; pyrrhotite, 133, 267; rutheniridosmine, 266; ruthenosmiridium, 266; smythite, 133; tetrahydrite, 33; ultramafic rocks, 267
- Belgian Congo**  
 malachite, 127;
- Bermuda**  
 basalt, 305
- Bolivia**  
 pavonite, 406, 408
- Borneo**  
 alluvial platinum alloys, 272
- Brazil**  
 euxenite, 5; monazite, 298; polycrase, 5
- Canada**
- Alberta**  
 analcime, 361
- British Columbia**  
 andradite, 217; ankerite, 157; biotite, 155; bismuthium robinsonite, 415; calcareous schist, 153; calcite, 157; chlorite, 157; ferroan platinum, 121; irarsite, 270; iridosmine, 270; isoferroplatinum, 121; muscovite, 153; native platinum, 121; osmiridium, 270; pelite, 153; placers, 120, 272; psammite, 153; siderite, 157; Tulameen ultramafic complex, 120; unknown sulphosalt, 413; Upper Proterozoic metasediment, 151
- Labrador**  
 alkali feldspar, 62; alkaline gneisses, 62; anorthosite, 138; arfvedsonite, 62; clinopyroxene, 142; eudialyte, 308; feldspar, 308; Harp Lake Complex, 138; malignite, 62; nepheline, 62; orthopyroxene, 139; peralkaline rocks, 62; plagioclase, 139; pyroxene, 62, 138; syenite, 62; titanian ferro-omphacite, 62
- Maine**  
 aikinite, 412; arsenopyrite, 412; beryl, 55; biotite, 164; bismuthinite, 412; cassiterite, 56; chalcocopyrite, 412; chlorite, 164; cordierite, 56; cosalite, 412; garnite, 56; garnet, 56; granitic pegmatites, 55; gustavite, 412; K-feldspar, 55; lithium mica, 56; microlite, 56; monazite, 56; muscovite, 55; native bismuth, 412; niobian rutile, 56; quartz, 55; quartz diorite gneiss, 162; pelite, 162; plagioclase, 55; pollucite, 411; psammite, 162; pseudoixiolite, 56; pyrrhotite, 412; podumene, 411; stannite, 412; staurolite, 164; Tanco pegmatite, 411; tetrahydrite, 412; volcanic rocks, 162; zircon, 56
- New Brunswick**  
 arsenopyrite, 298; galena, 81; gypsum, 371; inyoite, 371; monazite, 298; pyrite, 81; rutile, 298; sphalerite, 81; ulexite, 371; wolframite, 298; xenotime, 298; zircon, 298
- Newfoundland**  
 anhydrite, 370; borate minerals, 372; gypsum, 370; howlite, 370; sediments, 312; ulexite, 370
- Northwest Territories**  
 acanthite, 411; arsenopyrite, 403, 411; benjaminite, 403; bismuthinite, 403, 411; chalcocopyrite, 403, 411; galena, 403, 411; gustavite, 411; iron formation, 308; matildite, 403, 411; native bismuth, 403, 411; native silver, 403, 411; nickeline, 403, 411; pyrite, 403, 411; rammelsbergite, 403, 411; safflorite, 403, 411; skutterudite, 403, 411; sphalerite, 403, 411; tetrahydrite, 411; vesuvianite, 15
- Nova Scotia**  
 danburite, 371; ginorite, 371; glauconite, 371; gypsum, 370; howlite, 370; inyoite, 371; ulexite, 370.
- Ontario**  
 aegirine-augite, 310; alkaline gneisses, 342; amphiboles, 342; benjaminite, 403; biotite, 352; bismuthinite, 33, 403; breithauptite, 81; calcite, 81; calc-silicate gneiss, 343; chalcocopyrite, 403; clotty granite, 352; cobaltite, 8, 80, 81; cordierite, 352; cummingtonite, 309; euxenite, 5; feldspathic gneiss, 342; ferrohastingsite, 310; garnet, 353; granite, 352; green spinel, 353; hastingsitic amphiboles, 342; ijolite, 310; iron formation, 308; lake sediments, 312; matildite, 33, 403; metagabbro, 310; microcline, 354; muscovite, 354; native bismuth, 81, 403; native silver, 81; nepheline, 310, 342; nickeline, 80, 81; Ni-Co-As assemblage, 8; oligoclase, 310; paracostibite, 188; paragneiss, 353; paramamelsbergite, 8; pavonite, 33; pyrite, 403; quartz, 352; rammelsbergite, 8; robinsonite, 415; safflorite, 8; scapolite, 310; sillimanite, 352; skutterudite, 8; sphalerite, 403; sphene, 310; stromeyerite, 33; unnamed Pd<sub>3</sub>Sb<sub>3</sub>, 327; vesuvianite, 15; wittichenite, 33; zircon, 353
- Quebec**  
 aegirine, 69, 93; albite, 69, 93; analcime, 69, 93; anorthosite, 138; apatite, 93; biotite, 93, 311; calcite, 93; catapleite, 93; Champlain clay, 364; clinopyroxene, 139; cordylite, 93; dawsonite, 313; dolomite, 364; eudialyte, 69, 308; feldspar, 308; fluorite, 313; gneiss, 311; hornblende, 311; illite, 364; Lac St. Jean anorthosite, 138; Leda clay, 364; microcline, 69; migmatite, 311; Morin Complex, 138; nepheline syenite, 69, 93; orthopyroxene, 139; plagioclase, 139, 364; polyolithionite, 69; pyrochlore, 93, 283; pyrophanite, 93; pyroxene, 138; quartz, 364; quickclay, 364; rinkite, 93; serandite, 69; uranian pyrochlore, 283; uranopyrochlore, 283; vesuvianite 15, 110, 259; weloganite, 22, 209; yofortierite, 68;
- Saskatchewan**  
 annabergite, 200; Athabasca Formation, 198; bravoite, 198; brochantite, 200; chalcocopyrite, 198; coffinite, 200; conglomerate, 198; galena, 198; gersdorffite, 198; hauchecornite, 198; hematite, 198; metanovackite, 200; millerite, 198; nickeline, 198; pitchblende, 198; pyrite, 198; rutherfordite, 200; sandstone, 198; sklowdowskite, 200; sphalerite, 198; uranium minerals, 198; uranophane, 200
- Yukon Territory**  
 arrojadite, 313; augelite, 313; brazilianite, 313; childrenite, 313; iron-formation, 313; lazulite, 313; ludlamite, 313; phosphate minerals, 313; vivianite, 313; wardite, 313
- Central Asia**  
 berryite, 400, 402; lindströmite, 400, 402; matildite, 400, 402; unnamed Ag-Cu-Pb-Bi-S minerals, 400, 406
- China**  
 guanglinitite, 332; unnamed Pd<sub>3</sub>(As,Sb), 332
- Colombia**  
 placers, 272
- Czechoslovakia**  
 andradite, 217; bournonite, 34; chalcostibite, 34;

- stibnite, 34; tetrahedrite, 34; wellsite, 306; zinkenite, 34
- East Germany (G.D.R.)**  
 anhydrite, 289
- England**  
 celestite, 181; lizardite, 230
- Ethiopia**  
 placers, 272
- Germany**  
 schorl, 173; tourmaline, 173
- Greenland**  
 aegirine, 93; ancylite, 93; cordylite, 93; cryolite, 378; eudialyte, 308; feldspar, 308; gustavite, 399, 411; gustavite phase X, 399; neptunite, 93; phase B, 392; synchysite, 93
- India**  
 amphibolite, 205; augite, 205; basalt, 222; bauxite, 222; boehmite, 222; clay, 222; clachite, 222; epidote, 206; gibbsite, 222; goethite, 222; halloysite, 222; hornblende, 205; leucocoxe, 222; maghemite, 222; plagioclase, 205, 224; tremolite, 206
- Italy**  
 calcite, 89; chalcedony, 89; diopside, 336; haüyne, 89; lapis lazuli, 89; leucite, 275, 361; marble, 89; meneghinite, 392; wollastonite, 89
- Japan**  
 magmatic activity, 314; tetrahedrite, 33
- Madagascar (Malagasy Republic)**  
 euxenite, 5; priorite, 5
- Malaya**  
 monazite, 298
- Marlao**  
 cliffordite, 286; denningite, 286; emmonsite, 286; mackayite, 286; moctezumite, 286; mroseite, 286, 383; poughite, 286; quartz, 286; sonoraite, 286; spirofite, 286; vesuvianite, 110; zemannite, 286
- Mid-Atlantic Ridge**  
 basalts, 305
- Morocco**  
 acanthisite, 50; amalgam, 50; arsenopyrite, 53; bornite, 53; chalcocite, 53; chalcocopyrite, 53; covellite, 53; galena, 52; marcasite, 53; native silver, 50; pearceite, 51; proustite, 51; pyrrhotite, 51; pyrargyrite, 51; pyrite, 52; pyrrhotite, 53; sphalerite, 53; stembergite, 52; tennantite, 52; unidentified Ag-Cu sulphide, 51; unidentified Ag-Cu-Sb mineral, 51; Zgounder silver deposit, 43
- New Guinea**  
 placer, 272
- Norway**  
 aeschynite, 5; anorthosite, 138; blomstrandine, 2; euxenite, 2; orthopyroxene, 139; plagioclase, 139; polycrase, 5; pyroxene, 138; Rogaland Complex, 138
- Paru**  
 Pb-As-Sb gels, 33
- Red Sea**  
 sediments, 306
- South Africa**  
 atokite, 146; Bushveld Igneous Complex, 146; chysotile, 233; geversite, 121; gold-uranium conglomerates, 120; irarsite, 121; iridium, 120; isoferroplatinum, 122; Merensky Reef, 146; michenerite, 120; moncheite, 120; osmiridium, 120; palladian rustenburgite, 146; placers, 272; platinian atokite, 146; platinum-iron alloys, 120; Pt-Rh alloy, 120; rhodium sulphide, 120; rustenburgite, 146; sperrylite, 121; stibiopalladinite, 334; tetraferroplatinum, 121
- Sudan**  
 vesuvianite, 110, 259
- S.W. Africa**  
 andradite, 217; calc-silicate, 217; cassiterite, 218; enargite, 33; galena, 33; grossular, 218; jordanite, 33; metasediments, 218; pegmatite, 217; sphalerite, 33; stannian andradite, 217; tantalite, 218; tennantite, 33; tourmaline, 218; vesuvianite, 218; wolframite, 218
- Swaziland**  
 priorite, 5
- Sweden**  
 augite, 336; eudialyte, 308; feldspar, 308; intermediate phases between aikinite and bismuthinite, 34
- Switzerland**  
 dufrénoysite, 30; gypsum, 30; hatchite, 35; hutchinsonite, 35; jordanite, 30; lengenbachite, 35; marriite, 35; orpiment, 30; realgar, 30; sinnerite, 30; sphalerite, 30; tennantite, 30
- U.S.A.**  
 aikinite, 397, 409; alaskaite, 403; alkali olivine basalt, 86; andorite, 35; argentiferous galenobismutite, 403; azurite, 127; benjaminite, 394, 402; berryite, 409; chalcocopyrite, 325, 398, 402; diopside, 336; eudialyte, 308; feldspar, 308; fluorite, 402; freieslebenite, 35; galena, 35; gold, 324; granite, 402; gustavite, 397, 411; hydroxyapatite, 311; isoferroplatinum, 121; jamesonite, 35; jordanite, 33; kotulskite, 327; lake sediments, 314; mertieite II, 328; molybdenite, 402; muscovite, 402; owyheeite, 35; palladoarsenide, 327; pegmatite, 311; placers, 272; pyrrargyrite, 35; pyrite, 402; realgar, 418; rhyolite, 402; robinsonite, 415; samuelsonite, 311; sediment cores, 307; serpentine, 228; sperrylite, 327; stephanite, 35; Stillwater Complex, 120, 321; stillwaterite, 324; thenardite, 186; titanomagnetite, 86; unknown (Pd,Cu,As) mineral, 327; unknown (Pd,Ni,As) mineral, 327; unnamed Pb<sub>4</sub>(Ag,Cu)<sub>4</sub>(Bi,Pb)<sub>12</sub>S<sub>24</sub>, 394; unnamed Pd<sub>5</sub>Sb<sub>2</sub>, 325; wakabayashilite, 418; whitlockite, 311
- U.S.S.R.**  
 aeschynite, 2; aikinite, 400; eudialyte, 308; feldspar, 308; mertieite, 333; palladoarsenide, 327; placers, 272; platinum-iron alloy, 121; unnamed (Cu,Ag)<sub>1</sub>.3Bi<sub>3</sub>S<sub>7.5</sub>, 400
- Wales**  
 chlorite, 358; hematite, 358; slate, 358
- Yugoslavia**  
 howlite, 375; lizardite, 230
- Zambia**  
 aeschynite, 2
- Geologic constraints on models for wet melting of calc-alkaline magmas (McBirney), 310
- Growth habits of clinopyroxene (Fleet), 336
- Gustavite: two Canadian occurrences (Harris & Chen), 411
- Howlite and ulexite from the Carboniferous gypsum and anhydrite beds in western Newfoundland (Papeztk & Fong), 370
- INFRARED SPECTRA**  
 synthetic leucites and pollucites in the system KAlSi<sub>2</sub>O<sub>6</sub>-RbAlSi<sub>2</sub>O<sub>6</sub>-CsAlSi<sub>2</sub>O<sub>6</sub>, 279; yofortierite, 72
- Instructions for Authors, 315
- Interaction between sea water and oceanic layer two as a function of time and depth (Aumento, Mitchell, Fratta, Dostal & Gustajtis), 305
- La yofortierite, un nouveau silicate hydraté de manganèse de St-Hilaire, P.Q. (Perrault, Harvey & Pertsowsky), 68
- Leucite survival: the alteration to analcime (Gupta & Fyfe), 361
- L.G. Berry issue (announcement), 317
- Membership List, Mineralogical Association of Canada, 97
- Metamorphic zones in the Snow Lake area, Manitoba (Froese & Gasparri), 162
- METAMORPHISM**  
 alkaline gneisses, 342; amphiboles, 342; amphibolites, 205; biotite isograd assemblages, 151; carbonate geothermometer, 158; carbonates, 151; chlorite, 157; ferromagnesian minerals, 162; Grenville Province, 310, 311; metamorphic zones, 162; metamorphosed ijolite, 310; miaskitic coronites, 310; micas, 151; migmatite, 311
- Miaskitic coronites from the Bentley-Siddon Lakes area, near Bancroft, Ontario (Mitchell & Appleyard), 310
- Microbeam x-ray diffraction patterns of the serpentine minerals (Wicks & Zussman), 244
- MICROHARDNESS**  
 andradite, 219; benjaminite, 403; gustavite, 412; mroseite, 286; palladian rustenburgite, 147; pavonite, 409; platinian atokite, 147; stannian andradite, 219; stillwaterite, 324; synthetic Pd<sub>5</sub>Sb<sub>3</sub>, 328; yofortierite, 70
- Mineralogical aspects of environmental problems (Kramer), 309
- MINERALOGICAL ASSOCIATION OF CANADA**  
 Abstracts from Twentieth Annual Meeting, May 1975, 305; Instructions for Authors, 315; L.G. Berry issue, announcement, 317; Membership List, 97; Notice to Authors, 208; Notice - Waterloo '75, 96; Proceedings of the Twentieth Annual Meeting, May 1975, 303; Reviewers for volume 12, 95; Short Course in Electron Microprobe Analysis, Edmonton, May 1976 - announcement, 320
- Mineralogy and genesis of bauxites of Nagardaswadi Plateau,

INDEX FOR VOLUME 13

Kolhapur District, Maharashtra State (India) (Balasubramaniam & Paropkar), 222  
 Mineralogy and geology of the Zgounder silver deposit in Morocco (Petruk), 43  
 Mineral rare earth element distribution in eudialyte-bearing alkaline rock complexes (Fryer & Edgar), 308

**MINERALS**

*Mineral Data*

aeschnynite, 2, 307; aikinite, 397, 410; amalgam, 50; amesite, 230; amphiboles, 342; anatase, 3; andradite, 217; anhydrite, 289; ankerite, 157; antigorite, 233, 235, 238, 252; atokite, 146; augite, 223; azurite, 127; benjaminite, 394, 402; berryite, 410; beryl, 55; biotite, 155, 164, 355; bismuthian robinsonite, 415; blomstrandine, 2; boehmite, 224; borate minerals, 370; brannerite, 3; bravoite, 202; busserite, 309; calcite, 157; celestite, 181; chalcocopyrite, 168; chlorite, 157, 164, 358; chrysothite, 230, 233, 238, 247; clinopyroxene, 139, 336; cobaltite, 11; cordylite, 93; costibite, 188; cronstedtite, 230; cryolite, 377; eudialyte, 309; euxenite, 2, 307; feldspar, 309; ferroan platinum, 117; galena, 202; garnierite, 300, 302; gersdorffite, 202; gibbsite, 224; gustavite, 397, 411; gustavite phase X, 397, 412; hall-oysite, 224; hastingsitic amphiboles, 342; hauchecornite, 202; haüyne, 89; haycockite, 168; hornblende, 205, 206; howlite, 364; illite, 364; iridosmine, 268; isoferroplatinum, 117; kesterite, 309; leucite, 361; lizardite, 230, 233, 236, 248; malachite, 127; mertieite II, 328; microcline, 354; millerite, 202; monazite, 298; mookhoekite, 168; mroseite, 286, 383; muscovite, 153; native platinum, 117; native silver, 50; Nb-Ta-Ti oxides, 1, 307; olivine, 293; orthopyroxene, 139; osmiridium, 268; oxykaersutite, 91; palladoarsenide, 327; parachrysothite, 148; paramamelsbergite, 11, 191; pavonite, 397, 403, 408; PdAs<sub>3</sub>, 306; Pd<sub>2</sub>(As,Sb)<sub>3</sub>, 306; pearceite, 51; pentlandite, 134; pitchblende, 202; plagioclase, 105, 139, 206, 223; platinum-iron alloys, 117; polycrase, 5, 307; pryorite, 43; pyrite, 52, 134, 202; pyrochlore, 4, 283; pyroxene, 138; pyrrhotite, 134; quartz, 83; ramnellsbergite, 11, 190; robinsonite, 415; rustenburgite, 146; rutheniridosmine, 268; ruthen-osmiridium, 268; rutile, 3; safflorite, 11; samuelsonite, 311; schorl, 173; serpentine minerals, 227, 244; siderite, 157; sperrylite, 327; sphalerite, 202; stannian andradite, 217; stannite, 309; staurolite, 164; sternbergite, 52; stillwaterite, 324; talnakhite, 168; tennantite, 52; tetraferroplatinum, 117; thenardite, 186; tin sulphides, 309; titanian ferro-omphacite, 62; titanomagnetite, 86; tourmaline, 173; ulexite, 364; unidentified Ag-Cu-Sb mineral, 52; unidentified Ag-Cu sulphide, 51; unknown Cu-Ag-Bi-S mineral, 400; unknown (Cu,Ag)<sub>1-3</sub>Bi<sub>3</sub>S<sub>7</sub>, 5, 400; unknown (Pd,Cu,As) mineral, 327; unknown (Pd,Ni,As) mineral, 327; unnamed Pb<sub>4</sub>(Ag,Cu)<sub>4</sub>(Bi,Pb)<sub>12</sub>S<sub>24</sub>, 394; unnamed Pd<sub>2</sub>As<sub>2</sub>, 325; unnamed Pd<sub>2</sub>Sb<sub>3</sub>, 327; uranian pyrochlore, 283; uranopyrochlore, 283; vesuvianite, 15, 110, 259; wabakabayshilite, 418; wellsite, 306; weloqanite, 22, 209; yofortierite, 68; zvyaginstsevitse, 149

*Mineral Occurrences*

acanthite, Morocco 50, N.W.T. 411; aegirine, Greenland 93, Que. 69, 93; aegirine-augite, Ont. 310; aeschnynite, Norway 5, U.S.S.R. 2, Zambia 2; aikinite, Man. 412, U.S.A. 397, 409, U.S.S.R. 400; alaskaitite, U.S.A. 403; albite, Que. 69, 93; alkali feldspar, Lab. 62; amalgam, Morocco 50; amphiboles, Ont. 342; analcime, Alta. 361, Que. 69, 93; ancylite, Greenland 93; andorite, U.S.A. 35; andradite, B.C. 217, Czechoslovakia 217, S.W. Africa 217; anhydrite, East Germany 289, Nfld. 370; ankerite, B.C. 157; annabergite, Sask. 200; apatite, Que. 93; arfvedsonite, Lab. 62; argentiferous galenobismutite, U.S.A. 403; arrojadite, Y.T. 313; arsenopyrite, Man. 412, Morocco 53, N.B. 298, N.W.T. 403, 411; atokite, S. Africa 146; augeilite, Y.T. 313; augite, India 205, Sweden 336; azurite, U.S.A. 127; benjaminite, N.W.T. 403, Ont. 403, U.S.A. 394, 402; berryite, Central Asia 400, 402, U.S.A. 409; beryl, Man. 55; biotite, B.C. 155, Man. 164, Ont. 352, Que. 93, 311; bismuthian robinsonite, B.C. 415; bismuthinite, Man. 412, N.W.T. 403, 411, Ont. 33, 403; blomstrandine, Norway 2; boehmite, India 222; borate minerals, Nfld. 372; bornite, Morocco 53; bourmonite, Czechoslovakia 34; bravoite, Sask. 198; brazilianite, Y.T. 313; breithauptite, Ont. 81; brochantite, Sask. 200; calcite, B.C. 157, Italy 89, Ont. 81, Que. 93; cassiterite, Man. 56, S.W. Africa 218; catapleitite, Que. 93; celestite, England 181;

chalcedony, Italy 89; chalcocite, Morocco 50; chalcopyrite, Aust. 133, Man. 412, Morocco 53, N.W.T. 403, 411, Ont. 403, Sask. 198, U.S.A. 325, 398, 402; chalcostibite, Czechoslovakia 34; chaldrenite, Y.T. 313; chlorite, B.C. 157, Man. 164, Wales 358; chromite, Aust. 267; chrysothite, S. Africa 233; clachite, India 222; cliffordite, Mexico 286; clinopyroxene, Lab. 142, Que. 139; cobaltite, Ont. 8, 80, 81; coffinite, Sask. 200; cordierite, Man. 56, Ont. 352; cordylite, Greenland 93, Que. 93; cosalite, Man. 412; costibite, Aust. 188; covellite, Morocco 53; cryolite, Greenland 378; cummingtonite, Ont. 309; danburite, N.S. 371; dawsonite, Que. 313; denningite, Mexico 286; diopside, Italy 336, U.S.A. 336; dolomite, Que. 364; duffrenoyite, Switzerland 30; emmonsite, Mexico 286; enargite, S.W. Africa 33; epidote, India 206; eudialyte, Greenland 308, Lab. 308, Que. 69, 308, Sweden 308, U.S.A. 308, U.S.S.R. 308; euxenite, Brazil 5, Madagascar 5, Norway 2, Ont. 5; feldspar, Greenland 308, Lab. 308, Que. 308, Sweden 308, U.S.A. 308, U.S.S.R. 308; ferroan platinum, B.C. 121; fluorite, Que. 313, U.S.A. 402; freieslebenite, U.S.A. 35; gahnite, Man. 56; galena, Morocco 52, N.B. 81, N.W.T. 403, 411, Sask. 198, S.W. Africa 33, U.S.A. 35; garnet, Man. 56, Ont. 353; gersdorffite, Sask. 198; geversite, S. Africa 121; gibbsite, India 222; gironite, N.S. 371; glauconite, N.S. 371; goethite, India 222; gold, Aust. 267, U.S.A. 324; grossular, S.W. Africa 218; guanlingite, China 332; gustavite, Greenland 399, 411, Man. 412, N.W.T. 411, U.S.A. 397, 411; gustavite phase X, Greenland 399; gypsum, N.B. 371, Nfld. 370, N.S. 370, Switzerland 30; hematite, Sask. 198, Wales 358; halloysite, India 222; hastingsitic amphiboles, Ont. 342; hatchite, Switzerland 35; hauchecornite, Sask. 198; haüyne, Italy 89; hornblende, India 205, Que. 311; howlite, Nfld. 370, N.S. 370, Yugoslavia 375; hutchinsonite, Switzerland 35; hydroxyapatite, U.S.A. 311; illite, Que. 364; inyoite, N.B. 371, N.S. 371; irarsite, Aust. 266, B.C. 270, S. Africa 121; iridium, S. Africa 120; iridosmine, Aust. 266, B.C. 270; isoferroplatinum, B.C. 121, S. Africa 122, U.S.A. 121; jamesonite, U.S.A. 35; jordanite, S.W. Africa 33, Switzerland 30, U.S.A. 33; K-feldspar, Man. 55; kotulskite, U.S.A. 327; lazulite, Y.T. 313; lazurite, Italy 275, 89; lengenbachite, Switzerland 35; leucite, India 205, 361; leucoxene, India 222; lindströmite, Central Asia 400, 402; lithium mica, Man. 56; lizardite, England 230, Yugoslavia 230; ludlamite, Y.T. 313; mackayite, Mexico 286; maghemite, India 222; magnetite, Aust. 267; malachite, Belgian Congo 127; marcasite, Morocco 53; marriite, Switzerland 35; matildite, Central Asia 400, 402, N.W.T. 403, 411, Ont. 33, 403; meneghinite, Italy 392; mertieite, U.S.S.R. 333; mertieite II, U.S.A. 328; metanovalcayekite, Sask. 200; michenerite, S. Africa 120; microcline, Ont. 354, Que. 69; microilite, Man. 56; millerite, Sask. 198; moctezumite, Mexico 286; molybdenite, U.S.A. 402; monazite, Brazil 198, Malaya 298, Man. 56, N.B. 298; moncheite, S. Africa 120; mroseite, Mexico 286, 383; muscovite, B.C. 153, Man. 55, Ont. 354, U.S.A. 402; native bismuth, Man. 412, N.W.T. 403, 411, Ont. 81, 303; native platinum, B.C. 121; native silver, Morocco 50, N.W.T. 403, 411, Ont. 81; nepheline, Lab. 62, Ont. 310, 342; neptunite, Greenland 93; nickeline, N.W.T. 403, 411, Ont. 80, 81, Sask. 198; niobian rutile, Man. 56; olivopyroxene, Lab. 139, Norway 139, Que. 139; osmiridium, Aust. 266, B.C. 270, S. Africa 120; osmium, S. Africa 122; owyheite, U.S.A. 35; palladian rustenburgite, S. Africa 146; palladoarsenide, U.S.A. 327, U.S.S.R. 327; paracostibite, Ont. 188; paramamelsbergite, Ont. 8; pavonite, Bolivia 406, 408, Ont. 33; pearceite, Morocco 51; pentlandite, Aust. 133; phase B, Greenland 392; phosphate minerals, Y.T. 313; picotite, Aust. 267; pitchblende, Sask. 198; plagioclase, India 205, 224, Lab. 139, Man. 55, Norway 139, Que. 139, 364; platinum atokite, S. Africa 146; platinum-iron alloys, B.C. 120, S. Africa 120, U.S.S.R. 121; polliuthionite, Que. 69; polycrase, Brazil 5, Norway 5; polythionite, Que. 69; pougHITE, Mexico 286; pryorite, Madagascar 5, Swaziland 5; proustite, Morocco 51; pseudoioxitite, Man. 56; Pt-Rh alloy, S. Africa 120; pyrrargyrite, Morocco 51, N.W.T. 403, 411, Ont. 403, Sask. 198, U.S.A. 402; pyrochlore, Que. 93, 283; pyrophanite, Que. 93; pyroxene, Lab. 62, 138, Norway 138, Que. 138; pyrrhotite, Aust. 133, 267, Man. 412, Morocco 53; quartz, Man. 55, Mexico 286, Ont.

- 352, Que. 364; rammelsbergite, N.W.T. 403, 411, Ont. 8; realgar, Switzerland 30, U.S.A. 418; rhodium sulphide, S. Africa 120; rinkite, Que. 93; robinsonite, Ont. 415, U.S.A. 415; rustenburgite, S. Africa 146; rutheniridosmine, Aust. 266; ruthenoseriridum, Aust. 266; rutherfordine, Sask. 200; rutile, Man. 56, N.B. 298; safflorite, N.W.T. 403, 411, Ont. 8; samuelsonite, U.S.A. 311; scapolite, Ont. 310; schorl, Germany 173; serandite, Que. 69; serpentine, U.S.A. 228; siderite, B.C. 157; sillimanite, Ont. 352; sinnerite, Switzerland 30; sklodovskite, Sask. 200; skutterudite, N.W.T. 403, 411, Ont. 8; smythite, Aust. 133; sonoraite, Mexico 286; sperrylite, S. Africa 121, U.S.A. 327; sphalerite, Morocco 53, N.B. 81, N.W.T. 403, 411, Ont. 403, Sask. 198, S.W. Africa 33, Switzerland 30; sphene, Ont. 310; spinel, Ont. 353; spiroffite, Mexico 286; spodumene, Man. 411; stannian andradite, S.W. Africa 217; stannite, Man. 412; staurolite, Man. 164; stephanite, U.S.A. 35; sternbergite, Morocco 52; stibiopalladinite, S. Africa 334; stibnite, Czechoslovakia 34; stillwaterite, U.S.A. 324; stromeyerite, Ont. 33; synchysite, Greenland 93; tantalite, S.W. Africa 218; tennantite, Morocco 52, S.W. Africa 33, Switzerland 30; tetraferroplatinum, S. Africa 121; tetrahedrite, Aust. 33, Czechoslovakia 34, Japan 33, Man. 412, N.W.T. 411; thenardite, U.S.A. 186; titanian ferro-omphacite, Lab. 62; titanomagnetite, U.S.A. 86; tourmaline, Germany 173, S.W. Africa 218; tremolite, India 206; ulexite, N.B. 371, Nfld. 370, N.S. 370; unknown (Pd,Cu,As) mineral, U.S.A. 327; unknown (Pd,Ni,As) mineral, U.S.A. 327; unknown sulphosalite, B.C. 413; unidentified Ag-Cu-Sb mineral, Morocco 51; unidentified Ag-Cu sulphide, Morocco 51; unknown Ag-Cu-Pb-Bi-S minerals, Central Asia 400, 406; unnamed (Cu,Ag)<sub>3</sub>Bi<sub>2</sub>S<sub>7</sub>, U.S.S.R. 400; unnamed Pb<sub>4</sub>(Ag,Cu)<sub>4</sub>(Bi,Pb)<sub>2</sub>S<sub>24</sub>, U.S.A. 394; unnamed Pd<sub>5</sub>As<sub>2</sub>, U.S.A. 325; unnamed Pd<sub>3</sub>(As,Sb), China 332; unnamed Pd<sub>5</sub>Sb<sub>3</sub>, Ont. 327; uranian pyrochlore, Que. 283; uranum minerals, Sask. 198; uranophane, Sask. 200; uranopyrochlore, Que. 283; vesuvianite, Mexico 110, N.W.T. 15, Ont. 15, Que. 15, 110, 259, Sudan 110, 259, S.W. Africa 218; vivianite, Y.T. 313; wakabayashilite, U.S.A. 418; wardite, Y.T. 313; wellsite, Czechoslovakia 306; weloganite, Que. 22, 209; whitlockite, U.S.A. 311; wittichenite, Ont. 33; wolframite, N.B. 298; S.W. Africa 218; wollastonite, Italy 89; xenotime, N.B. 298; yofortierite, Que. 68; zemannite, Mexico 286; zinkenite, Czechoslovakia 34; zircon, Man. 56, N.B. 298, Ont. 353
- Mobilization in a migmatite from the Grenville province, Quebec (Pine), 311
- Modification of thermal regime of lower crust via penetrative convection (Younker & Vogel), 314
- Monazite from the Mount Pleasant deposit, New Brunswick (Petruk & Owens), 298
- MÖSSBAUER SPECTROSCOPY**
- chlorite, 358; oxykaersutite, 91; slate, 358; vesuvianite, 262
- Mössbauer studies of the reduction spots in Welsh purple roofing slates (Manning), 358
- Mroseite, a calcium tellurite-carbonate from Moctezuma, Sonora, Mexico (Mandarino, Mitchell & Hancock), 286
- Neutron radiography, mineralogical application, 79
- New data on some minerals in the Pd-As-Sb-Bi system (Cabri & Laflamme), 306
- New data on some palladium arsenides and antimonides (Cabri, Laflamme, Stewart, Rowland & Chen), 321
- New data on stannite and related sulphide minerals (Kissin & Owens), 309
- New data on wakabayashilite (Scott & Nowacki), 418
- NEW MINERALS** (see also unnamed minerals)
- atokite, 146; isoferroplatinum, 125; mroseite, 286; rustenburgite, 146; ruthenoseriridum, 268; samuelsonite, 311; stillwaterite, 324; yofortierite, 68
- Nickel sulphide-arsenide assemblages associated with uranium mineralization, Zimmer Lake area, northern Saskatchewan (Watkinson, Heslop & Ewert), 198
- NOMENCLATURE**
- arsenopalladinite, 332; benjaminite, 394, 399, 402; brunsvigite, 178; chamosite, 178; chlorites, 178; clinocllore, 178; corundophilite, 178; daphnite, 178; delessite, 178; diabantite, 178; ferrian kesterite, 309; ferroan platinum, 125; ferroplatinum, 125; grovesite, 178; isoferroplatinum, 125; isomertelite, 332; isostannite, 309; kämmererite, 178; kesterite, 309; kotchubeite, 178; leuchtenbergite, 178; mertelite, 333; native platinum, 124; Nb-Ta-Ti oxides, 307; nimite, 178; ortho-chamosite, 178; palladoarsenide, 332; pavonite, 408; pennantite, 178; pennine, 178; Pd<sub>5</sub>As<sub>2</sub>, 332; Pd-As-Sb system, 331; (Pd<sub>3</sub>Pb<sub>0.4</sub>)As<sub>3</sub>, 332; platinum-iron alloys, 117, 124; polyxene, 125; pseudothuringite, 178; pycnochlorite, 178; ripidolite, 178; robinsonite, 415; sheridanite, 178; stannite, 309; stibiopalladinite, 334; stillwaterite, 332; talc-chlorite, 178; tetraferroplatinum, 125; thuringite, 178; tin sulphides, 309; trioctahedral chlorites, 178; unknown (Pd,Cu,As) mineral, 334; unknown tin sulphide, 309; unnamed Pd<sub>5</sub>As<sub>2</sub>, 332; unnamed Pd<sub>5</sub>Sb<sub>3</sub>, 334; vincentite, 333; zincian stannite, 309
- Nomenclature of the trioctahedral chlorites (Bayliss), 178
- Notice to Authors, 208
- Notice - Waterloo '75, 96
- Optical-absorption and Mössbauer spectral studies of iron and titanium site-populations in vesuvianites (Manning & Tricker), 259
- OPTICAL ABSORPTION SPECTRA**
- garnierite, 300, 302; vesuvianite, 110, 260
- Optical absorption spectrum of Ni<sup>2+</sup> in garnierite - discussion (Reddy & Lakshman), 300
- OPTICAL PROPERTIES**
- General*
- andradite, 219; antigorite, 255; augite, 206, 223; beryl, 57; chrysotile, 255; cordylite 94; haüyne, 89; hornblende, 205, 206; lizardite, 255; mroseite, 286; parachrysolite, 255; plagioclase, 105; serpentine minerals, 253; stannian andradite, 219; tetraferroplatinum, 125; titanian ferro-omphacite, 63; tremolite 206; unknown (Pd,Cu,As) mineral, 327; unknown (Pd,Ni,As) mineral, 327; unnamed Pd<sub>5</sub>As<sub>2</sub>, 325; vesuvianite, 111; weloganite, 22; yofortierite, 70
- Reflectance*
- andradite, 219; benjaminite, 403; gustavite, 412; palladian rustenburgite, 147; pavonite, 408; platinian atokite, 147; stannian andradite, 219; stillwaterite, 324; synthetic Pd<sub>5</sub>Sb<sub>3</sub>, 328; unnamed Pd<sub>5</sub>Sb<sub>3</sub>, 328
- ORE DEPOSITS**
- Adamsfield osmiridium deposits, 267; bauxite, 222; Cobalt, 403; Ivigtut cryolite deposit, 378, 411; Kaptarkhan, 400, 406; Merensky Reef, 146; Mooihoek platinum deposit, 118; placers, 272; Tanco pegmatite, Bernic Lake, 411; Terra property, Camseil River, 403, 411, Witwatersrand, 118; Zgounder silver deposit, 43
- Petrologic significance of reversible reactions between pyrite and pyrrhotite in S<sub>0</sub> (Hansen), 308
- PETROLOGY** (see also Experimental and Metamorphism)
- alkaline rock complexes, 308; alteration of leucite to analcime, 361; amphibolites, 205; anatexis, 305, 355; anorthositic rocks, 138; biotite isograd assemblages, 151, 169; calc-alkaline magmas, 310; carbonate geothermometer, 158; clotty granite, 352; genesis of bauxite, 222; granitic pegmatites, 55; hypersolvus granite-sub-solvus granite, 310; magmatic activity, 314; metamorphic zones, 162; metasomatic alkaline gneisses, 342; mobilization in a migmatite, 311; nephelization, 346; Niggli molecular values, 206; origin of Os-Ir alloys, 271; oxygen fugacity, 305; parent magmas, 138; pyroxene megacrysts, 138; sulphosalite assemblages in the Cu<sub>2</sub>S-Ag<sub>2</sub>S-PbS-As<sub>2</sub>S<sub>3</sub>-Sb<sub>2</sub>S<sub>3</sub>-Bi<sub>2</sub>S<sub>3</sub> system, 27; thermal regime of lower crust, 314; water and carbon dioxide in upper mantle, 308; water fugacity, 305
- Phase relations in the pseudo-ternary system PbS-Cu<sub>2</sub>S-Sb<sub>2</sub>S<sub>3</sub> and the synthesis of meneghinite (Hoda & Chang), 388
- Phosphate minerals from the Yukon Territory, Canada (Sturman & Mandarino), 313
- Platinum-iron alloys: a nomenclature based on a study of natural and synthetic alloys (Cabri & Feather), 117
- Proceedings of the Twentieth Annual Meeting of the Mineralogical Association of Canada (Wicks), 303
- Publications received, 208, 317
- Pyroxene megacrysts from anorthositic rocks: new clues to the sources and evolution of the parent magmas (Emslie), 138
- Refinement of the crystal structure of cryolite (Hawthorne & Ferguson), 377
- Refinement of the structure of Co<sub>9</sub>S<sub>8</sub> (Rajamani & Prewitt), 75
- Resolution of the Mössbauer spectrum of oxykaersutite (Hawthorne & Grundy), 91
- Reviewers for volume 12, 95
- Rustenburgite and atokite, two new platinum-group minerals from the Merensky Reef, Bushveld Igneous Complex (Mihálík, Hiemstra & De Villiers), 146
- Samuelsonite, (Ba,Hole)(Ca,Hole)<sub>2</sub>(Fe<sup>2+</sup>,Mn<sup>2+</sup>,Na)<sub>4</sub>Ca<sub>8</sub>Al<sub>2</sub>(OH)<sub>2</sub>

- ( $PO_4$ )<sub>10</sub>, a fragmented apatite structure, and some novel insights in the apatite structure type (Moore & Takaharu), 311
- Schorl refinement showing composition dependence of the tourmaline structure (Fortier & Donnay), 173
- Sedimentary, geochemical and fossil diatom analysis of sediment cores from Lake Macatawa: an assessment of man's impact (Dunning, Shepley, Wheeler & Anderson), 307
- Sediment geochemistry in lakes near Sudbury, Ontario (Semkin), 312
- Short Course in Electron Microprobe Analysis, Edmonton, May 1976 - announcement, 320
- Silica-poor hastingsitic amphiboles from metasomatic alkaline gneisses at Wolfe, eastern Ontario (Appleyard), 342
- Some significant chemical and biological processes in geochemical studies (Chau), 307
- Spectrum of  $Ni^{2+}$  in garnierite - reply (Faye), 302
- Stannian andradite from "David Ost", South West Africa (McIver & Miňálik), 217
- Studies of type pavonite material (Harris & Chen), 408
- Textural and compositional variations in a Ni-Co-As assemblage (Misra & Fleet), 8
- TEXTURES**
- alteration of leucite to analcime, 361; antigorite, 256; bauxite, 224; benjaminite phases, 398; chrysotile, 256; clinopyroxene, 336; clotty granite, 352; granite, 310; lizardite, 256; miaskitic coronites, 310; mineralogical applications of neutron radiography, 79; nickel sulphide-arsenide assemblages, 199; Ni-Co-As assemblage, 8; olivine, 293; Os-Ir alloys, 267; pyroxene megacrysts from anorthositic rocks, 140; serpentine minerals, 256; spinifex rock, 339; unnamed  $Pd_5As_2$ , 324; Zgounder silver deposit, 43
- T.G.A.**
- azurite, 127; malachite, 127; mroseite, 287; quickclay, 365; yofortierite, 70
- The automatic evaluation of X-ray powder diffraction patterns and the construction of determinative curves for mineral compositions (Peterson), 311
- The clotty granite at Perrault Falls, Ontario, Canada (Morin & Turmoke), 352
- The composition of the lead sulphantimonide, robinsonite (Jambor & Plant), 415
- The crystal structure of mroseite,  $CaTeO_2(CO_3)$  (Fischer, Pertlik & Zemann), 383
- The crystal structure of triclinic weloganite (Grice & Perrault), 209
- The crystal structures of costibite ( $CoSbS$ ) and paracostibite ( $CoSbS$ ) (Rowland, Gabe & Hall), 188
- The crystal structures of three Canadian vesuvianites (Rucklidge, Kocman, Whitlow & Gabe), 15
- The development of carbonate-bearing biotite isograd assemblages from Tête Jaune Cache, British Columbia, Canada (Pinsent & Smith), 151
- The effect of cobalt ion on nucleation of calcium carbonate in model seawater systems (Barber, Malone & Larson), 305
- The growth habits of olivine - a structural interpretation (Fleet), 293
- The metal adsorption chemistry of busenite (Jeffries & Stumm), 309
- Thermogravimetric and differential thermal analysis of malachite and azurite in inert atmospheres and in air (Seguin), 127
- The role of water fugacity and oxygen fugacity during anatexis in the mantle (Boettcher), 305
- The roles of water and carbon dioxide in the upper mantle (Green), 308
- The St. Jean Vianney quickclay (Smalley, Bentley & Moon), 364
- Trace element geochemistry of piston cores from western Michigan coastal lakes (Wheeler & Dunning), 314
- Tungsten and some other trace elements in basalts and andesites (Helsen), 309
- Tungsten in iron formations (Harmon, Crocket & Shaw), 308
- Twin laws versus electrical and optical characters in low quartz (Donnay & Le Page), 83
- Two crystal structure refinements of a  $P2/n$  titanian ferro-omphacite (Curtis, Gittins, Kocman, Rucklidge, Hawthorne & Ferguson), 62
- UNNAMED MINERALS (PHASES)**
- Ag-Cu-Sb mineral, 51; Ag-Cu sulphide, 51;  $(Cu,Ag)_3Bi_3S_7$ , 400;  $Pb_4(Ag,Cu)_4(Bi,Pb)_{12}S_{24}$ , 394; phase B, 30, 389; phase Z, 392;  $Pd_5As_2$ , 306, 325;  $Pd_2(As,Bi)$ , 306;  $Pd_3(As,Sb)_3$ , 306;  $(Pd,Cu,As)$ , 327;  $(Pd,Ni,As)$ , 327;  $Pd_3Sb_3$ , 306, 327;
- X-ray crystallography of weloganite (Chen & Chao), 22
- X-RAY DIFFRACTION** (see also Crystal Structure)
- Cell Dimensions**
- aeschninite, 4; aluminium hexafluorides, 380; andradite, 219; anhydrite, 289; arsenopalladinite, 332;  $BaCa_5Al_3(OH)_3[PO_4]_6$ , 311; benjaminite, 397, 403; benjaminite phases, 394; celestite, 181; chalcopyrite, 168; cordylite, 94; costibite, 188; cryolite, 378; euxenite, 4; ferroan platinum, 123; gustavite, 397, 412; gustavite phase X, 397, 412; haycockite, 168; high-tin andradite, 220; isoferroplatinum, 123; isomertieite, 332; kesterite, 309; low-tin andradite, 220; meneghinite, 392; mertieite, 333; mertieite II, 328; mooihookite, 168; mroseite, 287, 383; native platinum, 123; pararammelsbergite, 191; pavonite, 403, 408;  $Pd_3As_3$ , 306;  $Pd_3(As,Sb)_3$ , 306; phases along  $Pd_5As_2$ - $Pd_3Sb_2$  join, 331; priorite, 4; pyrochlore, 4; rammelsbergite, 190; rustenburgite-atokite series, 148; samuelsonite, 311; schorl, 174; serpentine minerals, 227, 244; stannian andradite, 219; stannite, 309; stillwaterite, 326; synthetic andradite, 220; synthetic bourmonite, 392; synthetic  $Co_9S_8$ , 76; synthetic leucites, 275; synthetic paracostibite, 188; synthetic  $Pd_3As_3$ , 326; synthetic  $Pd_3Sb_3$ , 328; synthetic pollucites, 275; synthetic Pt, 123; synthetic PtFe, 123; synthetic  $Pt_3Fe$ , 123; synthetic  $Pt_3_2Fe_0.8$ , 123; synthetic spinel, 275; talnakhite, 168; tetraferroplatinum, 123; tetrahedrite, 390; thenardite, 186; titanian ferro-omphacite, 63; titanomagnetite, 87; tourmaline, 174; unnamed  $Pb_4(Ag,Cu)_4(Bi,Pb)_{12}S_{24}$ , 397; unnamed  $Pd_5As_2$ , 327; unnamed  $Pd_3Sb_3$ , 328; vesuvianite, 16; wakabayashilite, 418; weloganite, 24, 210
- Powder Data**
- aikinite, 397; andradite, 219; benjaminite, 397, 403; chalcopyrite, 171; cordylite, 94; ferroan platinum, 123; gustavite, 413; haycockite, 171; howlite, 375; isoferroplatinum, 123; mertieite II, 328; mooihookite, 171; mroseite, 288; native platinum, 123; pavonite, 397, 403; phase Z, 392; quickclay, 368; rustenburgite-atokite series, 148; serpentine minerals, 244; stannian andradite, 219; stillwaterite, 326; synthetic  $Pd_3As_3$ , 326; synthetic  $Pd_3Sb_3$ , 328; synthetic Pt, 123; synthetic PtFe, 123; synthetic  $Pt_3Fe$ , 123; synthetic  $Pt_3_2Fe_0.8$ , 123; talnakhite, 171; tetraferroplatinum, 123; unnamed  $Pd_5As_2$ , 327; unnamed  $Pd_3Sb_3$ , 328; wakabayashilite, 419; weloganite, 24; yofortierite, 70
- Zoning in Os-Ir alloys and the relation of the geological and tectonic environment of the source rocks to the bulk Pt:Pt+Ir+Os ratio for placers (Cabri & Harris), 266



## NOTICE TO AUTHORS

In the event of disruptions in Canadian postal service, authors and referees outside Canada may forward their material via one of the following Associate Editors:

B. F. Leonard  
U.S. Geological Survey  
Box 25046, Mailstop 912  
Federal Centre  
Denver, Colorado 80225  
U.S.A.

S. R. Hall  
Dept. of Physics  
Univ. of Western Australia  
Nedlands, W.A. 6009  
Australia

D. J. Vaughan  
Dept. of Geological Sciences  
U. of Aston in Birmingham  
Gosta Green  
Birmingham  
England B4 7ET

Authors and referees in Canada should forward their material directly to L. J. Cabri via courier or banker's dispatch. Those with access to Inter-University mail service may prefer to address their correspondence c/o Associate Editor G. B. Skippen, Dept. of Geology, Carleton University, Ottawa, Ontario.

---

### L. G. BERRY ISSUE

An issue of the *Canadian Mineralogist* will be published to honour Editor Emeritus Leonard G. Berry. Friends, colleagues, and former students are invited to contribute manuscripts for the issue. Submissions are being accepted now; the deadline is April 1, 1976. Manuscripts should be sent to:

**Dr. L. J. Cabri,  
CANMET,  
555 Booth Street,  
Ottawa, Canada K1A 0G1.**

---

### 1976 M.A.C. Short Course in Electron Microprobe Analysis, Edmonton, May 16th-18th

The course will be oriented towards persons who already have some basic familiarity with the theory and practice of the technique. Experts will provide an up-to-date survey of instrumentation, correction procedures, data handling, energy dispersive analysis, certain aspects of quantitative analysis, and a broad range of applications in the Earth Sciences. Quantitative analysis will be stressed throughout. Participants will receive a set of lecture notes prepared collaboratively by the lecturers giving the course.

There will be an introductory session on the Sunday evening which will be followed by two full days of intensive lectures and discussions, finishing at 8:00 pm on Tuesday May 18th. The registration fee has been fixed at \$150. with a special rate of \$100. for students. The fee will include lecture notes, accommodation on campus, and all meals during the course.

Those interested in attending the course should send in the application form inserted in this issue of the *Canadian Mineralogist*, or inform Dr. D. G. W. Smith, Department of Geology, University of Alberta, Edmonton, Canada T6G 2E1 (Telephone 403-432-3955).