

THE CANADIAN MINERALOGIST

VOLUME 25, INDEX

J. DOUGLAS SCOTT

Kidd Creek Mines, A Division of Falconbridge Limited, P.O. Box 2002, Timmins, Ontario P4N 7K1

AUTHOR INDEX

- ABDEL-RAHMAN, A.M. and Martin, R.F. The Deloro anorogenic igneous complex, Madoc, Ontario. I. Geochemistry and feldspar mineralogy of the felsic plutonic rocks, 321
- AKIZUKI, M. Al,Si order and the internal texture of prehnite, 707
- ALPERS, G.N. with Stoffregen, R.E., 201
- AMMERSTEN, H. with Holényi, K., 429
- ANSILLI, V.E. and Chao, G.Y. Thomsenite, a new hydrous sodium thorium silicate from Mont St-Hilaire, Quebec, 181
- ARCHIBALD, R.N.J. with Cowden, A., 37
- ÅSHIM, A. with Larsen, A.O., 425
- AUCLAIR, G., Fouquet, Y. and Bohn, M. Distribution of selenium in high-temperature hydrothermal sulfide deposits at 13° North, East Pacific Rise, 577
- BALL, N.A. with Ferguson, R.B., 337
- BARGAR, K.E., Erd, R.C., Keith, T.E.C. and Beeson, M.H. Dachlhardt from Yellowstone National Park, Wyoming, 475
- BARNETT, R.L. with Fleet, M.E., 499
- BEESON, M.H. with Bargar, K.E., 475
- BERGE, S.A. with Larsen, A.O., 425
- BERNAU, R. and Franz, G. Crystal chemistry and genesis of Nb-, V-, and Al-rich metamorphic titanite from Egypt and Greece, 695
- BERTRAND, R. with Desjardins, M., 135
- BLASI, A., de Pol Blasi, C. and Zanazzi, P.F. A re-examination of the Pellosalo microcline: mineralogical implications and genetic considerations, 527
- BOHN, M. with Auclair, G., 577
- BROWN, I.J. with Phillips, G.N., 265
- CABRI, L.J. The mineralogy of precious metals: new developments and metallurgical implications, 1
- CAMERON, A.R. with Goodarzi, F., 555
- CASSEDANNE, J.D. with Cassedanne, J.P., 419
- CASSEDANNE, J.P. and Cassedanne, J.D. La morassite de la mine de tourmaline de Humaita, Minas Gerais, Brésil, 419
- CESBRON, F.P., Ginderow, D., Giraud, R., Pelinsson, P. and Pillard, F. La nickelaustinite Ca(Mi,Zn)(AsO₄)(OH): nouvelle espèce minérale du district cobalto-nickelfifère de Bou-Azzer, Maroc, 401
- CHAO, G.Y. with Anselli, V.E., 181
- with Hogarth, D.D., 739
- CHANG, L.L.Y., Li, X. and Zheng, C. The jamesonite-benavidesite series, 667
- CHARNLEY, N.R. with Treloar, P.J., 413
- COTTIN, J.Y. with Lorand, J.P., 683
- COWDEN, A. and Archibald, N.J. Massive-sulfide fabrics at Kambalda and their relevance to the inferred stability of monosulfide solid-solution, 37
- and Woolrich, P. Geochemistry of the Kambalda iron-nickel sulfides: Implications for models of sulfide-silicate partitioning, 21
- CRAIG, J.R. with Johnson, N.E., 237
- de KLERK, W.J. with Scool, R.N., 51
- de POL BLASI, C. with Blasi, A., 527
- DESJARDINS, M. and Bertrand, R. Microanalyse de phengite au microscope électronique à balayage par dispersion d'énergie: étude statistique des résultats, 135
- DUNN, P.J. and Mandarino, J.A. Formal definitions of type mineral specimens, 571
- with Grice, J.D., 763
- DYMEK, R.F. Sphandite, Ni₃Pb₂S₃, in a serpentinized metadunite from the Isua supracrustal belt, West Greenland, 245
- and Schiffrics, C. Calcic myrmekite: possible evidence for the involvement of water during crystallization of andesine, 291
- ECONOMOU, G.S. with Kalogeropoulos, S.I., 639
- ERCIT, T.S. with Grice, J.D., 763
- ERD, R.C. with Bargar, K.E., 475
- ERIKSSON, G. with Kleff, C., 647
- EVANS, B.W. and Patrick, B.E. Phengite-3T in high-pressure metamorphosed granitic orthogneisses, Seward Peninsula, Alaska, 141
- FERGUSON, R.B. and Ball, N.A. Quantitative phase-analysis of Rh-enriched maximum microcline and low albite by X-ray powder diffractometry, 337
- FLEET, M.E., Barnett, R.L. and Morris, W.A. Prograde metamorphism of the Sudbury Igneous Complex, 499
- FOUQUET, Y. with Auclair, G., 577
- QUARTER, A.D., Jensen, L.S. and Pélouze, S.A. Varivols in Archean basalts: products of spherulitic crystallization, 275
- FRANZ, G. with Bernau, R., 695
- FRAPE, S.K. with Mungall, J.E., 539
- GIBSON, I.L. with Mungall, J.E., 539
- GIDDINGS, S.D. and Perkins, D. Gold and telluride mineralization at the Goldlund Mine, Northwestern Ontario. I. Ore mineralogy, 659
- GINDEROW, D. with Cesbron, F.P., 401
- GIRAUD, R. with Cesbron, F.P., 401
- GOODARZI, F. and Cameron, A.R. Distribution of major, minor and trace elements in coals of the Kootenay Group, Mount Allan, Alberta, 555
- GRAHAM, J. with Nickel, E.H., 409
- GRICE, J.D., Ericit, T.S., van Velthuisen, J. and Dunn, P.J. Foudretteite, KNa₂P₂Si₁₂O₃₀, a new member of the osunilite group from Mont Saint-Hilaire, Quebec, and its crystal structure, 763
- with Hawthorne, F.C., 767
- GRUNDY, H.D. with Sherriff, B.L., 717
- HAGGERTY, S.E. with Tollo, R.P., 251
- HARRIS, C. and Rickard, R.S. Rare-earth-rich eudialyte and dalyite from a peralkaline granite dyke at Straumsvola, Droming Maud Land, Antarctica, 755
- HARTMAN, J.S. with Sherriff, B.L., 717
- HAWTHORNE, F.C. with Lightfoot, P.C., 79
- HAWTHORNE, F.C. and Grice, J.D. The crystal structure of ehrlite, a tetrahedral sheet structure, 767
- HILL, R.L. and Sack, R.O. Thermodynamic properties of Fe-Mg titaniferous magnetite spinels, 443
- HOGARTH, D.D., Chao, G.Y. and Townsend, M.G. Potassium- and fluorine-rich amphiboles from the Gatineau area, Quebec, 739
- HOLÉNYI, K. and Ammersten, H. Iron in titanite: a Mössbauer-spectroscopy study, 429
- HOLMGREN, J. with Kleff, C., 647
- HYDE, B.G. with Pring, A., 393
- JAGO, B.C. and Mitchell, R.H. Ultrabasic xenoliths from the Ham Kimberlite, Somerset Island, Northwest Territories, 515
- JAMBOR, J.L. and Owens, D.R. Vinclemite in the Maggie porphyry copper deposit, British Columbia, 227
- JENSEN, L.S. with Fowler, A.D., 275
- JOHAN, Z., Picot, F. and Ruhmann, F. The ore mineralogy of the Ochi Mountains uranium complex, Quebec: Skjappenite, Bi₂Se₂Te, and wackinsonite, Cu₂PbBi₂(Se,S)₃, two new mineral species, 625
- JOHNSON, N.E., Craig, J.R. and Rimstidt, J.D. Effect of substitutions on the cell dimension of tetrahedrite, 237
- KALOGERPOULOS, S.I. and Economou, G.S. A study of sphalerite from the carbonate-hosted Pb-Zn sulfide deposits of the Eastern Chalkidiki Peninsula, Northern Greece, 639
- KAMINENI, D.C. with Mungall, J.E., 539
- KASE, K. Tin-bearing chalcopyrite from the Izumo vein, Toyoha mine, Hokkaido, Japan, 9
- KAWAHATA, H. with Shikazono, N., 465
- KEITH, T.E.C. with Bargar, K.E., 475
- KLEFF, C., Holmgren, J. and Eriksson, G. The silver-mercury-antimony minerals of Sala, Sweden, 647
- LARSEN, A.O., Åshim, A. and Berge, S.A. Bromelite from syenite pegmatite, southern Oslo region, Norway, 425
- LAUL, J.C. with Shearer, C.K., 159
- LEANDERSON, P.J. and Munoz, J.L. Relationship between rock type, metamorphic grade, and fluid-phase composition in the Grenville Supergroup, Limerick Township, Ontario, 485
- LI, X. with Chang, L.L.Y., 667
- LIGHTFOOT, P.C. with Dunn, P.J. and Hawkesworth, C.J. Re-evaluation of chemical variation in the Inisiva Complex, Transkei, 79
- LONDON, D., Zolensky, M.E. and Roedder, E. Diomignite: natural Li₂B₂O from the Tanco pegmatite, Berric Lake, Manitoba, 173
- LORAND, J.P., Cottin, J.Y. and Parodi, G.C. Occurrence and petrological significance of loveringite in the western Laoumi layered complex, Southern Hoggar, Algeria, 683
- MAKOVICKY, E. and Makovicky, M. Sliding table for rapid evaluation of fission-track records and its application, 567
- MAKOVICKY, M. with Makovicky, E., 567
- MANDARINO, J.A. The check-list for submission of proposals for new minerals to the Commission on New Minerals and Mineral Names, International Mineralogical Association, 775
- with Dunn, P.J., 571
- with Nickel, E.H., 353
- MANNING, P.G. and Mayer, T. Iron-phosphate layers in sediments of Lake Ontario, 603
- MARAS, A. and Paris, E. The crystal chemistry of sarcolite, 731
- MARTIN, R.F. with Abdel-Rahman, A.M., 321
- MAYER, T. with Manning, P.G., 603
- MCQUEEN, K.C. A second occurrence of falkmanite: Pinnacles mine, Broken Hill, New South Wales, 15
- MICHEL, F.A. and van Everdingen, R.O. Formation of a jarosite deposit on Cretaceous shales in the Port Norman area, Northwest Territories, 221
- MITCHELL, R.H. with Jago, B.C., 515
- MORRIS, W.A. with Fleet, M.E., 499

- MUNGALL, J.E., Frapé, S.K., Gibson, I.L. and Kamineni, D.C. Rare-earth abundances in host granitic rocks and fracture-filling gypsum associated with saline groundwaters from a deep borehole, Atikokan, Ontario, 539
- MUNOZ, J.L. with LeAnderson, P.J., 485
- NALDRETT, A.J. with Lightfoot, P.C., 79
- NASLUND, H.R. Lamellae of baddeleyite and Fe-Cr-spinel in ilmenite from the Basistoppen sill, East Greenland, 91
- NICKEL, E.H. and Graham, J. Parosotwayite, a new nickel hydroxide mineral from Western Australia, 409
- _____ and Mandarino, J.A. Procedures involving the IMA Commission on New Minerals and Mineral Names, and guidelines on mineral nomenclature, 353
- O'HANLEY, D.S. The construction of phase diagrams by means of dual networks, 105
- _____ A chemographic analysis of magnesian serpentinites using dual networks, 121
- OWENS, D.R. with Jambor, J.L., 227
- PAPIKE, J.J. with Shearer, C.K., 159
- PARIS, E. with Maras, A., 731
- PARODI, G.C. with Lotand, J.P., 683
- PATRICK, B.E. with Evans, B.W., 141
- PELISSON, P. with Cesbron, F.P., 401
- PELOQUIN, S.A. with Fowler, A.D., 275
- PERRINS, D. with Giddings, S.D., 659
- PERRAULT, L., Sabourin, L. and Trudel, P. La teneur en or du batholite de Flavrian, Rouyn-Noranda, Québec, 545
- PERSELL, E.A. Les micronodules dans les noyaux des nodules polymétalliques du bassin indien central, 589
- PHILLIPS, G.N. and Brown, I.J. Host rock and fluid control on carbonate assemblages in the Golden Mile dolerite, Kalgoorlie gold deposit, Australia, 265
- FIGOT, P. with Johan, Z., 625
- FILLARD, F. with Cesbron, F.P., 401
- FRING, A. and Hyde, B.G. Structural disorder in lindströmite: a blinmuthinite-sikinite derivative, 393
- REDDEN, J.A. with Shearer, C.K., 159
- RICKARD, R.S. with Harris, C., 755
- RIMSTIJD, J.D. with Johnson, N.E., 237
- ROCHELEAU, M. with Sassano, G., 185
- ROEDDER, E. with London, D., 173
- RUHMANN, F. with Johan, Z., 625
- SABOURIN, L. with Perrault, L., 545
- SACK, R.O. with Hill, R.L., 443
- SASSANO, G. and Rocheleau, M. Quelques minéraux rares d'uranium des bassins d'Otish et de Mistassini, Québec, 185
- SCHIFFRIES, C. with Dymek, R.F., 291
- SCOON, R.M. and de Klerk, W.J. The relationship of olivine cumulates and mineralization to cyclic units in part of the Upper Critical Zone of the western Bushveld Complex, 51
- SHEARER, C.K., Pepika, J.J., Redden, J.A., Simon, S.B., Walker, R.J. and Laul, J.C. Origin of pegmatitic granite segregations, Willow Creek, Black Hills, South Dakota, 159
- SHERRIFF, B.L., Grundy, H.D. and Hartman, J.S. Occupancy of T sites in the scapolite series: A multinuclear NMR study using magic-angle spinning, 717
- SHIGA, Y. Behavior of iron, nickel, cobalt and sulfur during serpentinization, with reference to the Haysahine ultramafic rocks of the Kamiishi mining district, Northeastern Japan, 611
- _____ and Urashima, Y. A sodian sulfatian fluorapatite from an epithermal calcite-quartz vein of the Kushikino Mine, Kagoshima prefecture, Japan, 673
- SHIKAZONO, N. and Kawahata, H. Compositional differences in chlorite from hydrothermally altered rocks and hydrothermal ore deposits, 465
- _____ with Shimizu, M., 229
- SHIMIZU, M. and Shikazono, N. Stannoidite-bearing tin ore: mineralogy, texture and physicochemical environment of formation, 229
- SIMON, S.B. with Shearer, C.K., 159
- SPRY, P.G. Compositional zoning in zincian spinel, 97
- STANLEY, C.R. Hinsdalite and other products of oxidation at the Daisy Creek stratabound copper-silver prospect, northwestern Montana, 213
- STOFFREGEN, R.E. and Alpers, C.N. Woodhouseite and svanbergite in hydrothermal ore deposits: apatite destruction during advanced argillite alteration, 201
- TAZAKI, K. Transformations of Al-interlayered montmorillonite upon aging, 347
- TOLLO, R.P. and Haggerty, S.E. Nb-Cr-rutile in the Orapa kimberlite, Botswana, 251
- TOSSELL, J.A. and Vaughan, D.J. Electronic structure and the chemical reactivity of the surface of galena, 381
- TOWNSEND, M.G. with Hogarth, D.D., 739
- TRELOAR, P.J. and Charnley, N.R. Chromian allanite from Outokumpu, Finland, 413
- TRUDEL, P. with Perrault, L., 545
- URASHIMA, Y. with Shiga, Y., 673
- van EVERDINGEN, R.O. with Michel, F.A., 221
- van VELTHUIZEN, J. with Grice, J.D., 763
- VAUGHAN, D.J. with Tossell, J.A., 381
- VIEILLARD, P. Estimation des enthalpies de formation de $\alpha\text{Mg}_2\text{SiO}_4$, $\beta\text{Mg}_2\text{SiO}_4$ et $\gamma\text{Mg}_2\text{SiO}_4$ à partir des structures cristallines, 435
- WALKER, R.J. with Shearer, C.K., 159
- WOOLRICH, P. with Cowden, A., 21
- ZANAZZI, P.F. with Blasi, A., 527
- ZHENG, C. with Cheng, L.L.Y., 667
- ZOLENSKY, M.E. with London, D., 173

SUBJECT INDEX

- A chemographic analysis of magnesian serpentinites using dual networks, (O'Hanley), 121
- A re-examination of the Pelloisalo microcline: mineralogical implications and genetic considerations, (Blasi et al.), 527
- A second occurrence of falkmanite: Pinnacles mine, Broken Hill, New South Wales, (McQueen), 15
- A sodian sulfatite fluorapatite from an epithermal calcite-quartz vein of the Kushikino Mine, Kagoshima prefecture, Japan, (Shiga & Urashima), 673
- A study of apatite from the carbonate-hosted Pb-Zn sulfide deposits of the eastern Chalkidiki Peninsula, Northern Greece, (Kalogeropoulos & Economou), 639
- Al-Si order and the internal texture of prehnite, (Akizuki), 707
- Behavior of iron, nickel, cobalt and sulfur during serpentinization, with reference to the Hayachine ultramafic rocks of the Kamaishi mining district, Northeastern Japan, (Shiga), 611
- Bromellite from syenite pegmatite, southern Oslo region, Norway, (Larsen et al.), 425
- Calcic myrmekite: possible evidence for the involvement of water during crystallization of andesine, (Dymek & Schiffrics), 291
- CHEMICAL ANALYSES (see also Electron-microprobe analyses)
- Minerals
- bromellite, 427, Fe-Mn sulfides, 25, moraesite, 422
- Rocks
- coal, 556, granite, 163, 327, metabasalt, 285, myrmekite, 300, olivine cumulate, 60, orthogneiss, 144, peralkaline granite, 758, schist, 163, syenite, 327
- Chromian allanite from Outokumpu, Finland, (Treloar & Charnley), 413
- Compositional differences in chlorite from hydrothermally altered rocks and hydrothermal ore deposits, (Shikazono & Kawahata), 465
- Compositional zoning in zincian spinel, (Spry), 90
- COUPLED-ATOM SUBSTITUTIONS
- Oxides
- alunite, 202, spinel, 445
- Silicates
- amorphite, 312, arfvedsonite, 745, chlorite, 466, chromian allanite, 415, epidote, 417, olivine, 445, phengite, 155, titanite, 154, 429, 695
- Sulfides
- chalcopyrite, 11, falkmanite, 18, stannoidite, 233, tetrahedrite, 237
- Crystal chemistry and genesis of Nb-, V-, and Al-rich metamorphic titanite from Egypt and Greece, (Bernau & Franz), 695
- CRYSTALLOGRAPHY (see also Twinning)
- bismuthinite-alkinite series, 393, dachiardite, 477, galena, 381, Mg₂SiO₄ polymorphs, 435, prehnite, 708, quantitative XRD of feldspars, 337, sarcolite, 735, scapolite, 719, skippenite, 630, spinel, 443, tetrahedrite, 237
- CRYSTAL STRUCTURE (see also X-ray diffraction)
- ehrlite, 767, galena surface-structure, 381, lindstromite, 393, microcline, 528, nickelaustinite, 404, poudretteite, 763
- Dachiardite from Yellowstone National Park, Wyoming, (Bargar et al.), 475
- DIFFERENTIAL THERMAL ANALYSIS
- manganese nodule, 600, moraesite, 423
- Diomignite: natural Li₂B₂O₇ from the Tanco pegmatite, Berric Lake, Manitoba, (London et al.), 173
- Distribution of major, minor and trace elements in coals of the Kootenay Group, Mount Allan, Alberta, (Goodarzi & Cameron), 555
- Distribution of selenium in high-temperature hydrothermal sulfide deposits at 13° North, East Pacific Rise, (Auclair et al.), 577
- Effect of substitutions on the cell dimension of tetrahedrite, (Johnson et al.), 237
- Electronic structure and the chemical reactivity of the surface of galena, (Toswell & Vaughan), 381
- ELECTRON-MICROPROBE ANALYSES
- alkinite, 634, albite, 529, allargentum, 653, altaite, 663, alunite, 207, amalgam, 652, amphibole, 504, ankerite, 268, antigorite, 616, apatite, 677, 750, arfvedsonite, 744, baddeleyite, 93, benavidesite, 672, biotite, 153, 414, birnessite, 599, calaverite, 663, calcite, 269, chalcopyrite, 70, chalcopyrite (Sn), 11, chromian spinel, 414, 519, clinopyroxene, 518, 616, 696, dachiardite, 482, dalyite, 459, devindite, 186, dyscrasite, 654, epidote, 414, eudialyte, 759, falkmanite, 17, fourmarierite, 186, francavillite, 186, gahnite, 98, garnet, 100, 153, 519, 696, godlevskite, 617, gold, 663, heazlewoodite, 248, 617, hexagonal pyrrhotite, 70, 617, ilmenite, 88, 93, 255, 597, jamesonite, 672, kassite, 186, lovingingite, 683, magnetite, 93, 247, 597, manganese nodule, 593, microcline, 529, millerite, 617, nevskite, 634, nickelaustinite, 403, niobian rutile, 255, olivine, 63, 517, 616, orthoclase, 146, 296, orthopyroxene, 518, paraowayite, 409, pentlandite, 70, 248, 617, petzite, 663, phengite, 136, 148, phlogopite, 750, plagioclase, 146, 295, poubaite, 631, poudretteite, 764, pyrite, 617, riebeckite, 744, sarcolite, 734, scapolite, 696, shandite, 248, siderite, 269, skippenite, 631, soucekite, 634, sphalerite, 232, 642, stannoidite, 232, sulfatite apatite, 677, svanbergite, 205, thornasite, 182, titanite, 429, troilite, 70, vinclemennite, 227, violarite, 617, wackinsonite, 631, wittichenite, 634, woodhouseite, 205
- Estimation des enthalpies de formation du Mg₂SiO₄, FeMg₂SiO₄ et Mg₂SiO₄, à partir des structures cristallines, (Vieillard), 435
- EXPERIMENTAL (see also Petrology)
- electronic structure of galena, 381, fission-tracks, 567, jamesonite-benavidesite series, 667, Mg₂SiO₄ polymorphs, 435, NMR, 717, phase diagram construction, 105, quantitative XRD of feldspars, 337, S/Se in sulfides, 577, Se in Cu-sulfides, 581, thermodynamic modelling, 435, 443
- Formal definitions of type mineral specimens, (Dunn & Mandarino), 571
- Formation of a jarosite deposit on Cretaceous shales in the Fort Norman area, Northwest Territories, (Michel & van Everdingen), 221
- Geochemistry of the Kamalada iron-nickel sulfides: implications for models of sulfide-silicate partitioning, (Cowden & Woolrich), 21
- Gold and telluride mineralization at the Goldlund mine, Northwestern Ontario. I. Ore Mineralogy, (Giddings & Perkins), 659
- Hindalite and other products of oxidation at the Daisy Creek stratabound copper-silver prospect, northwestern Montana, (Stanley), 213
- Host rock and fluid control on carbonate assemblages in the Golden Mile Dolerite, Kalgoorlie gold deposit, Australia, (Phillips & Brown), 265
- INFRARED-ABSORPTION SPECTRA
- bromellite, 427, manganese nodule, 592, moraesite, 423, sarcolite, 733, thornasite, 183
- Iron in titanite: a Mössbauer-spectroscopy study, (Holényi & Ammersten), 429
- Iron-phosphate layers in sediments of Lake Ontario, (Manning & Mayer), 603
- La moraesite de la mine de tourmaline de Humaita, Minas Gerais, Brésil, (Cassedanne & Cassedanne), 419
- La nickelaustinite Ca(Ni,Zn)(AsO₄)(OH): nouvelle espèce minérale du district cobalto-nickelifère de Bou-Azzer, Maroc, (Gesbroun et al.), 401
- La zéolite en or du batholite de Flavrian, Rouyn-Noranda, Québec, (Favreau et al.), 545
- Lamellae of baddleyite and Fe-Cr-spinel in ilmenite from the Basifstoppen aill, East Greenland, (Wahlund), 91
- Les micronodules dans les royaux des nodules polymétalliques du bassin indzien central, (Porsell), 589
- Massive-sulfide fabrics at Kamalada and their relevance to the inferred stability of monosulfide solid-solution, (Cowden & Archibald), 37
- Microanalyse de phengite au microscope électronique à balayage par dispersion d'énergie: étude statistique des résultats, (Desjardins & Bertrand), 135
- MICROHARDNESS
- falkmanite, 17, paraowayite, 409, poubaite, 632, skippenite, 630, wackinsonite, 631
- MINERAL DATA (see also Electron-microprobe analyses)
- alkinite, 634, allanite, 413, allargentum, 654, altaite, 662, alunite, 202, amalgam, 652, ankerite, 268, antigorite, 613, apatite, 673, 750, arfvedsonite, 744, baddeleyite, 91, benavidesite, 667, birnessite, 589, bromellite, 425, calaverite, 662, chalcopyrite, 9, 70, chalcopyrite (Sn), 9, chlorite, 465, chromian allanite, 413, chromian biotite, 414, chromian epidote, 414, chromian spinel, 414, 683, clausenthalite, 635, coal, 555, dachiardite, 475, dalyite, 755, devindite, 186, diomignite, 173, dyscrasite, 654, ehrlite, 767, epistibite, 481, eudialyte, 755, falkmanite, 15, forsterite, 435, fourmarierite, 186, francavillite, 186, gahnite, 97, galena, 381, godlevskite, 614, goethite, 217, gold, 545, 662, gypsum, 539, hammerite, 393, heazlewoodite, 245, 613, hindalite, 213, ilmenite, 92, 251, 661, ilmenite (Mg), 88, 683, jamesonite, 667, jarosite, 221, kassite, 186, krukpatite, 393, lindstromite, 393, lovingingite, 683, mackinawite, 613, microcline, 527, montmorillonite, 347, moraesite, 419, mordanite, 481, nevskite, 628, nickelaustinite, 401, niobian rutile, 251, niobian titanite, 695, olivine, 63, osumilite group, 765, paraowayite, 409, petzite, 662, phengite, 135, 141, phlogopite, 750, poubaite, 632, poudretteite, 763, prehnite, 707, richterite, 748, riebeckite, 744, rutile, 251, sarcolite, 731, scapolite, 717, schacherite, 653, shandite, 245, skippenite, 625, sodium dachiardite, 480, soucekite, 633, sphalerite, 639, spinel, 443, stannoidite, 229, sulfatite apatite, 673, svanbergite, 201, tetrahedrite, 234, 237, thornasite, 181, titanite, 429, 695, vinclemennite, 227, violarite, 613, wackinsonite, 625, wittichenite, 635, woodhouseite, 201, xenotime, 661, yugawaralite, 481
- MINERALOGICAL ASSOCIATION OF CANADA
- Berry medal, 791, book reviews, 195, 379, 573, 794, Hawley award, 786, Past President's medal, 789, Presidential Address, 1, Proceedings of the 32nd annual meeting, 785
- MOSSBAUER SPECTROSCOPY
- amphibole, 745, lake sediment, 603, titanite, 429
- Nb-Cr-rutile in the Orapa kimberlite, Botswana, (Tollo & Haggerty), 251
- NEW MINERAL SPECIES
- check-list for new mineral proposals, 775, diomignite, 173, new mineral guidelines, 353, nickelaustinite, 401, paraowayite, 409, poudretteite, 763, skippenite, 625, thornasite, 181, wackinsonite, 625
- NOMENCLATURE
- apatite, 678, dachiardite, 476, diomignite, 173, ehrlite, 773, mineral nomenclature guidelines, 353, moraesite, 419, nickelaustinite, 401, paraowayite, 409, poubaite, 633, poudretteite, 763, skippenite, 625, thornasite, 181, type-mineral definitions, 571, varolite, 276, wackinsonite, 625
- Occupancy of T sites in the scapolite series: A multinuclear NMR study using magic-angle spinning, (Sheriff et al.), 717
- Occurrence and petrological significance of lovingingite in the western Laoum complex, southern Hoggar, Algeria, (Lorand et al.), 683
- Origin of pegmatitic granite segregations, Willow Creek, Black Hills, South Dakota, (Shearer et al.), 159
- OPTICAL PROPERTIES
- General

- bromellite, 426, dachiardite, 481, diomignite, 175, epistilbite, 481, magnesio-arfvedsonite, 745, mordenite, 481, nickelaustinite, 403, paratowayite, 409, poudretteite, 764, richterite, 745, sarcolite, 732, sodium dachiardite, 480, thornasite, 182, yugawaralite, 481
- Reflectance**
falkmanite, 17, skippenite, 629, watskinsonite, 629
- Paratowayite, a new nickel hydroxide mineral from Western Australia, (Nickel & Graham), 409
- PETROLOGY (see also Experimental)**
argillite alteration, 201, black smokers, 577, Bushveld Complex, 51, calcic myrmekite, 291, carbonate alteration, 265, 492, 659, chlorite alteration, 465, coal trace-elements, 555, crystal-growth pattern, 707, fensite, 739, geobarometry, 520, geothermometry, 102, 151, 269, 494, 520, gold in granite, 545, Inisizwa Complex, 79, isograds, 485, jarosite formation, 221, kimberlite, 251, 515, layered complex, 51, 79, 603, 755, lherzolite, 515, manganese nodules, 589, maximum microcline, 337, 527, 756, monosulfide solid solution, 37, nickel geochemistry, 25, 70, oxygen fugacity, 30, 467, 679, partition coefficients in komatiite-sulfide systems, 34, peraluminous granite, 159, perthite, 294, 324, 337, 527, REE, 328, 539, 690, 760, serpentinization, 121, 611, spherulitic crystallization, 275, spinel-forming reactions, 101, Sudbury Igneous Complex, 499, sulfide-silicate partitioning, 21, 71, sulfur fugacity, 235, trace element geochemistry, 83, 165
- Phengite-3T in high-pressure metamorphosed granitic orthogneisses, Seward Peninsula, Alaska, (Evans & Patrick), 141
- Potassium and fluorine-rich amphiboles from the Gatineau area, Quebec, (Hogarth et al.), 739
- Poudretteite, $\text{KNa}_2\text{B}_5\text{Si}_{12}\text{O}_{30}$, a new member of the osumilite group from Mont Saint-Hilaire, Quebec, and its crystal structure, (Grice et al.), 767
- Procedures involving the IMA Commission on New Minerals and Mineral Names, and guidelines on mineral nomenclature, (Nickel & Mandarino), 353
- Prograde metamorphism of the Sudbury Igneous Complex, (Fleet et al.), 499
- Quantitative phase-analysis of Rb-enriched maximum microcline and low albite by X-ray powder diffractometry, (Ferguson & Ball), 337
- Quelques minéraux rares d'uranium des bassins d'Otish et de Mistassini, Québec, (Sassano & Rochelau), 185
- Rare-earth abundances in host granitic rocks and fracture-filling gypsum associated with saline groundwaters from a deep borehole, Atikokan, Ontario, (Mungall et al.), 539
- Rare-earth-rich eudialyte and dalyite from a peralkaline granite dyke at Straumsvola, Dronning Maud Land, Antarctica, (Harris & Rickard), 755
- Re-evaluation of chemical variation in the Inisizwa Complex, Transkei, (Lightfoot et al.), 79
- Relationship between rock type, metamorphic grade, and fluid-phase composition in the Grenville Supergroup, Limerick Township, Ontario, (Leanderson & Hurnoz), 485
- SCANNING-ELECTRON MICROGRAPHS**
amalgam, 648, bromellite, 426, chromian allanite, 415, dachiardite, 477, diomignite, 175, hinsdalite, 218, kasolite, 189, manganese micro-nodules, 591, moraesite, 421, myrmekite, 298, nickelaustinite, 402, prehnite, 708, shandite, 247
- Shandite, $\text{Ni}_2\text{Pb}_2\text{S}_2$, in a serpentinized metamudite from the Isua supracrustal belt, West Greenland, (Dymek), 245
- Sliding table for rapid evaluation of fission-track records and its application, (Makovicky & Makovicky), 567
- Stannoidite-bearing tin ore: mineralogy, texture and physicochemical environment of formation, (Shimizu & Shikazono), 229
- Structural disorder in lindströmite: a bismuthinite-akinite derivative, (Frings & Hyde), 393
- TEXTURES**
Ag-Hg-Sb minerals, 649, baddeleyite, 92, chalcopyrite, 10, chalcopyrite disease, 642, clausenthalite-nevskite, 631, massive sulfides, 40, myrmekite, 297, olivine, 59, prehnite, 707, pyroxene-amphibole, 501, sphalerite, 5, 639, spherulite, 278, tin ore, 230
- The check-list for submission of proposals for new minerals to the Commission on New Minerals and Mineral Names, International Mineralogical Association, (Mandarino), 775
- The construction of phase diagrams by means of dual networks, (O'Hanley), 105
- The crystal chemistry of sarcolite, (Maras & Paris), 731
- The crystal structure of ehrleite, a tetrahedral sheet structure, (Hawthorne & Grice), 767
- The Deloro anorogenic igneous complex, Madoc, Ontario. I. Geochemistry and feldspar mineralogy of the felsic plutonic rocks, (Abdel-Rahman & Martin), 321
- The jamesonite-benavidesite series, (Chang et al.), 667
- The mineralogy of precious metals: new developments and metallurgical implications, (Cabri), 1
- The ore mineralogy of the Otish Mountains uranium deposit, Quebec: skippenite, $\text{Bi}_2\text{Se}_2\text{Te}$, and watskinsonite, $\text{Cu}_2\text{PbBi}_4(\text{Se},\text{S})_8$, two new mineral species, (Johan et al.), 625
- The relationship of olivine cumulates and mineralization to cyclic units in part of the Upper Critical Zone of the western Bushveld Complex, (Scoon & de Klerk), 51
- The silver-mercury-antimony minerals of Sala, Sweden, (Kieft et al.), 647
- Thermodynamic properties of Fe-Mg titaniferous magnetite spinels, (Hill & Sack), 443
- THERMOGRAVIMETRIC ANALYSES**
manganese nodule, 600, moraesite, 423, sarcolite, 734
- Thornasite, a new hydrous sodium thorium silicate from Mont St-Hilaire, Quebec, (Ansell & Chao), 181
- Tin-bearing chalcopyrite from the Izumo vein, Toyoha mine, Hokkaido, Japan, (Kase), 9
- Transformations of Al-interlayered montmorillonite upon aging, (Tazaki), 347
- TRANSMISSION ELECTRON MICROGRAPHS**
hammarite, 396, krupkaite, 396, lindstromite, 396, montmorillonite, 348, prehnite, 712
- TWINNING**
amphibole, 743, dachiardite, 478, ehrleite, 767, prehnite, 709, soucekite, 633
- Ultrabasic xenoliths from the Ham kimberlite, Somerset Island, Northwest Territories, (Jago & Mitchell), 515
- Varioles in Archean basalts: products of spherulitic crystallization, (Fowler et al.), 275
- Vincienite in the Maggie porphyry copper deposit, British Columbia, (Jamhor & Owens), 227
- Woodhouseite and svanbergite in hydrothermal ore deposits: apatite destruction during advanced argillite alteration, (Stoffregen & Alpers), 201
- X-RAY DIFFRACTION (see also Crystal Structure)**
Cell Dimensions
albite, 330, 339, bromellite, 426, dachiardite, 478, diomignite, 175, ehrleite, 768, falkmanite, 18, microcline, 330, 339, 530, moraesite, 421, nickelaustinite, 403, paratowayite, 410, phengite, 136, poudretteite, 765, richterite, 749, sarcolite, 733, skippenite, 630, thornasite, 182, titanite, 429, watskinsonite, 632
Powder Data
dewindtite, 186, diomignite, 176, falkmanite, 18, fourmarierite, 186, francavillite, 186, kasolite, 186, loweringite, 683, montmorillonite, 349, moraesite, 422, nickelaustinite, 403, paratowayite, 410, poubaite, 630, poudretteite, 764, richterite, 749, rutile, 257, sarcolite, 732, skippenite, 630, thornasite, 182, watskinsonite, 632

THE CANADIAN MINERALOGIST

**Journal of the
Mineralogical Association
of Canada**



R.F. Martin, Editor

Volume 25, 1987