

THE CANADIAN MINERALOGIST

VOLUME 26, INDEX

J. DOUGLAS SCOTT

Kidd Creek Division of Falconbridge Limited, P.O. Box 2002, Timmins, Ontario P4N 7K1

AUTHOR INDEX

- ALMOND, D.C. Chemical fractionation in titaniferous clinopyroxene from Bayuda, Sudan, 1027
- ARGO-RISE GROUP Geological mapping of the East Pacific Rise axis ($10^{\circ}19' - 11^{\circ}53'N$) using the ARGO and ANGUS imaging systems, 467
- AUGE, T. Platinum-group minerals in the Tishgahi and Vourinos ophiolitic complexes: genetic implications, 177
- BARRETT, T.J. and FOX, J.S. Preface: Seafloor hydrothermal mineralization, 429
- , Jarvis, I., Longstaffe, F.J. and Farquhar, R. Geochemical aspects of hydrothermal sediments in the eastern Pacific Ocean: an update, 841
- , Wares, R.P. and Fox, J.S. Two-stage hydrothermal formation of a Lower Proterozoic sediment-hosted massive sulfide deposit, northern Labrador Trough, Quebec, 871
- BEAUFORT, D. with Meunier, A., 413
- BERG, J.H. with Kalamardies, R.I., 335
- BERGMAN, S.C., Dunn, D.P. and Krof, L.G. Rock and mineral chemistry of the Linhaisai minette, central Kalimantan, Indonesia, and the origin of Borneo diamonds, 23
- BERNARD, M.E. with Seyfried, W.E., Jr., 787
- BINNS, R.A. with Cassidy, K.F., 999
- BLAISE, B. with Goodfellow, W.D., 675
- BLUTH, G.J. and Ohmoto, H. Sulfide-sulfate chimneys on the East Pacific Rise, 11° and 13° latitudes. Part II: sulfur isotopes, 505
— with Graham, U.M., 487
- BORHSON, W.A. with Koziak, R.A., 655
- BOUCHET, A. with Meunier, A., 413
- BOUDREAU, A.E. Investigations of the Stillwater Complex. IV. The role of volatiles in the petrogenesis of the J-M Reef, Minneapolis Adit section, 193
- BRAY, C.J., Spooner, E.T.C. and Longstaffe, F.J. Unconformity-related uranium mineralization, McClean deposits, north Saskatchewan, Canada: hydrogen and oxygen isotope geochemistry, 249
- BRICHET, E. with Lalou, C., 713
— with Marchig V., 541
- BROWN, A.V., Page, N.J. and Love, A.H. Geology and platinum-group-element geochemistry of the Serpentine Hill Complex, Dundas Trough, western Tasmania, 161
- BROWN, T. with Gieskes, J.M., 589
- CAPEDRI, S. with Venturelli, G., 67
- CASSIDY, K.F., Groves, D.I. and Birns, R.A. Manganese ilmenite formed during regional metamorphism of Archean mafic and ultramafic rocks from western Australia, 999
— with Cawthorn, R.G., 145
- CAWTHORN, R.G., Maska, S., de Wet, M., Groves, D.I. and Cassidy, K.F. Contrasting magma-types in the Mount Ayliff intrusion (Insizwa complex), Transkei: evidence from ilmenite compositions, 145
- ČERNÝ, P., Franslet, A.-M., Ercit, T.S. and Chapman, R. Foordite SnNb_6 , a new mineral species, and the foordite-thoreauite series, 889
— with Ercit, T.S., 899
- CHAPMAN, R. with Černý, P., 889
- CLEMENT, J.Y. with Meunier, A., 413
- COLE, T.G. The nature and origin of smectite in the Atlantis II Deep, Red Sea, 755
- CONKLIN, N.M. with Foord, E.E., 355
- COREY, M. with Kontak, D.J., 315
- CRAWFORD, A.J. with Venturelli, G., 67
- DE KIMPE, C.R. and Miles, N.M. Geographic distribution of corrensite and associated minerals in southeastern Ontario, 957
- DE ST. JORRE, L. and Smith, D.G.W. Cathodoluminescent gallium-enriched feldspars from the Thor Lake rare-metal deposits, Northwest Territories, 301
- DE WET, M. with Cawthorn, R.G., 145
- DONALDSON, C.H. with Young, I.M., 225
- DUKE, J.M. with Scoates, R.F.J., 143
- DUNN, D.P. with Bergman, S.C., 23
- DUNN, P.J. with Peacock, D.R., 309
- EDGAR, A.D. Preface: Lamprophyres and related rocks, 1
- EGGLETON, R.A. with Ren, S.K., 407
- EMBLEY, R.W., Jonasson, I.R., Franklin, J.M., Tivey, M.A., Malashoff, A., Smith, M.F. and Francis, T.J.G. Submersible investigation of an extinct hydrothermal system on the Galapagos Ridge: sulfide mounds, stockwork zones and differentiated lavas, 517
- ERCIT, T.S. and Černý, P. The crystal structure of foordite, 899
— with Černý, P., 889
- ERD, R.C. and Foord, E.E. Chestermanite, a new member of the ludwigite-pinkiolite group from Fresno County, California, 911
- FARQUHAR, R. with Barrett, T.J., 841
- FLEET, M.E. Stoichiometry, structure and twinning of godlevskite and synthetic low-temperature Ni-excess nickel sulfide, 282
- FOLEY, S.F. with Venturelli, G., 67
- FOORD, E.E., Shawe, D.R. and Conklin, N.M. Coexisting galena, $\text{Pb}_{2\text{S}}$ and sulfosalts: evidence for multiple episodes of mineralization in the Round Mountain and Manhattan gold districts, Nevada, 355
— with Erd, R.C., 911
— with Taggart, J.E., Jr., 905
- FOUQUE, Y. with Juniper, S.K., 859
- FOX, J.S. with Barrett, T.J., 429, 871
- FRANCIS, T.J.G. with Embley, R.W., 517
- FRANKLIN, J.M. with Embley, R.W., 517
— with Grasty, R.L., 627
- FRANSLET, A.-M. with Černý, P., 889
- GASKARTH, J.W. with Rock, N.M.S., 3
- GESKES, J.M., Simoneit, B.R.T., Brown, T., Shaw, T., Wang, Yong-Chen and Magenheim, A. Hydrothermal fluids and petroleum in surface sediments of Guaymas Basin, Gulf of California: a case study, 589
- GOODFELLOW, W.D. and Blaize, B. Sulfide formation and hydrothermal alteration of hemipelagic sediment in Middle Valley, northern Juan de Fuca Ridge, 675
- GRAHAM, U.M., Bluth, G.J. and Ohmoto, H. Sulfide-sulfate chimneys on the East Pacific Rise, 11° and 13° latitudes. Part I: mineralogy and paragenesis, 487
- GRASTY, R.L., Smith, C.W., Franklin, J.M. and Jonasson, I.R. Radioactive orphans in barite-rich chimneys, Axial Caldera, Juan de Fuca Ridge, 627
- GREENOUGH, J.D., Hayatsu, A. and Pepezik, V.S. Mineralogy, petrology and geochemistry of the alkaline Malpeque Bay sill, Prince Edward Island, 97
- GREENWOOD, H.J. with Wang, Xiaomin, 269
- GREENWOOD, R.C. with Young, I.M., 225
- GRICE, J.D. with Richardson, J.M., 917
- GROVES, D.I. with Cassidy, K.F., 999
— with Cawthorn, R.G., 145
- HANNINGTON, M.D. and Scott, S.D. Mineralogy and geochemistry of a hydrothermal silica-sulfide-sulfate spire in the caldera of Axial Seamount, Juan de Fuca Ridge, 603
- HANSON, T. with Taggart, J.E., Jr., 905
- HAZATSU, A. with Greenough, J.D., 97
- HENNEY, P.J. with Rock, N.M.S., 3
- HERZIG, P.M. and Flüger, W. Exploration for hydrothermal activity near the Rodriguez Triple Junction, Indian Ocean, 721
- HOGARTH, D.D., Rushforth, P. and McCorkell, R.H. The Blackburn carbonatites, near Ottawa, Ontario: dykes with fluidized emplacement, 377
- HUMPHRIES, S.E. with Thompson, G., 697
- JAKOBSEN, N.N. with Thy, P., 235
- JANECKY, D.R. and Shanks, W.C., III Computational modeling of chemical and sulfur isotopic reaction processes in seafloor hydrothermal systems: chimneys, massive sulfides and subjacent alteration zones, 805
- JANSA, L.F. with Pe-Piper, G., 109
- JARVIS, I. with Barrett, T.J., 841
- JEPPESSON, M. Photochemically accelerated surface-diffusion of silver on chalcocite, isocubanite and pyrrhotite, 973
- JONASSON, I.R. with Embley, R.W., 517
— with Grasty, R.L., 627
— with Paradis, S., 637
- JUNIPER, S.K. and Fouquet, Y. Filamentous iron-silica deposits from modern and ancient hydrothermal sites, 859
- KALAMARIDES, R.I. and Berg, J.H. Coexisting Cr-rich and Cr-poor garnet from a calc-silicate gneiss, Labrador, 335
- KAWAHATA, H. and Shikazono, N. Sulfur isotope and total sulfur studies of basalts and greenstones from DSDP hole 504B, Costa Rica Rift: implications for hydrothermal alteration, 555
- KONTAK, D.J. and Corey, M. Metasomatic origin of spessartine-rich garnet in the South Mountain batholith, Nova Scotia, 315
- KOSKI, R.A., Shanks, W.C., III, Bohrson, W.A. and Oscarson, R.L. The composition of massive sulfide deposits from the sediment-covered floor of Escanaba Trough, Gorda Ridge: implications for depositional processes, 655
- KROL, L.G. with Bergman, S.C., 23
- LALOU, C., Brichet, E. and Thompson, G. Radionuclide gradients in

- two Mn oxide deposits from the Mid-Atlantic Ridge: possible influence of a hydrothermal plume, 713
— with Marchig, V., 541
- LE CHEMINANT, G.M. with Paradis, S., 637
- LONGSTAFFE, F.J. with Barrett, T.J., 841
— with Bray, C.J., 249
- LOVE, A.H. with Brown, A.V., 161
- MAGENHEIM, A. with Giaskas, J.M., 589
- MALAHOFF, A. with Embley, R.W., 517
- MANNING, P.G., Murphy, T.F., Mayer, T. and Prepas, E.E. Effect of copper sulfate on pyrite formation in reducing sediments, 965
- MARCHIG, V., Rosch, H., Lalou, C., Brichet, E. and Oudin, E. Mineralogical zonation and radiocarbonological relations in a large sulfidic chimney from the East Pacific Rise at $18^{\circ}25'S$, 541
- MARIANI, E.S. with Venturelli, G., 67
- MARTIGNOLE, J. with Woussen, G., 1013
- MARTIN, R.F. with Stevenson, R.K., 1037
- MASKE, S. with Cawthron, R.G., 145
- MAUGER, R.L. Ocelli: transient disequilibrium features in a Lower Carboniferous minette near Concord, North Carolina, 117
— Geochemical evidence for sediment recycling from North Carolina (U.S.A.) minettes, 133
- MEYER, T. with Manning, P.G., 965
- MCCORKELL, R.H. with Hogarth, D.D., 377
- MINTZER, R.E. and Mitchell, R.S. The epigenetic alteration of allanite, 945
- MERLINO, S. and Perchiuzzi, N. Modular mineralogy in the cuspidine group of minerals, 933
- MUNIER, A., Clement, J.Y., Bouchet, A. and Beaufort, D. Chlorite-calcite and corrensite-dolomite crystallization during two superimposed events in the hydrothermal alteration in the "Les Crânes" granite, Vosges, France, 413
- MEYER, H.O.A. and Mitchell, R.H. Sapphire-bearing ultramafic lamprophyre from Yogo Gulch, Montana: a ouachitite, 81
- MILES, N.M. with De Kimpe, C.R., 957
- MITCHELL, R.H. and Putnis, A. Polygonal serpentine in segregation-textured kimberlite, 991
— with Meyer, H.O.A., 81
- MITCHELL, R.S. with Mintzker, R.E., 945
- MOORE, J.M. and Reid, A.M. Implications of sphalerite inclusions in garnite from the Namaqualand Metamorphic Complex, South Africa, 293
- MORSE, S.A. Motion of crystals, solute, and heat in layered intrusions, 209
- MURPHY, T.F. with Manning, P.G., 965
- NANTEL, S. with Woussen, G., 1013
- NEMEC, D. The amphiboles of potassium-rich dyke rocks of the southeastern border of the Bohemian Massif, 89
- OHMOTO, H. with Bluth, G.J., 505
— with Graham, U.M., 487
- OSCARSON, R.L. with Koski, R.A., 655
- OUDIN, E. with Marchig, V., 541
— with Ramboz, C., 765
- PAGE, N.J. with Brown, A.V., 161
- PAPEZIK, V.S. with Greenough, J.D., 97
- PARADIS, S., Jonasson, I.R., Le Cheminant, G.M. and Watkinson, D.H. Two zinc-rich chimneys from the Plume Site, southern Juan de Fuca Ridge, 637
- PEACOR, D.R., Dunn, P.J., Simmons, W.B., Wicks, F.J. and Raudsepp, M. Maricopaite, a new hydrated Ca-Pb, zeolite-like silicate from Arizona, 309
- PECCERILLO, A., Poli, G. and Serri, G. Petrogenesis of orenditic and kamacite-rich rocks from central Italy, 45
- PE-PIPER, G. and Jansa, L.F. The origin of complex mantling relationships in clinopyroxenes from the New England seamounts, 109
- PERCHIAZZI, N. with Merlino, S., 933
- PERFET, M.R. with Embley, R.W., 517
- PETER, J.M. and Scott, S.D. Mineralogy, composition, and fluid-inclusion microthermometry of seafloor hydrothermal deposits in the Southern Trough of Guaymas Basin, Gulf of California, 567
- PLÜGER, W. with Herzig, P.M., 721
- POLI, G. with Peccerillo, A., 45
- PREPAS, E.E. with Manning, P.G., 965
- PRICHARD, H.M. and Tarkian, M. Platinum and palladium minerals from two PGE-rich localities in the Shetland ophiolite complex, 979
- PUTNIS, A. with Mitchell, R.H., 991
- RAMBOZ, C., Oudin, E. and Thissie, Y. Geyser-type discharge in the Atlantis II Deep, Red Sea: evidence of boiling from fluid inclusions in epigenetic anhydrite, 765
- RAMIK, R.A. with Richardson, J.M., 917
- RAUDSEPP, M. with Peacor, D.R., 309
- REID, A.M. with Moore, J.M., 293
- REN, S.K., Eggleton, R.A. and Walshe, J.L. The formation of hydrothermal cookeite in the breccia pipes of the Ardlethan tin field, New South Wales, Australia, 407
- RICHARDSON, J.M., Roberts, A.C., Grice, J.D. and Ramik, R.A. Mcauslanite, a supergene hydrated iron aluminum fluorophosphate from the East Kepperville tin mine, Yarmouth County, Nova Scotia, 917
- ROBERTS, A.C. with Richardson, J.M., 917
- ROCK, N.M.S., Gasparth, J.W., Henney, P.J. and Shand, F. Late Caledonian dyke-swarms of northern Britain: some preliminary petrogenetic and tectonic implications of their province-wide distribution and chemical variation, 3
- RONA, P.A. Hydrothermal mineralization at oceanic ridges, 431
— with Thompson, G., 697
- ROSCH, H. with Marchig, V., 541
- ROSENZWEIG, A. with Taggart, J.E., Jr., 905
- RUSHFORTH, P. with Hogarth, D.D., 377
- SCHNEIDER, C.J. Symmetry and morphology of snowflakes and related forms, 391
- SCHROEDER, B. with Thompson, G., 697
- SCOTT, R.F.J. Preface: Layered intrusions, 143
- SCOTT, S.D. with Hamington, M.D., 603
— with Peter, J.M., 567
- SEEWALD, J.S. with Seyfried, W.E., Jr., 787
- SERRI, G. with Peccerillo, A., 45
- SEYFRIED, W.E., Jr., Berndt, M.E. and Seewald, J.S. Hydrothermal alteration processes at mid-ocean ridges: constraints from diabase alteration experiments, hot-spring fluids, and composition of the oceanic crust, 787
- SHAND, P. with Rock, N.M.S., 3
- SHANKS, W.C. III with Janecky, D.R., 805
— with Koski, R.A., 655
— with Zierenberg, R.A., 737
- SHAW, T. with Giaskas, J.M., 589
- SHAW, D.R. with Foord, E.E., 355
- SHIKAZONO, N. and Shimizu, M. Mercurian gold from the Tsugu gold-antimony vein deposit in Japan, 423
— with Kawahata, H., 555
- SHIMIZU, M. with Shikazono, N., 423
- SIMMONS, W.B. with Peacor, D.R., 309
- SIMONEIT, B.R.T. Petroleum generation in submarine hydrothermal systems: an update, 827
— with Giaskas, J.M., 589
- SMITH, C.W. with Grasty, R.L., 627
- SMITH, D.G.W. with de St. Jorre, L., 301
- SMITH, M.F. with Embley, R.W., 517
- SPONNER, E.T.C. with Bray, C.J., 249
- STEVENSON, R.K. and Martin, R.F. Amazonitic K-feldspar in granodiorite at Portman Lake, Northwest Territories: indications of low $f(O_2)$, low $f(S_2)$, and rapid uplift, 1037
- SUDANOWSKA, M. with Thompson, G., 697
- SZYMANSKI, J.T. The crystal structure of beudantite, $\text{Pb}(\text{Fe},\text{Al})_3[(\text{As},\text{S})\text{O}_4]_2(\text{OH})_4$, 923
- TAGGART, J.E., Jr., Foord, E.E., Rosenzweig, A. and Hanson, T. Scrutinize, natural occurrences of sp^2PbO_2 from Bingham, New Mexico, U.S.A., and Mapimi, Mexico, 905
- TARKIAN, M. with Prichard, H.M., 979
- THIESSE, Y. with Ramboz, C., 765
- THOMPSON, G., Humphris, S.E., Schroeder, B., Sulanowska, M. and Rona, P.A. Active vents and massive sulfides at 26°N (TAG) and 23°N (Snakepit) on the Mid-Atlantic Ridge, 697
— with Lalou, C., 713
- THY, P., Jakobsen, N.N. and Wilson, J.R. Fine-scale graded layers in the Fjorden-Hyllingen gabbroic complex, Norway, 235
- TIWARY, M.A. with Embley, R.W., 517
- VAN DER FLIER-KELLER, E. and Fyfe, W.S. Mineralogy of Lower Cretaceous coals from the Moose River Basin, Ontario and Monkman, British Columbia, 343
- VENTURELLI, G., Mariani, E.S., Foley, S.F., Capedzi, S. and Crawford, A.J. Petrogenesis and conditions of crystallization of Spanish lamprophyre rocks, 67
- WALSHE, J.L. with Ren, S.K., 407
- WANG, Xianxin and Greenwood, H.J. An experimental study of the equilibrium: grossular + clinoclase = 3 diopside + 2 spinel + $4\text{H}_2\text{O}$, 269
- WANG, Yong-Chen with Giaskas, J.M., 589
- WARES, R.P. with Barrett, T.J., 871
- WATKINSON, D.H. with Paradis, S., 637
- WICKS, F. with Peacor, D.R., 309
- WILSON, J.R. with Thy, P., 235
- WOUSSEN, G., Martignole, J. and Nantel, S. The Lac-St-Jean anorthosite in the St-Henri-de-Taillon area (Grenville Province): a relic of a layered complex, 1013
- YOUNG, I.M., Greenwood, R.G. and Donaldson, C.H. Formation of the Eastern Layered Series of the Rhum Complex, northwest Scotland, 225
- ZIERENBERG, R.A. and Shanks, W.C., III Isotopic studies of epigenetic features in metalliferous sediment, Atlantic II Deep, Red Sea, 737

SUBJECT INDEX

- Active vents and massive sulfides at 26°N (TAG) and 23°N (Snakepit) on the Mid-Atlantic Ridge, (Thompson et al.), 697
- Amazonitic K-feldspar in granodiorite at Fortman Lake, Northwest Territories: indications of low $f(O_2)$, low $f(S_2)$, and rapid uplift, (Stevenson & Martin), 1037
- An experimental study of the equilibrium: grossular + clinochlorite - 3 diopside + 2 spinel + 4H₂O, (Wang & Greenwood), 269
- Cathodoluminescent gallium-enriched feldspars from the Thor Lake rare-metal deposits, Northwest Territories, (de St. Jorre & Smith), 301
- CHEMICAL ANALYSES** (see also Electron-microprobe analyses)
- Minerals
 - allanite, 949, carbonatite, 380, monazite, 949, nontronite, 843, smectite, 757
 - Rocks
 - bassanite, 1029, basalt, 727, granite, 1039, granodiorite, 1039, iron formation, 878, lake sediment, 968, lamprophyre, 11, 33, 100, madapite, 53, massive sulfides, 878, minette, 33, 90, 135, orendite, 47, ouachite, 82, seafloor lava, 525, seafloor massive sulfides, 530, 616, 663, 686, 702, synenite, 90, tephritic glass, 111, taschenite, 1029
 - Chemical fractionation in titaniferous clinopyroxene from Bayuda, Sudan, (Almond), 1027
 - Chestermanite, a new member of the ludwigite-pinakiolite group from Fresno county, California, (Erd & Foord), 911
 - Chlorite-calcite and corrensite-dolomite crystallization during two superimposed events in the hydrothermal alteration in the "Les Crânes" granite, Vosges, France, (Meunier et al.), 413
 - Coexisting Cr-rich and Cr-poor garnet from a calc-silicate gneiss, Labrador, (Kalamardis & Berg), 335
 - Coexisting galena, PbS₂ and sulfosalts: evidence for multiple episodes of mineralization in the Round Mountain and Manhattan gold districts, Nevada, (Foord et al.), 355
 - Computational modeling of chemical and sulfur isotopic reaction processes in seafloor hydrothermal systems: chimneys, massive sulfides, and subjacent alteration zones, (Janeyck & Shanks), 805
 - Contrasting magma-types in the Mount Ayliff intrusion (Inistiwa complex), (Transekai): evidence from ilmenite compositions, (Cawthorpe et al.), 145
 - COUPLED-ATOM SUBSTITUTIONS**
 - Oxides
 - foordite, 893, ilmenite, 1004
 - Silicates
 - cookeite, 411, plagioclase, 1020 - CRYSTALLOGRAPHY** (see also Twinning)
 - beudantite, 926, cuppidine group, 933, disorder, 941, fractals, 393, icosahedral symmetry, 395, smectite, 759, Sn²⁺ coordination, 892, 901, snowflake symmetry, 391, topochromal symmetry, 937 - CRYSTAL STRUCTURE** (see also X-ray diffraction)
 - beudantite, 923, foordite, 899, godlevskite, 286 - Effect of copper sulfate on pyrite formation in reducing sediments, (Manning et al.), 965
 - ELECTRON-MICROPROBE ANALYSES**
 - acmite, 84, alkinate, 369, albite, 305, amazonite, 1041, amphibole, 28, 69, 91, 414, anorthite, 340, apatite, 69, 382, arsenopyrite, 667, barite, 614, 686, beudantite, 924, biotite, 119, 324, 414, 1042, calcite, 385, cassiterite, 893, chalcopyrite, 549, 650, chestermanite, 914, chlorite, 416, chromite, 71, 340, clinopyroxene, 28, 69, 84, 99, 113, 1017, 1030, cookeite, 410, corrensite, 417, diopside, 275, 340, dolomite, 385, erlichmanite, 179, ferrocolumbite, 893, foordite, 891, garnite, 297, galena, 361, garnet, 326, 336, genkinite, 980, godlevskite, 284, gold (Hg), 424, greenalite, 650, gustavite, 366, hammarite, 369, hornblende, 1042, ilmenite, 29, 149, 1004, isocubanite, 650, ixolite, 893, kaolinite, 385, laurite, 179, 181lingite, 667, maricopaite, 311, mcauslanite, 919, martzite, 986, microcline, 306, 385, microlite, 893, muscovite, 324, olivine, 69, 99, 153, 1017, orthoclase, 29, 87, 323, orthopyroxene, 69, 99, 1017, ourayite, 361, phase x (Bi-Pb-Hg-Cu sulfosalt), 371, phenigite, 418, phlogopite, 28, 69, 87, 99, 119, 297, 382, plagioclase, 322, 385, 1017, prassitoite, 179, prehnite, 340, pyrite, 549, pyrochlore, 382, pyrrhotite, 650, sanidine, 69, sapphire, 87, scrutinyite, 906, sperrylite, 982, sphalerite, 425, 549, 649, spinel, 71, 87, 99, staringeite, 893, titanomagnetite, 29, thoreaulite, 894, unknown Pb-Sn sulfosalt, 662, wurtzite, 650 - EXPERIMENTAL** (see also Petrology)
 - alumin-jarosite group, 923, carbon isotopes, 136, 682, cathodoluminescence, 301, gamma-ray spectroscopy, 632, garnet equilibrium, 269, hydrogen isotopes, 256, lead isotopes, 545, 843, Ni-S system, 289, oxygen isotopes, 136, 256, 682, 752, 842, radiochemistry, 677, 713, silver diffusion, 977, sulfur isotopes, 505, 555, 617, 667, 683, 752, 807, synthetic isocubanite, 975, tarnishing chalcopyrite, 973, thermodynamic data, 277 - Exploration for hydrothermal activity near the Rodriguez Triple Junction, Indian Ocean, (Hertzig & Flueger), 721
 - Filamentous iron-silica deposits from modern and ancient hydrothermal sites, (Juniper & Fouquet), 859
 - Fine-scale graded layers in the Fjorden-Hyllingen gabbroic complex, Norway, (Thy et al.), 235
 - Foordite-Sn₂O₃, a new mineral species and the foordite-thoreaulite series, (Černý et al.), 889
 - Formation of the Eastern Layered Series of the Rhum Complex, northwest Scotland, (Young et al.), 225
 - Geochemical aspects of hydrothermal sediments in the eastern Pacific Ocean: an update, (Barrett et al.), 841
 - Geochemical evidence for sediment recycling from North Carolina (U.S.A.) minettes, (Mauger), 133
 - Geographic distribution of corrensite and associated minerals in southeastern Ontario, (De Kimpe & Miles), 957
 - Geological mapping of the East Pacific Rise axis ($10^{\circ}19' - 11^{\circ}53'N$) using the ARGO and ANGUS imaging systems, (ARGO-RISE GROUP), 467
 - Geology and platinum-group-element geochemistry of the Serpentine Hill Complex, Dundas Trough, western Tasmania, (Brown et al.), 161
 - Geysir-type discharge in the Atlantic II Deep, Red Sea: evidence of boiling from fluid inclusion in epigenetic anhydrite, (Ramboz et al.), 765
 - Hydrothermal alteration processes at mid-ocean ridges: constraints from diabase alteration experiments, hot-spring fluids, and composition of the oceanic crust, (Seyfried et al.), 787
 - Hydrothermal fluids and petroleum in surface sediments of Guaymas Basin, Gulf of California: a case study, (Gieskes et al.), 589
 - Hydrothermal mineralization at oceanic ridges, (Rona), 431
 - Implications of sphalerite inclusions in galahite from the Namakaland Metamorphic Complex, South Africa, (Moore & Reid), 293
 - INFRARED-ABSORPTION SPECTRA**
 - corrensite, 959, maricopaite, 310 - Investigation of the Stillwater Complex. IV. The role of volatiles in the petrogenesis of the J-M Reef, Minneapolis Adit section, (Boudreau), 193
 - Isotopic studies of epigenetic features in metalliferous sediment, Atlantic II Deep, Red Sea, (Zierenberg & Shanks), 737
 - Late Caledonian dyke-swarms of northern Britain: some preliminary petrogenetic and tectonic implications of their province-wide distribution and chemical variation, (Rock et al.), 3
 - Manganiferous ilmenite formed during regional metamorphism of Archean mafic and ultramafic rocks from western Australia, (Cassidy et al.), 999
 - Maricopaite, a new hydrated Ca-Fb, zeolite-like silicate from Arizona, (Pearce et al.), 309
 - Mcauslanite, a supergene hydrated iron aluminum fluorophosphate from the East Kempton tin mine, Yarmouth County, Nova Scotia, (Richardson et al.), 917
 - Mercurian gold from the Tsugu gold-antimony vein deposit in Japan, (Shikazono & Shimizu), 423
 - Metasomatic origin of spessartine-rich garnet in the South Mountain batholith, Nova Scotia, (Kontak & Corey), 315
 - MINERAL DATA** (see also Electron-microprobe analyses)
 - aikinite series, 368, allanite, 945, amazonite, 1037, amphibole, 93, apatite, 383, beudantite, 923, chestermanite, 911, chlorite, 256, 413, clinochrysotile, 994, coal, 343, cookeite, 407, corrensite, 413, 957, cuppidine group, 933, erlichmanite, 183, foordite, 889, garnite, 296, galena solid-solution, 361, garnet, 315, 335, genkinite, 980, godlevskite, 283, gold (Hg), 423, hfordahlite, 940, hongshite, 981, ilmenite, 152, 999, iodargyrite, 391, isocubanite, 497, 549, 573, 640, 661, laurite, 173, 179, illanite, 367, maricopaite, 309, mcauslanite, 917, mertieite, 982, monazite, 949, phase x (Bi-Pb-Hg-Cu sulfosalt), 370, Pt-group minerals, 979, pyrite, 965, sapphire, 87, scrutinite, 905, 905, serpentine, 991, smectite, 746, 755, stevensite, 575, thoreaulite, 894 - MINERALOGICAL ASSOCIATION OF CANADA**
 - Berry medal, 1065, book reviews, 245, 1049, Hawley medal award, 1061, memorial to J. S. Stevenson, 1057, Past Presidents' medal, 1063, proceedings of the 33rd annual meeting, 1059, referees for 1987, 248 - Mineralogical zonation and radiochronological relations in a large sulfide chimney from the East Pacific Rise at $18^{\circ}25'S$, (Marchig et al.), 541
 - Mineralogy and geochemistry of a hydrothermal silica-sulfide-sulfate spine in the caldera of Axial Seamount, Juan de Fuca Ridge, (Hamington & Scott), 603
 - Mineralogy, composition, and fluid-inclusion microthermometry of seafloor hydrothermal deposits in the Southern Trough of Guaymas Basin, Gulf of California, (Peter & Scott), 567
 - Mineralogy of Lower Cretaceous coals from the Moose River Basin, Ontario and Monkman, British Columbia, (Van der Flier-Keller & Fyfe), 343
 - Mineralogy, petrology and geochemistry of the alkaline Malpeque Bay sill, Prince Edward Island, (Greenough et al.), 97
 - Modular mineralogy in the cuppidine group of minerals, (Merlino & Perchiuzzi), 933
 - MÜSSBAUER SPECTROSCOPY**
 - chlorite, 967, lake sediment, 968, pyrite, 966 - Motion of crystals, solute, and heat in layered intrusions, (Morse), 209
 - NEW MINERAL SPECIES**
 - chestermanite, 911, foordite, 889, foordite-thoreaulite series, 892, maricopaite, 309, mcauslanite, 917, scrutinite, 905 - NOMENCLATURE**
 - chestermanite, 911, foordite, 889, foordite-thoreaulite series, 892, maricopaite, 309, mcauslanite, 917, scrutinite, 905 - Ocelli: transient disequilibrium features in a Lower Carboniferous minette near Concord, North Carolina, (Mueller), 117
 - OPTICAL PROPERTIES**
 - General
 - apatite, 383, chestermanite, 913, maricopaite, 310, mcauslanite, 918
 - Reflectance
 - genkinite, 983, hongshite, 983, Pt-alloys, 983, scrutinite, 909 - Petrogenesis and conditions of crystallization of Spanish lamproitic rocks, (Venturelli et al.), 67
 - Petrogenesis of orendite and kambafugitic rocks from central Italy, (Paccerillo et al.), 45

- Petroleum generation in submarine hydrothermal systems: an update, (Simoneit), 827
- PETROLOGY** (see also Experimental)
- allanite alteration, 947, anorthosite, 1013, carbonatite dyke, 377, coal, 350, corrensite formation, 961, cumulate growth, 210, dyke swarms, 3, fluid inclusions, 409, 426, 580, 610, 768, garnet origin, 269, 315, 335, geochronology, 26, 98, 255, 379, 545, 627, geothermometry, 103, 155, 257, 581, 616, 746, 1022, 1046, hydrothermal fluid composition, 591, 615, 706, 728, 778, 787, hydrothermal petroleum, 589, 827, hydrothermal sulfide paragenesis, 490, 545, 577, 608, 639, 659, 814, ilmenite in metamorphic rocks, 999, ilmenite metamorphism, 1007, Insiwa complex, 145, kimberlite, 991, lava normative composition, 111, lamproite, 45, 67, lamprophyre, 5, 24, 81, 97; madapite normative composition, 53, magma convection, 210, 229, 235, minette dyke, 23, 89, 117, 133, minette normative composition, 35, ocelli, 117, 121, ophiolite complex, 979, orendite normative composition, 47, ouachite, 82, oxygen fugacity, 73, 203, 1037, PGE geochemistry, 170, 987, PGE in solid solution, 180, picrite, 156, pyroxene fractionation, 1033, REE geochemistry, 946, ring dyke, 1028, Sn^{2+} oxides, 897, Stillwater complex, 193, sulfide deposition conditions, 621, 651, 692, sulfur fugacity, 203, 425, 1037, tectonic modelling, 19, tephritic glass, 115, teschenite ring dyke, 1028, ultrapotassic rocks, 45, 67, 89, uranium mineralization, 249
 - Photochemically accelerated surface-diffusion of silver on chalcopyrite, isocubanite and pyrrhotite, (Jefferson), 973
 - Platinum and palladium minerals from two PGE-rich localities in the Shetland ophiolite complex, (Prichard & Tarkian), 979
 - Platinum-group minerals in the Tiébaghi and Vourinos ophiolitic complexes: genetic implications, (Augé), 177
 - Polygonal serpentine in segregation-textured kimberlite, (Mitchell & Putnis), 991
 - Preface:** Seafloor hydrothermal mineralization, (Barrett & Fox), 429
 - Radioactive orphans in barite-rich chimneys, Axial Caldera, Juan de Fuca Ridge, (Grasty et al.), 627
 - Radionuclide gradients in two Mn oxide deposits from the Mid-Atlantic Ridge: possible influence of a hydrothermal plume, (Lalou et al.), 713
 - Rock and mineral chemistry of the Linhaisai minette, central Kalimantan, Indonesia, and the origin of Borneo diamonds, (Bergman et al.), 23
 - Sapphire-bearing ultramafic lamprophyre from Yogo Gulch, Montana: a ouachite, (Meyer & Mitchell), 81
 - SCANNING-ELECTRON MICROGRAPHS**
 - Arsenopyrite, 665, barite, 681, chestermanite, 912, clinochlore, 271, erlichmanite, 182, filamentous silica, 861, fusinite, 348, galena, 364, grossular, 271, gustavite, 365, iodargyrite, 391, iridosmine, 182, isocubanite, 665, jordanite, 613, laurite, 182, lignite, 347, lüillingite, 665, serpentine, 992, spinel, 271
 - Scrutinize, natural occurrences of ePbO_2 from Bingham, New Mexico, U.S.A., and Mapimi, Mexico, (Taggart et al.), 905
 - Stoichiometry, structure and twinning of godlevskite and synthetic low-temperature Ni-excess nickel sulfide, (Fleet), 283
 - Submersible investigation of an extinct hydrothermal system on the Galapagos Ridge: sulfide minerals, stockwork zone and differentiated lavas, (Embley et al.), 517
 - Sulfide formation and hydrothermal alteration of hemipelagic sediment in Middle Valley, northern Juan de Fuca Ridge, (Goodfellow & Blaize), 675
 - Sulfide-sulfate chimneys on the East Pacific Rise, 11° and 13°N latitudes. Part I: mineralogy and paragenesis, (Graham et al.), 487
 - Sulfide-sulfate chimneys on the East Pacific Rise, 11° and 13°N
- latitudes. Part II: sulfur isotopes, (Bluth & Ohmoto), 505
- Sulfur isotope and total sulfur studies of basalts and greenstones from DSDP hole 504B, Costa Rica Rift: implications for hydrothermal alteration, (Kawahata & Shikazono), 535
- Symmetry and morphology of snowflakes and related forms, (Schneer), 391
- TEXTURES**
- adcumulus, 241, chromitite, 169, 199, garnet, 320, hourglass zoning, 1031, ilmenite, 148, kimberlite, 991, minette, 27, 120, perthite, 1041, PGM grains, 986, sulfide-sulfate chimneys, 490
 - The amphiboles of potassium-rich dyke rocks of the southeastern border of the Bohemian Massif, (Námeč), 89
 - The Blackburn carbonatites, near Ottawa, Ontario: dykes with fluidized emplacement, (Hogarth et al.), 377
 - The composition of massive sulfide deposits from the sediment-covered floor of Escanaba Trough, Gorda Ridge: implications for depositional processes, (Koski et al.), 655
 - The crystal structure of beudantite, $\text{Pb}(\text{Fe},\text{Al})_3[(\text{As},\text{S})_4]_2(\text{OH})_6$, (Szymbański), 923
 - The crystal structure of foordite, (Ercit & Černý), 899
 - The epigenetic alteration of allanite, (Meintzner & Mitchell), 945
 - The formation of hydrothermal cookeite in the breccia pipes of the Ardlethan tin field, New South Wales, Australia, (Ren et al.), 407
 - The Lac-St-Jean anorthosite in the St-Henri-de-Taillon area (Grenville Province): a relic of a layered complex, (Woussen et al.), 1013
 - The nature and origin of smectite in the Atlantic II Deep, Red Sea, (Cole), 755
 - The origin of complex mantling relationships in clinopyroxene from the New England seamounts, (Pe-Piper & Jansa), 109
- THERMOGRAVIMETRIC ANALYSES**
- maricopaita, 311
- TRACE-ELEMENT DATA**
- basalt, 727, carbonatite, 380, chalcopyrite, 180, galena, 360, gallium in feldspar, 301, iron formation, 879, lamprophyre, 11, 33, 101, lead in feldspar, 1041, madapite, 53, massive sulfides, 879, minette, 33, 135, orendite, 47, pelitic sediment, 59, pentlandite, 180, PGE, 171, phlogopite, 136, REE patterns, 51, 102, 137, 381, 846, seafloor sulfides, 496, 545, 686, 853, tetrahedrite, 368, ultramafic rocks, 171
- TRANSMISSION ELECTRON MICROGRAPHS**
- serpentine, 995
- TWINNING**
- beudantite, 929, cuspidine group, 941, godlevskite, 284, mcauslanite, 919
 - Two-stage hydrothermal formation of a Lower Proterozoic sediment-hosted massive sulfide deposit, northern Labrador Trough, Quebec, (Barrett et al.), 871
 - Two zinc-rich chimneys from the Plume Site, southern Juan de Fuca Ridge, (Paradis et al.), 637
 - Unconformably-related uranium mineralization, McClean deposits, north Saskatchewan, Canada: hydrogen and oxygen isotope geochemistry, (Bray et al.), 249
- X-RAY DIFFRACTION** (see also Crystal Structure)
- Cell Dimensions
 - aikinite, 368, amazonite, 1043, apatite, 383, beudantite, 926, chestermanite, 912, chlorite, 273, cookeite, 411, diopside, 272, foordite, 891, 900, galena, 362, godlevskite, 286, hiorntdahlite, 941, K-feldspar, 1043, maricopaita, 310, mcauslanite, 919, scrutinize, 909
 - Powder Data
 - chestermanite, 913, chlorite, 273, cookeite, 411, corrensite, 960, diopside, 272, foordite, 891, godlevskite, 285, maricopaita, 311, mcauslanite, 918, scrutinize, 908, smectite, 756

European Journal of Mineralogy

Published by the Deutsche Mineralogische Gesellschaft, Società Italiana di Mineralogia e Petrologia, Société Française de Minéralogie et de Cristallographie, in cooperation with the European Mineralogical Union

A merger of *Bulletin de Minéralogie*

Fortschritte der Mineralogie

Rendiconti della Società Italiana di Mineralogia e Petrologia.

Managing editor C. Willaime, Université de Rennes,

Institut de Géologie, F-35042 Rennes Cedex, France.

"European Journal of Mineralogy" publishes original papers, review articles and short notes dealing with mineralogical sciences: mineralogy, petrology, geochemistry, crystallography, ore deposits and related fields, including applied mineralogy.

Call for Papers

Manuscripts must be written in English, French, German or Italian, preferably in English. Each manuscript will be reviewed by two referees chosen by an international board of associate editors.

Three copies of each manuscript (text and figures) should be sent to one of the chief editors:

E. ALTHAUS
Mineralogisches Institut
Universität Karlsruhe
Kaiserstraße 12
D-7500 KARLSRUHE F. R. G.

C. CHOPIN
Laboratoire de Géologie
Ecole Normale Supérieure
24, rue Lhomond
F-75005 PARIS France

F. P. SASSI
Dipartimento di Mineralogia
e Petrologia
Università di Padova
Corso Garibaldi, 37
I-35100 PADOVA Italy

Subscription Information

In 1989 (Volume 1), 6 issues of "European Journal of Mineralogy", will be published.
Subscription rate per volume: DM 340,— / US \$ 190.—

Order Form

- Please enter our subscription to "European Journal of Mineralogy" beginning with Volume 1, 1989, subscription rate DM 340,— / US \$ 190.— plus postage
To avoid duplication, please inform your subscription agency if you have previously been a subscriber of one of the three merged journals "Bulletin de Minéralogie"/ "Fortschritte der Mineralogie"/"Rendiconti della Società Italiana di Mineralogia e Petrologia".
- Please send us a sample copy.

Send this order form to your subscription agency or to E. Schweizerbart'sche Verlagsbuchhandlung (Nägele u. Obermiller), Johannesstraße 3 A, D-7000 Stuttgart 1, W.-Germany.

Name/Date:

Address:

Signature:

Personal members of any society of the European Mineralogical Union may receive "European Journal of Mineralogy" at a special rate through their society. Please send your order to your society.



Mineralogical Association of Canada

Royal Ontario Museum, 100 Queen's Park, Toronto, Canada M5S 2C6

APPLICATION FOR MEMBERSHIP

Name _____	Title _____	First _____	Initial(s) _____	Last _____	
Mailing Address _____					Postal Code _____
Signature _____					Date _____
MEMBERSHIP STATUS	Circle one:				No. <u>Subtotal</u>
ORDINARY (\$30.00 Cdn., \$25.00 U.S.)	STUDENT (\$20.00 Cdn., \$15.00 U.S.)	RETired (\$20.00 Cdn., \$15.00 U.S.)			\$ _____
	CORPORATE (\$75.00 Cdn., \$60.00 U.S.)	LIFE (\$600.00 Cdn., \$500.00 U.S.)			
SPECIAL PUBLICATIONS <i>(All are soft cover unless otherwise indicated. Prices in effect until September 1989)</i>					
SHORT COURSE HANDBOOKS <i>\$ Cdn. \$ U.S.</i>					
1. Microbeam Techniques, D.G.W. Smith, editor. <i>(OUT OF PRINT)</i>			2. \$10.00	\$ 8.00	_____
2. Application of Thermodynamics to Petrology and Ore Deposits, H.J. Greenwood, editor.			3. \$12.00	\$10.00	_____
3. Uranium Deposits: Their Mineralogy and Origin, M.M. Kimberley, editor.			4. \$10.00	\$ 8.00	_____
4. Mineralogical Techniques of Asbestos Determination, R.L. Ledoux, ed. <i>Circle: ENGLISH or FRENCH</i>			5. \$12.00	\$10.00	_____
5. Neutron Activation Analysis in the Geosciences, G.K. Muecke, editor.					_____
6. Fluid Inclusions: Applications to Petrology, L.S. Hollister & M.L. Crawford, eds. <i>(OUT OF PRINT)</i>					_____
7. Clays and the Resource Geologist, F.J. Longstaffe, editor. <i>(OUT OF PRINT)</i>			8. \$15.00	\$12.00	_____
8. Granitic Pegmatites in Science and Industry, P. Cerny, editor.			9. \$12.00	\$10.00	_____
9. Sediment-Hosted Stratiform Lead-Zinc Deposits, D.Y. Sangster, editor.			10. \$12.00	\$10.00	_____
10. Environmental Geochemistry, M.E. Fleet & W.S. Fyfe, editors.			11. \$12.00	\$10.00	_____
11. Applications of Electron Microscopy in the Earth Sciences, J.C. White, editor.			12. \$12.00	\$10.00	_____
12. Silicate Melts: Their Properties and Structure Applied to Problems in Geochemistry, Petrology, Economic Geology and Planetary Geology, C.M. Scarfe, editor.			13. \$15.00	\$12.00	_____
13. Stable Isotope Geochemistry of Low Temperature Fluids, T.K. Kyser, editor.			14. \$15.00	\$12.00	_____
14. Heat Flow, Metamorphism and Tectonics, E.G. Nisbet & C.M.R. Fowler, editors.					_____
SPECIAL ISSUES OF THE CANADIAN MINERALOGIST					
7(1) The Sudbury Ores: Their Mineralogy and Origin by J.B. Hawley. <i>(OUT OF PRINT)</i>					
10(3) Alkaline Rocks: The Monteregian Hills, G. Perrault, editor.		SOFT COVER	10(3) \$ 7.00	\$ 5.00	_____
		HARD COVER	\$10.00	\$ 8.00	_____
11(1) The Silver-Arsenide Deposits of the Cobalt-Gowganda Region, Ontario by W. Petruk, J.L. Jambor & others. <i>(hard cover)</i>			11(1) \$10.00	\$ 8.00	_____
11(3) The Tanco Pegmatite at Bernic Lake, Manitoba by P. Cerny, R.B. Ferguson & others.			11(3) \$ 7.00	\$ 5.00	_____
12(7) Low-Grade Metamorphism by W.S. Fyfe, B-an Zen & others. <i>(OUT OF PRINT)</i>					_____
14(1) Environmental Aspects of Mineralogy and Sedimentary Geochemistry, J.R. Kramer, editor.			14(1) \$ 7.00	\$ 5.00	_____
17(2) Nickel-Sulfide and Platinum-Group Element Deposits, A.J. Naldrett, editor.			17(2) \$10.00	\$ 8.00	_____
17(4) Serpentine Mineralogy, Petrology and Paragenesis, F.J. Wicks, editor.			17(4) \$ 8.00	\$ 6.50	_____
19(1) Peraluminous Granites, D.B. Clarke, editor. <i>(OUT OF PRINT)</i>					_____
20(3) High-Grade Metamorphism, E.D. Ghent, editor.			20(3) \$ 8.00	\$ 6.50	_____
21(2) The Crystal Chemistry of the Amphiboles by F.C. Hawthorne.			21(2) \$10.00	\$ 8.00	_____
22(1) Ore Deposits and Related Petrology of Mafic-Ultramafic Suites, O.R. Eckstrand & D.H. Watkinson, editors.			22(1) \$10.00	\$ 8.00	_____
26(3) Seafloor Hydrothermal Mineralization. <i>(hard cover - if still available)</i>			26(3) \$30.00	\$25.00	_____
LABORATORY MANUALS					
1. The M.A.C. Crystallographic Laboratory Manual by G. Donnay & J.D.H. Donnay.				\$15.00 \$12.00	_____
METHOD OF PAYMENT	Money order / cheque	MASTERCARD	EUROCARD	VISA	
<i>(circle one)</i>	Account no. _____	Expiry date _____			
SHIPMENTS OUTSIDE CANADA: Add \$2.00 (postage and handling) on all orders for special publications.					TOTAL: \$ _____

THE CANADIAN MINERALOGIST

**Journal of the
Mineralogical Association
of Canada**



R.F. Martin, Editor

Volume 26, 1988

THE CANADIAN MINERALOGIST

JOURNAL OF THE MINERALOGICAL ASSOCIATION OF CANADA

LAMPROPHYRES AND RELATED ROCKS

Preface	A.D. EDGAR	1
Late Caledonian dyke-swarms of northern Britain: some preliminary petrogenetic and tectonic implications of their province-wide distribution and chemical variation	N.M.S. ROCK, J.W. GASKARTH, P.J. HENNEY & P. SHAND	3
Rock and mineral chemistry of the Linhaisai minette, central Kalimantan, Indonesia, and the origin of Borneo diamonds	S.C. BERGMAN, D.P. DUNN & L.G. KROL	23
Petrogenesis of orenditic and kamafugitic rocks from central Italy	A. PECCERILLO, G. POLI & G. SERRI	45
Petrogenesis and conditions of crystallization of Spanish lamproitic rocks	G. VENTURELLI, E.S. MARHANI, S.F. FOLEY, S. CAPEDRI & A.J. CRAWFORD	67
Sapphire-bearing ultramafic lamprophyre from Yogo Gulch, Montana: a ouachitite	H.O.A. MEYER & R.H. MITCHELL	81
The amphiboles of potassium-rich dyke rocks of the southeastern border of the Bohemian Massif	D. NÈMEC	89
Mineralogy, petrology and geochemistry of the alkaline Malpeque Bay sill, Prince Edward Island	J.D. GREENOUGH, A. HAYATSU & V.S. PAPEZIK	97
The origin of complex mantling relationships in clinopyroxene from the New England seamounts	G. PE-PIPER & L.F. JANSA	109
Ocelli: transient disequilibrium features in a Lower Carboniferous minette near Concord, North Carolina	R.L. MAUGER	117
Geochemical evidence for sediment recycling from North Carolina (U.S.A.) minettes	R.L. MAUGER	133

LAYERED INTRUSIONS

Preface	R.F.J. SCOATES & J.M. DUKE	143
Contrasting magma-types in the Mount Ayliff intrusion (Insizwa complex), Transkei: evidence from ilmenite compositions	R.G. CAWTHORN, S. MASKE, M. DE WET, D.I. GROVES & K.F. CASSIDY	145
Geology and platinum-group-element geochemistry of the Serpentine Hill Complex, Dundas Trough, western Tasmania	A.V. BROWN, N.J. PAGE & A.H. LOVE	161
Platinum-group minerals in the Tiébaghi and Vourinos ophiolitic complexes: genetic implications	T. AUGÉ	177
Investigations of the Stillwater Complex. IV. The role of volatiles in the petrogenesis of the J-M Reef, Minneapolis Adit section	A.E. BOUDREAU	193
Motion of crystals, solute, and heat in layered intrusions	S.A. MORSE	209
Formation of the Eastern Layered Series of the Rhum Complex, northwest Scotland	I.M. YOUNG, R.C. GREENWOOD & C.H. DONALDSON	225
Fine-scale graded layers in the Fongen-Hyllingen gabbroic complex, Norway	P. THY, N.N. JAKOBSEN & J.R. WILSON	235
Book Reviews		245
Referees for 1987		248

Unconformity-related uranium mineralization, McClean deposits, north Saskatchewan, Canada: hydrogen and oxygen isotope geochemistry	C.J. BRAY, E.T.C. SPOONER & F.J. LONGSTAFFE	249
An experimental study of the equilibrium: grossular + clinochlore = 3 diopside + 2 spinel + 4H ₂ O	X. WANG & H.J. GREENWOOD	269
Stoichiometry, structure and twinning of godlevskite and synthetic low-temperature Ni-excess nickel sulfide	M.E. FLEET	283
Implications of sphalerite inclusions in gahnite from the Namaqualand Metamorphic Complex, South Africa	J.M. MOORE & A.M. REID	293
Cathodoluminescent gallium-enriched feldspars from the Thor Lake rare-metal deposits, Northwest Territories	L. DE ST. JORRE & D.G.W. SMITH	301
Maricopaite, a new hydrated Ca-Pb, zeolite-like silicate from Arizona	D.R. PEACOR, P.J. DUNN, W.B. SIMMONS, F.J. WICKS & M. RAUDSEPP	309
Metasomatic origin of spessartine-rich garnet in the South Mountain batholith, Nova Scotia	D.J. KONTAK & M. COREY	315
Coexisting Cr-rich and Cr-poor garnet from a calc-silicate gneiss, Labrador	R.I. KALAMARIDES & J.H. BERG	335
Mineralogy of Lower Cretaceous coals from the Moose River Basin, Ontario, and Monkman, British Columbia	E. VAN DER FLIER-KELLER & W.S. FYFE	343
Coexisting galena, PbS _{ss} and sulfosalts: evidence for multiple episodes of mineralization in the Round Mountain and Manhattan gold districts, Nevada	E.E. FOORD, D.R. SHAWE & N.M. CONKLIN	355
The Blackburn carbonatites, near Ottawa, Ontario: dykes with fluidized emplacement	D.D. HOGARTH, P. RUSHFORTH & R.H. MCCORKELL	377
Symmetry and morphology of snowflakes and related forms	C.J. SCHNEER	391
The formation of hydrothermal cookeite in the breccia pipes of the Ardlethan tin field, New South Wales, Australia	S.K. REN, R.A. EGGLETON & J.L. WALSHE	407
Chlorite-calcite and corrensite-dolomite crystallization during two superimposed events in the hydrothermal alteration in the "Les Crêtes" granite, Vosges, France	A. MEUNIER, J.Y. CLEMENT, A. BOUCHET & D. BEAUFORT	413
Mercurian gold from the Tsugu gold-antimony vein deposit in Japan	N. SHIKAZONO & M. SHIMIZU	423
Preface	T.J. BARRETT & J.S. FOX	429

Introduction

Hydrothermal mineralization at oceanic ridges	P.A. RONA	431
---	-----------	-----

Eastern Pacific Ridges

Geological mapping of the East Pacific Rise axis (10°19'–11°53'N) using the ARGO and ANGUS imaging systems	ARGO-RISE GROUP	467
Sulfide-sulfate chimneys on the East Pacific Rise, 11° and 13°N latitudes. Part I: mineralogy and paragenesis	U.M. GRAHAM, G.J. BLUTH & H. OHMOTO	487

Sulfide-sulfate chimneys on the East Pacific Rise, 11° and 13°N latitudes. Part II: sulfur isotopes	505
G.J. BLUTH & H. OHMOTO	

Submersible investigation of an extinct hydrothermal system on the Galapagos Ridge: sulfide mounds, stockwork zone and differentiated lavas	
R.W. EMBLEY, I.R. JONASSON, M.R. PERFIT, J.M. FRANKLIN, M.A. TIVEY, A. MALAHOFF, M.F. SMITH & T.J.G. FRANCIS	517

Mineralogical zonation and radiochronological relations in a large sulfide chimney from the East Pacific Rise at 18°25'S	
V. MARCHIG, H. ROSCH, C. LALOU, E. BRICHET & E. OUDIN	541

Sulfur isotope and total sulfur studies of basalts and greenstones from DSDP hole 504B, Costa Rica Rift: implications for hydrothermal alteration	
H. KAWAHATA & N. SHIKAZONO	555

Mineralogy, composition, and fluid-inclusion microthermometry of seafloor hydrothermal deposits in the Southern Trough of Guaymas Basin, Gulf of California	
J.M. PETER & S.D. SCOTT	567

Hydrothermal fluids and petroleum in surface sediments of Guaymas Basin, Gulf of California: a case study	
J.M. GIESKES, B.R.T. SIMONEIT, T. BROWN, T. SHAW, Y.-C. WANG & A. MAGENHEIM	589

Northeastern Pacific Ridges

Mineralogy and geochemistry of a hydrothermal silica-sulfide-sulfate spire in the caldera of Axial Seamount, Juan de Fuca Ridge	
M.D. HANNINGTON & S.D. SCOTT	603

Radioactive orphans in barite-rich chimneys, Axial Caldera, Juan de Fuca Ridge	
R.L. GRASTY, C.W. SMITH, J.M. FRANKLIN & I.R. JONASSON	627

Two zinc-rich chimneys from the Plume Site, southern Juan de Fuca Ridge	
S. PARADIS, I.R. JONASSON, G.M. LE CHEMINANT & D.H. WATKINSON	637

The composition of massive sulfide deposits from the sediment-covered floor of Escanaba Trough, Gorda Ridge: implications for depositional processes	
R.A. KOSKI, W.C. SHANKS, III, W.A. BOHRSON & R.L. OSCARSON	655

Sulfide formation and hydrothermal alteration of hemipelagic sediment in Middle Valley, northern Juan de Fuca Ridge	
W.D. GOODFELLOW & B. BLAISE	675

Mid-Atlantic and Mid-Indian Ridges

Active vents and massive sulfides at 26°N (TAG) and 23°N (Snakepit) on the Mid-Atlantic Ridge	
G. THOMPSON, S.E. HUMPHRIS, B. SCHROEDER, M. SULANOWSKA & P.A. RONA	697

Radionuclide gradients in two Mn oxide deposits from the Mid-Atlantic Ridge: possible influence of a hydrothermal plume	
C. LALOU, E. BRICHET & G. THOMPSON	713

Exploration for hydrothermal activity near the Rodriguez Triple Junction, Indian Ocean	
P.M. HERZIG & W. PLÜGER	721

Red Sea Rift

Isotopic studies of epigenetic features in metalliferous sediment, Atlantis II Deep, Red Sea	
R.A. ZIERENBERG & W.C. SHANKS, III	737

The nature and origin of smectite in the Atlantis II Deep, Red Sea	
T.G. COLE	755

Thematic Studies

Hydrothermal alteration processes at mid-ocean ridges: constraints from diabase alteration experiments, hot-spring fluids, and composition of the oceanic crust W.E. SEYFRIED, JR., M.E. BERNDT & J.S. SEEWALD	787
Computational modelling of chemical and sulfur isotopic reaction processes in seafloor hydrothermal systems: chimneys, massive sulfides, and subjacent alteration zones D.R. JANECKY & W.C. SHANKS, III	805
Petroleum generation in submarine hydrothermal systems: an update B.R.T. SIMONEIT	827
Geochemical aspects of hydrothermal sediments in the eastern Pacific Ocean: an update T.J. BARRETT, I. JARVIS, F.J. LONGSTAFFE & R. FARQUHAR	841
Filamentous iron-silica deposits from modern and ancient hydrothermal sites S.K. JUNIPER & Y. FOUQUET	859
Two-stage hydrothermal formation of a Lower Proterozoic sediment-hosted massive sulfide deposit, northern Labrador Trough, Quebec T.J. BARRETT, R.P. WARES & J.S. FOX	871
Foordite SnNb_2O_6 , a new mineral species, and the foordite-thoreaulite series P. ČERNÝ, A.-M. FRANSOLET, T.S. ERCIT & R. CHAPMAN	889
The crystal structure of foordite T.S. ERCIT & P. ČERNÝ	899
Scrutinyite, natural occurrences of αPbO_2 from Bingham, New Mexico, U.S.A., and Mapimi, Mexico J.E. TAGGART, JR., E.E. FOORD, A. ROSENZWEIG & T. HANSON	905
Chestermanite, a new member of the ludwigite-pinakiolite group from Fresno County, California R.C. ERD & E.E. FOORD	911
Mcauslanite, a supergene hydrated iron aluminum fluorophosphate from the East Kemptville tin mine, Yarmouth County, Nova Scotia J.M. RICHARDSON, A.C. ROBERTS, J.D. GRICE & R.A. RAMIK	917
The crystal structure of beudantite, $\text{Pb}(\text{Fe},\text{Al})_3[(\text{As},\text{S})\text{O}_4]_2(\text{OH})_6$ J.T. SZYMAŃSKI	923
Modular mineralogy in the cuspidine group of minerals S. MERLINO & N. PERCHIAZZI	933
The epigene alteration of allanite R.E. MEINTZER & R.S. MITCHELL	945
Geographic distribution of corrensite and associated minerals in southeastern Ontario C.R. DE KIMPE & N.M. MILES	957
Effect of copper sulfate on pyrite formation in reducing sediments P.G. MANNING, T.P. MURPHY, T. MAYER & E.E. PREPAS	965
Photochemically accelerated surface-diffusion of silver on chalcopyrite, isocubanite and pyrrhotite M. JEPPISSON	973
Platinum and palladium minerals from two PGE-rich localities in the Shetland ophiolite complex H.M. PRICHARD & M. TARKIAN	979
Polygonal serpentine in segregation-textured kimberlite R.H. MITCHELL & A. PUTNIS	991
Manganian ilmenite formed during regional metamorphism of Archean mafic and ultramafic rocks from Western Australia K.F. CASSIDY, D.I. GROVES & R.A. BINNS	999
The Lac-St-Jean anorthosite in the St-Henri-de-Taillon area (Grenville Province): a relic of a layered complex G. WOUSSEN, J. MARTIGNOLE & S. NANTEL	1013

Chemical fractionation in titaniferous clinopyroxene from Bayuda, Sudan	D.C. ALMOND	1027
Amazonitic K-feldspar in granodiorite at Portman Lake, Northwest Territories: indications of low $f(O_2)$, low $f(S_2)$, and rapid uplift	R.K. STEVENSON & R.F. MARTIN	1037
BOOK REVIEWS		1049
Memorial to John S. Stevenson (1908-1987)	W.H. MACLEAN	1057
Proceedings of the thirty-third annual meeting of the Mineralogical Association of Canada	S.M. BARR	1059
The Hawley Medal for 1988 to DAVID S. O'HANLEY		1061
The Past Presidents' Medal for 1988 to STEVEN D. SCOTT		1063
The Berry Medal for 1988 to LES NUFFIELD		1065
Index, volume 26	J.D. SCOTT	1067