

THE CANADIAN MINERALOGIST

VOLUME 31, INDEX

J. DOUGLAS SCOTT

203-44 Brousseau Avenue, Timmins, Ontario P4N 5Y2

AUTHOR INDEX

- Abad-Ortega, M.M., Hach-Ali, P.F., Martín-Ramos, J.D. & Ortega-Huertas, M., The feldspars of the Sierra Albarrana granitic pegmatites, Cordoba, Spain, 185
- Ames, D.E., Franklin, J.M. & Hannington, M.D., Mineralogy and geochemistry of active and inactive chimneys and massive sulfide, Middle Valley, northern Juan de Fuca Ridge: an evolving hydrothermal system, 997
- Ames, D.E. with Percival, J.B., 957
- Ames, D.E. with Turner, R.J.W., 973
- Armstrong, J.P., Longstaffe, F.J. & Hein, F.J., Carbon and oxygen isotope geochemistry of calcite from the Jubilee Zn-Pb deposit, Cape Breton Island, 755
- Barinov, N.N. with Kazachenko, V.T., 347
- Barnett, R.L. with Pan, Yuanming, 695
- Basso, R., Lucchetti, G., Zefiro, L. & Palenzona, A., Mozartite, $\text{CaMn}(\text{OH})\text{SiO}_4$, a new mineral species from the Cerchiara mine, northern Apennines, Italy, 331
- Benimoff, A.I. with Solar, C.B., 691
- Bernard, P. with Lalonde, A.E., 203
- Bilal, E. with Raimbault, L., 119
- Birmingham, S.D. with Foord, E.E., 337
- Bonardi, M. with Roberts, A.C., 787
- Breazley, A.J. with Schwandt, C.S., 371
- Burns, P.C. & Hawthorne, F.C., Edge-sharing Mn^{2+}O_4 tetrahedra in the structure of akotozeite, $\text{Mn}^{2+}_9\text{Al}_2\text{Si}_8\text{O}_{24}(\text{OH})_8$, 321
- Burns, P.C. & Hawthorne, F.C., Hydrogen bonding in colemanite: an X-ray and structure-energy study, 297
- Burns, P.C. & Hawthorne, F.C., Hydrogen bonding in meyerhofferite: an X-ray and structure-energy study, 305
- Burns, P.C. & Hawthorne, F.C., The crystal structure of dietzeite, $\text{Ca}_2\text{H}_2\text{O}(\text{IO}_3)_2(\text{CrO}_4)$, a heteropolyhedral framework mineral, 313
- Burns, P.C. with Roberts, A.C., 795
- Burns, P.C., Hawthorne, F.C., MacDonald, D.J., Della Ventura, G. & Parodi, G.C., The crystal structure of stillwellite, 147
- Butsik, L.A. with Kazachenko, V.T., 347
- Cabri, L.J. with Neumayr, P., 711
- Callegari, A. with Hawthorne, F.C., 551, 583, 597
- Cameron, B. with Goodfellow, W.D., 1025
- Cameron, E.M., Precambrian gold: perspectives from the top and bottom of shear-zones, 917
- Cameron, E.M. with Rowins, S.M., 219
- Campbell, J.L. with Halden, N.M., 637
- Castor, S.B. & Sjöberg, J.J., Uytendogaardite, Ag_3AuS_2 , in the Bullfrog mining district, Nevada, 89
- Cauda, F. with Hawthorne, F.C., 551, 583, 597
- Chai, Gang., Naldrett, A.J., Rucklidge, J.C. & Kilus, L.R., In situ quantitative analyses for PGE and Au in sulfide minerals of the Jinchuan Ni-Cu deposit by accelerator mass spectrometry, 18
- Chakoumakos, B.C. with Eby, R.K., 357
- Chen, Yuan with Pan, Yuanming, 695
- Chrysosoullis, S.J. with Fleet, M.E., 1
- Cressey, B.A. with Cressey, G., 447
- Cressey, G., Spratt, J. & Cressey, B.A., Electron and X-ray petrography of an unusual serpentine from the Tilley Foster mine, Brewster, New York, 447
- Criddle, A.J. with Roberts, A.C., 787
- Curtis, J.D. with Roberts, A.C., 795
- Davidson, R. with Fleet, M.E., 1
- Della Ventura, G. with Burns, P.C., 147
- Demartin, F., Pilati, T., Diella, V., Gentile, P. & Gramaccioli, C.M., A crystal-chemical investigation of alpine gadolinite, 127
- Demartin, F. with Foord, E.E., 337
- Diella, V. with Demartin, F., 127
- Dorling, M. with Patrick, R.A.D., 105
- Dubé, B. & Guha, J., Factors controlling the occurrence of ferroaxinite within Archean gold-copper-rich quartz veins: Cooke mine, Chibougamau area, Abitibi Greenstone Belt, 905
- Duke, J.M. with Robert, F., 773
- Eby, R.K., Janeczek, J., Ewing, R.C., Ercit, T.S., Groat, L.A., Chakoumakos, B.C., Hawthorne, F.C. & Rossman, G.R., Metamict and chemically altered vesuvianite, 357
- Eby, R.K. with Wicks, F.J., 541
- Emslie, R.F. & Stirling, J.A.R., Rapakivi and related granitoids of the Nain Plutonic Suite: geochemistry, mineral assemblages and fluid equilibria, 821
- Ercit, T.S. with Eby, R.K., 357
- Ercit, T.S. with Groat, L.A., 617
- Erd, R.C. with Roberts, A.C., 787
- Ernst, R.E. with Rowins, S.M., 219
- Ewing, R.C. with Eby, R.K., 357
- Feininger, T., Geology and geophysics of the "type" anorthosite, Château-Richer, Québec, 648
- Fleet, M.E., Chrysosoullis, S.J., MacLean, P.J., Davidson, R. & Welsener, C.G., Arsenian pyrite from gold deposits: Au and As distribution investigated by SIMS and EMP, and color staining and surface oxidation by XPS and LIMS, 1
- Fleet, M.E. with Pan, Yuanming, 695
- Foord, E.E., Birmingham, S.D., Demartin, F., Pilati, T., Gramaccioli, C.M. & Lichte, F.E., Thortveitite and associated Sc-bearing minerals from Ravalli County, Montana, 337
- Franklin, J.M. with Ames, D.E., 957
- Franklin, J.M. with Goodfellow, W.D., 1025
- Franklin, J.M. with Turner, R.J.W., 973
- Frisch, T. with Roberts, A.C., 775
- Gentile, P. with Demartin, F., 127
- Good, D.J. & Naldrett, A.J., Geology and distribution of platinum-group elements, Buckle Lake intrusion, Thompson Belt, Manitoba, 45
- Goodfellow, W.D., Grapes, K., Cameron, B. & Franklin, J.M., Hydrothermal alteration associated with massive sulfide deposits, Middle Valley, northern Juan de Fuca Ridge, 1025
- Goodfellow, W.D. with Lentz, D.R., 877
- Goodfellow, W.D. with Turner, R.J.W., 973
- Gramaccioli, C.M. with Demartin, F., 127
- Gramaccioli, C.M. with Foord, E.E., 337
- Grapes, K. with Goodfellow, W.D., 1025
- Grégoire, D.C. with Hulbert, L.J., 861
- Grice, J.D. & Roberts, A.C., Harrissonite, a well-ordered silicophosphate with a layered crystal structure, 781
- Grice, J.D. with Roberts, A.C., 775, 795
- Grice, J.D. with Robinson, G.W., 687
- Griffault, L.Y. with Kammeni, D.C., 173
- Groat, L.A., Hawthorne, F.C., Ercit, T.S. & Putnis, A., The symmetry of vesuvianite, 617
- Groat, L.A. with Eby, R.K., 357
- Groves, D.I. with Neumayr, P., 711
- Guha, J. with Dubé, B., 905
- Gunter, M.E., Knowles, C.R. & Schalk, D.K., Composite natrolite-mesolite crystals from the Columbia River Basalt Group, Clarkston, Washington, 467
- Hach-Ali, P.F. with Abad-Ortega, M.M., 185
- Halden, N.M., Hawthorne, F.C., Campbell, J.L., Teesdale, W.J., Maxwell, J.A. & Higuichi, D., Chemical characterization of oscillatory zoning and overgrowths in zircon using 3 MeV μ -PIXE, 637
- Hannington, M.D., The formation of atacamite during weathering of sulfides on the modern seafloor, 945
- Hannington, M.D. with Ames, D.E., 997
- Harlov, D.E. with Newton, R.C., 391
- Hawthorne, F.C., Minerals, mineralogy and mineralogists: past, present and future, 253
- Hawthorne, F.C., Minerals, mineralogy and mineralogists: past, present and future; addendum, 772
- Hawthorne, F.C., Ungaretti, L., Oberti, R., Cauda, F. & Callegari, A., The crystal chemistry of staurolite. I. Crystal structure and site populations, 551
- Hawthorne, F.C., Ungaretti, L., Oberti, R., Cauda, F. & Callegari, A., The crystal chemistry of staurolite. II. Order-disorder and the monoclinic $\rightarrow$ orthorhombic phase transition, 583
- Hawthorne, F.C., Ungaretti, L., Oberti, R., Cauda, F. & Callegari, A., The crystal chemistry of staurolite. III. Local order and

- chemical composition, 597
- Hawthorne, F.C. with Burns, P.C., 147, 297, 305, 313, 321
- Hawthorne, F.C. with Eby, R.K., 357
- Hawthorne, F.C. with Groat, L.A., 617
- Hawthorne, F.C. with Halden, N.M., 637
- Hawthorne, F.C. with Wicks, F.J., 541
- Hein, F.J. with Armstrong, J.P., 755
- Henderson, G.S. with Wicks, F.J., 541
- Herd, R.K. with Roberts, A.C., 775
- Higuchi, D. with Halden, N.M., 637
- Hirschmann, M. with Whitney, D.L., 425
- Hofmeister, A.M. with Lu, Ren, 381
- Höy, T. with Turner, R.J.W., 973
- Hulbert, L.J. & Grégoire, D.C., Re-Os isotope systematics of the Rankin Inlet Ni ores: an example of the application of ICP-MS to investigate Ni-Cu-PGE mineralization and the potential use of Os isotopes in mineral exploration, 881
- Jackman, J.A. with Neumayr, P., 711
- Jackson, K.D. with Lu, Ren, 381
- Jambor, J.L. with Roberts, A.C., 775, 795
- Janczek, J. with Eby, R.K., 357
- Kamini, D.C., Grifffault, L.Y. & Kerrich, R., Polygorskite from fracture zones in the Eye - Dasha Lakes granitic pluton, Atikokan, Ontario, 173
- Kase, K., Kusachi, I. & Kishi, S., Rucklidgeite solid-solution in the Yanahara deposit, Japan, 99
- Kazachenko, V.T., Butsk, L.A., Sapin, V.I., Kitaev, I.V., Barinov, N.N. & Narnov, G.A., Vanadium-chromite tourmaline and vanadinite muscovite in contact-metamorphosed carbonaceous rocks, Primorye, Russia, 347
- Kerrich, R. with Kamini, D.C., 173
- Kilius, L.R. with Chai, Gang, 19
- Kilius, L.R. with Li, Chusi, 523
- Kishi, S. with Kase, K., 99
- Kitaev, I.V. with Kazachenko, V.T., 347
- Kjoller, K. with Wicks, F.J., 541
- Knowles, C.R. with Gunter, M.E., 467
- Kontak, D.J. & Smith, P.K., A metatubidite-hosted lode gold deposit: the Beaver Dam deposit, Nova Scotia. I. Vein paragenesis and mineral chemistry, 471
- Kovalová, M. with Pašava, J., 745
- Kusachi, I. with Kase, K., 99
- Lalonde, A.E. & Bernard, P., Composition and color of biotite from granites: two useful properties in the characterization of plutonic suites from the Hepburn internal zone of Wopmay Orogen, Northwest Territories, 203
- Lalonde, A.E. with Rowins, S.M., 219
- LeCheminant, A.N. with Peterson, T.D., 801
- LeCheminant, A.N., Proceedings of the thirty-eighth annual meeting of the Mineralogical Association of Canada, 1087
- Leitch, C.H.B. with Turner, R.J.W., 973
- Lentz, D.R. & Goodfellow, W.D., Petrology and mass-balance constraints on the origin of quartz-augene schist associated with the Brunswick massive sulfide deposits, Bathurst, New Brunswick, 877
- Li, Chusi & Naldrett, A.J., Platinum-group minerals from the Deep Copper zone of the Strathcona deposit, Sudbury, Ontario, 31
- Li, Chusi, Naldrett, A.J., Rucklidge, J.C. & Kilius, L.R., Concentrations of platinum-group elements and gold in sulfides from the Strathcona deposit, Sudbury, Ontario, 523
- Llati, A. with Mposkos, E., 401
- Lichte, F.E. with Foord, E.E., 337
- Longstaffe, J. with Armstrong, J.P., 755
- Lu, Ren, Jackson, K.D. & Hofmeister, A.M., Infrared spectra from solid solutions of apesartine and yttrium aluminum garnet, 381
- Lucchetti, G. with Basso, R., 331
- MacDonald, D.J. with Burns, P.C., 147
- MacFarlane, D.B. with Peterson, R.C., 159
- MacLean, P.J. with Fleet, M.E., 1
- Marcoux, E., Milési, J.-P., Sohearto, S. & Rinawan, R., Noteworthy mineralogy of the Au-Ag-Sn-W(Bi) epithermal ore deposit of Ciroton, West Java, Indonesia, 727
- Martin, R.F. with Taner, M., 137
- Martin-Ramos, J.D. with Abad-Ortega, M.M., 185
- Maxwell, J.A. with Halden, N.M., 637
- Mikucki, E.J. with Neumayr, P., 711
- Milési, J.-P. with Marcoux, E., 727
- Miller, M.G. with Whitney, D.L., 425
- Mposkos, E. & Llati, A., Metamorphic evolution of metapelites in the high-pressure terrane of the Rhodope Zone, northern Greece, 401
- Naldrett, A.J. with Chai, Gang, 19
- Naldrett, A.J. with Good, D.J., 45
- Naldrett, A.J. with Li, Chusi, 31, 523
- Narnov, G.A. with Kazachenko, V.T., 347
- Neumayr, P., Cabri, L.J., Groves, D.I., Mikucki, E.J. & Jackman, J.A., The mineralogical distribution of gold and relative timing of gold mineralization in two Archean settings of high metamorphic grade in Australia, 711
- Newton, R.C. & Harlow, D.E., Standard thermodynamic properties of almandine, 391
- Nickel, E.H., Standardization of polytype suffixes, 767
- Oberti, R. with Hawthorne, F.C., 551, 583, 597
- Ortega-Huertas, M. with Abad-Ortega, M.M., 185
- Palenzona, A. with Basso, R., 331
- Pan, Yuanming, Fleet, M.E., Barnett, R.L. & Chen, Yuan, Pyrosomalite in Canadian Precambrian sulfide deposits: mineral chemistry, petrogenesis and significance, 695
- Papike, J.J. with Schwandt, C.S., 371
- Parodi, G.C. with Burns, P.C., 147
- Pašava, J., Sulovsky, P. & Kovalová, M., Geochemistry and mineralogy of Proterozoic metal-rich black shales from the Bohemian Massif, Czech Republic, with a description of possible new molybdenum selenide and telluride phases, 745
- Patrick, R.A.D., Döring, M. & Polya, D.A., TEM study of indium- and copper-bearing growth-banded sphalerite, 105
- Peacor, D.R. with Rouse, E.C., 153
- Pearce, T.H. with Singer, B.S., 459
- Percival, J.B. & Ames, D.E., Clay mineralogy of active hydrothermal chimneys and an associated mound, Middle Valley, northern Juan de Fuca Ridge, 957
- Peterson, R.C. & MacFarlane, D.B., The rare-earth-element chemistry of allanite from the Grenville Province, 159
- Peterson, T.D. & LeCheminant, A.N., Glimmerite xenoliths in Early Proterozoic ultrapotassic rocks from the Churchill Province, 801
- Pilat, T. with Demartin, F., 127
- Pilat, T. with Foord, E.E., 337
- Polya, D.A. with Patrick, R.A.D., 105
- Putnis, A. with Groat, L.A., 617
- Raimbault, L. & Blal, E., Trace-element contents of helvite-group minerals from metasomatic albitites and hydrothermal veins at Sucuri, Brazil and Dafshan, China, 119
- Rinawan, R. with Marcoux, E., 727
- Robert, F. & Duke, J.M. Preface: Special issue dedicated to the Geological Survey of Canada on the occasion of its 150th anniversary, 773
- Roberts, A.C., Stirling, J.A.R., Grice, J.D., Burns, P.C., Roulston, B.V., Curtis, J.D. & Jambor, J.L., Pringleite and rutenbergite, polymorphs of $\text{Ca}_9\text{B}_2\text{O}_{34}(\text{OH})_{24}\text{Cl}_4\text{I}_3\text{H}_2\text{O}$, two new mineral species from Sussex, New Brunswick, 795
- Roberts, A.C., Stirling, J.A.R., Grice, J.D., Frisch, T., Herd, R.K. & Jambor, J.L., Harrisonite, a new calcium iron silicate-phosphate from Arcedeckne Island, District of Franklin, Arctic Canada, 775
- Roberts, A.C., Szymański, J.T., Erd, R.C., Criddle, A.J. & Bonardi, M., Deanesmithite, $\text{Hg}_2^{2+}\text{Hg}_2^{2+}\text{Cr}^{6+}\text{O}_8\text{S}_2$, a new mineral species from the Clear Creek Claim, San Benito County, California, 787
- Roberts, A.C. with Grice, J.D., 781
- Robinson, G.W. & Grice, J.D., The barium analog of brewsterite from Harrisville, New York, 687
- Rossman, G.R. with Eby, R.K., 357
- Roulston, B.V. with Roberts, A.C., 795
- Rouse, E.C. & Peacor, D.R., The crystal structure of dissakisite-(Ce), the Mg analogue of allanite-(Ce), 153
- Rowins, S.M., Cameron, E.M., Lalonde, A.E. & Ernst, R.E., Petrogenesis of the Late Archean syenitic Murdock Creek pluton, Kirkland Lake, Ontario: evidence for an extensional tectonic setting, 219
- Rucklidge, J.C. with Chai, Gang, 19
- Rucklidge, J.C. with Li, Chusi, 523
- Sapin, V.I. with Kazachenko, V.T., 347
- Schalck, D.K. with Gunter, M.E., 467
- Schmidt-Thomé, M. & Weiser, T., Platinum-group minerals from the Santiago River, Esmeraldas Province, Ecuador, 61
- Schwandt, C.S., Papike, J.J., Shearer, C.K. & Brearley, A.J., A SIMS investigation of REE chemistry of garnet in garnetite associated with the Broken Hill Pb-Zn-Ag orebodies, Australia, 371
- Scliar, C.B. & Benimoff, A.I., An occurrence of magmatic sphalerite, Graniteville quarry, Staten Island, New York, 691
- Secombe, P.K. with Yang, Kai, 75
- Shearer, C.K. with Schwandt, C.S., 371
- Singer, B.S. & Pearce, T.H., Plagioclase zonation in a basalt to rhyodacite eruptive suite, Seguin Island, Alaska: observations by Nomarski contrast interference, 459
- Sjöberg, J.K. with Castor, S.B., 89
- Smith, P.K. with Kontak, D.J., 471
- Sohearto, S. with Marcoux, E., 727
- Spratt, J. with Cressey, G., 447
- Stirling, J.A.R. with Ensle, R.F., 821
- Stirling, J.A.R. with Roberts, A.C., 775, 795
- Sulovsky, P. with Pašava, J., 745
- Szymański, J.T. with Roberts, A.C., 787
- Taner, M. & Martin, R.F., Significance of dumortierite in an aluminosilicate-rich zone of alteration, Louvicourt, Quebec, 137
- Teesdale, W.J. with Halden, N.M., 637
- Turner, R.J.W., Ames, D.E., Franklin, J.M., Goodfellow, W.D., Leitch, C.H.B. & Höy, T., Character of active hydrothermal mounds and nearby altered hemipelagic sediments in the hydrothermal areas of Middle Valley, northern Juan de Fuca Ridge: data on shallow cores, 973
- Ungaretti, L. with Hawthorne, F.C., 551, 583, 597
- Van Haverbeke, L. with Vochten, R., 167
- Van Springel, K. with Vochten, R., 167
- Vochten, R., Van Haverbeke, L. & Van Springel, K., Synthesis of Hebigite and anderssonite, and study of their thermal behavior and luminescence, 167
- Vrdoljak, G.A. with Wicks, F.J., 541
- Weisener, C.G. with Fleet, M.E., 1
- Weiser, T. with Schmidt-Thomé, M., 61
- Whitney, D.L., Hirschmann, M. & Miller, M.G., Zincian ilmenite - ecandrewsite from a pelitic schist, Death Valley, California, and

- the paragenesis of (Zn,Fe)TiO₃ solid solution in metamorphic rocks, 425
- Wicks, F.J., Kjoller, K., Eby, R.K., Hawthorne, F.C., Henderson, G.S. & Vrdoljak, G.A., Imaging the internal atomic structure of layer silicates using the atomic force microscope, 541
- Wylie, A.G., Modeling asbestos populations: a fractal approach, 437
- Yang, Kai & Seccombe, P.K., Chemical variation of chromite in the

- ultramafic cumulates of the Great Serpentine Belt, Upper Bingara to Doonba, New South Wales, Australia, 75
- Zeffiro, L. with Basso, R., 331
- Zingg, A.J., Continuous reactions in the MgO-FeO-SiO₂-H₂O multsystem, 865
- Zingg, A.J., Intra- and intercrystalline cation-exchange reactions in zoned calcic amphibole from the Bushveld Complex, 649

SUBJECT INDEX

- A crystal-chemical investigation of alpine gadolinite, (Demartin et al.), 127
- A metatubidite-hosted lode gold deposit: the Beaver Dam deposit, Nova Scotia. I. Vein paragenesis and mineral chemistry, (Kontak & Smith), 471
- A SIMS investigation of REE chemistry of garnet in garnetite associated with the Broken Hill Pb-Zn-Ag orebodies, Australia, (Schwandt et al.), 371
- An occurrence of magmatic sphalerite, Graniteville quarry, Staten Island, New York, (Solar & Benimoff), 691
- Arsenian pyrite from gold deposits: Au and As distribution investigated by SIMS and EMP, and color staining and surface oxidation by XPS and LIMS, (Fleet et al.), 1
- Carbon and oxygen isotope geochemistry of calcite from the Jubilee Zn-Pb deposit, Cape Breton Island, (Armstrong et al.), 755
- Character of active hydrothermal mounds and nearby altered hemipelagic sediments in the hydrothermal areas of Middle Valley, northern Juan de Fuca Ridge: data on shallow cores, (Turner et al.), 973

CHEMICAL ANALYSES (see also Electron-microprobe analyses)

Minerals

- albite, 196, andersonite, 168, chalcocopyrite, 22, liebigite, 168, orthoclase, 196, palygorskite, 175, pentlandite, 22, pyrrhotite, 22, zircon, 641

Rocks

- alkali-feldspar syenite, 225, anorthosite, 853, barite crust, 1014, clinopyroxene, 225, dumortierite-bearing andalusite schist, 143, dunite, 52, glimmerite, 841, granite, 826, granite pegmatite, 52, harzburgite, 52, hemipelagic sediment, 987, 1043, hornblende granite, 826, hornblende peridotite, 52, hornblende, 225, hydrothermal mound, 986, 1014, hydrothermally altered hemipelagic sediment, 1045, meladiorite, 225, melanonzodiorite, 225, melasyenite, 225, metapelite, 427, monzodiorite, 826, monzonite, 826, Ni-Cu sulfide ore, 22, 54, 524, 889, norite, 650, peridotite, 866, quartz-augen schist, 890, sea-floor massive sulfide, 1015, tuff, 890, ultramafic pegmatite, 650

- Chemical characterization of oscillatory zoning and overgrowths in zircon using 3 MeV μ -PIXE, (Halden et al.), 637

- Chemical variation of chromite in the ultramafic cumulates of the Great Serpentine Belt, Upper Bingara to Doonba, New South Wales, Australia, (Yang & Seccombe), 75

- Clay mineralogy of active hydrothermal chimneys and an associated mound, Middle Valley, northern Juan de Fuca Ridge, (Percival & Ames), 957

- Composite natrolite-mesolite crystals from the Columbia River Basalt Group, Clarkston, Washington, (Gunter et al.), 467

- Composition and color of biotite from granites: two useful properties in the characterization of plutonic suites from the Hepburn Internal zone of Wopmay Orogen, Northwest Territories, (Lalonde & Bernard), 203

- Concentrations of platinum-group elements and gold in sulfides from the Strathcona deposit, Sudbury, Ontario, (Li et al.), 523

- Continuous reactions in the MgO-FeO-SiO₂-H₂O multsystem, (Zingg), 865

COUPLED-ATOM SUBSTITUTIONS

Oxides

- chromite, 82, ilmenite-candrewsite solid solution, 431

Silicates

- allanite, 162, calcic amphibole, 656, chlorite, 886, clinopyroxene, 82, disacskite-(Ce), 155, dumortierite, 143, edenite, 656, gadolinite, 126, helvite-group minerals, 119, muscovite, 353, 496, olivine, 82, pargasite, 656, sericite, 886, spessartine, 382, staurolite, 554, 606, thortveitite, 344, tremolite, 656, tschermakite, 656, vanadian muscovite, 353, vanadian-chromian tourmaline, 352, zircon, 644

Sulfides

- rucklidgeite solid solution, 100, sphalerite, 105

CRYSTALLOGRAPHY (see also Twinning)

- antigorite, 455, chrysotile, 455, dumortierite, 143, epidote group, 153, 159, ferroelectric transition in stilwellite, 151, GP zones, 113, helvite-group minerals, 119, heteropolyhedral structure, 299, 309, 315, hydrogen bonding, 300, 309, 318, 327, 801, hydrogen bonding in staurolite, 801, lizardite, 543, mesolite, 468, natrolite, 468, orthorhombic staurolite, 589, oscillatory zoning, 837, pseudocubic serpentine, 447, REE in garnet, 376, 382, rucklidgeite solid solution, 103, sector zoning, 634, staurolite cation site-populations, 566, 608, vesuvianite, 618

CRYSTAL STRUCTURE (see also X-ray diffraction)

- akatorite, 321, colemanite, 297, deanesmithite, 792, dietzeite, 313, disaskite-(Ce), 153, gadolinite, 130, harrisonite, 781, high-temperature stilwellite, 151, meyerhofferite, 305, mozarite, 332, staurolite, 552, stilwellite, 147, thortveitite, 340, vesuvianite, 618

- Deanesmithite, Hg¹⁺₂Hg²⁺₃C₆O₅S₈, a new mineral species from the Clear Creek Claim, San Benito County, California, (Roberts et al.), 787

- Edge-sharing Mn²⁺Si₂O₄ tetrahedra in the structure of akatorite, Mn²⁺₉Al₂Si₂O₂₄(OH)₈, (Burns & Hawthorne), 321

- Electron and X-ray petrography of an unusual serpentine from the Tilley Foster mine, Brewster, New York, (Cressey et al.), 447

ELECTRON-MICROPROBE ANALYSES

- actinolite, 341, 700, albite, 483, 886, allanite, 162, allanite-(Ce), 341, apatite, 496, 835, arsenian pyrite, 4, arsenopyrite, 506, atacamite, 951, augeite, 830, 852, barite, 1014, barium analog of brewsterite, 888, biotite, 209, 407, 452, 490, 700, 831, 852, bismoclite, 41, bowenite, 68, braggite, 70, calcic amphibole, 652, 810, calcite, 811, canfieldite-(Te), 735, caryophyllite, 700, cassiterite, 737, chalcocopyrite, 806, 1013, chlorite, 408, 498, 810, 886, chloritoid, 408, 432, chromite, 79, 811, clinopyroxene, 700, 810, cooperite, 70, cuprorhodsite, 68, danalite, 121, dannerite, 700, deanesmithite, 791, diopside, 810, dumortierite, 143, eandrewsite, 430, edenite, 341, 652, 700, electrum, 91, 508, enstatite, 852, epidote, 488, 811, erlichmanite, 69, fayalite, 828, ferberite, 733, ferro-axinite, 912, ferroan diopside, 341, ferroallite, 700, froodite, 37, gadolinite, 129, galena, 508, 750, 1014, garnet, 374, 408, 431, 487, genthelvite, 121, gold, 508, 718, greenockite, 733, grunerite, 700, harrisonite, 779, helvite, 121, hesite, 42, hingshite, 64, hornblende, 481, 831, 852, ilmenite, 430, 834, 852, insizwaite, 39, isocubanite, 1013, laurite, 69, lilianite (Gusgo), 736, magnetite, 811, mesolite, 468, michenite, 40, microcline, 886, mozarite, 332, muscovite, 405, 432, 498, natrolite, 468, niggilite, 39, olivine, 829, orthoclase, 834, osmium, 65, paolovite, 40, paragonite, 408, pargasite, 652, 700, phengite, 405, phlogopite, 808, plagioclase, 483, 834, pringite, 798, Pt-Fe alloy, 64, pyrite, 4, 508, pyrrhotite, 699, pyrrhotite, 506, 814, 1012, richterite, 810, rucklidgeite, 101, rutenbergite, 798, sandine, 811, saponite, 885, 985, sericite, 888, smectite, 965, 985, sobolevskite, 40, sperrylite, 40, sphalerite (indium-bearing), 106, sphalerite (magnetic), 693, sphalerite, 739, 750, staurolite, 408, 432, 566, stilwellite, 148, thortveitite, 341, titanite, 341, 811, tourmaline, 494, tremolite, 652, tschermakite, 652, unnamed Ag₂Te, 508, unnamed Bi₄Te₂S, 508, unnamed Mo₃Se₄, 747, unnamed Mo₃Te₄, 747, unnamed Pd-Bi chloride, 41, unnamed Pd-Bi sulfide, 42, unnamed Pd₃(As,Te), 71, unnamed Pd₃CuS₂, 71, unnamed (Pt,Pd)(Bi,Te,Sn)₂, 41, unnamed Pt-Cu sulfide, 71, uytendboegardite, 91, 735, vanadian muscovite, 352, vanadian-chromian tourmaline, 352, vesuvianite, 359, zincian ilmenite, 431

EXPERIMENTAL (see also Petrology)

General

- accelerator mass spectrometry, 19, 524, aeromagnetic anomaly, 855, almandine standard thermodynamic properties, 391, andersonite fluorescence spectrum, 170, andersonite synthesis, 167, atomic force microscope, 541, Bouguer gravity anomaly, 835, cathodoluminescence, 839, chemography, 865, energy minimization of H-positions, 303, 310, Fe²⁺ in biotite, 847, fractal dimensions for asbestos, 443, garnet calorimetry, 393, hydrolysis constants, 115, ICP-MS analysis, 864, ion-microprobe, 565, 715, 831, liebigite fluorescence spectrum, 170, liebigite synthesis, 167, LIMS analysis, 2, magnetic susceptibility of anorthosite, 856, mineral staining (arsenian pyrite), 3, Na₄UO₂(CO₃)₃ synthesis, 167, Nomarski imaging of zoned plagioclase, 459, osmium analysis, 865, oxygen fugacity, 837, Pearce element ratio diagram, 228, μ -PIXE, 637, Re-Os isotope geochronometer, 861, rhenium analysis, 865, scanning proton microprobe, 844, SIMS analysis, 2, 371, 713, spidergram, 231, 825, thin-film IR spectra of garnet, 383, trichindity of K-feldspar, 193, water fugacity, 838, XPS analysis, 2

Stable Isotopes

- carbon, 760, 1051, hydrogen, 180, 1051, oxygen, 180, 760, 897,

1051, strontium, 1053, sulfur, 1050, uranium, 178

System

MgO-FeO-SiO₂-H₂O, 665

Factors controlling the occurrence of ferro-axinite within Archean gold-copper-rich quartz veins: Cooke mine, Chibougamau area, Abitibi Greenstone Belt, (Dubé & Guha), 905

Geochemistry and mineralogy of Proterozoic metal-rich black shales from the Bohemian Massif, Czech Republic, with a description of possible new molybdenum selenide and telluride phases, (Pašava et al.), 745

Geology and distribution of platinum-group elements, Bucko Lake intrusion, Thompson Belt, Manitoba, (Good & Naldrett), 45

Geology and geophysics of the "type" anorthosites, Château-Richer, Québec, (Feininger), 849

Glimmerite xenoliths in Early Proterozoic ultrapotassic rocks from the Churchill Province, (Peterson & LeCheminant), 801

Grice, J.D. & Roberts, A.C., Harrisonite, a well-ordered silico-phosphate with a layered crystal structure, (Grice & Roberts), 781

Harrisonite, a new calcium iron silicate-phosphate from Arcoedekne Island, District of Franklin, Arctic Canada, (Roberts et al.), 775

Hydrogen bonding in colemanite: an X-ray and structure-energy study, (Burns & Hawthorne), 297

Hydrogen bonding in meyerhofferite: an X-ray and structure-energy study, (Burns & Hawthorne), 305

Hydrothermal alteration associated with massive sulfide deposits, Middle Valley, northern Juan de Fuca Ridge, (Goodfellow et al.), 1025

Imaging the internal atomic structure of layer silicates using the atomic force microscope, (Wicks et al.), 541

In situ quantitative analyses for PGE and Au in sulfide minerals of the Jinchuan Ni-Cu deposit by accelerator mass spectrometry, (Chai et al.), 19

INFRARED-ABSORPTION SPECTRA

spessartine, 384, vanadian-chromian tourmaline, 355, vesuvianite, 359

Infrared spectra from solid solutions of spessartine and yttrium aluminum garnet, (Lu et al.), 381

Intra- and intercrystalline cation-exchange reactions in zoned calcic amphibole from the Bushveld Complex, (Zingg), 649

Metamict and chemically altered vesuvianite, (Eby et al.), 357

Metamorphic evolution of metapelites in the high-pressure terrane of the Rhodope Zone, northern Greece, (Mposkos & Liati), 401

MINERAL DATA (see also Electron-microprobe analyses)

acanthite, 93, actinolite, 341, 700, akaganite, 38, akatorite, 321, albite, 191, 898, almandine, 159, allanite-(Ce), 341, almandine, 381, almandine, 33, 99, andalusite, 141, andersonite, 168, anthophyllite, 439, antigorite, 448, 665, apatite, 835, arsenian pyrite, 1, arsenopyrite, 506, 714, asbestos, 437, atacamite, 945, augite, 830, 852, axinite, 905, barite, 1014, barium analog of brewsterite, 587, biotite, 208, 407, 432, 469, 700, 830, 852, bismoclite, 35, bismuth, 35, bornite, 527, botallackite, 949, bowellite, 68, braggite, 70, brewsterite, 587, brucite, 855, calcic amphibole, 532, calcite, 504, 785, canfieldite-(7), 735, caryophyllite, 700, cassiniter, 737, chalcopyrite, 24, 33, 506, 527, 1013, chlorite, 408, 498, 886, chloritoid, 404, 432, chromite, 79, 81, chrysotile, 439, 448, 665, clinoclase, 543, clinopyroxene, 700, 809, colesmanite, 297, cooperite, 70, cubanite, 33, 527, cuprorhodite, 88, danalite, 121, dannerite, 700, deanesmithite, 787, dietzite, 313, diopside, 809, disassakite-(Ce), 153, dumortierite, 141, eandrewite, 425, edenite, 341, 552, 700, electron, 93, 100, 501, 732, enstatite, 852, epidote, 178, 489, erlichmanite, 69, fayalite, 829, ferberite, 733, "ferri-chromit", 79, ferro-axinite, 905, ferroan diopside, 341, ferropargasite, 43, ferrosilite, 700, froodite, 35, gadolinite, 128, galena, 506, 1014, garnet, 368, 371, 381, 391, 404, 487, gentheite, 121, gold, 1, 501, 714, greenallite, 665, greenockite, 733, grunerite, 439, 700, harrisonite, 775, 781, helvite, 121, hessite, 36, hongshite, 68, hornblende, 481, 830, 852, ilite, 978, ilmenite, 425, 852, insizwaite, 36, isocubanite, 1013, isoferrroplatinum, 65, kyanite, 142, laurite, 69, libigite, 168, lilliantite (Gusq), 738, lizardite, 452, 665, 844, lilliantite, 714, magnetite, 527, mesolite, 468, meyerhofferite, 305, michenerite, 33, microcline, 192, 886, millerite, 527, minnesotaite, 665, mozzartite, 331, muscovite, 347, 404, 432, 493, 549, natrolite, 468, niggilite, 38, olivine, 829, orthoclase, 192, osmium, 68, polygorskite, 175, paolovite, 38, paragonite, 406, paratacamite, 949, pargasite, 682, 700, parsettenite, 731, pentlandite, 23, 33, 527, petrovskite, 86, phengite, 404, phlogopite, 804, plagioclase, 459, 483, platinum, 65, pringelide, 795, Pt-Fe alloy, 64, pyrite, 506, pyrosulphite, 665, pyrrhotite, 23, 506, 527, 1012, richterite, 808, riebeckite, 439, rucklidgeite, 99, ruitenbergite, 795, saponite, 984, 978, seafloor clay, 982, 978, 1034, sericite, 886, serpentine, 541, 665, smectite, 982, 978, 1034, scovite, 35, sperryite, 37, spessartine, 384, sphalerite (indium-bearing), 106, sphalerite, 105, 691, 739, staurolite, 408, 432, 551, 583, 597, stillwellite, 147, stromeyerite, 83, talc, 685, tellurobismuthite, 38, thortveitite, 338, titanite, 341, tourmaline, 347, 494, tremolite, 439, 652, 808, tschermakite, 652, unnamed Ag₂Te, 501, unnamed Bi₂Te₃, 501, unnamed Mo₂Se₄, 747, unnamed Mo₂Te₄, 747, unnamed Pd-Bi chloride, 38, unnamed Pd-Bi sulfide, 41, unnamed Pd₃(As,Te), 70, unnamed Pd₃Cu₂Te, 70, unnamed

(Pt,Pd)(Bi,Te,Sn)₂, 36, unnamed Pt-Cu sulfide, 70, uytenbogaardite, 93, 735, vanadian muscovite, 347, vanadian-chromian tourmaline, 347, vesuvianite, 357, 618, Y-Al garnet, 381, zincian ilmenite, 431, zircon, 837

MINERALOGICAL ASSOCIATION OF CANADA

Berry medal (Cabri), 1071, book reviews, 245, 533, 789, 1061, color photographs: arsenian pyrite (stained), 6; biotite, 207; flint, 255; copper 256; gold, 257; silver, 258; iron, 259; zircon (cathodoluminescence), 640, atacamite, 947, Hawley medal (Jackson, Longerich, Dunning & Fryer), 1068, Past Presidents' medal (Cabri), 1071, Presidential address, 253, 772, proceedings of the 38th annual meeting, 1087, referees for 1992, 539

Mineralogy and geochemistry of active and inactive chimneys and massive sulfide, Middle Valley, northern Juan de Fuca Ridge: an evolving hydrothermal system, (Ames et al.), 997

Minerals, mineralogy and mineralogists: past, present and future, (Hawthorne), 253

Minerals, mineralogy and mineralogists: past, present and future; addendum, (Hawthorne), 772

Modeling asbestos populations: a fractal approach, (Wyllie), 437

Mozartite, CaMn(OH)SiO₄, a new mineral species from the Cerchiaro mine, northern Apennines, Italy, (Basso et al.), 331

NEW MINERAL SPECIES

barium analog of brewsterite, 687, deanesmithite, 787, harrisonite, 775, mozzartite, 331, pringelide, 795, ruitenbergite, 795, unnamed Ag₂Te, 501, unnamed Bi₂Te₃, 501, unnamed Mo₂Se₄, 747, unnamed Mo₂Te₄, 747, unnamed Pd-Bi chloride, 38, unnamed Pd-Bi sulfide, 41, unnamed Pd₃(As,Te), 70, unnamed Pd₃Cu₂Te, 70, unnamed (Pt,Pd)(Bi,Te,Sn)₂, 36, unnamed Pt-Cu sulfide, 70

NOMENCLATURE

akatorite, 328, barium analog of brewsterite, 687, deanesmithite, 787, dietzite, 313, gadolinite, 128, harrisonite, 775, helvite-group minerals, 119, mozzartite, 331, polytype suffixes, 787, pringelide, 795, rucklidgeite solid solution, 99, ruitenbergite, 795, staurolite cation sites, 554

Noteworthy mineralogy of the Au-Ag-Sn-W(Bi) epithermal ore deposit of Citron, West Java, Indonesia, (Marcoux et al.), 727

OPTICAL PROPERTIES

General

barium analog of brewsterite, 688, biotite, 211, dumortierite, 141, harrisonite, 778, mesolite, 468, mozzartite, 332, natrolite, 468, pringelide, 797, ruitenbergite, 797, thortveitite, 359, vanadian-chromian tourmaline, 348, vesuvianite, 320

Reflectance

deanesmithite, 790

Polygorskite from fracture zones in the Eye - Dashwa Lakes granitic pluton, Atikokan, Ontario, (Kamini et al.), 173

Petrogenesis of the Late Archean syenitic Murdoch Creek pluton, Kirkland Lake, Ontario: evidence for an extensional tectonic setting, (Rowins et al.), 219

PETROLOGY (see also Experimental)

AFM topology for metapelite, 408, Alpine-type ultramafic, 75, 401, amphibole exchange reactions, 656, andesine antiperthite, 851, anorthosite, 821, 849, arsenian pyrite, 1, Be-mineral paragenesis, 122, biotite color, 212, black smokers, 946, 961, 1003, Bushveld Complex, 849, 678, chondrite-normalized REE, 124, 163, 178, 233, 343, 375, 482, 828, 894, chromitite, 75, CIPW norm, 61, Cl in silicates, 43, 698, 828, eclogite, 401, F in biotite, 700, 829, fluid inclusion data, 480, 737, 761, 912, garnetite, 371, geobarometer, 198, 391, 419, 836, geothermometry, 121, 198, 391, 419, 492, 705, 737, 761, 836, glimmerite, 641, 803, gold deposition temperature, 722, 737, gold in hydrothermal mounds, 1015, gold in lillingtonite, 714, GRAIL reaction, 392, granite pegmatite, 49, 128, 163, 185, 339, harzburgite, 76, hornblende geobarometer, 837, hydrocarbon oxidation, 762, hydrothermal alteration of sea-floor sediments, 1025, hydrothermal mound clay-mineralogy, 957, 985, 1033, hydrothermal mound growth, 992, 1017, hydrothermal mound mineralogy, 946, 957, 979, 987, 1025, 1051, hydrothermal mound schematic cross-section, 981, 1002, 1058, indium in cassiterite, 737, indium in sphalerite, 106, invisible gold, 1, 712, lamproite, 802, lamprophyre, 802, magmatic sphalerite, 691, mantle-normalized PGE, 55, Meguma Group, 471, metaliferous black shale, 745, metamictization, 127, 159, 357, metamorphic evolution, 418, metapelite, 401, 428, Middle Valley, Juan de Fuca Ridge, 957, 973, 987, 1025, minette, 802, Nain plutonic suite, 822, ophiolite, 75, 401, oscillatory zoning in zircon, 648, oxidative metamorphism, 926, paramorphs after β -quartz, 884, pegmatite foldapsar, 189, 650, perthite, 195, PGE enrichment factors, 25, 528, PGE in sulfides, 19, 42, 524, PCM nuggets, 63, plagioclase cumulate, 850, plagioclase zonation, 459, Precambrian gold deposit, 905, 917, pseudocubic serpentine, 447, pyrite oxidation, 13, pyrosulphite in VMS deposits, 707, quartz-augen schist, 877, rapakivi granite, 821, Rhodope zone, 401, Sc in igneous systems, 340, Se/S ratio in sulfides, 57, 873, sea-floor massive sulfides, 946, 961, 979, 997, 1025, serpentinization, 79, 679, solid solution: As and Au in

- pyrite, 10; Pd in pentlandite, 26, 42; spessartine-YAG, 381; ilmenite-eandrewsite, 425; pyrosmalite, 695, sulfate reduction, 762, sulfidation reaction, 26, TAG hydrothermal field, 946, ultramafic cumulates, 75, ultramafic pegmatite, 650, ultrapotassic magmatism, 802, 825, volcanogenetic massive sulfides, 877, 1020, xenolith, 802
- Petrology and mass-balance constraints on the origin of quartz-augen schist associated with the Brunswick massive sulfide deposits, Bathurst, New Brunswick, (Lentz & Goodfellow), 877**
- Plagioclase zonation in a basalt to rhyodacite eruptive suite, Segum Island, Alaska: observations by Nomarski contrast interference, (Singer & Pearce), 459**
- Platinum-group minerals from the Deep Copper zone of the Strathcona deposit, Sudbury, Ontario, (Li & Naldrett), 31**
- Platinum-group minerals from the Santiago River, Esmeraldas Province, Ecuador, (Schmidt-Thomé & Weiser), 61**
- Precambrian gold: perspectives from the top and bottom of shear zones, (Cameron), 917**
- Preface: Special issue dedicated to the Geological Survey of Canada on the occasion of its 150th anniversary, (Robert & Duke), 773**
- Pringite and ruitenbergite, polymorphs of $\text{Ca}_2\text{P}_2\text{O}_7(\text{OH})_{24}\text{Cl}_2\text{O}_{13}\text{H}_2\text{O}$, two new mineral species from Sussex, New Brunswick, (Roberts et al.), 795**
- Proceedings of the thirty-eighth annual meeting of the Mineralogical Association of Canada, (LeChémant), 1067**
- Pyrosmalite in Canadian Precambrian sulfide deposits: mineral chemistry, petrogenesis and significance, (Pan et al.), 695**
- Rapakivi and related granitoids of the Nain Plutonic Suite: geochemistry, mineral assemblages and fluid equilibria, (Emalie & Stirling), 821**
- Re-Os isotopic systematics of the Rankin Inlet Ni ores: an example of the application of ICP-MS to investigate Ni-Cu-PGE mineralization and the potential use of Os isotopes in mineral exploration, (Hulbert & Grégoire), 861**
- Rucklidgeite solid-solution in the Yanahara deposit, Japan, (Kase et al.), 98**
- SCANNING-ELECTRON MICROGRAPHS**
- acanthite, 93, akaganeite, 38, altaite, 35, amorphous silica, 1039, andersonite, 169, anhydrite, 1007, antigorite, 451, arsenian pyrite, 5, arsenopyrite, 714, atacamite, 948, barite, 1008, 1039, barium analog of brewsterite, 689, bismuthite, 35, bismuth, 35, botallackite, 949, bowieite, 66, braggite, 66, carbonate concretions, 1041, chrysotile, 451, cuprorhodite, 66, deanesmithite, 789, electron, 93, froodite, 35, gold, 714, gypsum, 1040, harringtonite, 778, hessite, 36, hongshite, 66, hydrothermal chimney, 1007, hydrothermally altered sea-floor sediment, 1037, ilmenite, 927, ilmenite-eandrewsite solid solution, 429, insizwaite, 36, laurite, 66, lepidocrocite, 1011, leibgite, 169, lilligite, 714, mesolite, 468, michenerite, 38, natrolite, 468, niggilite, 36, osmium, 66, palygorskite, 176, paolovite, 38, paratacamite, 949, PGM nugget, 63, Pt-Fe alloy nugget, 63, pyrosmalite, 698, pyrrhotite, 714, 930, 1007, rucklidgeite solid solution, 101, saponite, 1007, sea-floor clay, 963, 1007, 1038, sea-floor massive sulfide, 1011, 1040, smectite, 963, 1007, sobolevskite, 35, sperryite, 37, telluribismuthite, 38, thortveitite, 339, unnamed Mo_2Se_4 , 751, unnamed Mo_3Te_4 , 751, unnamed Pd-Bi chloride, 38, unnamed (Pt,Pd) (Bi,Te,Sn)₂, 38, unnamed Pt-Cu sulfide, 66, uytenbogaardite, 93, vanadian-chromian tourmaline, 350, vesuvianite, 360, 821
- Significance of dumortierite in an aluminosilicate-rich zone of alteration, Louvicourt, Quebec, (Taner & Martin), 137**
- Standard thermodynamic properties of almandine, (Newton & Harley), 391**
- Standardization of polytype suffixes, (Nickel), 767**
- Synthesis of leibgite and andersonite, and study of their thermal behavior and luminescence, (Vochten et al.), 167**
- TEM study of indium- and copper-bearing growth-banded sphalerite, (Patrick et al.), 105**
- TEXTURES**
- acanthite, 93, anorthosite, 850, antiperthite, 191, 850, arsenian pyrite, 3, arsenopyrite replacing lilligite, 714, atacamite, 950, calcite, 759, chromite, 77, clinopyroxene, 223, crack-seal quartz, 476, cubanite exsolution in chalcopyrite, 34, cumulate, 49, 78, 223, dumortierite replacing andalusite, 140, electron, 93, glimmerite, 803, gold in lilligite, 714, hydrothermal chimney, 1007, ilmenite-eandrewsite solid solution, 429, net-textured sulfides, 20, 52, 864, olivocysts, 475, oscillatory zoning, 3, palygorskite, 176, pegmatite, 187, pegmatitic feldspar, 189, perthite, 189, 224, 824, PGM, 35, plagioclase zonation, 459, pseudocubic serpentine, 447, pyrosmalite, 698, quartz-augen schist, 882, rapakivi granite, 821, saponite replacing anhydrite, 1010, sea-floor clay, 963, 1007, 1038, sea-floor massive sulfide, 1011, serpentine pseudomorphs, 457, uytenbogaardite, 93, vesuvianite, 620, wilbergite, 827
- The barium analog of brewsterite from Harrisville, New York, (Robinson & Grice), 687**
- The crystal chemistry of staurolite. I. Crystal structure and site populations, (Hawthorne et al.), 551**
- The crystal chemistry of staurolite. II. Order-disorder and the monoclinic → orthorhombic phase transition, (Hawthorne et al.), 583**
- The crystal chemistry of staurolite. III. Local order and chemical composition, (Hawthorne et al.), 597**
- The crystal structure of dietzite, $\text{Ca}_2\text{H}_2(\text{O}_3)_2(\text{CrO}_4)$, a heteropolyhedral framework mineral, (Burns & Hawthorne), 313**
- The crystal structure of dissakisite-(Ce), the Mg analogue of allanite-(Ce), (Roussé & Peacor), 153**
- The crystal structure of stilwellite, (Burns et al.), 147**
- The feldspars of the Sierra Albarana granitic pegmatites, Cordoba, Spain, (Abad-Ortega et al.), 185**
- The formation of atacamite during weathering of sulfides on the modern seafloor, (Hannington), 945**
- The mineralogical distribution of gold and relative timing of gold mineralization in two Archean settings of high metamorphic grade in Australia, (Neumayr et al.), 711**
- The rare-earth-element chemistry of allanite from the Grenville Province, (Peterson & MacFarlane), 159**
- The symmetry of vesuvianite, (Groat et al.), 617**
- THERMOGRAVIMETRIC ANALYSIS**
- andersonite, 168, leibgite, 168, vesuvianite, 368
- Thortveitite and associated Se-bearing minerals from Ravalli County, Montana, (Foord et al.), 337**
- Trace-element contents of helvite-group minerals from metasomatic albitites and hydrothermal veins at Sucuri, Brazil and Dajishan, China, (Raimbault & Bilal), 119**
- TRACE-ELEMENT DATA**
- albite, 485, alkali-feldspar syenite, 225, apatite, 835, barite crust, 1014, biotite, 493, black shale, 747, bornite, 527, calcite, 504, carbonaceous siltstone, 348, cassiterite, 737, chalcopyrite, 23, 42, 527, 931, chlorite, 493, clinopyroxene, 225, cubanite, 527, danalite, 121, epidote, 178, gadolinite, 130, garnet, 371, garnetite, 371, genthelvite, 121, glimmerite, 641, gold in hydrothermal mounds, 1015, gold-quartz veins, 90, 481, granite, 178, 826, helvite, 121, hemipelagic sediment, 987, 1043, hornblende, 482, hornblende granite, 826, hornblende, 225, hydrothermal mound, 988, 1015, hydrothermally altered hemipelagic sediment, 1045, indium in cassiterite, 737, indium in sphalerite, 106, magnetite, 527, meladiorite, 225, melamonzodiorite, 225, melasyenite, 225, metalliferous black shale, 747, metapelite, 427, millerite, 527, monzodiorite, 826, monzonite, 826, muscovite, 493, orthoclase, 197, palygorskite, 177, pentlandite, 23, 42, 527, peridotite, 866, PGE in sulfides, 22, 42, 54, 528, 886, plagioclase, 485, pyrite, 931, pyrrhotite, 23, 42, 527, 931, quartz-augen schist, 890, Re-Os in Ni-Cu sulfides, 866, seafloor massive sulfide, 1015, sphalerite, 106, thortveitite, 343, titanite, 943, zircon, 641
- TRANSMISSION ELECTRON MICROGRAPHY**
- antigorite, 452, chlorite, 985, chrysotile, 452, garnetite cement, 374, lizardite, 987, saponite, 965, sphalerite, 105, vesuvianite, 359, 629
- TWINNING (see also Crystallography)**
- akatorite, 322, albite, 191, andesine antiperthite, 851, deanesmithite, 789, microcline, 191, sphalerite (copper-bearing), 110, thortveitite, 339, vesuvianite, 633
- Uytenbogaardite, Ag_3AuS_2 , in the Bullfrog mining district, Nevada, (Castor & Sjöberg), 89**
- Vanadian-chromian tourmaline and vanadian muscovite in contact-metamorphosed carbonaceous rocks, Primorye, Russia, (Kazachenko et al.), 347**
- X-RAY DIFFRACTION (see also Crystal Structure)**
- Cell Dimensions**
- akatorite, 321, allanite, 165, andalusite, 141, andersonite, 168, barium analog of brewsterite, 688, coemanite, 297, deanesmithite, 789, dietzite, 313, dissakisite-(Ce), 153, dumortierite, 141, gadolinite, 130, harringtonite, 779, 782, kyanite, 142, leibgite, 168, meyerhofferite, 305, mozarite, 333, orthoclase, 192, palygorskite, 177, pringite, 799, rucklidgeite solid solution, 103, ruitenbergite, 799, staurolite, 562, stilwellite, 147, thortveitite, 342, vanadian muscovite, 353, vanadian-chromian tourmaline, 350, vesuvianite, 361, 620
- Powder Data**
- allanite, 165, barium analog of brewsterite, 688, deanesmithite, 790, harringtonite, 779, kyanite (Gussg), 737, lizardite, 984, mozarite, 332, pringite, 799, rucklidgeite solid solution, 103, ruitenbergite, 800, saponite, 964, vesuvianite, 365
- Zincian ilmenite - eandrewsite from a pelitic schist, Death Valley, California, and the paragenesis of $(\text{Zn,Fe})\text{TiO}_3$ solid solution in metamorphic rocks, (Whitney et al.), 425**

THE CANADIAN MINERALOGIST

**Journal of the
Mineralogical Association
of Canada**



R.F. Martin, Editor

Volume 31, 1993

Arsenian pyrite from gold deposits: Au and As distribution investigated by SIMS and EMP, and color staining and surface oxidation by XPS and LIMS M.E. FLEET, S.J. CHRYSOULIS, P.J. MACLEAN, R. DAVIDSON & C.G. WEISENER	1
<i>In situ</i> quantitative analyses for PGE and Au in sulfide minerals of the Jinchuan Ni-Cu deposit by accelerator mass spectrometry GANG CHAI, A.J. NALDRETT, J.C. RUCKLIDGE & L.R. KILIUS	19
Platinum-group minerals from the Deep Copper zone of the Strathcona deposit, Sudbury, Ontario CHUSI LI & A.J. NALDRETT	31
Geology and distribution of platinum-group elements, Bucko Lake intrusion, Thompson Belt, Manitoba D.J. GOOD & A.J. NALDRETT	45
Platinum-group minerals from the Santiago River, Esmeraldas Province, Ecuador T. WEISER & M. SCHMIDT-THOMÉ	61
Chemical variation of chromite in the ultramafic cumulates of the Great Serpentine Belt, Upper Bingara to Doonba, New South Wales, Australia KAI YANG & P.K. SECCOMBE	75
Uytnebogaardite, Ag ₃ AuS ₂ , in the Bullfrog mining district, Nevada S.B. CASTOR & J.J. SJOBERG	89
Rucklidgeite solid-solution in the Yanahara deposit, Japan K. KASE, I. KUSACHI & S. KISHI	99
TEM study of indium- and copper-bearing growth-banded sphalerite R.A.D. PATTRICK, M. DORLING & D.A. POLYA	105
Trace-element contents of helvite-group minerals from metasomatic albitites and hydrothermal veins at Sucuri, Brazil and Dajishan, China L. RAIMBAULT & E. BILAL	119
A crystal-chemical investigation of alpine gadolinite F. DEMARTIN, T. PILATI, V. DIELLA, P. GENTILE & C.M. GRAMACCIOLI	127
Significance of dumortierite in an aluminosilicate-rich zone of alteration, Louvicourt, Quebec M. TANER & R.F. MARTIN	137
The crystal structure of stillwellite P.C. BURNS, F.C. HAWTHORNE, D.J. MACDONALD, G. DELLA VENTURA & G.C. PARODI	147
The crystal structure of dissakisite-(Ce), the Mg analogue of allanite-(Ce) R.C. ROUSE & D.R. PEACOR	153
The rare-earth-element chemistry of allanite from the Grenville Province R.C. PETERSON & D.B. MACFARLANE	159
Synthesis of liebigite and andersonite, and study of their thermal behavior and luminescence R. VOCHTEN, L. VAN HAVERBEKE & K. VAN SPRINGEL	167
Palygorskite from fracture zones in the Eye – Dashwa Lakes granitic pluton, Atikokan, Ontario D.C. KAMINENI, L.Y. GRIFFAULT & R. KERRICH	173
The feldspars of the Sierra Albarrana granitic pegmatites, Cordoba, Spain M.M. ABAD-ORTEGA, P. FENOLL HACH-ALI, J.D. MARTIN-RAMOS & M. ORTEGA-HUERTAS	185
Composition and color of biotite from granites: two useful properties in the characterization of plutonic suites from the Hepburn international zone of Wopmay Orogen, Northwest Territories A.E. LALONDE & P. BERNARD	203
Petrogenesis of the Late Archean suenitic Murdock Creek pluton, Kirkland Lake, Ontario: evidence for an extensional tectonic setting S.M. ROWINS, E.M. CAMERON, A.E. LALONDE & R.E. ERNST	219
BOOK REVIEWS	245

Minerals, mineralogy and mineralogists: past, present and future	F.C. HAWTHORNE	253
Hydrogen bonding in colesmanite: an X-ray and structure-energy study	P.C. BURNS & F.C. HAWTHORNE	297
Hydrogen bonding in meyerhofferite: an X-ray and structure energy study	P.C. BURNS & F.C. HAWTHORNE	305
The crystal structure of dietzeite, $\text{Ca}_2\text{H}_2\text{O}(\text{IO}_3)_2(\text{CrO}_4)$, a heteropolyhedral framework mineral	P.C. BURNS & F.C. HAWTHORNE	313
Edge-sharing Mn^{2+}O_4 tetrahedra in the stucture of akatoreite, $\text{Mn}^{2+}_9\text{Al}_2\text{Si}_8\text{O}_{24}(\text{OH})_8$	P.C. BURNS & F.C. HAWTHORNE	321
Mozartite, $\text{CaMn}(\text{OH})\text{SiO}_4$, a new mineral species from the Cerchiara mine, northern Appenines, Italy	R. BASSO, G. LUCCHETTI, L. ZEFIRO & A. PALENZONA	331
Thortveitite and associated Sc-bearing minerals from Ravalli County, Montana	E.E. FOORD, S.D. BIRMINGHAM, F. DEMARTIN, T. PILATI, C.M. GRAMACCIOLI & F.E. LICHTER	337
Vanadian–chromian tourmaline and vanadian muscovite in contact-metamorphosed carbonaceous rocks, Primorye, Russia	V.T. KAZACHENKO, L.A. BUTSIK, V.I. SAPIN, I.V. KITAEV, N.N. BARINOV & G.A. NARNOV	347
Metamict and chemically altered vesuvianite	R.K. EBY, J. JANECZEK, R.C. EWING, T.S. ERCIT, L.A. GROAT, B.C. CHAKOUMAKOS, F.C. HAWTHORNE & G.R. ROSSMAN	357
A SIMS investigation of REE chemistry of garnet in garnetite associated with the Broken Hill Pb–Zn–Ag orebodies, Australia	C.S. SCHWANDT, J.J. PAPIKE, C.K. SHEARER & A.J. BREARLEY	371
Infrared spectra from solid solutions of spessartine and yttrium aluminum garnet	REN LU, K.D. JACKSON & A.M. HOFMEISTER	381
Standard thermodynamic properties of almandine	R.C. NEWTON & D.E. HARLOV	391
Metamorphic evolution of metapelites in the high-pressure terrane of the Rhodope Zone, northern Greece	E. MPOSKOS & A. LIATI	401
Zincian ilmenite – ecanndrewsite from a pelitic schist, Death Valley, California, and the paragenesis of $(\text{Zn},\text{Fe})\text{TiO}_3$ solid solution in metamorphic rocks	D.L. WHITNEY, M. HIRSCHMANN & M.G. MILLER	425
Modeling asbestos populations: a fractal approach	A.G. WYLIE	437
Electron and X-ray petrography of an unusual serpentine from the Tilley Foster mine, Brewster, New York	G. CRESSEY, J. SPRATT & B.A. CRESSEY	447
Plagioclase zonation in a basalt to rhyodacite eruptive suite, Seguam Island, Alaska: observations by Nomarski contrast interference	B.S. SINGER & T.H. PEARCE	459
Composite natrolite–mesolite crystals from the Columbia River basalt Group, Clarkston, Washington	M.E. GUNTER, C.R. KNOWLES & D.K. SCHALCK	467
A metatubidite-hosted lode gold deposit: the Beaver Dam deposit, Nova Scotia. I. Vein paragenesis and mineral chemistry	D.J. KONTAK & P.K. SMITH	471
Concentrations of platinum-group elements and gold in sulfides from the Strathcona deposit, Sudbury, Ontario	CHUSI LI, A.J. NALDRETT, J.C. RUCKLIDGE & L.R. KILIUS	523
BOOK REVIEWS		533
Referees for 1992		539

Imaging the internal atomic structure of layer silicates using the atomic force microscope F.J. WICKS, K. KJOLLER, R.K. EBY, F.C. HAWTHORNE, G.S. HENDERSON & G.A. VRDOLJAK	541
The crystal chemistry of staurolite. I. Crystal structure and site populations F.C. HAWTHORNE, L. UNGARETTI, R. OBERTI, F. CAUCIA & A. CALLEGARI	551
The crystal chemistry of staurolite. II. Order–disorder and the monoclinic → orthorhombic phase transition F.C. HAWTHORNE, L. UNGARETTI, R. OBERTI, F. CAUCIA & A. CALLEGARI	583
The crystal chemistry of staurolite. III. Local order and chemical composition F.C. HAWTHORNE, L. UNGARETTI, R. OBERTI, F. CAUCIA & A. CALLEGARI	597
The symmetry of vesuvianite L.A. GROAT, F.C. HAWTHORNE, T.S. ERCIT & A. PUTNIS	617
Chemical characterization of oscillatory zoning and overgrowths in zircon using 3 MeV μ -PIXE N.M. HALDEN, F.C. HAWTHORNE, J.L. CAMPBELL, W.J. TEESDALE, J.A. MAXWELL & D. HIGUCHI	637
Intra- and intercrystalline cation-exchange reactions in zoned calcic amphibole from the Bushveld Complex A.J. ZINGG	649
Continuous reactions in the MgO–FeO–SiO ₂ –H ₂ O multisystem A.J. ZINGG	665
The barium analog of brewsterite from Harrisville, New York G.W. ROBINSON & J.D. GRICE	687
An occurrence of magmatic sphalerite, Graniteville quarry, Staten Island, New York C.B. SCLAR & A.I. BENIMOFF	691
Pyrosmalite in Canadian Precambrian sulfide deposits: mineral chemistry, petrogenesis and significance YUANMING PAN, M.E. FLEET, R.L. BARNETT & YUAN CHEN	695
The mineralogical distribution of gold and relative timing of gold mineralization in two Archean settings of high metamorphic grade in Australia P. NEUMAYR, L.J. CABRI, D.I. GROVES, E.J. MIKUCKI & J.A. JACKMAN	711
Noteworthy mineralogy of the Au–Ag–Sn–W(Bi) epithermal ore deposit of Cirotan, West Java, Indonesia E. MARCOUX, J.-P. MILÉSI, S. SOHEARTO & R. RINAWAN	727
Geochemistry and mineralogy of Proterozoic metal-rich black shales from the Bohemian Massif, Czech Republic, with a description of possible new molybdenum selenide and telluride phases J. PAŠAVA, P. SULOVSÝ & M. KOVALOVA	745
Carbon and oxygen isotope geochemistry of calcite from the Jubilee Zn–Pb deposit, Cape Breton Island J.P. ARMSTRONG, F.J. LONGSTAFFE & F.J. HEIN	755
Standardization of polytype suffixes E.H. NICKEL	767
BOOK REVIEWS	769
Minerals, mineralogy and mineralogists: past, present and future; addendum F.C. HAWTHORNE	772

Preface	F. ROBERT & M. DUKE	773
Harrisonite, a new calcium iron silicate–phosphate from Arcedeckne Island, District of Franklin, Arctic Canada	A.C. ROBERTS, J.A.R. STIRLING, J.D. GRICE, T. FRISCH, R.K. HERD & J.L. JAMBOR	775
Harrisonite, a well-ordered silico-phosphate with a layered crystal structure	J.D. GRICE & A.C. ROBERTS	781
Deanesmithite, $\text{Hg}^{1+}_2\text{Hg}^{2+}_3\text{Cr}^{6+}\text{O}_5\text{S}_2$, a new mineral species from the Clear Creek Claim, San Benito County, California	A.C. ROBERTS, J.T. SZYMAŃSKI, R.C. ERD, A.J. CRIDDLE & M. BONARDI	787
Pringleite and ruitenbergite, polymorphs of $\text{Ca}_9\text{B}_{26}\text{O}_{34}(\text{OH})_{24}\text{Cl}_4 \cdot 13\text{H}_2\text{O}$, two new mineral species from Sussex, New Brunswick	A.C. ROBERTS, J.A.R. STIRLING, J.D. GRICE, P.C. BURNS, B.V. ROULSTON, J.D. CURTIS & J.L. JAMBOR	795
Glimmerite xenoliths in Early Proterozoic ultrapotassic rocks from the Churchill Province	T.D. PETERSON & A.N. LECHÉMINANT	801
Rapakivi and related granitoids of the Nain Plutonic Suite: geochemistry, mineral assemblages and fluid equilibria	R.F. EMSLIE & J.A.R. STIRLING	821
Geology and geophysics of the “type” anorthosite, Château-Richer, Québec	T. FEININGER	849
Re–Os isotope systematics of the Rankin Inlet Ni ores: an example of the application of ICP–MS to investigate Ni–Cu–PGE mineralization and the potential use of Os isotopes in mineral exploration	L.J. HULBERT & D.C. GRÉGOIRE	861
Petrology and mass-balance constraints on the origin of quartz-augen schist associated with the Brunswick massive sulfide deposits, Bathurst, New Brunswick	D.R. LENTZ & W.D. GOODFELLOW	877
Factors controlling the occurrence of ferro-axinite within Archean gold–copper-rich quartz veins: Cooke mine, Chibougamau area, Abitibi Greenstone Belt	B. DUBÉ & J. GUHA	905
Precambrian gold: perspectives from the top and bottom of shear-zones	E.M. CAMERON	917
The formation of atacamite during weathering of sulfides on the modern seafloor	M.D. HANNINGTON	945
Clay mineralogy of active hydrothermal chimneys and an associated mound, Middle Valley, northern Juan de Fuca Ridge	J.B. PERCIVAL & D.E. AMES	957
Character of active hydrothermal mounds and nearby altered hemipelagic sediments in the hydrothermal areas of Middle Valley, northern Juan de Fuca Ridge: data on shallow cores	R.J.W. TURNER, D.E. AMES, J.M. FRANKLIN, W.D. GOODFELLOW, C.H.B. LEITCH & T. HÖY	973
Mineralogy and geochemistry of active and inactive chimneys and massive sulfide, Middle Valley, northern Juan de Fuca Ridge: an evolving hydrothermal system	D.E. AMES, J.M. FRANKLIN & M.D. HANNINGTON	997
Hydrothermal alteration associated with massive sulfide deposits, Middle Valley, northern Juan de Fuca Ridge	W.D. GOODFELLOW, K. GRAPES, B. CAMERON & J.M. FRANKLIN	1025
BOOK REVIEWS		1061
Proceedings of the thirty-eighth annual meeting of the Mineralogical Association of Canada	G.M. LECHÉMINANT	1067
The Hawley Medal for 1993 to S.E. Jackson, H.P. Longerich, G.R. Dunning and B.J. Fryer		1068
The Berry and Past Presidents’ medals to Louis J. Cabri		1071
Index, Volume 31	J.D. SCOTT	1075