

THE CANADIAN MINERALOGIST

VOLUME 33, INDEX

J. DOUGLAS SCOTT

203-44 Brousseau Avenue, Timmins, Ontario P4N 5Y2

AUTHOR INDEX

- Acevedo, R.D. with Martin-Izard, A., 775
 Albino, G.V., Iron- and aluminum-rich serpentine and chlorite from the Boundary ultramafic complex, Cape Smith Belt, New Quebec, 559
 Anderson, A.J., Mayanovic, R.A. & Bajt, S., Determination of the local structure and speciation of zinc in individual hypersaline fluid inclusions by micro-XAFS, 499
 Artioli, G., Quartieri, S. & Deriu, A., Spectroscopic data on coexisting prehnite-pumpellyite and epidote-pumpellyite, 67
 Asif, M. with Ferreira Filho, C.F., 165
 Augé, T. & Maurizot, P., Stratiform and alluvial platinum mineralization in the New Caledonia ophiolite complex, 1023
 Back, M.E. with Wicks, F.J., 313
 Bajt, S. with Anderson, A.J., 499
 Baker, D.R. with Dalpé, C., 481
 Balić-Zunić, T. with Makovicky, E., 655
 Bancroft, G.M. with Li, Dien, 949
 Bégin, N.J., Ghent, E.D. & Beiersdorfer, R.E., Low-temperature metamorphism of the Crownsnest volcanic suite, southwestern Alberta, 973
 Beiersdorfer, R.E. with Bégin, N.J., 973
 Beveridge, T.J. with Sawicki, J.A., 1
 Birch, W.D., Pring, A. & Foord, E.E., Selwynite, $\text{NaK}(\text{Be,Al})\text{Zr}_2(\text{PO}_4)_2\cdot 2\text{H}_2\text{O}$, a new gaineite-like mineral from Wycheproof, Victoria, Australia, 55
 Blaton, N. with Vochten, R., 1091
 Bodnar, R.J. with Sheets, R.W., 137
 Boily, M. with Mulja, T., 793, 817
 Bottazzi, P. with Hawthorne, F.C., 389
 Brown, D.A., Gross, G.A. & Sawicki, J.A., A review of the microbial geochemistry of banded iron-formations, 1321
 Brown, D.A. with Sawicki, J.A., 1
 Burns, P.C., Borate clusters and fundamental building blocks containing four polyhedra: why few clusters are utilized as fundamental building blocks of structures, 1167
 Burns, P.C., Cooper, M.A. & Hawthorne, F.C., Claringbullite: a Cu^{2+} oxysalt with Cu^{2+} in trigonal-prismatic coordination, 633
 Burns, P.C., Cooper, M.A. & Hawthorne, F.C., Parakhinite, CuS_2^{3+} $\text{PbTe}^6\text{O}_4(\text{OH})_2$: crystal structure and revision of chemical formula, 33
 Burns, P.C., Grice, J.D. & Hawthorne, F.C., Borate minerals. I. Polyhedral clusters and fundamental building blocks, 1131
 Burns, P.C. & Hawthorne, F.C., Coordination-geometry structural pathways in Cu^{2+} oxysalt minerals, 889
 Burns, P.C. & Hawthorne, F.C., Mixed-ligand $\text{Cu}^{2+}\Phi_6$ octahedra in minerals: observed stereochemistry and Hartree-Fock calculations, 1177
 Burns, P.C. & Hawthorne, F.C., Rietveld refinement of the crystal structure of olivine: a twinned monoclinic structure, 885
 Burns, P.C., Novák, M. & Hawthorne, F.C., Fluorine-hydroxyl variation in pambecite: a crystal structure study, 1205
 Buseck, P.R. with Garvie, L.A.J., 1157
 Cabri, L.J. & McMahon, G., SIMS analysis of sulfide minerals for Pt and Au: methodology and relative sensitivity factors (RSF), 349
 Cabri, L.J. with Laflamme, J.H.G., 665
 Cabri, L.J. with Laroque, A.C.L., 361, 373
 Campbell, J.L., Teesdale, W.J. & Halden, N.M., Theory, practice and application of micro-PIXE analysis and element distribution maps, 279
 Campbell, J.L. with Halden, N.M., 293, 961
 Camillo, E. with Oberti, R., 867
 Černý, P. with Liang, Jian-Jie, 859
 Chabu, M., The geochemistry of phlogopite and chlorite from the Kipushi Zn-Pb-Cu deposit, Shaba, Zaire, 547
 Chagoyen, A.M. with García-Guinea, J., 59
 Challis, A., Grapes, R. & Palmer, K., Chromian muscovite, uvarovite, and zirconian chromite: products of regional metasomatism in northwest Nelson, New Zealand, 1263
 Chang, L.L.Y. with Liu, Huifang, 115
 Chi, Guoxiang, Savard, M.M. & Héroux, Y., Constraints from fluid-inclusion data on the origin of the Jubilee carbonate-hosted Zn-Pb deposit, Cape Breton, Nova Scotia, 709
 Cooper, M.A. & Hawthorne, F.C., Diaboloite, $\text{Pb}_2\text{Cu}(\text{OH})_2\text{Cl}_2$, a defect perovskite structure with stereoactive lone-pair behavior of Pb^{2+} , 1125
 Cooper, M.A. & Hawthorne, F.C., The crystal structure of guilleminite, a hydrated Ba-U-Se sheet structure, 1103
 Cooper, M.A. & Hawthorne, F.C., The crystal structure of geminite, $\text{Cu}^{2+}(\text{AsO}_3\text{OH})(\text{H}_2\text{O})$, a heteropolyhedral sheet structure, 1111
 Cooper, M.A. & Hawthorne, F.C., The crystal structure of mottramite, and the nature of $\text{Cu} \rightleftharpoons \text{Zn}$ solid solution in the mottramite-descloizite series, 1119
 Cooper, M.A. with Burns, P.C., 33, 633
 Cooper, M.A. with Hawthorne, F.C., 389
 Cooper, M.A. with Taylor, M.C., 1215
 Corbell, M.-C. with Wicks, F.J., 313
 Craig, J.R. with Sheets, R.W., 137
 Craven, A.J. with Garvie, L.A.J., 1157
 Criddle, A.J. with Laflamme, J.H.G., 665
 Criddle, A.J. with Roberts, A.C., 47, 641
 Dalpé, C., Baker, D.R. & Sutton, S.R., Synchrotron X-ray fluorescence and laser-ablation ICP-MS microprobes: useful instruments for analysis of experimental run-products, 481
 de Bruin, D. with Gibson, R.L., 77
 Deriu, A. with Artioli, G., 67
 Donnay, J.D.H., Veritas vos liberabit: Code of ethics in scientific work; inside back cover of part 2
 Dubińska, E., Rodinities of the eastern part of Jordanów-Gogółów massif, Lower Silesia, Poland, 585
 Dutrizac, J.E. with Jambor, J.L., 1063
 Ercit, T.S. & Hawthorne, F.C., Murataite, a UB_{12} derivative structure with condensed Keggin molecules, 1223
 Ercit, T.S. with Grant, L.A., 609
 Ercit, T.S. with Hawthorne, F.C., 389
 Ercit, T.S. with Roberts, A.C., 47
 Erd, R.C. with Roberts, A.C., 47
 Farrar, E. with Kontak, D.J., 1237
 Fedorowich, J.S., Jain, J.C., Kerrick, R. & Sopuck, V., Trace-element analysis of garnet by laser-ablation microprobe ICP-MS, 469
 Feininger, T., A report on the derivation and proper use of the term anorthosite, 913
 Feng, Rui with Ludden, J.N., 419
 Feng, Xinghong with Li, Dien, 949
 Ferreira Filho, C.F., Naldrett, A.J. & Asif, M., Distribution of platinum-group elements in the Niqelândia layered mafic-ultramafic intrusion, Brazil: implications with respect to exploration, 165
 Fleet, M.E. & Pan, Yuanming, The structure of $\text{NaCa}_2\text{LuSi}_2\text{O}_7\text{F}_2$, a synthetic phase of the cuspidine group, 879
 Fleet, M.E. with Henderson, G.S., 399
 Fleet, M.E. with Li, Dien, 949
 Foord, E.E. with Birch, W.D., 55
 Francis, D. with Ludden, J.N., 419
 Franz, G. with López Sánchez-Vizcaíno, V., 85
 Friedl, J. with Wagner, F.E., 187
 Fryer, B.J., Jackson, S.E. & Longerich, H.P., The design, operation and role of the laser-ablation microprobe coupled with an inductively coupled plasma mass - spectrometer (LAM-ICP-MS) in the earth sciences, 303
 Fryer, B.J. with Greenough, J.D., 153
 Galliski, M.A. with Zavala, M.F.M., 1059
 Gandhis, G. with Höller, W., 1047
 García-Guinea, J., Chagoyen, A.M. & Nickel, E.H., A re-investigation of bolivarite and evansite, 59
 Garuti, G., Gazzotti, M. & Torres-Ruiz, J., Iridium, rhodium and platinum sulfides in chromitites from the ultramafic massifs of Finero, Italy and Ojén, Spain, 509
 Garvie, L.A.J., Buseck, P.R. & Craven, A.J., Electron-loss near-edge structure (ELNES) as a probe of valence and coordination number, 1157
 Gault, R.A. with Grice, J.D., 1073
 Gault, R.A. with Van Veltuzen, J., 1231
 Gauthier, G. with Ludden, J.N., 419
 Gauthier, G. with Stix, J., 435
 Gazzotti, M. with Garuti, G., 509
 Ghent, E.D. with Bégin, N.J., 973
 Gibson, R.L., Wallmach, T. & de Bruin, D., Complex zoning in vesuvianite from the Canigou massif, Pyrénées, France, 77
 Gómez-Pugnaire, M.T. with López Sánchez-Vizcaíno, V., 85
 Grapes, R. with Challis, A., 1263
 Greenough, J.D. & Fryer, B.J., Behavior of the platinum-group elements during differentiation of the North Mountain basalt, Nova Scotia, 153
 Grew, E.S. with Hawthorne, F.C., 389
 Grey, I.E. with Peterson, R.C., 1083
 Grice, J.D. & Gault, R.A., Varennesite, a new species of hydrated Na-Mn silicate with a unique monophyllosilicate structure, 1073

- Grice, J.D. & Roberts, A.C., Frankhawthorneite, a unique HCP framework structure of a cupric tellurate, 649
- Grice, J.D. with Burns, P.C., 1131
- Grice, J.D. with Roberts, A.C., 641
- Grice, J.D. with Van Velthuizen, J., 1231
- Groat, L.A., Hawthorne, F.C., Rossman, G.R. & Ercit, T.S., The infrared spectroscopy of vesuvianite in the OH region, 609
- Groat, L.A., Roberts, A.C. & Le Page, Y., The crystal structure of watersite, $\text{H}_2^{19}\text{Fg}^{2+}\text{Cr}^{6+}\text{O}_6$, 41
- Groat, L.A. with Roberts, A.C., 47
- Gross, G.A. with Brown, D.A., 1321
- Halden, N.M., Campbell, J.L. & Teesdale, W.J., PIXE analysis in mineralogy and geochemistry, 293
- Halden, N.M., Teesdale, W.J. & Campbell, J.L., Scanning-proton-microprobe mapping of minor and trace elements along mineral cleavages, fractures and grain boundaries: evidence for element mobility, 961
- Halden, N.M. with Campbell, J.L., 279
- Hannington, M.D., Tivey, M.K., Larocque, A.C., Petersen, S. & Rona, P.A., The occurrence of gold in sulfide deposits of the TAG hydrothermal field, Mid-Atlantic Ridge, 1285
- Harris, D.C. with Roberts, A.C., 641
- Hawthorne, F.C., Entropy-driven disorder in end-member amphiboles, 1189
- Hawthorne, F.C., Cooper, M., Bottazzi, P., Ottolini, L., Ercit, T.S. & Grew, E.S., Micro-analysis of minerals for boron by SREF, SIMS and EPMA: a comparative study, 389
- Hawthorne, F.C. & Martin, R.F., Preface: Microbeam techniques in the Earth Sciences, 201
- Hawthorne, F.C., Ungaretti, L. & Oberti, R., Site populations in minerals: terminology and presentation of results of crystal-structure refinement, 907
- Hawthorne, F.C. with Burns, P.C., 33, 633, 885, 889, 1131, 1177, 1205
- Hawthorne, F.C. with Cooper, M.A., 1103, 1111, 1119, 1125
- Hawthorne, F.C. with Ercit, T.S., 1223
- Hawthorne, F.C. with Groat, L.A., 609
- Hawthorne, F.C. with Jenkins, D.M., 13
- Hawthorne, F.C. with Liang, Jian-Jie, 859
- Hawthorne, F.C. with MacDonald, D.J., 849
- Hawthorne, F.C. with Oberti, R., 25, 867
- Hawthorne, F.C. with Taylor, M.C., 1215
- Henderson, G.S. & Fleet, M.E., The structure of Ti silicate glasses by micro-Raman spectroscopy, 399
- Héroux, Y. with Chi, Guoxiang, 709
- Hoatson, D.M. with Mernagh, T.P., 409
- Hodgson, C.J. with Larocque, A.C.L., 361, 373
- Höller, W. & Gandhi, S.M., Silver-bearing sulfosalts from the metamorphosed Rampura Agucha Zn-Pb-(Ag) deposit, Rajasthan, India, 1047
- Höller, W. & Stumpf, E.F., Cr-V oxides from the Rampura Agucha Pb-Zn-(Ag) deposit, Rajasthan, India, 745
- Jackman, J.A. with Larocque, A.C.L., 361, 373
- Jackson, S.E. with Fryer, B.J., 303
- Jackson, S.E. with Kontak, D.J., 445
- Jain, J.C. with Fedorowich, J.S., 469
- Jambor, J.L. & Dutrizac, J.E., Solid solutions in the annabergite - erythrite - hōrnesite synthetic system, 1063
- Jenkins, D.M. & Hawthorne, F.C., Synthesis and Rietveld refinement of amphibole along the join $\text{Ca}_2\text{Mg}_2\text{Si}_6\text{O}_{22}\text{F}_2 - \text{NaCa}_2\text{Mg}_6\text{Si}_6\text{O}_{22}\text{F}_2$, 13
- Jensen, M.C. with Roberts, A.C., 641
- Kasrai, M. with Li, Dien, 949
- Kerrick, R. with Fedorowich, J.S., 469
- Kilius, L.R. with Wilson, G.C., 237
- Knowles, C.R. with Liu, Huifang, 115
- Kommo, H. with Asaki, K., 1311
- Kontak, D.J., A study of feldspar phases in the high-silica, high-level Ackley granite, southeastern Newfoundland, 985
- Kontak, D.J., Farrar, E., McBride, S. & Martin, R.F., Mineral chemistry and $^{40}\text{Ar}/^{39}\text{Ar}$ dating of muscovite from the East Kemptville leucogranite, southern Nova Scotia: evidence for localized resetting of $^{40}\text{Ar}/^{39}\text{Ar}$ systematics in a shear zone, 1237
- Kontak, D.J. & Jackson, S., Laser-ablation ICP-MS micro-analysis of calcite cement from a Mississippi-Valley-type Zn-Pb deposit, Nova Scotia: dramatic variability in REE content on macro- and micro-scales, 445
- Kyser, T.K., Micro-analytical techniques in stable isotope geochemistry, 261
- Laflamme, J.H.G., Roberts, A.C., Criddle, A.J. & Cabri, L.J., Owensite, $(\text{Ba,Pb})_2(\text{Cu,Fe,Ni})_{10}\text{S}_{27}$, a new mineral species from the Wollgreen Cu-Ni-Pb deposit, Yukon, 665
- Larocque, A.C.L., Hodgson, C.J., Cabri, L.J. & Jackman, J.A., Ion-microprobe analysis of pyrite, chalcopyrite and pyrrhotite from the Mobern VMS deposit in northwestern Quebec: evidence for metamorphic remobilization of gold, 373
- Larocque, A.C.L., Jackman, J.A., Cabri, L.J. & Hodgson, C.J., Calibration of the ion microprobe for the determination of silver in pyrite and chalcopyrite from the Mobern VMS deposit, Rouyn-Noranda, Quebec, 361
- Larocque, A.C.L. with Hannington, M.D., 1285
- Le Page, Y. with Groat, L.A., 41
- LeCheminant, G.M., Proceedings of the fortieth annual meeting of the Mineralogical Association of Canada, 1343
- Lee, I. & Ripley, E.M., Genesis of Cu-Ni sulfide mineralization in the South Kawishiwi intrusion, Spruce Road area, Duluth Complex, Minnesota, 723
- Leybourne, M.I. with Van Wagoner, N.A., 569
- Li, Dien, Bancroft, G.M., Kasrai, M., Fleet, M.E., Feng, Xinghong & Tan, Kim, S K- and L-edge X-ray absorption spectroscopy of metal sulfides and sulfates: applications in mineralogy and geochemistry, 949
- Liang, Jian-Jie, Hawthorne, F.C., Novák, M., Cerný, P. & Ottolini, L., Crystal-structure refinement of boromuscovite polytypes using a coupled Rietveld-static-structure energy-minimization method, 859
- Liipo, J.P., Vuolli, J.J., Nykänen, V.M. & Pihlainen, T.A., Zoned Zn-rich chromite from the Näätäniemi serpentinite massif, Kuhmo greenstone belt, Finland, 537
- Liu, Huifang, Knowles, C.R. & Chang, L.L.Y., The extent of solid solution in Pb-Sn and Sb-Bi chalcogenides, 115
- Lloyd, G.E. with Fryer, L.L., 333
- Locock, A.J. with Peterson, R.C., 627
- Longerich, H.P. with Fryer, B.J., 303
- López Sánchez-Vizcaino, V., Franz, G. & Gómez-Pugnaire, M.T., The behavior of Cr during metamorphism of carbonate rocks from the Nevado-Filabride complex, Betic Cordilleras, Spain, 85
- Ludden, J.N., Feng, Rui, Gauthier, G., Stix, J., Shi, Lang, Francis, D., Machado, N. & Wu, Guoping, Applications of LAM-ICP-MS analysis to minerals, 419
- Ludden, J.N. with Stix, J., 435
- Luth, R.W. with Peterson, R.C., 627
- Lynch, G. & Mengel, F., Metamorphism of arsenopyrite - pyrite - sphalerite - pyrrhotite lenses, western Cape Breton Island, Nova Scotia, 105
- MacDonald, D.J. & Hawthorne, F.C., The crystal chemistry of $\text{Si} \rightleftharpoons \text{Al}$ substitution in tourmaline, 849
- Mace, H.A. & Peterson, R.C., The crystal structure of fichtelite, a naturally occurring hydrocarbon, 7
- Machado, N. with Ludden, J.N., 419
- MacRae, N.D., Secondary-ion mass spectrometry and geology, 219
- Maier, W.D., Olivine oikocrysts in Bushveld anorthositic: some implications for cumulate formation, 1011
- Makovicky, E. & Balic-Zunic, T., The crystal structure of skinnerite, $\text{P}_2/\text{c}-\text{Cu}_2\text{SbS}_3$, from powder data, 655
- Mandarino, J.A., New minerals recently approved by the Commission on New Minerals and Mineral Names, International Mineralogical Association, 189, 691
- Manning, P.G. & Wang, Xiaowa, The binding of Pb, Zn and other metal ions in suspended riverine particulate matter, 679
- Marcos-Pascual, C. with Martin-Izard, A., 775
- Martin, R.F. with Hawthorne, F.C., 201
- Martin, R.F. with Kontak, D.J., 1237
- Martin-Izard, A., Paniagua, A., Moreira, D., Acevedo, R.D. & Marcos-Pascual, C., Metasomatism at a granitic pegmatite-dunite contact in Galicia: the Franqueira occurrence of chrysoberyl (alexandrite), emerald and phenakite, 775
- Maurizot, P. with Augé, T., 1023
- Mayanovic, R.A. with Anderson, A.J., 499
- McBride, S. with Kontak, D.J., 1237
- McMahon, G. with Cabri, L.J., 349
- Mengel, F. with Lynch, G., 105
- Mernagh, T.P. & Hoatson, D.M., A laser-Raman microprobe study of platinum-group minerals from the Munní Munní layered intrusion, West Pilbara Block, Eastern Australia, 409
- Moffatt, E.A. with Roberts, A.C., 641
- Moreiras, D. with Martin-Izard, A., 775
- Mulja, T., Williams-Jones, A.E., Wood, S.A. & Boily, M., The rare-element-enriched monzogranite - pegmatite - quartz vein systems in the Preissac-Lacorne batholith, Quebec. I. Geology and mineralogy, 793
- Mulja, T., Williams-Jones, A.E., Wood, S.A. & Boily, M., The rare-element-enriched monzogranite - pegmatite - quartz vein systems in the Preissac-Lacorne batholith, Quebec. II. Geochemistry and petrogenesis, 817
- Naldrett, A.J. with Ferreira Filho, C.F., 165
- Nesbitt, H.W. & Pratt, A.R., Applications of Auger-electron spectroscopy to geochemistry, 243
- Nickel, E.H., Mineral names applied to synthetic substances, 1335
- Nickel, E.H., The definition of a mineral, 689
- Nickel, E.H. with Garcia-Guinea, J., 59
- Novák, M. with Burns, P.C., 1205
- Novák, M. with Liang, Jian-Jie, 859
- Nykanen, V.M. with Liipo, J.P., 537
- O'Hanley, D.S. & Wicks, F.J., Conditions of formation of lizardite, chrysotile and antigorite, Cassiar, British Columbia, 753
- Oberti, R., Hawthorne, F.C., Ungaretti, L. & Cannillo, E., ^{16}Al disorder in amphiboles from mantle peridotites, 867
- Oberti, R., Sardone, N., Hawthorne, F.C., Raudsepp, M. & Turnock, A.C., Synthesis and crystal structure refinement of synthetic fluor-pargasite, 25
- Oberti, R. with Hawthorne, F.C., 907
- Ottolini, L. with Hawthorne, F.C., 389
- Ottolini, L. with Liang, Jian-Jie, 859
- Palmer, K. with Chailis, A., 1263
- Pan, Yuanming with Fleet, M.E., 879
- Paniagua, A. with Martin-Izard, A., 775
- Pearce, T.H. with Van Wagoner, N.A., 569
- Peeters, O.M. with Vochten, R., 1091
- Peltonen, P., Crystallization and re-equilibration of zoned chromite in ultramafic cumulates, Vammala Ni-belt, southwestern Finland, 521
- Pesquera, A. with Roda, E., 835
- Petersen, S. with Hannington, M.D., 1285
- Peterson, R.C. & Grey, L.B., Preparation and structure refinement of synthetic Ti^{3+} -containing lindseyite, $\text{BaMn}_2\text{Ti}_3\text{O}_{39}$, 1083
- Peterson, R.C., Locock, A.J. & Luth, R.W., Positional disorder of oxygen in garnet: the crystal-structure refinement of schorlomite, 627
- Peterson, R.C. with Mace, H.A., 7
- Pihlainen, T.A. with Liipo, J.P., 537
- Pratt, A.R. with Nesbitt, H.W., 243
- Pring, A. with Birch, W.D., 55
- Fryer, L.L., Robin, P.-Y.F. & Lloyd, G.E., An SEM electron-channeling study of flame perthite from the Killarney granite, southwestern Grenville Front, Ontario, 333
- Quarteri, S. with Artoli, G., 67
- Rae, D.A. with Spray, J.G., 323
- Ramik, R.A. with Wicks, F.J., 313
- Raudsepp, M., Recent advances in the electron-probe micro-analysis of minerals for the light elements, 203
- Raudsepp, M. with Oberti, R., 25
- Ripley, E.M. with Lee, I., 723

- Roberts, A.C., Ercit, T.S., Groat, L.A., Criddle, A.J., Erd, R.C. & Williams, R.S., Peterbaylissite, $\text{Hg}^{2+}(\text{CO}_3)(\text{OH})\cdot 2\text{H}_2\text{O}$, a new mineral species from the Clear Creek claim, San Benito County, California, 47
- Roberts, A.C., Grice, J.D., Criddle, A.J., Jensen, M.C., Harris, D.C. & Moffatt, E.A., Frankhawthornite, $\text{Cu}_2\text{Te}^{60}\text{O}_4(\text{OH})_2$, a new mineral species from the Centennial Eureka mine, Tintic District, Juab County, Utah, 641
- Roberts, A.C. with Grice, J.D., 649
- Roberts, A.C. with Groat, L.A., 41
- Roberts, A.C. with Laflamme, J.H.G., 665
- Robin, P.-Y.F. with Pryer, L.L., 333
- Roda, E., Pesquera, A. & Velasco, F., Tourmaline in granitic pegmatites and their country rocks, Fregeneda area, Salamanca, Spain, 835
- Rona, P.A. with Hannington, M.D., 1285
- Rossmann, G.R. with Groat, L.A., 609
- Rucklidge, J.C. with Wilson, G.C., 237
- Sardone, N. with Oberti, R., 25
- Sasaki, K., Tsunekawa, M. & Konno, H., Characterization of argentojarosite formed from biologically oxidized Fe^{3+} ions, 1311
- Savard, M.M. with Chi, Guoxiang, 709
- Sawicki, J.A., Brown, D.A. & Beveridge, T.J., Microbial precipitation of siderite and protoferrhydrite in a biofilm, 1
- Sawicki, J.A. with Brown, D.A., 1321
- Sawicki, J.A. with Wagner, F.E., 187
- Scott, S.D. with Ueno, T., 129
- Sheets, R.W., Craig, J.R. & Bodnar, R.J., Composition and occurrence of elctrum at the Morning Star deposit, San Bernardino County, California: evidence for remobilization of gold and silver, 137
- Shi, Lang with Ludden, J.N., 419
- Sopuck, V. with Fedorowich, J.S., 469
- Spray, J.G. & Rae, D.A., Quantitative electron-microprobe analysis of alkali silicate glasses: a review and user guide, 323
- Stanek, J., ^{197}Au Mössbauer study of the gold-silver ditellurides sylvanite, krennerite and calaverite: discussion, 185
- Stix, J., Gauthier, G. & Ludden, J.N., A critical look at quantitative laser-ablation ICP-MS analysis of natural and synthetic glasses, 435
- Stix, J. with Ludden, J.N., 419
- Stumpff, E.F. with Höller, W., 745
- Sutton, S.R. with Dalpé, C., 481
- Szymanski, J.T., The crystal structure of owensite, $(\text{Ba,Pb})_6(\text{Cu,Fe,Ni})_{25}\text{S}_{27}$, a new member of the djerfisherite group, 671
- Tan, Kim with Li, Dien, 949
- Taylor, M.C., Cooper, M.A. & Hawthorne, F.C., Local charge-compensation in hydroxyl-deficient uvite, 1215
- Teesdale, W.J. with Campbell, J.L., 279
- Teesdale, W.J. with Halden, N.M., 293, 961
- Timms, C.F. with Van Wagoner, N.A., 569
- Tivey, M.K. with Hannington, M.D., 1285
- Torres-Ruiz, J. with Garuti, G., 509
- Tsunekawa, M. with Sasaki, K., 1311
- Turnock, A.C. with Oberti, R., 25
- Ueno, T. & Scott, S.D., Phase relations in the system Zn-Ga-S at 900°C and 800°C, 129
- Ungaretti, L. with Hawthorne, F.C., 907
- Ungaretti, L. with Oberti, R., 867
- Van Haverbeke, L. with Vochten, R., 1091
- Van Springel, K. with Vochten, R., 1091
- Van Velthuisen, J., Gault, R.A. & Grice, J.D., Calciburbankite, $\text{Na}_3(\text{Ca,REE,Sr})_2(\text{CO}_3)_5$, a new mineral species from Mont Saint-Hilaire, Quebec, and its relationship to the burbankite group of minerals, 1231
- Van Wagoner, N.A., Leybourne, M.I., Pearce, T.H. & Timms, C.F., Comparison of petrogenetic processes between the West Valley segment of Juan de Fuca Ridge and the adjacent Heck chain of seamounts: detailed electron-microprobe study and Nomarski interference imaging of plagioclase, 569
- Velasco, F. with Roda, E., 835
- Vochten, R., Van Haverbeke, L., Van Springel, K., Biaton, N. & Peeters, O.M., The structure and physicochemical characteristics of synthetic zippeite, 1091
- Vuollo, J.I. with Liipo, J.P., 537
- Wagner, F.E., Sawicki, J.A., Friedl, J., ^{197}Au Mössbauer study of the gold-silver ditellurides sylvanite, krennerite and calaverite: reply, 187
- Wallmach, T. with Gibson, R.L., 77
- Wang, Xiaowa with Manning, P.G., 679
- Wicks, F.J., Corbett, M.-C., Back, M.E. & Ramik, R.A., Microbeam X-ray diffraction in the analysis of minerals and materials, 313
- Wicks, F.J. with O'Hanley, D.S., 753
- Williams, R.S. with Roberts, A.C., 47
- Williams-Jones, A.E. with Muja, T., 793, 817
- Wilson, G.C., Rucklidge, J.C. & Kilhus, L.R., Ultrasensitive trace-element analysis with accelerator mass spectrometry: the current state of the art, 237
- Wood, S.A. with Muja, T., 793, 817
- Wu, Guoping with Ludden, J.N., 419
- Young, D.A., Koroševc, P., New mineral granulate-facies namagensis, Reating Prong, New Jersey, 1255
- Zavalza, M.F.M. & Galliski, M.A., Goldchichte of fumarolic origin from the Santa Bárbara mine, Jujuy, northwestern Argentina, 1059

SUBJECT INDEX

- A critical look at quantitative laser-ablation ICP-MS analysis of natural and synthetic glasses, (Stix *et al.*), 435
- A laser-Raman microprobe study of platinum-group minerals from the Munnii Munnii layered intrusion, West Pilbara Block, Eastern Australia, (Mernagh & Howson), 409
- A re-investigation of bolivarite and evansite, (García-Guinea *et al.*), 59
- A report on the derivation and proper use of the term anorthosite, (Feingner), 913
- A review of the microbial geochemistry of banded iron-formation, (Brown *et al.*), 1321
- A study of feldspar phases in the high-silica, high-level Ackley granite, southeastern Newfoundland, (Kontak), 985
- ^{60}Al disorder in amphiboles from mantle peridotites, (Oberti *et al.*), 867
- An SEM electron-beam study of flame perthite from the Killarney granite, southwestern Grenville Front, Ontario, (Pryer *et al.*), 333
- Applications of Auger-electron spectroscopy to geochemistry, (Nesbitt & Pratt), 243
- Applications of IAM-ICP-MS analysis to minerals, (Ludden *et al.*), 419
- ^{197}Au Mössbauer study of the gold-silver ditellurides sylvanite, krennerite and calaverite: discussion, (Stanek), 185
- ^{197}Au Mössbauer study of the gold-silver ditellurides sylvanite, krennerite and calaverite: reply, (Wagner *et al.*), 187
- Behavior of the platinum-group elements during differentiation of the North Mountain basalt, Nova Scotia, (Greenough & Fryer), 153
- Borate clusters and fundamental building blocks containing four polyhedra: why few clusters are utilized as fundamental building blocks of structures, (Burns), 1167
- Borate minerals. I. Polyhedral clusters and fundamental building blocks, (Burns *et al.*), 1131
- Calciburbankite, $\text{Na}_3(\text{Ca,REE,Sr})_2(\text{CO}_3)_5$, a new mineral species from Mont Saint-Hilaire, Quebec, and its relationship to the burbankite group of minerals, (Van Velthuisen *et al.*), 1231
- Calibration of the ion microprobe for the determination of silver in pyrite and chalcocypite from the Mobern VMS deposit, Rouyn-Noranda, Quebec, (Laroque *et al.*), 361
- Characterization of argentojarosite formed from biologically oxidized Fe^{3+} ions, (Sasaki *et al.*), 1311
- CHEMICAL ANALYSES** (see also Electron-microprobe analyses)
- Minerals**
- bolivarite, 64, calcite, 448, dolomite, 448, evansite, 64, fluorite, 448, K-feldspar, 991, tourmaline, 801
- Rocks**
- albitite, 824, anorthosite, 735, basalt, 159, beryl pegmatite, 824, biotite monzogranite, 821, chromitite, 170, Cr-rich quartzite, 1266, Cr-rich schist, 1266, dunite, 778, gabbro, 170, 735, 778, granite pegmatite, 778, granodiorite, 735, mafic pegmatite, 159, monzo-
- diorite, 735, monzonite, 735, muscovite monzogranite, 821, norite, 735, orthopyroxene-rich basalt, 159, peridotite, 170, phlogopitite, 778, prismatic-bearing gneiss, 1259, pyroxenite, 170, quartz monzonite, 735, rhyolite, 159, rodingite, 601, seafloor sulfides, 1295, serpentinite, 761, spodumene pegmatite, 824, standard glasses, 474, 484, tremolite, 778, troctolite, 735, two-mica monzogranite, 821, vesicular basalt, 159
- Chromian muscovite, uvarovite, and zincian chromite: products of regional metamorphism in northwest Nelson, New Zealand, (Challis *et al.*), 1263
- Claringbullite: a Cu^{2+} oxyal salt with Cu^{2+} in trigonal-prismatic coordination, (Burns *et al.*), 633
- Comparison of petrogenetic processes between the West Valley segment of Juan de Fuca Ridge and the adjacent Heck chain of seamounts: detailed electron-microprobe study and Nomarski interference imaging of plagioclase, (Van Wagoner *et al.*), 569
- Complex zoning in vesuvianite from the Canigou massif, Pyrénées, France, (Gibson *et al.*), 77
- Composition and occurrence of elctrum at the Morning Star deposit, San Bernardino County, California: evidence for remobilization of gold and silver, (Sheets *et al.*), 137
- Conditions of formation of lizardite, chrysotile and antigorite, Cassiar, British Columbia, (O'Hanley & Wicks), 753
- Constraints from fluid-inclusion data on the origin of the Jubilee carbonate-hosted Zn-Pb deposit, Cape Breton, Nova Scotia, (Chi *et al.*), 709
- Coordination-geometry structural pathways in Cu^{2+} oxyal minerals, (Burns & Hawthorne), 889
- COUPLED-ATOM SUBSTITUTIONS**
- Oxides**
- lindsleyite, 1086, murataite, 1225, spinel (chromian), 97, 748
- Phosphates**
- bolivarite, 64, evansite, 64
- Silicates**
- amphibole (chromian), 96, chlorite (chromian), 95, cuspidine group, 880, epidote (chromian), 93, hornblende, 872, muscovite (chromian), 94, 1271, paragonite (chromian), 94, pargasite, 872, phlogopite, 556, pumpellyite, 73, synthetic Ca-clinoamphibole, 14, titanite, 97, tourmaline, 841, 849, 1216, uvite, 1216, vesuvianite, 82, 610
- Sulfates**
- zippeite, 1093
- Sulfides**
- owyheite, 1055, PbS-PbSe-SnS-SnSe solid solutions, 115, PbSe-PbTe-SnSe-SnTe solid solutions, 115, Sb₂S₃-Sb₂Se₃-Bi₂S₃-Bi₂Se₃ solid solutions, 119, Sb₂Se₃-Sb₂Te₃-Bi₂Te₃ solid solutions, 119
- Vanadates**
- mottramite-descloizite solid solution, 1122

CRYSTALLOGRAPHY (see also Twinning)

amphibole, 908, 1189, amphibole disorder, 1201, atomic coordination fingerprint, 1157, borate minerals structural classification, 1131, 1167, borate polyhedra, 1132, 1167, chemical formula from crystal-structure analysis, 644, 669, 852, 872, 911, 1095, 1105, 1207, 1218, coordination polyhedra in Cu^{2+} oxyaluminates, 889, 1113, 1121, 1127, 1177, Cu^{2+} -O bond lengths, 891, 1113, 1121, 1127, 1179, cuspidine group, 879, defect perovskite structures, 1125, electron-loss near-edge structure, 1160, F in phlogopite, 553, fundamental building blocks, 1131, 1167, Hartree-Fock calculation, 895, 1169, 1177, Jahn-Teller distortion, 635, 651, 887, 890, 1113, 1121, 1127, 1177, K-feldspar, 989, lone-pair coordination of Pb^{2+} , 1127, molecular-orbital calculation, 894, 1169, 1177, mottramite-desclorite solid solution, 1122, OH-F substitution in hambergite, 1206, OH-F substitution in tourmaline, 857, 1216, parakhinite, 36, PbS-PbSe-SnS-SnSe solid solutions, 125, PbSe-PbTe-SnSe-SnTe solid solutions, 125, pumpellyite, 71, REE-Ti oxide disorder, 1225, Rietveld structure refinement, 13, 655, 859, 885, 1083, Sb_2S_3 - Sb_2Se_3 - Bi_2S_3 - Bi_2Se_3 solid solutions, 125, Sb_2S_3 - Sb_2Te_3 - Bi_2S_3 - Bi_2Te_3 solid solutions, 125, site defined, 907, site occupancy defined, 907, site population defined, 907, site-scattering refinement, 389, site-scattering value defined, 907, static-structure energy-minimization refinement, 860, structural formula defined, 907, Ti-silicate glass structure, 399, Ti^{3+} in crichtonite-group minerals, 1085, vesuvianite, 610, wittichenite, 661

Cr-V oxides from the Rampura Agucha Pb-Zn-(Ag) deposit, Rajasthan, India, (Höller & Stumpff), 745

CRYSTAL STRUCTURE (see also X-ray diffraction)

boromuscovite, 859, claringbullite, 633, diaboleite, 1125, fichtelite, 7, frankhawthornite, 649, geminite, 1111, guillemite, 1103, hambergite, 1206, hornblende, 869, kornerupine, 392, lindseyite, 1086, mottramite, 1119, murairite, 1224, $\text{NaCa}_2\text{LuSi}_2\text{O}_7\text{F}_2$, 879, olivenite, 885, owensite, 671, parakhinite, 33, pargasite, 869, schorlomite, 627, skinnerite, 655, synthetic fluor-pargasite, 25, synthetic Ga-clinoamphibole, 13, tourmaline, 849, uvite, 849, 1216, varennesite, 1075, vesuvianite, 614, watersite, 41, zippelite, 1093

Crystal-structure refinement of boromuscovite polytypes using a coupled Rietveld-static-structure energy-minimization method, (Liang *et al.*), 859

Crystallization and re-equilibration of zoned chondrite in ultramafic cumulates, Vammala Ni-belt, southwestern Finland, (Peltonen), 521

Determination of the local structure and speciation of zinc in individual hyper-saline fluid inclusions by micro-XAFS, (Anderson *et al.*), 499

Diaboleite, $\text{Pb}_2\text{Cu}(\text{OH})_2\text{Cl}_2$, a defect perovskite structure with stereoactive lone-pair behavior of Pb^{2+} , (Cooper & Hawthorne), 1125

Distribution of platinum-group elements in the Niquelândia layered mafic-ultramafic intrusion, Brazil: implications with respect to exploration, (Ferreira Filho *et al.*), 165

Electron-loss near-edge structure (ELNES) as a probe of valence and coordination number, (Garvie *et al.*), 1157

ELECTRON-MICROPROBE ANALYSIS

acanthite, 142, albitite, 802, 977, 1001, almandine, 1259, amphibole (chromian), 97, analcime, 977, ankangite, 1085, anorthite, 780, 1001, anthophyllite, 780, antigorite, 563, 763, argenteite, 1052, arsenopyrite, 109, bastite, 764, biotite, 805, 1259, boromuscovite, 862, boulangerite, 1052, bowieite, 1037, calciohombakite, 1233, calcite, 451, celadonite, 977, chlorite, 551, 594, 977, chlorite (chromian), 97, 1276, chlorite-vermiculite, 594, chromite, 526, 541, 766, 780, 1031, chromite (ferrian), 526, 541, 766, chromite (zincian), 541, 1274, chrysoberyl, 780, chrysothile, 563, 762, clinohumite, 780, clinopyroxene, 592, clinzoisite, 596, clinzoisite (chromian), 91, cooperite, 1037, cuproferrosite, 512, cuprorhodite, 512, 1038, dolomite, 451, dyscrasite, 1052, eucrum, 141, emerald, 780, epidote, 69, 596, 809, epidote (chromian), 91, 1277, erlichmannite, 1037, eskolaite, 749, felsic standard glass, 439, ferroselite, 780, frankhawthornite, 644, freibergite, 1052, freieslebenite, 1052, (Ga,Zn) $_2$ S $_3$ solid solution, 132, garnet, 594, 780, 808, garnet (chromian), 97, garnet (manganous), 808, goethite, 251, gold, 1299, goldichite, 1061, hambergite, 1207, headzeolite, 766, hollingsworthite, 1038, hornblende, 780, 872, 1017, ilmenite, 1259, ilmenite (manganous), 809, irarsite, 1038, iridium, 1029, isoferroplatinum, 1032, K-feldspar, 977, 1001, karelinite, 749, kornerupine, 393, 1259, laurite, 1037, lindseyite, 1086, lizardite, 563, 594, 762, mafic standard glass, 437, magnetite, 541, 766, magnetite (chromian), 766, malanite, 512, 1038, margarite, 1276, mottramite, 121, murairite, 1224, muscovite, 806, 1244, muscovite (chromian), 91, 1270, myargyrite, 1052, $\text{NaCa}_2\text{LuSi}_2\text{O}_7\text{F}_2$, 880, olivine, 780, orthoclase, 804, 1001, orthopyroxene, 1015, osmium, 1028, owensite, 668, paragonite (chromian), 91, pargasite, 493, 872, pentlandite, 766, peterbylissite, 51, phenakite, 780, phlogopite, 551, 1017, plagioclase, 570, 1019, prehnite, 69, 977, prisma-tine, 1259, pseudobrookite, 1278, pumpellyite, 69, pyrrhopyrite, 1052, pyrope, 475, pyrrhotite, 109, rutile, 97, 749, 1259, schorlomite, 628, schreyerite, 749, selwynite, 57, sillimanite, 1259, sperryllite, 1038, sphalerite, 109, 131, 1051, spinel (chromian), 97, spinel (Cr-V), 749, staphanite, 1052, stibiopalladinite, 1038, subcalic chromian pyrope, 475, synthetic fluor-pargasite, 28, synthetic Ga-clinoamphibole, 16, titanite, 97, tourmaline, 780, 840, 854, 1277, tremolite, 780, tulameenite, 1032, ultramafic standard glass, 437, unknown (Ni,Fe,Cu) $_2$ S $_3$, 513, unknown (Pt,Rh,Ir,Cu) $_2$ S $_3$, 513, unknown (Rh,Cu) $_2$ S $_3$, 513, unnamed Os-Ir-Ru alloy, 1035, unnamed Pt-Fe oxide, 1035, unnamed Pt-Rh-Ru alloy, 1032, unnamed Rh $_2$ S $_4$, 1037, uvarovite, 1273, uvite, 854, 1217, uytenborgiadite, 142, vanadinite, 1121, varennesite, 1075, vesuvianite, 80, 594, 611, (Zn,Ga) $_2$ S $_3$ solid solution, 131, ZnGa $_2$ S $_4$ solid solution, 132, zoisite, 596

Entropy-driven disorder in end-member amphiboles, (Hawthorne), 1189

EXPERIMENTAL (see also Petrology)**Analytical Techniques**

AES, 243, AMS, 237, Auger spectroscopy, 243, electron energy-loss spectroscopy (EELS), 1157, EPMA, 203, 323, 389, 471, ICP-MS, 448, 473, ion-microprobe, 363, 373, LAM-ICP-MS, 303, 419, 435, 445, 472, 481, laser-assisted SIMS, 263, laser-Raman microprobe, 409, micro-PIXE, 279, 961, micro-Raman spectroscopy, 399, microbeam-XRD, 313, ^{107}Au Mössbauer, 185, 187, ^{57}Fe Mössbauer, 1, 69, 628, NMR, 62, nuclear reaction analysis, 289, PIXE, 293, 474, 961, scanning proton-microprobe, 298, 961, SIMS, 219, 262, 349, 363, 373, 389, 1300, site-scattering refinement, 389, static-structure energy-minimization refinement, 860, synchrotron X-ray microprobe, 499, synchrotron XRF microprobe (SXRFM), 481, X-ray absorption fine structure (XAFS), 499, X-ray absorption spectroscopy (XANES), 69, 628, 949

Computer Program

CHANNEL, 341

General

$^{40}\text{Ar}/^{39}\text{Ar}$ dating of muscovite, 1237, AFM diagrams, 810, alkali element mobility in EPMA, 326, alkali silicate glass analysis, 323, amphibole synthesis, 1189, analysis of layer silicates, 318, argentojarosite produced by bacteria, 1311, B analysis, 390, 1160, carbonate mineral analysis, 269, 297, 427, 448, 1159, cathodoluminescence, 458, electron channeling patterns, 333, element depth profiling, 225, 247, 354, 363, 384, 423, 1300, element mapping, 225, 298, 385, fractionation of elements in laser-ablation, 308, invisible gold analysis, 227, 351, 368, 382, isotope ratio analysis, 228, laser-ablation microprobe, 303, 419, light element analysis, 203, 226, 247, 269, 289, 390, 427, 1159, lindseyite synthesis, 1084, microbial biofilm, 2, 1327, Mössbauer, 185, 187, 681, Nomarski differential interference contrast imaging, 574, PGM analysis by Raman spectroscopy, 412, pyrrhotite surface oxidation, 254, REE analysis by ICP-MS, 453, 472, SIMS ion-implantation standards, 351, 363, 380, SIMS relative sensitivity factors, 349, stable-isotope analysis, 262, sulfur oxidation state determination, 949, surface element analysis, 1189, surface texture imaging, 247, synthetic end-member amphiboles, 147, surface texture element analysis, 219, 238, 286, 294, 303, 351, 367, 378, 391, 420, 435, 452, 961, trace element mobility, 961, trace elements on grain boundaries, 965, zippelite fluorescence spectra, 1098, zippelite solubility, 1100, zippelite synthesis, 1091

Stable Isotopes

carbon, 269, oxygen, 269, 826, 980, sulfur, 730

System

amabergite - erythrite - hönnesite, 1063, Ba-Mn-Ti-O, 1084, PbS-PbSe-SnS-SnSe, 115, PbSe-PbTe-SnSe-SnTe, 115, Sb_2S_3 - Sb_2Se_3 - Bi_2S_3 - Bi_2Se_3 solid solutions, 122, Sb_2S_3 - Sb_2Te_3 - Bi_2S_3 - Bi_2Te_3 solid solutions, 122, synthetic fluor-pargasite, 25, synthetic Ga-clinoamphibole, 13, Zn-Ga-S, 129

Fluorine-hydroxyl variation in hambergite: a crystal structure study, (Burns *et al.*), 1205

Frankhawthornite, a unique HCP framework structure of a cupric tellurate, (Grice & Roberts), 649

Frankhawthornite, $\text{Cu}_2\text{Te}^{6+}\text{O}_4(\text{OH})_2$, a new mineral species from the Centennial Eureka mine, Tintic District, Juab County, Utah, (Roberts *et al.*), 641

Genesis of Cu-Ni sulfide mineralization in the South Kawishiwi intrusion, Spruce Road area, Duluth Complex, Minnesota, (Lee & Ripley), 723

Goldichite of fumarolic origin from the Santa Bárbara mine, Jujuy, northwestern Argentina, (Zavalía & Galliski), 1059

INFRARED-ABSORPTION SPECTRA

argentojarosite produced by bacteria, 1317, bolivarite, 62, evansite, 62, frankhawthornite, 645, peterbylissite, 52, vesuvianite, 612, zippelite, 1099

Ion-microprobe analysis of pyrite, chalcopyrite and pyrrhotite from the Mobern VMS deposit in northwestern Quebec: evidence for metamorphic remobilization of gold, (Larocque *et al.*), 373

Iridium, rhodium and platinum sulfides in chromitites from the ultramafic massifs of Finero, Italy and Ojén, Spain, (Garuti *et al.*), 509

Iron- and aluminum-rich serpentine and chlorite from the Boundary ultramafic complex, Cape Smith Belt, New Quebec, (Albino), 559

Kornerupine-group minerals in Grenville granulite-facies paragneiss, Reading Prong, New Jersey, (Young), 1255

Laser-ablation ICP-MS micro-analysis of calcite cement from a Mississippi-Valley-type Zn-Pb deposit, Nova Scotia: dramatic variability in REE content on macro- and micro-scales, (Kontak & Jackson), 445

Local charge-compensation in hydroxyl-deficient uvite, (Taylor *et al.*), 1215

Low-temperature metamorphism of the Crownsnest volcanic suite, southwestern Alberta, (Bégin *et al.*), 973

Metamorphism of arsenopyrite - pyrite - sphalerite - pyrrhotite lenses, western Cape Breton Island, Nova Scotia, (Lynch & Mengel), 105

Metasomatism at a granitic pegmatite-dunite contact in Galicia: the Franqueira occurrence of chrysoberyl (alexandrite), emerald and phenakite, (Martín-Izard *et al.*), 775

Micro-analysis of minerals for boron by SREF, SIMS and EPMA: a comparative study, (Hawthorne *et al.*), 389

Micro-analytical techniques in stable isotope geochemistry, (Kysner), 261

Microbeam X-ray diffraction in the analysis of minerals and materials, (Wicks *et al.*), 313

Microbial precipitation of siderite and proteroferrhydrite in a biofilm, (Sawicki *et al.*), 1

MICROHARDNESS

bolivarite, 61, owensite, 667

Mineral chemistry and $^{40}\text{Ar}/^{39}\text{Ar}$ dating of muscovite from the East Kemptville leucogranite, southern Nova Scotia: evidence for localized resetting of $^{40}\text{Ar}/^{39}\text{Ar}$ systematics in a shear zone, (Kontak *et al.*), 1237

MINERAL DATA (see also Electron-microprobe analyses)

acanthite, 142, albitite, 802, 977, 1001, almandine, 1259, amphibole, 908,

amphibole (chromian), 97, analcime, 977, anatase, 404, anhydrite, 953, ankangite, 1085, annabergite, 1063, anorthite, 780, 1001, antophyllite, 780, antigorite, 563, 753, argentine, 1052, argentojarosite, 1311, arsenopyrite, 109, barite, 953, bastite, 764, biotite, 805, 1259, 1276, bolivarite, 59, borate minerals, 1131, bromoscovite, 859, boulangierite, 1052, bowenite, 1029, braggite, 413, britholite, 963, calaverite, 185, 187, calcioburbankite, 1231, calcite, 451, carrollite, 952, celadonite, 977, celestine, 953, chalcocopyrite, 366, 383, charoite, 554, chlorite, 97, 551, 564, 594, 977, chlorite (chromian), 97, 1276, chlorite-vermiculite, 594, chromite, 526, 539, 766, 780, 1031, chromite (ferrian), 527, 541, 766, chromite (zincian), 537, 1273, chrysoberyl, 776, chrysothole, 563, 753, claringbullite, 633, clinoclino, 554, clinohumite, 780, clinopyroxene, 592, clinzoisite, 91, 596, clinzoisite (chromian), 91, cooperite, 413, 1028, cuproiridite, 512, cuprorhodosite, 512, 1038, cuspidine group, 879, diabolite, 185, 1125, diopside, 431, dolomite, 451, dyscrasite, 1052, electrum, 141, 384, emerald, 776, epidote, 67, 91, 596, 809, epidote (chromian), 91, erlichmannite, 1029, erythrite, 1063, eskolaite, 749, evansite, 59, ferroselite, 780, fichtelite, 7, fluorite, 457, frankhawthornite, 641, 649, freibergite, 1052, freieslebenite, 1052, fresnoite, 404, gainesite, 57, garnet, 97, 594, 780, 808, garnet (chromian), 97, garnet (manganous), 808, gaufferoyite, 1160, geminite, 1111, goethite, 251, gold, 1299, goldichite, 1061, gudmundite, 1052, guilleminite, 1103, gypsum, 953, hambergite, 1206, heazlewoodite, 766, hollingworthite, 1038, hornblende, 780, 869, 1017, hõnesite, 1063, ilmenite, 1259, ilmenite (manganous), 809, irarsite, 1038, iridium, 1029, isoferroplatinum, 1028, K-feldspar, 977, 1001, kaersutite, 431, karelianite, 749, kornepinane, 392, kornepinane group, 1255, krennerite, 185, 187, laumontite, 978, laurite, 1037, lindsleyite, 1083, linnaeite, 952, lizardite, 259, 563, 753, lizardite (aluminous), 563, magnetite (chromian), 766, malanite, 512, malanite, 1038, marcasite, 951, margarite, 1276, moncheite, 413, mottramite, 121, murataite, 1224, muscovite, 806, 1244, muscovite (chromian), 91, 1263, myargyrite, 1052, olivenite, 885, olivine, 780, orthoclase, 804, 1001, orthopyroxene, 1015, osmium, 1028, owensite, 665, 671, paragonite (chromian), 91, parakhinite, 33, pargasite, 493, 869, pentlandite, 766, petybayllisite, 47, phenakite, 776, phlogopite, 551, 780, 1017, plagioclase, 570, 1019, platarsite, 413, potarite, 413, prehnite, 67, 977, prismatic, 1255, protoferrihydrite, 3, pseudobrookite, 1278, pumpellyite, 67, pyrrhotite, 1052, pyrite, 367, 382, 951, pyrope, 475, pyrrothite, 109, 254, 383, 951, 1051, rutile, 97, 404, 794, 1259, rutile (chromian), 1263, schorl, 841, schorlonite, 627, schreyerite, 749, selwynite, 55, siderite (in biofilm), 4, sillimanite, 1259, skinnerite, 655, sperryllite, 413, 1038, sphalerite, 109, 1051, spinel (chromian), 97, spinel (Cr-V), 748, stephanite, 1052, stibiopalladinite, 1038, subcalcic chromian pyrope, 475, sylvanite, 185, 187, synthetic fluor-pargasite, 25, synthetic Ga-clinoamphibole, 13, titanite, 97, 963, tourmaline, 780, 840, 849, 1216, tremolite, 780, tulameenite, 1032, unknown (Ni,Fe,Cu)₂(Ir,Rh)S₃, 513, unknown (Pt,Rh,Ir,Cu)₂S₃, 513, unknown (Rh,Cu)₂S₃, 513, unnamed Os-Ir-Ru alloy, 1035, unnamed Pt-Fe oxide, 1035, unnamed Pt-Ru alloy, 1032, unnamed Rh₂S₃, 1037, uvarovite, 1263, uvite, 849, 1216, ybstenogardite, 142, vanadinite, 1121, varrenesite, 1073, vesuvianite, 77, 594, 610, wasserite, 41, wolanite, 963, wittichenite, 661, zippelite, 1091, zoisite, 516

Mineral names applied to synthetic substances, (Nickel), 1335

MINERALOGICAL ASSOCIATION OF CANADA

Berry medal (Gai), 1347, book reviews, 193, 699, 1153, 1337, Hawley medal (Eric), 1345, Past Presidents' medal (Greenwood), 1350, Proceedings of the 40th annual meeting, 1343, referees for 1994, 705

Mixed-ligand Cu²⁺O₆ octahedra in minerals: observed stereochemistry and Hartree-Fock calculations, (Burns & Hawthorne), 1177
Murataite, a UB₂ derivative structure with condensed Keggin molecules, (Eric & Hawthorne), 1223

New minerals recently approved by the Commission on New Minerals and Mineral Names, International Mineralogical Association, (Mandirino), 189, 691

NEW MINERAL SPECIES

1993 listing of I.M.A.-approved new minerals, 189, 1994 listing of I.M.A.-approved new minerals, 691, calcioburbankite, 1231, frankhawthornite, 641, owensite, 665, petybayllisite, 47, selwynite, 55, varrenesite, 1073

NOMENCLATURE

amorphous materials, 65, anorthosite, 913, bolivarite, 65, borate minerals, 1131, 1167, calcioburbankite, 1231, claringbullite, 638, djerfisherite group, 669, 676, evansite, 65, frankhawthornite, 641, gainesite group, 57, guilleminite, 1105, kornepinane group, 1255, mineral (defined), 689, olivenite, 885, owensite, 665, petybayllisite, 47, prismatic, 1255, pumpellyite group, 67, selwynite, 55, site defined, 907, site occupancy defined, 907, site population defined, 907, site-scattering value defined, 907, structural formula defined, 907, synthetic substances, 1335, varrenesite, 1073

Olivine oikocrysts in Bushveld anorthosite: some implications for cumulate formation, (Maier), 1011

OPTICAL PROPERTIES

General

bolivarite, 61, calcioburbankite, 1233, goldichite, 1061, selwynite, 56, varrenesite, 1075, zippelite, 1099

Reflectance

eskolaitite, 749, frankhawthornite, 646, karelianite, 749, owensite, 667, petybayllisite, 51, spinel (Cr-V), 748

Owensite, (Ba,Pb)₂(Cu,Fe,Ni)₂S₇, a new mineral species from the Wellgreen Cu-Ni-Pt deposit, Yukon, (Laflamme *et al.*), 665

Parakhinite, Cu₂PbTe⁶⁺O₄(OH): crystal structure and revision of chemical formula, (Burns *et al.*), 33

Petybayllisite, Hg₂⁺(CO₃)(OH)·2H₂O, a new mineral species from the Clear

Creek claim, San Benito County, California, (Roberts *et al.*), 47

PETROLOGY (see also Experimental)

Ag in barite, 366, Alpine-type peridotite, 510, amphibole stability, 1198, amphibole zonation, 1189, amphibolite, 868, anorthosite, 913, 1011, banded iron-formation (origin), 5, 1321, beryl pegmatite, 802, 823, bioavailability of contaminant ions, 680, biofilm, 1, 1327, biomineralization, 1, 1311, 1321, boron-rich rocks during metamorphism, 1255, Bushveld Complex, 1011, Cape Smith Belt, 560, chondrite-normalized PGE data, 159, 171, 1026, chondrite-normalized REE data, 432, 451, 464, 476, 825, 989, chromitite, 171, 510, 1024, chromium immobility during metamorphism, 100, 529, chromium partitioning in metacarbonate, 98, Cr-metasomatism, 1281, Cr-rich metacarbonate, 85, Cr-rich quartzite, 1266, Cr-rich schist, 745, 1266, Crownstent volcanic suite, 973, cumulates, 169, 522, 914, 1011, 1025, diamond exploration, 476, Duluth Complex, 723, dunite, 776, F in biotite, 805, 1277, F in goethite, 251, F in phlogopite, 551, F-OH exchange equilibria in mica, 555, fluid inclusion data, 499, 574, 709, 784, fractional crystallization, 736, 811, geobarometry, 106, 718, 1260, geochronology, 426, 1238, geothermometry, 106, 555, 711, 770, 785, 979, 1005, 1238, 1260, gold in pyrite, 227, 351, 368, 382, 1300, gold in seafloor sulfides, 1286, gold (invisible), 227, 351, 368, 382, gold remobilization, 1306, gold transport chemistry, 148, 1301, granite pegmatite, 776, 799, 835, 859, 967, hydrated ferric oxides, 679, hydrocarbon fluid inclusions, 716, hydrothermal brine, 560, 1303, hypersaline fluid inclusions, 499, 709, immiscible sulfide fluid, 737, Juan de Fuca Ridge, 570, laumontite metamorphism, 978, layered intrusion, 165, 723, 914, 1011, leucogranite, 1238, Meguma Terrane, 1238, metacarbonate, 85, metarodinite, 605, M_g# diagrams for basalt, 157, microbial geochemistry, 1, 1311, 1327, monzogranite, 794, 818, mottle, 1012, Munnii Munnii Complex, 409, oikocrysts, 1011, ophiolite, 585, 1023, pegmatite evolution, 829, peridotite, 510, 868, 1024, perthite, 804, 1003, PGE concentration, 165, 1039, PGE fractionation, 154, 176, PGE oxides, 1031, PGM assemblages, 510, 1030, plagioclase glass, 574, Preissac-Lacorne batholith, 793, 817, prismatic formation, 1260, REE geochemistry, 451, 476, 826, 963, REE mobility, 829, 963, retrograde metamorphism of sulfides, 1054, rodingite, 585, seafloor sulfides, 1285, seamount rocks, 580, serpentine phase diagram, 767, serpentine, 537, 560, 585, 753, serpentinization, 318, 524, 562, 585, 767, sodumene pegmatite, 799, 823, sulfide precipitation, 719, 1286, supergene electron, 138, synthetic end-member amphiboles, 1189, TAG hydrothermal field, 1285, tourmalinization, 838, 1260, troctolite, 726, two-mica granite, 794, 820, ultramafic cumulate, 522, 539, upper-green-schist metamorphism, 107, vesuvianite zoning, 82, VMS deposit, 374, Zn species in fluid inclusions, 505, zoned chromite, 522, 537, zoned garnet, 807

Phase relations in the system Zn-Ga-S at 900°C and 800°C, (Ueno & Scott), 129
PIXE analysis in mineralogy and geochemistry, (Halden *et al.*), 293

Positional disorder of oxygen in garnet: the crystal-structure refinement of schorlonite, (Peterson *et al.*), 627

Preface: Microbeam techniques in the Earth Sciences, (Hawthorne & Martin), 201
Preparation and structure refinement of synthetic Ti³⁺-containing lindsleyite, BaMn₂Ti₂O₁₀, (Peterson & Grey), 1083

Proceedings of the fourth annual meeting of the Mineralogical Association of Canada, (LeCheminant), 1343

Quantitative electron-microprobe analysis of alkali silicate glasses: a review and user guide, (Spray & Rae), 323

RAMAN SPECTRA

anatase, 404, Ba₂TiO₄, 404, braggite, 413, cooperite, 413, fresnoite, 404, moncheite, 413, platarsite, 413, potarite, 413, rutile, 404, sperryllite, 413, Ti-silicate glass, 399

Recent advances in the electron-probe micro-analysis of minerals for the light elements, (Raudsepp), 203

Rietveld refinement of the crystal structure of olivenite: a twinned monoclinic structure, (Burns & Hawthorne), 885

Rodingites of the eastern part of Jordanów-Gogółów massif, Lower Silesia, Poland, (Dubinska), 585

S K- and L-edge X-ray absorption spectroscopy of metal sulfides and sulfates: applications in mineralogy and geochemistry, (Li *et al.*), 949

SCANNING-ELECTRON MICROGRAPHS

bolivarite, 60, bowenite, 1029, britholite, 963, cathodoluminescence of calcite, 458, cooperite, 1028, cuproiridite, 514, cuprorhodosite, 514, erlichmannite, 1029, erythrite (synthetic), 1065, flame perthite, 334, frankhawthornite, 643, (Ga,Zn)₂S₃ solid solution, 133, gold in seafloor sulfides, 1298, irarsite, 515, iridium, 1029, isoferroplatinum, 1028, laser-activation pits, 305, 421, 489, laurite, 515, 1028, malanite, 515, muscovite, 1247, 1268, osmium, 1028, owensite, 666, pumpellyite, 68, titanite, 963, unknown (Ni,Fe,Cu)₂(Ir,Rh)S₃, 515, unknown (Pt,Rh,Ir,Cu)₂S₃, 515, uvarovite, 1273, wolanite, 963, zincian chromite, 1273, zippelite, 1092, ZnGa₂S₄ solid solution, 133, zoned chromite, 540

Scanning-proton-microprobe mapping of minor and trace elements along mineral cleavages, fractures and grain boundaries: evidence for element mobility, (Halden *et al.*), 961

Secondary-ion mass spectrometry and geology, (MacRae), 219
Selwynite, NaK(Be,Al)Zr₂(PO₄)₂·2H₂O, a new gainesite-like mineral from Wycheproof, Victoria, Australia, (Birch *et al.*), 55

Silver-bearing sulfosalts from the metamorphosed Rampura Agucha Zn-Pb-(Ag) deposit, Rajasthan, India, (Höller & Gandhi), 1047

SIMS analysis of sulfide minerals for Pt and Au: methodology and relative sensitivity factors (RSF), (Cabrè & McMahon), 349

Site populations in minerals: terminology and presentation of results of crystal-structure refinement, (Hawthorne *et al.*), 907

Solid solutions in the annabergite-erythrite-hõnesite synthetic system, (Jambor & Dutrizac), 1063

- Spectroscopic data on coexisting prehnite-pumpellyite and epidote-pumpellyite, (Artoli *et al.*), 67
- Stratiform and alluvial platinum mineralization in the New Caledonia ophiolite complex, (Angé & Maurizot), 1023
- Synchrotron X-ray fluorescence and laser-ablation ICP-MS microprobes: useful instruments for analysis of experimental run-products, (Dalpé *et al.*), 481
- Synthesis and crystal structure refinement of synthetic fluor-pargasite, (Oberli *et al.*), 25
- Synthesis and Rietveld refinement of amphibole along the join $\text{Ca}_2\text{Mg}_3\text{Si}_8\text{O}_{22}\text{F}_2 - \text{NaCa}_2\text{Mg}_3\text{Si}_6\text{O}_{22}\text{F}_2$, (Jenkins & Hawthorne), 13
- TEXTURES**
- adcumulate, 169, 1012, 1025, anorthositic, 914, antigorite, 561, 588, 758, argentojarosite produced by bacteria, 1316, basite, 561, 588, 758, bolivarite, 60, cumulus, 522, 914, 1012, 1025, flame perthite, 334, gold in seafloor sulfides, 1291, lizardite, 529, 561, 588, 758, mottle, 1012, plagioclase glass, 573, prismatic, 1258, rodingitic, 590, serpentine-group minerals, 529, 561, 588, 758, serpentinized dunite, 169, sulfide lens, 107, tourmaline in pegmatite, 838
- The behavior of Cr during metamorphism of carbonate rocks from the Nevada-Filabride complex, Beltic Cordilleras, Spain, (López Sánchez-Vizcaíno *et al.*), 85
- The binding of Pb, Zn and other metal ions in suspended riverine particulate matter, (Manning & Wang), 679
- The crystal chemistry of Si \rightleftharpoons Al substitution in tourmaline, (MacDonald & Hawthorne), 849
- The crystal structure of fichtelite, a naturally occurring hydrocarbon, (Mace & Peterson), 7
- The crystal structure of geminite, $\text{Cu}^{2+}(\text{AsO}_4\text{OH})(\text{H}_2\text{O})$, a heteropolyhedral sheet structure, (Cooper & Hawthorne), 1111
- The crystal structure of guilleminite, a hydrated Ba-U-Se sheet structure, (Cooper & Hawthorne), 1103
- The crystal structure of mottramite, and the nature of Cu \rightleftharpoons Zn solid solution in the mottramite-desclowitzite series, (Cooper & Hawthorne), 1119
- The crystal structure of owensite, $(\text{Ba,Pb})_2(\text{Cu,Fe,Ni})_{23}\text{S}_{27}$, a new member of the djerfisherite group, (Szymański), 671
- The crystal structure of skinnerite, $\text{P}_2/\text{c}-\text{Cu}_3\text{SbS}_3$, from powder data, (Makovicky & Balic-Zunic), 655
- The crystal structure of wattersite, $\text{Hg}_4^{1+}\text{Hg}^{2+}\text{Cr}^{6+}\text{O}_6$, (Groat *et al.*), 41
- The definition of a mineral, (Nickel), 689
- The design, operation and role of the laser-ablation microprobe coupled with an inductively coupled plasma mass - spectrometer (LAM-ICP-MS) in the earth sciences, (Fryer *et al.*), 303
- The extent of solid solution in Pb-Sn and Sb-Bi chalcogenides, (Liu *et al.*), 115
- The geochemistry of phlogopite and chlorite from the Kipushi Zn-Pb-Cu deposit, Shaba, Zaire, (Chabu), 547
- The infrared spectroscopy of vesuvianite in the OH region, (Groat *et al.*), 609
- The Northern Margin of the Southern Province of the Canadian Shield: Program and Abstracts, 917
- The occurrence of gold in sulfide deposits of the TAG hydrothermal field, Mid-Atlantic Ridge, (Hannington *et al.*), 1285
- The rare-element-enriched monzogranite - pegmatite - quartz vein systems in the Preissac-Lacorne batholith, Quebec. I. Geology and mineralogy, (Mulja *et al.*), 793
- The rare-element-enriched monzogranite - pegmatite - quartz vein systems in the Preissac-Lacorne batholith, Quebec. II. Geochemistry and petrogenesis, (Mulja *et al.*), 817
- The structure and physicochemical characteristics of synthetic zippeite, (Vochten *et al.*), 1091
- The structure of $\text{NaCa}_2\text{LuSi}_2\text{O}_7\text{F}_2$, a synthetic phase of the cuspidine group, (Fleet & Pan), 879
- The structure of Ti silicate glasses by micro-Raman spectroscopy, (Henderson & Fleet), 399
- Theory, practice and application of micro-PIXE analysis and element distribution maps, (Campbell *et al.*), 279

THERMOGRAVIMETRIC ANALYSIS

- bolivarite, 61, evansite, 61, zippeite, 1093
- Tourmaline in granitic pegmatites and their country rocks, Fregeneda area, Salamanca, Spain, (Roda *et al.*), 835
- Trace-element analysis of garnet by laser-ablation microprobe ICP-MS, (Fedorowich *et al.*), 469
- TRACE-ELEMENT DATA**
- albite, 824, anorthositic, 735, basalt, 159, beryl pegmatite, 824, biotite monzogranite, 821, calcite, 297, 427, 451, chalcopyrite, 366, 383, 1300, chromite, 170, 1027, Cr-rich quartzite, 1266, Cr-rich schist, 1266, diopside, 431, dolomite, 297, 427, 451, dunite, 778, 1026, feldspar, 967, 989, felsic standard glass, 439, fluorite, 457, gabbro, 170, 735, 778, gold in seafloor sulfides, 1295, granite pegmatite, 778, granodiorite, 735, Juan de Fuca basalt glass, 443, K-feldspar, 989, kaersuite, 431, kornerupine, 1259, mafic pegmatite, 159, mafic standard glass, 437, monzodiorite, 735, monzonite, 735, muscovite, 807, muscovite monzogranite, 821, norite, 735, orthopyroxene-rich basalt, 159, pargasite, 493, peridotite, 170, PGE in basalt, 155, PGE in chromitite, 170, 1027, PGE in gabbro, 170, 1026, PGE in pegmatite, 155, PGE in peridotite, 170, PGE in pyroxenite, 170, 1026, PGE in rhyolite, 155, phlogopite, 778, prismatic, 1259, pyrite, 367, 382, 1300, pyrope, 475, pyroxenite, 170, pyrrhotite, 254, 383, quartz monzonite, 735, quartz, 967, REE in albite, 824, REE in calcite, 452, REE in K-feldspar, 997, REE in monzogranite, 821, REE in pegmatite, 824, REE in pyrope, 476, rhyolite, 159, seafloor sulfides, 1295, spodumene pegmatite, 824, standard glasses, 474, 484, subcalcic chromian pyrope, 475, titanite, 296, tourmaline, 841, trace element mobility, 961, trace elements on grain boundaries, 965, tremolite, 778, troctolite, 735, twomica monzogranite, 821, ultramafic standard glass, 437, vesicular basalt, 159, wehrite, 1026, zircon, 296
- TWINNING** (see also Crystallography)
- geminite, 1111, olivenite, 885, parakhinite, 38, skinnerite, 656, zippeite, 1093
- Ultrasensitive trace-element analysis with accelerator mass spectrometry: the current state of the art, (Wilson *et al.*), 237
- Varennesite, a new species of hydrated Na-Mn silicate with a unique monophyllosilicate structure, (Grice & Gault), 1073
- X-RAY DIFFRACTION** (see also Crystal Structure)
- Cell Dimensions**
- annabergite, 1069, argentojarosite, 1313, boromuscovite, 861, calcioburbankite, 1234, claringbullite, 633, diabolite, 1125, erythrite, 1069, fichtelite, 7, frankhawthorneite, 643, 650, geminite, 1111, goldichte, 1061, guilleminite, 1103, hamburgerite, 1206, hornblende, 869, hômesite, 880, lindseyite, 1083, murataite, 1224, muscovite, 1244, $\text{NaCa}_2\text{LuSi}_2\text{O}_7\text{F}_2$, 880, olivenite, 886, owensite, 667, 673, parakhinite, 33, pargasite, 869, PbS-PbSe-SnS-SnSe solid solutions, 118, $\text{PbSe-PbTe-SnSe-SnTe}$ solid solutions, 118, $\text{Sb}_2\text{S}_3\text{-Sb}_2\text{Se}_3\text{-Bi}_2\text{S}_3\text{-Bi}_2\text{Se}_3$ solid solutions, 122, $\text{Sb}_2\text{Se}_3\text{-Sb}_2\text{Te}_3\text{-Bi}_2\text{S}_3\text{-Bi}_2\text{Te}_3$ solid solutions, 122, schorlomite, 627, selwynite, 57, skinnerite, 657, synthetic fluor-pargasite, 25, synthetic Ga-clinoamphibole, 17, tetraedrite, 657, tourmaline, 846, uvite, 1216, varennesite, 1075, wattersite, 41, zippeite, 1095
- Powder Data**
- argentojarosite produced by bacteria, 1314, bolivarite, 62, calcioburbankite, 1234, evansite, 62, fichtelite, 8, frankhawthorneite, 644, $(\text{Ga,Zn})_2\text{S}_3$ solid solution, 134, goldichte, 1061, owensite, 667, petersbaysite, 30, selwynite, 57, varennesite, 1075, zippeite, 1094, $(\text{Zn,Ga})_{1-x}\text{S}$ solid solution, 131, ZnGa_2S_4 solid solution, 132
- Zoned Zn-rich chromite from the Näätäniemi serpentinite massif, Kuhmo greenstone belt, Finland, (Liipo *et al.*), 537

THE CANADIAN MINERALOGIST

**Journal of the
Mineralogical Association
of Canada**



R.F. Martin, Editor

Volume 33, 1995