

THE CANADIAN MINERALOGIST

INDEX, VOLUME 36

J. DOUGLAS SCOTT

203-44 Brousseau Avenue, Timmins, Ontario P4N 5Y2

AUTHOR INDEX

- Aagaard, S.S. with Pavese, A., 1029
 Abdel-Rahman, A.M. with Warner, S., 981
 Aguirre, L., Dominguez-Bella, S., Morata, D. & Wittke, O., An occurrence of tobermorite in Tertiary basalts from Patagonia, Chile, 1149
 Anderson, A.J., Groat, L.A. & Simmons, W.B. Jr., Preface: Granitic pegmatites: the Černý–Foord volume, 249
 Anderson, A.J., Mayanovic, R.A. & Bajt, S., A microbeam XAFS study of aqueous chlorozinc complexing to 430°C in fluid inclusions from the Knaumühle granitic pegmatite, Saxonian granulite massif, Germany, 511
 Anderson, A.J. with Černý, P., 367
 Anderson, S.D., Černý, P., Halden, N.M., Chapman, R. & Uher, P., The YITT-B pegmatite swarm at Bernic Lake, southeastern Manitoba: a geochemical and paragenetic anomaly, 283
 Anderson, S.D. with Černý, P., 367
 Andreozzi, G.B. with Federico, M., 415
 Antenucci, D. with Fransolet, A.-M., 355
 Árkai, P. with Li, Gejing, 1435
 Aronson, J.L. with Sears, S.K., 1507
 Ayer, J.A., The mafic minerals of the Falcon Island ultrapotassic pluton, Lake of the Woods, Ontario: progressive reduction during fractionation, 49
 Bajt, S. with Anderson, A.J., 511
 Baker, D.R., The escape of pegmatite dikes from granitic plutons: constraints from new models of viscosity and dike propagation, 255
 Baker, D.R. with Marr, R.A., 1001
 Ballirano, P., Bonaccorsi, E., Merlini, S. & Maras, A., Carbonate groups in davyne: structural and crystal-chemical considerations, 1285
 Barnes, S.-J. with Thériault, R.D., 869
 Basciano, L.C., Peterson, R.C., Roeder, P.L. & Swainson, I., Description of schoenfliesite, $MgSn(OH)_6$, and roxbyite, $Cu_{1.7}S$, from a 1375 BC shipwreck, Rietveld neutron-diffraction refinement of synthetic schoenfliesite, wickmanite, $MnSn(OH)_6$, and burttite, $CaSn(OH)_6$, 1203
 Beaumont, A. with Elsass, F., 1475
 Bell, K. with Dunworth, E.A., 895
 Bernhardt, H.J. with Pruseth, K.L., 207
 Berry, R.W. & Torrance, J.K., Mineralogy, grain-size distribution and geotechnical behavior of Champlain clay core-samples, Quebec, 1625
 Birkett, T.C. with Jambor, J.L., 793
 Blum, N. with Yang, Sixue, 1361
 Bobos, I. & Gomes, C., Greisen and post-greisen alteration in the São Vicente de Pereira kaolinite deposit, Portugal, 1615
 Bonaccorsi, E. with Ballirano, P., 1285
 Bonodaei, Yu.S., Garavelli, A., Kuzmina, O.V., Mozgovaya, N.N., Organova, N.I., Trubkin, N.V. & Vurro, F., Rare sulfosalts from Vulcano, Aeolian Islands, Italy. I. Se-bearing kirkite, $Pb_{10}(Bi,As)_6(S,Se)_{19}$, 1105
 Breaks, F.W. with Černý, P., 367
 Breaks, F.W. with Tindle, A.G., 609, 637
 Buck, H.M. with Černý, P., 547
 Burnol, L. with Raimbault, L., 265
 Burns, P.C., CCD area detectors of X-rays applied to the analysis of mineral structures, 847
 Burns, P.C., The structure of boltwoodite and implications of solid solution toward sodium boltwoodite, 1069
 Burns, P.C., The structure of compregnacite, $K_2[(UO_2)_3O_2(OH_3)]_2(H_2O)_7$, 1061
 Burns, P.C., The structure of richetite, a rare lead uranyl oxide hydrate, 187
 Burns, P.C. with Mitchell, R.H., 107
 Burns, P.C. with Novák, M., 441
 Buseck, P.R. with Li, Gejing, 1435
 Cabral, A.R. with Pires, F.R.M., 1157
 Cabri, L.J., Gaspar, O.C., Lastra, R. & McMahon, G., Distribution of gold in tin-rich samples from the Corvo orebody, Portugal, 1347
 Camara, F. with Oberti, R., 1245
 Cassedanne, J. with Jedwab, J., 887
 Cavazzini, G. with Rieder, M., 905
 Černý, P., Ercit, T.S., Wise, M.A., Chapman, R. & Buck, H.M., Compositional, structural and phase relationships in titanian ixiolite and titanian columbite-tantalite, 547
 Černý, P., Selway, J.B., Ercit, T.S., Breaks, F.W., Anderson, A.J. & Anderson, S.D., Graftonite-beusite in granitic pegmatites of the Superior Province: a study in contrasts, 367
 Černý, P. with Anderson, S.D., 283
 Černý, P. with Jobin-Bevans, S., 447
 Černý, P. with Novák, M., 659
 Černý, P. with Selway, J.B., 433
 Černý, P. with Smets, S.-A., 377
 Černý, P. with Teertstra, D.K., 87, 483
 Černý, P. with Uher, P., 525, 535
 Černý, P. with Wise, M.A., 673
 César-Mendes, J. with Federico, M., 415
 Chakhmouradian, A.R. & Mitchell, R.H., Compositional variation of perovskite-group minerals from the Khibina Complex, Kola Peninsula, Russia, 953
 Chakhmouradian, A.R. with Mitchell, R.H., 939
 Chao, G.Y. & Gault, R.A., The occurrence of two rare polytypes of wurtzite, 4H and 8H, at Mont Saint-Hilaire, Quebec, 775
 Chapman, R. with Anderson, S.D., 283
 Chapman, R. with Černý, P., 547
 Chapman, R. with Uher, P., 525, 535
 Choi, Jin-Beom with Mitchell, R.H., 107
 Christidis, G.E., Economou-Eliopoulos, M., Marcopoulos, T. & Laskou, M., An unusual assemblage of high-Ti oxides and ferroan clinichlore along zones of brittle deformation in the Vourinos (Rodiani) ophiolite complex, Greece, 1327
 Ciocfica, G. with Shimizu, M., 861
 Cook, W.R. Jr. with Richards, R.P., 1009
 Cooper, M.A. & Hawthorne, F.C., The crystal structure of blatterite, $Sb^{5+}_3(Mn^{3+},Fe^{3+})_9(Mn^{2+},Mg)_{35}(BO_3)_{16}O_{32}$, and structural hierarchy in the Mn^{3+} -bearing zigzag borates, 1171

- Cooper, M.A., Hawthorne, F.C. & Grew, E.S., Refinement of the crystal structure of tienshanite: short-range-order constraints on chemical composition, 1305
- Cooper, M.A. with Ercit, T.S., 1311
- Cooper, M.A. with Hawthorne, F.C., 817
- Corretgé, G. with Montero, P., 683
- Cranswick, L.M.D. with Peterson, R.C., 763
- Cridle, A.J. with Pring, A., 1139
- Crisci, G.M. with Pasqual, D., 97
- Cuadros, J. with Nieto, F., 1415
- Czamanske, G.K. with Hawthorne, F.C., 1253
- D'Yakonov, Y.S. with Rieder, M., 905
- Deliens, M. with Vochten, R., 1077
- Della Ventura, G., Robert, J.-L. & Hawthorne, F.C., Characterization of OH-F short-range order in potassium-fluor-richterite by infrared spectroscopy in the OH-stretching region, 181
- Della Ventura, G., Robert, J.-L., Hawthorne, F.C., Raudsepp, M. & Welch, M.D., Contrasting patterns of ^{61}Al order in synthetic pargasite and Co-substituted pargasite, 1237
- de Upton, I.L. with Galliski, M.A., 395
- Dickson, F.W. with McCormack, J.K., 201
- Dilles, J.H. with Laurs, B.M., 1
- Dini, A. with Orlandi, P., 1321
- Dobbe, R.T.M. & Zakrzewski, M.A., Oenite, CoSbAs, a new mineral species from the Tunaberg Cu-Co sulfide skarns, Bergslagen, Sweden, 855
- Doig, R. with Warner, S., 981
- Domínguez-Bella, S. with Aguirre, L., 1149
- Downs, R.T. with Jacobsen, S.D., 1053
- Drábek, M., Rieder, M., Viti, C., Weiss, Z. & Fryda, J., Hydrothermal synthesis of a Cs ferruginous trioctahedral mica, 755
- Dunworth, E.A. & Bell, K., Melilitolites: a new scheme of classification, 895
- Dyar, M.D. with O'Hanley, D.S., 727
- Economou-Eliopoulos, M. with Christidis, G.E., 1327
- Edgar, A.D. with Gulliver, C.E., 1339
- Eggleton, R.A. with Guggenheim, S., 163
- Elfakir, A. with Lucas, F., 1045
- Elliott, W.C. with Sears, S.K., 1507
- Elsass, F., Beaumont, A., Pernes, M., Jaunet, A.-M. & Tessier, D., Changes in layer organization of Na- and Ca-exchanged smectite materials during solvent exchanges for embedment in resin, 1475
- Ercit, T.S., Cooper, M.A. & Hawthorne, F.C., The crystal structure of vuonnenite, $\text{Na}_{11}\text{Ti}^{4+}\text{Nb}_2(\text{Si}_2\text{O}_7)_2(\text{PO}_4)_2\text{O}_3(\text{F},\text{OH})$, a phosphate-bearing sorosilicate of the lomonosovite group, 1311
- Ercit, T.S. with Černý, P., 367, 547
- Ercit, T.S. with Groat, L.A., 1301
- Ercit, T.S. with Lam, A.E., 823
- Evans, B.W. with Rasmussen, M.G., 147
- Ewing, R.C. with Finch, R.J., 831
- Falster, A.U. with Hanson, S.L., 601
- Falster, A.U. with Wise, M.A., 673
- Federico, M., Andreozzi, G.B., Lucchesi, S., Graziani, G. & César-Mendes, J., Compositional variation of tourmaline in the granitic pegmatite dykes of the Cruzeiro mine, Minas Gerais, Brazil, 415
- Filatov, S.K. with Krivovichev, S.V., 809
- Finch, R.J., Hawthorne, F.C. & Ewing, R.C., Structural relations among schoepite, metaschoepite and "dehydrated schoepite", 831
- Floor, P. with Montero, P., 683
- Fontan, F. with Fransolet, A.-M., 355
- Foord, E.E. with Kile, D.E., 463
- Frank-Kamenetskii, V.A. with Rieder, M., 905
- Fransolet, A.-M., Fontan, F., Keller, P. & Antenucci, D., La série johnsmervilleite-filowite dans les associations de phosphates de pegmatites granitiques de l'Afrique centrale, 355
- Fryda, J. with Drábek, M., 755
- Fuentes-Fuente, M. & Martin-Izard, A., The Forcarei Sur rare-element granitic pegmatite field and its associated mineralization, Galicia, Spain, 303
- Galliski, M.A., Márquez Zavalía, M.F., Lomniczi de Upton, I. & Oyarzábal, J.C., Mitridate from the San Luis granitic pegmatite, La Florida, Argentina, 395
- Garavelli, A. with Borodaev, Yu.S., 1105
- Gaspar, O.C. with Cabri, L.J., 1347
- Gault, R.A. with Chao, G.Y., 775
- Gault, R.A. with Grice, J.D., 1293
- Goetz, S. with Sherriff, B.L., 1267
- Gomes, C. with Bobos, I., 1615
- Gottardi, G. with Rieder, M., 905
- Grabska D. with Wiewióra, A., 1547
- Graziani, G. with Federico, M., 415
- Grew, E.S., Yates, M.G., Huijsmans, J.P.P., McGee, J.J., Shearer, C.K., Wiedenbeck, M. & Rouse, R.C., Werdingite, a borosilicate new to granitic pegmatites, 399
- Grew, E.S. with Cooper, M.A., 1305
- Grey, I.E. with Peterson, R.C., 763
- Grguric, B.A. & Putnis, A., Compositional controls on phase-transition temperatures in bornite: a differential scanning calorimetry study, 215
- Grguric, B.A. with Pring, A., 1139
- Grice, J.D. & Gault, R.A., Thomasclarkite-(Y), a new sodium-rare-earth-element bicarbonate mineral species from Mont Saint-Hilaire, Quebec, 1293
- Grice, J.D. with Groat, L.A., 1301
- Grice, J.D. with Jambor, J.L., 793
- Grice, J.D. with Mandarino, J.A., 927
- Grice, J.D. with Nickel, E.H., 913
- Groat, L.A., The crystal structure of gerenite-(Y), $(\text{Ca},\text{Na})_2(\text{Y},\text{REE})_3\text{Si}_6\text{O}_{18}\cdot 2\text{H}_2\text{O}$, a cyclosilicate mineral, 801
- Groat, L.A., Hawthorne, F.C., Ercit, T.S. & Grice, J.D., Wiluite, $\text{Ca}_{19}(\text{Al},\text{Mg},\text{Fe},\text{Ti})_{13}(\text{B},\text{Al},\square)_5\text{Si}_{18}\text{O}_{68}(\text{O},\text{OH})_{10}$, a new mineral species isostructural with vesuvianite, from the Sakha Republic, Russian Federation, 1301
- Groat, L.A. with Anderson, A.J., 249
- Groat, L.A. with Jambor, J.L., 793
- Groat, L.A. with Lam, A.E., 823
- Guggenheim, S. & Eggleton, R.A., Modulated crystal structures of greenalite and caryopilitite: a system with long-range, in-plane structural disorder in the tetrahedral sheet, 163
- Guggenheim, S. & Zhan, W., Effect of temperature on the structures of lizardite-1T and lizardite-2H₁, 1587
- Guggenheim, S. with Rieder, M., 905
- Guidotti, C.V. with Zane, A., 713
- Gulliver, C.E., Edgar, A.D. & Mitchell, R.H., Stability and composition of K-Ti silicates, K-Ba phosphate and K-Mg fluoride at 0.85–2.6 GPa: implications for the genesis of potassic alkaline magmas, 1339
- Gustafsson, L. with Smeds, S.-A., 377
- Guthrie, G.D. Jr. & Reynolds, R.C. Jr., A coherent TEM- and XRD-description of mixed-layer illite/smectite, 1421
- Halden, N.M. with Anderson, S.D., 283
- Hanson, S.L., Simmons, W.B. & Falster, A.U., Nb-Ta-Ti oxides in granitic pegmatites from the Topsham pegmatite district, southern Maine, 601
- Ható, J. with Uher, P., 525, 535
- Hawthorne, F.C., Cooper, M.A. & Taylor, M.C., Refinement of the crystal structure of tazhikite, 817
- Hawthorne, F.C., Oberti, R., Zanetti, A. & Czamanske, G.K., The role of Ti in hydrogen-deficient amphiboles: sodic-calcic and sodic amphiboles from Coyote Peak, California, 1253
- Hawthorne, F.C. with Cooper, M.A., 1171, 1305
- Hawthorne, F.C. with Della Ventura, G., 181, 1237
- Hawthorne, F.C. with Ercit, T.S., 1311
- Hawthorne, F.C. with Finch, R.J., 831
- Hawthorne, F.C. with Groat, L.A., 1301
- Hawthorne, F.C. with Liang, Jian-Jie, 1017, 1577
- Hawthorne, F.C. with Mitchell, R.H., 107
- Hawthorne, F.C. with Oberti, R., 1245
- Hawthorne, F.C. with Schindler, M., 1195
- Hawthorne, F.C. with Selway, J.B., 433
- Hawthorne, F.C. with Teertstra, D.K., 87, 483
- Hawthorne, F.C. with Wicks, F.J., 1607

- Henderson, G.S. with Wicks, F.J., 1607
 Hesse, R. with Sears, S.K., 1485, 1507
 Hesse, R. with Shata, S., 1525
 Huijsmans, J.P.P. with Grew, E.S., 399
 Hubert, L.J. with Roach, T.A., 117
 Icenhower, J. with London, D., 497
 Jacobsen, S.D., Smyth, J.R., Swope, R.J. & Downs, R.T., Rigid-body character of the SO_4 groups in celestine, anglesite and barite, 1053
 Jambor, J.L., Roberts, A.C., Grice, J.D., Birkett, T.C., Groat, L.A. & Zajac, S., Gerenite-(Y), $(\text{Ca}_2\text{Na})_2(\text{Y}, \text{REE})_3\text{Si}_6\text{O}_{18} \cdot 2\text{H}_2\text{O}$, a new mineral species, and an associated Y-bearing gadolinite-group mineral, from the Strange Lake peralkaline complex, Quebec-Labrador, 793
 Jaunet, A.-M. with Elsass, F., 1475
 Jäger, C. with Sherriff, B.L., 1267
 Jedwab, J. & Casedanne, J., Historical observations on oxygen-bearing compounds of platinum and palladium in Minas Gerais, Brazil, 887
 Jiménez-Millan, J. & Velilla, N., Mn-Fe spinels and silicates in manganese-rich rocks from the Ossa-Morena Zone, southern Iberian Massif, southwestern Spain, 701
 Jobin-Bevans, S. & Černý, P., The beryllian cordierite + beryl + spessartine assemblage, and secondary beryl in altered cordierite, Greer Lake granitic pegmatites, southeastern Manitoba, 447
 Kabalov, Yu.K. with Sherriff, B.L., 1267
 Kato, A. with Shimizu, M., 861
 Kausar, A.B. with Laurs, B.M., 1
 Kearns, L.E. with Richards, R.P., 1009
 Keller, P. with Fransolet, A.-M., 355
 Kile, D.E. & Foord, E.E., Micas from the Pikes Peak Batholith and its co-genetic granitic pegmatites, Colorado: optical properties, composition, and correlation with pegmatite evolution, 463
 Kitagawa, R., Surface microtopography of illite crystals from different modes of occurrence, 1559
 Kjoller, K. with Wicks, F.J., 1607
 Klingelhöfer, G. with Lodders, K., 137
 Knittel, U. with Trudu, A.G., 1115
 Kolitsch, U., Bernalite from the Clara mine, Germany, and the incorporation of tungsten in minerals containing ferric iron, 1211
 Konno, H. with Sasaki, K., 1225
 Koval, P.V. with Rieder, M., 905
 Kremsner, D.T. with Lodders, K., 137
 Krivovichev, S.V., Filatov, S.K. & Zaitsev, A.N., The crystal structure of kukharenkoite-(Ce), $\text{Ba}_2\text{REE}(\text{CO}_3)_3\text{F}$, and an interpretation based on cation-coordinated F tetrahedra, 809
 Krogstad, E.J. with Tomascak, P.B., 327
 Krzemnicki, M.S. & Reusser, E., Graeserite, $\text{Fe}_4\text{Ti}_3\text{AsO}_{13}(\text{OH})$, a new mineral species of the derbylite group from the Monte Leone nappe, Binntal region, Western Alps, Switzerland, 1083
 Kuehner, S.M. with Rasmussen, M.G., 147
 Kunath-Fandrei, G. with Sherriff, B.L., 1267
 Kurosaki, M. with Matsuda, T., 1569
 Kuzmina, O.V. with Borodaev, Yu.S., 1105
 Kuźniarski, M. with Wiewióra, A., 1547
 Łącka, B. with Wiewióra, A., 1547
 Lagache, M. & Quémeur, J., The Volta Grande pegmatites, Minas Gerais, Brazil: an example of rare-element pegmatites exceptionally enriched in lithium and rubidium: reply, 1158
 Lagache, M. with Lucas, F., 1045
 Lalonde, A.E. with Piilonen, P.C., 779
 Lam, A.E., Groat, L.A. & Ercit, T.S., The crystal structure of dugganite, $\text{Pb}_2\text{Zn}_3\text{Te}^{6+}\text{As}_2\text{O}_{14}$, 823
 Laskou, M. with Christidis, G.E., 1327
 Lastra, R. with Cabri, L.J., 1347
 Laurs, B.M., Dilles, J.H., Waibrach, Y., Kausar, A.B. & Snee, L.W., Geological setting and petrogenesis of symmetrically zoned, miarolitic granitic pegmatites at Stak Nala, Nanga Parbat - Haramosh Massif, northern Pakistan, 1
 Leblanc, M. with Maisonneuve, V., 1039
 Li, C. with Peterson, R.C., 763
 Li, Gejing, Peacor, D.R., Buseck, P.R. & Árkai, P., Modification of illite-muscovite crystallite size-distributions by sample preparation for powder XRD analysis, 1435
 Liang, Jian-Jie & Hawthorne, F.C., Calculated H-atom positions in micas and clay minerals, 1577
 Liang, Jian-Jie, Hawthorne, F.C. & Swainson, I.P., Triclinic muscovite: X-ray diffraction, neutron diffraction and photo-acoustic FTIR spectroscopy, 1017
 Liferovich, R.P., Subbotin, V.V., Pakhomovsky, Ya.A. & Lyalina, M.F., A new type of scandium mineralization in phoscorites and carbonatites of the Kovdor massif, Russia, 971
 Liu, Lin-Gun with Mernagh, T.P., 1217
 Lodders, K., Klingelhöfer, G. & Kremsner, D.T., Chloritoid inclusions in pyrite from Navajún, Spain, 137
 London, D., Morgan, G.B., VI & Icenhower, J., Stability and solubility of pollucite in the granite system at 200 MPa H_2O , 497
 Lucas, F., Elfakir, A., Walley, G., Quarton, M. & Lagache, M., Synthesis and Rietveld refinement of new phosphate and arsenate analogues of paracelsian, 1045
 Lucchesi, S. with Federico, M., 415
 Lumpkin, G.R., Composition and structural state of columbite-tantalite from the Harding pegmatite, Taos County, New Mexico, 585
 Lumpkin, G.R., Rare-element mineralogy and internal evolution of the Rutherford #2 pegmatite, Amelia County, Virginia: a classic locality revisited, 339
 Lupulescu, M. with Shimizu, M., 861
 Lyalina, M.F. with Liferovich, R.P., 971
 Maisonneuve, V. & Leblanc, M., The crystal structure of $\text{Na}_2\text{MgGd}_2(\text{Si}_4\text{O}_12)\text{F}_2$ and its relationship with leucophanite, 1039
 Mandarino, J.A. & Grice, J.D., New minerals recently approved by the Commission on New Minerals and Mineral Names, International Mineralogical Association, 927
 Maras, A. with Ballirano, P., 1285
 Marcopoulos, T. with Christidis, G.E., 1327
 Marr, R.A., Baker, D.R. & Williams-Jones, A.E., Chemical controls on the solubility of Zr-bearing phases in simplified peralkaline melts and application to the Strange Lake intrusion, Quebec-Labrador, 1001
 Martin, R.F., Preface: XRD and electron-microscopy investigations of layer silicates, 1395
 Martin, R.F. with Sears, S.K., 1507
 Martin, R.F. with Warner, S., 981
 Martin-Izard, A. with Fuertes-Fuente, M., 303
 Mason, R.A., The response of luminescence in synthetic calcite to laboratory heating, 1089
 Matsuda, T. & Kurosaki, M., Synthesis and properties of regularly interstratified (R=2) margarite (0.67) – beidellite, a 34 Å phase, 1569
 Mayanovic, R.A. with Anderson, A.J., 511
 Márquez Zavala, M.F. with Galínski, M.A., 395
 McCammon, C.A. with Mitchell, R.H., 107
 McCormack, J.K. & Dickson, F.W., Kenhsuite, $\gamma\text{-Hg}_3\text{S}_2\text{Cl}_2$, a new mineral species from the McDermitt mercury deposit, Humboldt County, Nevada, 201
 McDonald, A.M. with Piilonen, P.C., 779
 McGee, J.J. with Grew, E.S., 399
 McMahon, G. with Cabri, L.J., 1347
 Merlini, S. with Ballirano, P., 1285
 Mernagh, T.P. & Liu, Lin-Gun, Raman and infrared spectra of Phase E, a plausible hydrous phase in the mantle, 1217
 Miko, O. with Uher, P., 525, 535
 Mishra, B. with Pruseth, K.L., 207
 Mitchell, R.H. & Chakhmouradian, A.R., Instability of perovskite in a CO_2 -rich environment: examples from carbonatite and kimberlite, 939
 Mitchell, R.H., Choi, Jin-Beom, Hawthorne, F.C., McCammon, C.A. & Burns, P.C., Latrappite: a re-investigation, 107
 Mitchell, R.H. with Chakhmouradian, A.R., 953
 Mitchell, R.H. with Gulliver, C.E., 1339

- Modreski, P.J., Eugene E. Foord (1946–1998), 251
- Molin, G. with Pasqual, D., 97
- Montero, P., Floor, P. & Corretgé, G., The accumulation of rare-earth and high-field-strength elements in peralkaline granitic rocks: the Galíñeiro orthogneissic complex, northwestern Spain, 683
- Morata, D. with Aguirre, L., 1149
- Morgan, G.B., VI with London, D., 497
- Morgan, G.B., VI with Novák, M., 441
- Mozgova, N.N. with Borodaev, Yu.S., 1105
- Müller, G. with Rieder, M., 905
- Nadeau, P.H., Fundamental particles and the advancement of geoscience: response to “Implications of TEM data for the concept of fundamental particles”, 1409
- Neiva, A.M.R. with Rieder, M., 905
- Nickel, E.H. & Grice, J.D., The IMA Commission on New Minerals and Mineral Names: procedures and guidelines on mineral nomenclature, 1998, 913
- Nicolescu, S., Glossary of geological localities in the former Austro-Hungarian Empire, now in Romania, 1373
- Nieto, F. & Cuadros, J., Evolution, current situation, and geological implications of the “fundamental particle” concept, 1415
- Nieto, F. with Warr, L.N., 1453
- Novák, M. & Černý, F., Niobium-tantalum oxide minerals from complex granitic pegmatites in the Moldanubicum, Czech Republic: primary versus secondary compositional trends, 659
- Novák, M., Burns, P.C. & Morgan, G.B., VI, Fluorine variation in hambergite from granitic pegmatites, 441
- O’Hanley, D.S. & Dyer, M.D., The composition of chrysotile and its relationship with lizardite, 727
- Oberti, R., Hawthorne, F.C., Camara, F. & Raudsepp, M., Synthetic fluoro-amphiboles: site preferences of Al, Ga and Sc and inductive effects on mean bond-lengths of octahedra, 1245
- Oberti, R. with Hawthorne, F.C., 1253
- Olmi, F. with Orlando, P., 1321
- Organova, N.I. with Borodaev, Yu.S., 1105
- Orlando, P., Dini, A. & Olmi, F., Grumilucite, a new mercury-bismuth sulfosalt species from the Levigliani mine, Apuan Alps, Tuscany, Italy, 1321
- Oyarzabal, J.C. with Galliski, M.A., 395
- Pakhomovsky, Ya.A. with Lifervich, R.P., 971
- Pasqual, D., Molin, G., Zanazzi, P.F. & Crisci, G.M., Clinopyroxene from Lipari: comparison with analogues from other Aeolian Islands, Italy, 97
- Pavese, A., Prencipe, M., Tribaudino, M. & Aagaard, S.S., X-ray and neutron single-crystal study of $P4/n$ vesuvianite, 1029
- Peacor, D.R., Implications of TEM data for the concept of fundamental particles, 1397
- Peacor, D.R. with Li, Gejing, 1435
- Penner, P. with Smeds, S.-A., 377
- Pernes, M. with Elsass, F., 1475
- Peterson, R.C., Grey, I.E., Cranswick, L.M.D. & Li, C., The stability and crystal chemistry of synthetic loveringite in the system Ca-Mn-Ti-O under strongly reducing conditions, 763
- Peterson, R.C. with Basciano, L.C., 1203
- Piilonen, P.C., McDonald, A.M. & Lalonde, A.E., The crystal chemistry of aegirine from Mont Saint-Hilaire, Quebec, 779
- Pires, F.R.M. & Cabral, A.R., The Volta Grande pegmatites, Minas Gerais, Brazil: an example of rare-element pegmatites exceptionally enriched in lithium and rubidium: discussion, 1157
- Prencipe, M. with Pavese, A., 1029
- Pring, A., Grguric, B.A. & Criddle, A.J., Lindströmite from Cobalt, Ontario, 1139
- Pruseth, K.L., Mishra, B. & Bernhardt, H.J., Solid solution in synthetic zinkenite, robinsonite and meneghinite in the system $Cu_2S-Pb_3S_2-Sb_2S_3$, 207
- Putnis, A. with Grguric, B.A., 215
- Quarton, M. with Lucas, F., 1045
- Quéméneur, J. with Lagache, M., 1158
- Raase, P., Feldspar thermometry: a valuable tool for deciphering the thermal history of granulite-facies rocks, as illustrated with metapelites from Sri Lanka, 67
- Radoslovich, E.W. with Rieder, M., 905
- Rahders, E. with Yang, S., 1361
- Raimbault, L., Composition of complex lepidolite-type granitic pegmatites and of constituent columbite-tantalite, Chèdeville, Massif Central, France, 563
- Raimbault, L. & Burnol, L., The Richemont rhyolite dyke, Massif Central, France: a subvolcanic equivalent of rare-metal granites, 265
- Raith, J.G. & Vali, H., Fibrous chlorite and muscovite from the Kaisersberg graphite mine, Styria, Austria, 741
- Rasmussen, M.G., Evans, B.W. & Kuehner, S.M., Low-temperature fayalite, greenalite, and minnesotaite from the Overlook gold deposit, Washington: phase relations in the system $FeO-SiO_2-H_2O$, 147
- Raudsepp, M. with Della Ventura, G., 1237
- Raudsepp, M. with Oberti, R., 1245
- Reusser, E. with Krzemnicki, M.S., 1083
- Reynolds, R.C., Jr. with Guthrie, G.D., Jr., 1421
- Richards, R.P., Kearns, L.E. & Cook, W.R. Jr., Morphology of chiolite twins from the Morefield mine, Amelia County, Virginia, 1009
- Rieder, M., Cazzavini, G., D’Yakonov, Y.S., Frank-Kamenetskii, V.A., Gottardi, G., Guggenheim, S., Koval, P.V., Müller, G., Neiva, A.M.R., Radoslovich, E.W., Robert, J.-L., Sassi, F.P., Takeda, H., Weiss, Z. & Wones, D.R., Nomenclature of the micas, 905
- Rieder, M. with Drábek, M., 755
- Roach, T.A., Roeder, P.L. & Hulbert, L.J., Composition of chromite in the upper chromitite, Muskox layered intrusion, Northwest Territories, 117
- Robert, J.-L. with Della Ventura, G., 181, 1237
- Robert, J.-L. with Rieder, M., 905
- Roberts, A.C. with Jambor, J.L., 793
- Roeder, P.L. with Basciano, L.C., 1203
- Roeder, P.L. with Roach, T.A., 117
- Rouse, R.C. with Grew, E.S., 399
- Sasaki, K., Tanaike, O. & Konno, H., Distinction of jarosite-group compounds by Raman spectroscopy, 1225
- Sassi, F.P. with Rieder, M., 905
- Sassi, R. with Zane, A., 713
- Schindler, M. & Hawthorne, F.C., The crystal structure of trembathite, $(Mg_{1.55}Fe_{1.43}Mn_{0.02})B_7O_{13}Cl$, a mineral of the boracite group: an example of the insertion of a cluster into a three-dimensional net, 1195
- Sears, S.K., Hesse, R. & Vali, H., Significance of *n*-alkyl-ammonium exchange for the study of 2:1 clay-mineral diagenesis, Mackenzie Delta – Beaufort Sea region, Arctic Canada, 1485
- Sears, S.K., Hesse, R., Vali, H., Elliott, W.C., Aronson, J.L. & Martin, R.F., K-Ar ages of 2:1 clay minerals, Mackenzie Delta – Beaufort Sea region, Arctic Canada: significance of *n*-alkylammonium exchange, 1507
- Selway, J.B., Černý, P. & Hawthorne, F.C., Feruvite from lepidolite pegmatites at Red Cross Lake, Manitoba, 433
- Selway, J.B. with Černý, P., 367
- Shata, S. & Hesse, R., A refined XRD method for the determination of chlorite composition and application to the McGerrigle Mountains anchizone in the Quebec Appalachians, 1525
- Shearer, C.K. with Grew, E.S., 399
- Sheriff, B.L., Sokolova, E.V., Kabalov, Yu.K., Teerstra, D.K., Kunath-Fandrei, G., Goetz, S. & Jäger, C., Intermediate scapolite: ^{29}Si MAS and ^{27}Al SATRAS NMR spectroscopy and Rietveld structure refinement, 1267
- Shimizu, M., Kato, A., Ciolfica, G., Lupulescu, M. & Shimizu, M., Friedrichite from Băile Bihor, Romania, 861
- Shimizu, M. with Shimizu, M., 861
- Simmons, W.B., Jr. with Anderson, A.J., 249
- Simmons, W.B. with Hanson, S.L., 601

- Smeds, S.-A., Uher, P., Černý, P., Wise, M.A., Gustafsson, L. & Penner, P., Graftonite-beusite in Sweden: primary phases, products of exsolution, and distribution in zoned populations of granitic pegmatites, 377
- Smyth, J.R. with Jacobsen, S.D., 1053
- Snee, L.W. with Laurs, B.M., 1
- Sokolova, E.V. with Sherriff, B.L., 1267
- Subbotin, V.V. with Liferovich, R.P., 971
- Swainson, I.P. with Basciano, L.C., 1203
- Swainson, I.P. with Liang, Jian-Jie, 1017
- Swope, R.J. with Jacobsen, S.D., 1053
- Takeda, H. with Rieder, M., 905
- Tanaike, O. with Sasaki, K., 1225
- Taylor, M.C. with Hawthorne, F.C., 817
- Teertstra, D.K., Černý, P. & Hawthorne, F.C., Rubidium feldspars in granitic pegmatites, 483
- Teertstra, D.K., Hawthorne, F.C. & Černý, P., Identification of normal and anomalous compositions of minerals by electron-microprobe analysis: K-rich feldspar as a case study, 87
- Teerstra, D.K. with Sherriff, B.L., 1267
- Tessier, D. with Elsass, F., 1475
- Thériault, R.D. & Barnes, S.-J., Compositional variations in Cu-Ni-PGE sulfides of the Dunka Road deposit, Duluth Complex, Minnesota: the importance of combined assimilation and magmatic processes, 869
- Tindle, A.G. & Breaks, F.W., Oxide minerals of the Separation Rapids rare-element granitic pegmatite group, northwestern Ontario, 609
- Tindle, A.G., Breaks, F.W. & Webb, P.C., Wodginite-group minerals from the Separation Rapids rare-element granitic pegmatite group, northwestern Ontario, 637
- Tomascak, P.B., Krogstad, E.J. & Walker, R.J., Sm–Nd isotope systematics and the derivation of granitic pegmatites in southwestern Maine, 327
- Torrance, J.K. with Berry, R.W., 1625
- Tribaudino, M. with Pavese, A., 1029
- Trubkin, N.V. with Borodaev, Yu.S., 1105
- Trudu, A.G. & Knittel, U., Crystallography, mineral chemistry and chemical nomenclature of goldfieldite, the tellurian member of the tetrahedrite solid-solution series, 1115
- Uchara, S., TEM and XRD study of antigorite superstructures, 1595
- Uher, P., Černý, P., Chapman, R., Határ, J. & Mikó, O., Evolution of Nb,Ta-oxide minerals in the Prasívá granitic pegmatites, Slovakia. I. Primary Fe,Ti-rich assemblage, 525
- Uher, P. with Anderson, S.D., 283
- Uher, P. with Smeds, S.-A., 377
- Vali, H. with Raith, J.G., 741
- Vali, H. with Sears, S.K., 1485, 1507
- Velilla, N. with Jiménez-Millan, J., 701
- Viti, C. with Drábek, M., 755
- Vochten, R. & Deliens, M., Blatonite, $\text{UO}_2\text{CO}_3 \cdot \text{H}_2\text{O}$, a new uranyl carbonate monohydrate from San Juan County, Utah, 1077
- Vurro, F. with Borodaev, Yu.S., 1105
- Wairach, Y. with Laurs, B.M., 1
- Walker, R.J. with Tomascak, P.B., 327
- Wallez, G. with Lucas, F., 1045
- Warner, S., Martin, R.F., Abdel-Rahman, A.M. & Doig, R., Apatite as a monitor of fractionation, degassing, and metamorphism in the Sudbury igneous complex, Ontario, 981
- Warr, L.N. & Nieto, F., Crystallite thickness and defect density of phyllosilicates in low-temperature metamorphic pelites: a TEM and XRD study of clay-mineral crystallinity-index standards, 1453
- Webb, P.C. with Tindale, A.G., 637
- Weiss, Z. with Drábek, M., 755
- Weiss, Z. with Rieder, M., 905
- Welch, M.D. with Della Ventura, G., 1237
- Wicks, F.J., Henderson, G.S., Hawthorne, F.C. & Kjoller, K., Evidence for atomic-scale resolution in atomic-force microscopy of layer silicates, 1607
- Wiedenbeck, M. with Grew, E.S., 399
- Wiewióra, A., Wilamowski, A., Lacka, B., Kuzniarski, M. & Grabska D., Chamosite from oolitic ironstones: the necessity of combined XRD-EDX approach, 1547
- Wilamowski, A. with Wiewióra, A., 1547
- Williams-Jones, A.E. with Marr, R.A., 1001
- Wise, M.A., Černý, P. & Falster, A.U., Scandium substitution in columbite-group minerals and ixiolite, 673
- Wise, M.A. with Černý, P., 547
- Wise, M.A. with Smeds, S.-A., 377
- Wittke, O. with Aguirre, L., 1149
- Wones, D.R. with Rieder, M., 905
- Yang, Sixue, Blum, N., Rahders, E. & Zhang, Zhenru, The nature of invisible gold in sulfides from the Xiangxi Au-Sb-W ore deposit in northwestern Hunan, China, 1361
- Yates, M.G. with Grew, E.S., 399
- Zaitsev, A.N. with Krivovichev, S.V., 809
- Zajac, S. with Jamison, J.L., 793
- Zakrzewski, M.A. with Dobbe, R.T.M., 855
- Zanazzi, P.F. with Pasqual, D., 97
- Zane, A., Sassi, R. & Guidotti, C.V., New data on metamorphic chlorite as a petrogenetic indicator mineral, with special regard to greenschist-facies rocks, 713
- Zanetti, A. with Hawthorne, F.C., 1253
- Zhan, Wudi with Guggenheim, S., 1587
- Zhang, Zhenru with Yang, Sixue, 1361

SUBJECT INDEX

- A coherent TEM- and XRD-description of mixed-layer illite/smectite, (Guthrie & Reynolds), 1421
- A microbeam XAFS study of aqueous chlorozinc complexing to 430°C in fluid inclusions from the Knaumühle granitic pegmatite, Saxonian granulite massif, Germany, (Anderson *et al.*), 511
- A new type of scandium mineralization in phoscorites and carbonatites of the Kovdor massif, Russia, (Liferovich *et al.*), 971
- A refined XRD method for the determination of chlorite composition and application to the McGerrigle Mountains anchizone in the Quebec Appalachians, (Shata & Hesse), 1525
- An occurrence of tobermorite in Tertiary basalts from Patagonia, Chile, (Aguirre *et al.*), 1149
- An unusual assemblage of high-Ti oxides and ferroan clinochlore along zones of brittle deformation in the Vourinos (Rodiani) ophiolite complex, Greece, (Christidis *et al.*), 1327
- Apatite as a monitor of fractionation, degassing, and metamorphism in the Sudbury igneous complex, Ontario, (Warner *et al.*), 981
- Bernalite from the Clara mine, Germany, and the incorporation of tungsten in minerals containing ferric iron, (Kolitsch), 1211
- Blatonite, $\text{UO}_2\text{CO}_3 \cdot \text{H}_2\text{O}$, a new uranyl carbonate monohydrate from San Juan County, Utah, (Vochten & Deliens), 1077
- Calculated H-atom positions in micas and clay minerals, (Liang, Jian-Jie & Hawthorne), 1577
- Carbonate groups in davyne: structural and crystal-chemical considerations, (Ballirano *et al.*), 1285
- CCD area detectors of X-rays applied to the analysis of mineral structures, (Burns), 847
- Chamosite from oolitic ironstones: the necessity of a combined XRD-EDX approach, (Wiewióra *et al.*), 1547
- Changes in layer organization of Na- and Ca-exchanged smectite materials during solvent exchanges for embedment in resin, (Elsass *et al.*), 1475
- Characterization of OH-F short-range order in potassium-fluorrichterite by infrared spectroscopy in the OH-stretching region, (Della Ventura *et al.*), 181
- Chemical controls on the solubility of Zr-bearing phases in simplified peralkaline melts and application to the Strange Lake intrusion, Quebec-Labrador, (Marr *et al.*), 1001
- Chloritoid inclusions in pyrite from Navajún, Spain, (Lodders *et al.*), 137
- Clinopyroxene from Lipari: comparison with analogues from other Aeolian Islands, Italy, (Pasqual *et al.*), 97
- Composition and structural state of columbite-tantalite from the Harding pegmatite, Taos County, New Mexico, (Lumpkin), 585
- Composition of chromite in the upper chromitite, Muskox layered intrusion, Northwest Territories, (Roach *et al.*), 117
- Composition of complex lepidolite-type granitic pegmatites and of constituent columbite-tantalite, Chèdeville, Massif Central, France, (Raimbault), 563
- Compositional controls on phase-transition temperatures in bornite: a differential scanning calorimetry study, (Grguric & Putnis), 215
- Compositional variation of perovskite-group minerals from the Khibina Complex, Kola Peninsula, Russia, (Chakhmouradian & Mitchell), 953
- Compositional variation of tourmaline in the granitic pegmatite dykes of the Cruzeiro mine, Minas Gerais, Brazil, (Federico *et al.*), 415
- Compositional variations in Cu-Ni-PGE sulfides of the Dunka Road deposit, Duluth Complex, Minnesota: the importance of combined assimilation and magmatic processes, (Thériault & Barnes), 869
- Compositional, structural and phase relationships in titanian ixiolite and titanian columbite-tantalite, (Černý *et al.*), 547
- Contrasting patterns of $^{[6]}\text{Al}$ order in synthetic pargasite and Co-substituted pargasite, (Della Ventura *et al.*), 1237
- Crystallite thickness and defect density of phyllosilicates in low-temperature metamorphic pelites: a TEM and XRD study of clay-mineral crystallinity-index standards, (Warr & Nieto), 1453
- Crystallography, mineral chemistry and chemical nomenclature of goldfeldite, the tellurian member of the tetrahedrite solid-solution series, (Trudu & Knittel), 1115
- Description of schoenfliesite, $\text{MgSn}(\text{OH})_6$, and roxbyite, $\text{Cu}_{1.72}\text{S}$, from a 1375 BC shipwreck, Rictvel neutron-diffraction refinement of synthetic schoenfliesite, wickmanite, $\text{MnSn}(\text{OH})_6$, and burmite, $\text{CaSn}(\text{OH})_6$, (Basciano *et al.*), 1203
- Distinction of jarosite-group compounds by Raman spectroscopy, (Sasaki *et al.*), 1225
- Distribution of gold in tin-rich samples from the Corvo orebody, Portugal, (Cabri *et al.*), 1347
- Effect of temperature on the structures of lizardite-17 and lizardite- $2H_1$, (Guggenheim & Zhan), 1587
- Evidence for atomic-scale resolution in atomic-force microscopy of layer silicates, (Wicks *et al.*), 1607
- Evolution of Nb,Ta-oxide minerals in the Prasívá granitic pegmatites, Slovakia. I. Primary Fe,Ti-rich assemblage, (Uher *et al.*), 525
- Evolution, current situation, and geological implications of the "fundamental particle" concept, (Nieto & Cuadros), 1415
- Feldspar thermometry: a valuable tool for deciphering the thermal history of granulite-facies rocks, as illustrated with metapelites from Sri Lanka, (Raase), 67
- Feruvite from lepidolite pegmatites at Red Cross Lake, Manitoba, (Selway *et al.*), 433
- Fibrous chlorite and muscovite from the Kaisersberg graphite mine, Styria, Austria, (Raith & Vali), 741
- Fluorine variation in hambergite from granitic pegmatites, (Novák *et al.*), 441
- Friedrichite from Bîta Bihor, Romania, (Shimizu *et al.*), 861
- Fundamental particles and the advancement of geoscience: response to "Implications of TEM data for the concept of fundamental particles", (Nadeau), 1409
- Geological setting and petrogenesis of symmetrically zoned, miarolitic granitic pegmatites at Staf Nala, Nanga Parbat - Haramosh Massif, northern Pakistan, (Laurs *et al.*), 1
- Gerenite-(Y), $(\text{Ca},\text{Na})_2(\text{Y},\text{REE})_3\text{Si}_6\text{O}_{18} \cdot 2\text{H}_2\text{O}$, a new mineral species, and an associated Y-bearing gadolinite-group mineral, from the Strange Lake peralkaline complex, Quebec-Labrador, (Jambor *et al.*), 793
- Glossary of geological localities in the former Austro-Hungarian Empire, now in Romania, (Nicolescu), 1373
- Graeserite, $\text{Fe}_4\text{Ti}_3\text{AsO}_1(\text{OH})$, a new mineral species of the derbylite group from the Monte Leone nappe, Binntal region, Western Alps, Switzerland, (Krzemnicki & Reusser), 1083
- Graftonite-beusite in granitic pegmatites of the Superior Province: a study in contrasts, (Černý *et al.*), 367
- Graftonite-beusite in Sweden: primary phases, products of exsolution, and distribution in zoned populations of granitic pegmatites, (Smeds *et al.*), 377
- Greisen and post-greisen alteration in the São Vicente de Pereira kaolinite deposit, Portugal, (Bobos & Gomes), 1615
- Grumiplucite, a new mercury-bismuth sulfosalt species from the Levighani mine, Apuan Alps, Tuscany, Italy, (Orlandi *et al.*), 1321
- Historical observations on oxygen-bearing compounds of platinum and palladium in Minas Gerais, Brazil, (Jedwab & Cassedanne), 887
- Hydrothermal synthesis of a Cs ferruginous trioctahedral mica, (Drábek *et al.*), 755
- Identification of normal and anomalous compositions of minerals by electron-microprobe analysis: K-rich feldspar as a case study, (Teertstra *et al.*), 87

- Implications of TEM data for the concept of fundamental particles, (Peacor), 1397
- Instability of perovskite in a CO₂-rich environment: examples from carbonatite and kimberlite, (Mitchell & Chakhmouradian), 939
- Intermediate scapolite: ²⁹Si MAS and ²⁷Al SATRAS NMR spectroscopy and Rietveld structure refinement, (Sherriff *et al.*), 1267
- K-Ar ages of 2:1 clay minerals, Mackenzie Delta – Beaufort Sea region, Arctic Canada: significance of *n*-alkylammonium exchange, (Sears *et al.*), 1507
- Kenhsuite, γ -Hg₃S₂Cl₂, a new mineral species from the McDermitt mercury deposit, Humboldt County, Nevada, (McCormack & Dickson), 201
- La série johnsomervilleite–fillowite dans les associations de phosphates de pegmatites granitiques de l'Afrique centrale, (Fransolet *et al.*), 355
- Latrappite: a re-investigation, (Mitchell *et al.*), 107
- Lindströmite from Cobalt, Ontario, (Pring *et al.*), 1139
- Low-temperature fayalite, greenalite, and minnesotaite from the Overlook gold deposit, Washington: phase relations in the system FeO–SiO₂–H₂O, (Rasmussen *et al.*), 147
- Mandarino, J.A. & Grice, J.D., New minerals recently approved by the Commission on New Minerals and Mineral Names, International Mineralogical Association, (Mandarino & Grice), 927
- Micas from the Pikes Peak Batholith and its cogenetic granitic pegmatites, Colorado: optical properties, composition, and correlation with pegmatite evolution, (Kile & Foord), 463
- Melilitolites: a new scheme of classification, (Dunworth & Bell), 895
- Mineralogy, grain-size distribution and geotechnical behavior of Champlain clay core-samples, Quebec, (Berry & Torrance), 1625
- Mitridatite from the San Luis granitic pegmatite, La Florida, Argentina, (Galliski *et al.*), 395
- Mn–Fe spinels and silicates in manganese-rich rocks from the Ossa–Morena Zone, southern Iberian Massif, southwestern Spain, (Jiménez-Millan & Velilla), 701
- Modification of illite–muscovite crystallite-size distributions by sample preparation for powder XRD analysis, (Li *et al.*), 1435
- Modulated crystal structures of greenalite and caryopilite: a system with long-range, in-plane structural disorder in the tetrahedral sheet, (Guggenheim & Eggleton), 163
- Morphology of chiolite twins from the Morefield mine, Amelia County, Virginia, (Richards *et al.*), 1009
- Nb-Ta–Ti oxides in granitic pegmatites from the Topsham pegmatite district, southern Maine, (Hanson *et al.*), 601
- New data on metamorphic chlorite as a petrogenetic indicator mineral, with special regard to greenschist-facies rocks, (Zane *et al.*), 713
- Niobium–tantalum oxide minerals from complex granitic pegmatites in the Moldanubicum, Czech Republic: primary versus secondary compositional trends, (Novák & Černý), 659
- Nomenclature of the micas, (Rieder *et al.*), 905
- Oenite, CoSbAs, a new mineral species from the Tunaberg Cu–Co sulfide skarns, Bergslagen, Sweden, (Dobbe & Zakrzewski), 855
- Oxide minerals of the Separation Rapids rare-element granitic pegmatite group, northwestern Ontario, (Tindle & Breaks), 609
- Preface: Granitic pegmatites: The Černý–Foord volume, (Alderson *et al.*), 249
- Preface: XRD and electron-microscopy investigations of layer silicates, (Martin), 1395
- Raman and infrared spectra of Phase E, a plausible hydrous phase in the mantle, (Mernagh & Liu), 1217
- Rare sulfosalts from Vulcano, Aeolian Islands, Italy. I. Se-bearing kirkite, Pb₁₀(Bi,As)₆(S,Se)₁₉, (Borodaev *et al.*), 1105
- Rare-element mineralogy and internal evolution of the Rutherford #2 pegmatite, Amelia County, Virginia: a classic locality revisited, (Lumpkin), 339
- Refinement of the crystal structure of tadzhikite, (Hawthorne *et al.*), 817
- Refinement of the crystal structure of tienshanite: short-range-order constraints on chemical composition, (Cooper *et al.*), 1305
- Rigid-body character of the SO₄ groups in celestine, anglesite and barite, (Jacobsen *et al.*), 1053
- Rubidium feldspars in granitic pegmatites, (Teertstra *et al.*), 483
- Scandium substitution in columbite-group minerals and ixiolite, (Wise *et al.*), 673
- Significance of *n*-alkylammonium exchange in the study of 2:1 clay-mineral diagenesis, Mackenzie Delta – Beaufort Sea region, Arctic Canada, (Sears *et al.*), 1485
- Sm–Nd isotope systematics and the derivation of granitic pegmatites in southwestern Maine, (Tomascak *et al.*), 327
- Solid solution in synthetic zinkenite, robinsonite and meneghinite in the system Cu₂S–PbS–Sb₂S₃, (Pruseth *et al.*), 207
- Stability and composition of K–Ti silicates, K–Ba phosphate and K–Mg fluoride at 0.85–2.6 GPa: implications for the genesis of potassio alkaline magmas, (Gulliver *et al.*), 1339
- Stability and solubility of pollucite in the granite system at 200 MPa H₂O, (London *et al.*), 497
- Structural relations among schoepite, metaschoepite and “dehydrated schoepite”, (Finch *et al.*), 831
- Surface microtopography of illite crystals from different modes of occurrence, (Kitagawa), 1559
- Synthesis and properties of regularly interstratified (R=2) margarite (0.67)–beidellite, a 34 Å phase, (Matsuda & Kurosaki), 1569
- Synthesis and Rietveld refinement of new phosphate and arsenate analogues of paracelsian, (Lucas *et al.*), 1045
- Synthetic fluoro-amphiboles: site preferences of Al, Ga and Sc and inductive effects on mean bond-lengths of octahedra, (Oberti *et al.*), 1245
- TEM and XRD study of antigorite superstructures, (Uehara), 1595
- The accumulation of rare-earth and high-field-strength elements in peralkaline granitic rocks: the Galíñeiro orthogneissic complex, northwestern Spain, (Montero *et al.*), 683
- The beryllian cordierite + beryl + spessartine assemblage, and secondary beryl in altered cordierite, Greer Lake granitic pegmatites, southeastern Manitoba, (Jobin-Bevans & Černý), 447
- The composition of chrysotile and its relationship with lizardite, (O'Hanley & Dyar), 727
- The crystal chemistry of aegirine from Mont Saint-Hilaire, Quebec, (Piilonen *et al.*), 779
- The crystal structure of blatterite, Sb₉(Mn²⁺,Mg)₃₅(BO₃)₁₆O₃₂, and structural hierarchy in the Mn³⁺-bearing zigzag borates, (Cooper & Hawthorne), 1171
- The crystal structure of dugganite, Pb₂Zn₃Te⁶⁺As₂O₁₄, (Lam *et al.*), 823
- The crystal structure of gerenite-(Y), (Ca,Na)₂(Y,REE)₃Si₆O₁₈•H₂O, a cyclosilicate mineral, (Groth), 801
- The crystal structure of kukharenkoite-(Ce), Ba₂REE(CO₃)₃F, and an interpretation based on cation-coordinated F tetrahedra, (Krivovichev *et al.*), 809
- The crystal structure of Na₂MgGd₂(Si₄O₁₂)F₂ and its relationship with leucophanite, (Maisonneuve & Leblanc), 1039
- The crystal structure of trembachite, (Mg_{1.55}Fe_{1.43}Mn_{0.02})B₇O₁₃Cl, a mineral of the boracite group: an example of the insertion of a cluster into a three-dimensional net, (Schindler & Hawthorne), 1195
- The crystal structure of vuonnemite, Na₁₁Ti⁴⁺Nb₂(Si₂O₇)₂(PO₄)₂O₃(F,OH), a phosphate-bearing sorosilicate of the lomonosovite group, (Ercit *et al.*), 1311
- The escape of pegmatite dikes from granitic plutons: constraints from new models of viscosity and dike propagation, (Baker), 255
- The Forcarei Sur rare-element granitic pegmatite field and its associated mineralization, Galicia, Spain, (Fuertes-Fuente & Martin-Izard), 303
- The IMA Commission on New Minerals and Mineral Names: procedures and guidelines on mineral nomenclature, 1998, (Nickel & Grice), 913

- The mafic minerals of the Falcon Island ultrapotassic pluton, Lake of the Woods, Ontario: progressive reduction during fractionation, (Ayer), 49
- The nature of invisible gold in sulfides from the Xiangxi Au-Sb-W ore deposit in northwestern Hunan, China, (Yang *et al.*), 1361
- The occurrence of two rare polytypes of wurtzite, $4H$ and $8H$, at Mont Saint-Hilaire, Quebec, (Chao & Gault), 775
- The response of luminescence in synthetic calcite to laboratory heating, (Mason), 1089
- The Richemont rhyolite dyke, Massif Central, France: a subvolcanic equivalent of rare-metal granites, (Raimbault & Burnol), 265
- The role of Ti in hydrogen-deficient amphiboles: sodic-calcic and sodic amphiboles from Coyote Peak, California, (Hawthorne *et al.*), 1253
- The stability and crystal chemistry of synthetic loveringite in the system Ca-Mn-Ti-O under strongly reducing conditions, (Peterson *et al.*), 763
- The structure of boltwoodite and implications of solid solution toward sodium boltwoodite, (Burns), 1069
- The structure of compeignacite, $K_2[(UO_2)_3O_2(OH_3)]_2(H_2O)_7$, (Burns), 1061
- The structure of richetite, a rare lead uranyl oxide hydrate, (Burns), 187
- The Volta Grande pegmatites, Minas Gerais, Brazil: an example of rare-element pegmatites exceptionally enriched in lithium and rubidium: discussion, (Pires & Cabral), 1157
- The Volta Grande pegmatites, Minas Gerais, Brazil: an example of rare-element pegmatites exceptionally enriched in lithium and rubidium: reply, (Lagache & Quéméneur), 1158
- The YITT-B pegmatite swarm at Bernic Lake, southeastern Manitoba: a geochemical and paragenetic anomaly, (Anderson *et al.*), 283
- Thomasclarkite-(Y), a new sodium – rare-earth-element bicarbonate mineral species from Mont Saint-Hilaire, Quebec, (Grice & Gault), 1293
- Triclinic muscovite: X-ray diffraction, neutron diffraction and photo-acoustic FTIR spectroscopy, (Liang *et al.*), 1017
- Werdingite, a borosilicate new to granitic pegmatites, (Grew *et al.*), 399
- Wiluite, $Ca_{19}(Al,Mg,Fe,Ti)_{13}(B,Al,\square)_5Si_{18}O_{68}(O,OH)_{10}$, a new mineral species isostructural with vesuvianite, from the Sakha Republic, Russian Federation, (Groat *et al.*), 1301
- Wodginite-group minerals from the Separation Rapids rare-element granitic pegmatite group, northwestern Ontario, (Tindle *et al.*), 637
- X-ray and neutron single-crystal study of $P4/n$ vesuvianite, (Pavese *et al.*), 1029

CHEMICAL ANALYSES (see also Electron-microprobe analyses)

Minerals

alluaudite, 358, beryl, 286, chlorite, 1331, johnsomerville–fillowite series, 357, K-feldspar, 286, mitridatite, 397, muscovite, 286, 311, synthetic calcite, 1090

Rocks

aegirine-riebeckite gneiss, 692, amphibole-biotite gneiss, 692, aplite, 24, 577, granite pegmatite, 24, 310, granophyre, 987, melasyenite, 53, monzodiorite, 53, norite, 987, Onaping Formation, 987, orthogneiss, 12, paragneiss, 12, pyroxenite, 53, quartz gabbro, 987, rhyolite dike, 275, syenite, 53

COUPLED-ATOM SUBSTITUTIONS

Arsenates

graeserite, 1087

Oxides

bernalite, 1215, columbite, 676, ixiolite, 676, loveringite, 768, rutile, 767, wodginite group, 638

Phosphates

apatite, 988, johnsomerville–fillowite series, 363

Silicates

aegirine, 55, 784, arfvedsonite (titanian, oxygenian), 1255, chlorite, 714, 1332, 1527, chrysotile, 733, davyne (carbonate-bearing), 1287, eckermannite (fluorian), 1255, feruvite, 436, fluoro-magnesiokatophorite, 1246, fluoropargasite, 1246, fluororichterite, 1255, fluororichterite (titanian), 1255, lizardite, 735, microcline (rubidian), 484, muscovite (borian), 27, pargasite (Co-substituted), 1239, richterite (fluorian), 1255, richterite (titanian, fluorian), 1255, tienshanite, 1305, titanite, 946, tourmaline, 426, 436, vuonnemite, 1312, wiluite, 1303

Sulfides

frederichite, 864, goldfieldite, 1116, lindströmite, 1140, meneghinite, 211, robinsonite, 211, zinkenite, 211

CRYSTALLOGRAPHY (see also Twinning)

aegirine, 784, annite, 757, antigorite superstructures, 1595, B in rutile, 767, B in vesuvianite, 1302, boracite group, 1195, bornite, 215, caryopilitite, 171, CCD detector, 188, 847, 1062, 1070, chlorite chemistry from XRD data, 1527, 1551, chlorite crystallinity index, 1532, chlorite polytype identification, 1554, clinopyroxene, 99, columbite-tantalite, 345, columbite-tantalite (titanian), 553, columbite-tantalite radiation-damage effects, 594, “Cs-annite”, 757, “Cs-tetra-ferrannite”, 757, F in hambergite, 444, F in tetrahedral coordination, 811, F in tourmaline, 424, FeO *versus* n in micas, 472, goldfieldite, 1115, graftonite-beusite series, 389, greenalite, 171, H in vesuvianite, 1035, H-atom position in clinochlore, 1577, H-atom position in dickite, 1577, H-atom position in kaolinite, 1577, H-atom position in lizardite, 1590, H-atom position in margarite, 1577, H-atom position in muscovite, 1023, 1577, H-atom position in phlogopite, 1577, hydrogen bonding, 1206, 1558, illite crystallinity, 1397, 1409, 1415, 1421, 1535, illite-crystallinity index, 1535, ionic radii, 1118, johnsomerville–fillowite series, 359, 373, kaolinite, 1609, lizardite, 1610, lizardite structure at high temperature, 1587, metascoepite, 831, paracelsian analogues, 1045, rectorite crystallinity, 1429, Rietveld refinement, 109, 759, 765, 836, 1019, 1045, 1203, 1238, 1246, 1267, schoepite (dehydrated), 831, schoepite, 831, SO₄ group character, 1053, static structure-energy minimization, 1577, tetra-ferrannite, 757, triclinic muscovite, 1017, tungsten-for-ferric-iron substitution, 1215, vesuvianite, 1029, wurtzite-4H, 777, wurtzite-8H, 777, zigzag borates, 1171

CRYSTAL STRUCTURE (see also X-ray diffraction)

anglesite, 1053, antigorite, 1603, arfvedsonite (titanian, oxygenian), 1255, Ba(ZnAsO₄)₂, 1046, Ba(ZnP₄)₂, 1046, barite, 1053, blatterite, 1171, boltwoodite, 1069, burtite, 1203, caryopilitite, 163, celestine, 1053, clinopyroxene, 99, colemanite, 851, compeignacite, 1061, “Cs-annite”, 757, curite, 851, davyne (carbonate-bearing), 1285, dugganite, 825, eckermannite (fluorian), 1255, eddylerite, 851, fluoro-magnesiokatophorite, 1246, fluoropargasite, 1246, fluororichterite, 1255, fluororichterite (titanian), 1255, gerenite-(Y), 801, greenalite, 163, kukharenkoite-(Ce), 810, latrappite, 109, lizardite-17, 1587, lizardite-2H₁, 1587, loveringite, 763, metascoepite, 836, muscovite, 1019, Na₂MgGd₂(Si₄O₁₂)F₂, 1039, pargasite, 1238, pargasite (Co-substituted), 1239, richetite, 187, richterite (fluorian), 1255, richterite (titanian, fluorian), 1255, richterite (titanian, fluorian, potassic), 1255, scapolite (intermediate), 1267, schoenfliesite, 1203, Sr(ZnAsO₄)₂, 1046, tadzhikite, 817, thomasclarkite-(Y), 1294, tienshanite, 1305, trembathite, 1195, vandendriesscheite, 851, vesuvianite, 1029, vuonnemite, 1312, wickmanite, 1203

ELECTRON-MICROPROBE ANALYSES

“adularia”, 91, aegirine, 783, alkinate-bismuthinitite series, 866, albite, 89, allanite, 690, alluaudite, 293, amphibole, 57, anastase, 942, ancyllite-(Ce), 942, andalusite, 408, annite, 470, anorthite, 89, apatite, 270, 293, 314, 371, 989, arfvedsonite

(titanian, oxygenian), 1255, armalcolite, 127, 530, arsenopyrite, 274, baddeleyite, 976, bernalite, 1214, berthierine, 456, beryl, 454, betafite, 540, beusite, 293, 370, biotite, 29, 59, 127, 409, 456, 470, bismutomicrolite, 619, blatonite, 1078, blatterite, 1177, boltwoodite, 1071, bornite, 218, cassiterite, 271, 289, 307, 348, 574, 627, chlorite, 745, 1331, 1536, 1550, chloritoid, 141, 745, chromite, 129, chrysotile, 729, clinopyroxene, 54, 100, 127, columbite, 274, 289, 307, 346, 603, 675, columbite (tungstenian), 569, columbite–tantalite, 569, 590, 614, columbite–tantalite (titanian), 552, conglolite, 1197, dravite, 420, dugganite, 824, eckermannite (fluorian), 1255, elbaite, 35, 420, eosphorite, 314, euxenite (uranoan), 271, fayalite, 154, fergusonite, 345, ferrocolumbite, 528, ferrotantalite, 625, 666, ferrotapiolite, 289, 625, 667, ferrowodginitite, 646, fersmite, 348, 539, feruvite, 434, fillowite, 371, fluoro-magnesiokatophorite, 1248, fluoropargasite, 1248, fluororichterite (titanian), 1255, fluororichterite, 1255, friedrichite, 865, gahnite, 628, garnet, 27, 289, 307, 409, gerenite-(Y), 796, goldfieldite, 1121, graeserite, 1087, graftonite, 369, 385, granddierite, 408, greenalite, 155, 166, grumilucite, 1323, hambergite, 443, hercynite, 409, ilmenite, 127, 942, ilmenite (niobian), 530, ilvaite, 154, ishikawaite, 603, isoloushite, 962, ixiolite, 271, 289, 569, ixiolite (scandian), 676, ixiolite (stannian), 675, ixiolite (titanian), 528, 675, ixiolite (wolframian), 675, jacobsite, 705, jacobsite (manganian), 705, jadeite, 89, juonnite, 977, kainosite-(Y), 798, kassite, 945, kirkiite, 1112, latrappite, 109, lepidolite, 32, lepidolite (ferroan), 470, leucite, 89, lindströmite, 1141, löllingite, 274, loparite, 958, loveringite, 767, magnetite, 705, manganocolumbite, 37, 528, 664, manganotantalite, 666, meneghinite, 209, microcline (rubidian), 486, microlite, 37, 348, 573, 619, 625, 666, minnesotaite, 155, monazite, 347, 689, montebrasite, 250, 314, muscovite, 29, 59, 269, 456, 470, 745, 1618, muscovite (borian), 32, nigerite, 628, oenite, 859, olivine, 127, orthoclase, 89, orthopyroxene, 127, pargasite (Co-substituted), 1239, perovskite, 111, 942, 958, 1332, phlogopite, 59, phosphophyllite, 293, plumbomicrocolite, 540, polycrase-(Y), 603, pseudobrookite, 530, 1332, pseudobrookite (ferroan), 1332, pyrochlore, 977, pyrochlore (uranoan), 540, pyroxmangite, 704, rhodonite, 704, richetite, 188, richterite (fluorian), 1255, richterite (titanian, fluorian), 1255, richterite (titanian, fluorian, potassian), 1255, robinsonite, 209, roméite, 542, rubicline, 486, rutile, 1332, rutile (niobian), 528, 552, ryersonite, 666, samarskite-(Y), 603, sanidine, 89, sarcopsiside, 369, 385, scapolite (intermediate), 1270, scholzite, 293, serpentine, 155, schorl, 420, sillimanite, 408, spessartine, 453, stibiotobafite, 619, stibiomicrocolite, 540, 619, 667, stibiotantalite, 667, strüverite, 626, synthetic interstratified margarite–beidellite, 1572, synthetic K–Ba phosphate, 1344, synthetic (K,Na)MgF₃, 1344, synthetic K₂TiSi₃O₉, 1343, tadzhikite, 818, tantalite, 307, 346, ternovite, 977, tetrachdrite, 274, thomasclarkite-(Y), 1295, thorite, 347, 690, tienshanite, 1307, titanite, 539, titanowodginitite, 646, tobermorite, 1155, tourmaline, 33, 288, 307, 420, 1619, trembatite, 1197, triphyllite, 370, 385, tripotite, 250, 293, 370, triploidite, 371, unidentified Na–Ca–Al–Mn phosphate, 250, unknown gadolinite-group mineral, 798, unknown (LREE,Ca)(Ti,Nb)_x(O,OH)₆, 945, unknown REE-niobate, 691, unknown Y–Yb silicate, 691, unnamed (Fe,Ni)SbAs, 859, unnamed Fe–Ti-enriched wodginitite, 646, unnamed Mn–W-enriched wodginitite, 646, uranmicrocolite, 540, 666, uranpyrochlore, 976, vesuvianite, 1030, vuonnemite, 1312, werdingite, 406, wiluite, 1303, wodginitite, 348, 646, wolfite, 386, wolframite, 271, wurtzite-4H, 777, wurtzite-8H, 777, xenotime, 689, zinkenite, 209, zinnwaldite, 470, zinnwaldite (ferroan), 470, zircon, 250, 312, 347, 576, 977, zirconolite, 976

EXPERIMENTAL (see also Petrology)

Analytical Techniques

²⁷Al SATRAS NMR, 1267, ²⁹Si MAS NMR, 1267, ⁵⁷Fe Mössbauer, 108, 139, ¹⁹⁷Au Mössbauer, 1366, atomic force microscopy, 1607, DSC, 216, EMP standards, 87, Fourier-transform infrared photo-acoustic spectroscopy, 1018, HRTEM, 109, 166, 1397, 1409, 1421, 1453, 1595, microbeam XAFS, 515, neutron diffraction, 1031, neutron powder-diffraction, 1018, 1206, Raman microprobe, 318, SIMS, 405, 1255, 1354, synchrotron X-ray-fluorescence microprobe, 513

Computer Program

chlorite chemistry from XRD data, 1546

General

alkylammonium cation-exchange in clay minerals, 1485, 1507, aqueous zinc species in fluid inclusions, 519, bornite phase-transition temperatures, 216, burrite synthesis, 1204, calcite synthesis, 1089, cathodoluminescence, 1089, chlorite chemistry from XRD data, 1527, chlorite crystallite-thickness, 1453, dike propagation model, 256, fluoromagnesiokatophorite synthesis, 1246, fluoropargasite synthesis, 1246, hydrothermal synthesis of a Cs ferruginous trioctahedral mica, 755, illite crystallite-thickness, 1453, illite–muscovite crystallite size, 1435, jarosite-group synthesis, 1225, K–Ar dating, 1507, K–Ba phosphate synthesis, 1342, (K,Na)MgF₃ synthesis, 1342, K₂TiSi₃O₉ synthesis, 1340, lizardite thermal expansion coefficients, 1591, loveringite synthesis, 763, margarite–beidellite synthesis, 1569, pargasite synthesis, 1238, pollucite stability and solubility, 497, schoenfliesite synthesis, 1204, schoepite dehydration, 831, submicrometric gold in pyrite, 1367, wickmanite synthesis, 1204, zinc complexing in hydrothermal brines, 519, Zr-solubility in peralkaline melts, 1003

Stable Isotopes

deuterium, 1621, lead, 685, oxygen, 156, 274, 1621, Rb–Sr, 685, Sm–Nd, 331, 685, strontium, 992, sulfur, 876

System

Ba(ZnAsO₄)₂, 1046, Ba(ZnPO₄)₂, 1046, CaO–MnO–Ti₂O₃–TiO₂, 763, Cu₂S–PbS–Sb₂S₃, 207, Na₂MgGd₂(Si₄O₁₂)F₂, 1039, peralkaline melts, 1001, pollucite – leucite – analcime, 497, Sr(ZnAsO₄)₂, 1046

INFRARED-ABSORPTION SPECTRA

blatoniite, 1080, chlorite, 1330, dickite, 1583, gerenite-(Y), 797, jarosite-group compounds, 1225, muscovite, 746, 1022, pargasite, 1238, phase E, 1217, richterite, 181, schoenfliesite, 1207, synthetic interstratified margarite–beidellite, 1575, thomasclarkite-(Y), 1296

MICROHARDNESS

goldfieldite, 1120, graeserite, 1085, kirkiite, 1108, lindströmite, 1143, oenite, 859

MINERAL DATA (see also Electron-microprobe analyses)

aegirine, 779, allanite, 343, 690, alluaudite, 292, 355, amphibole, 57, anatase, 939, ancyllite-(Ce), 942, andalusite, 408, anglesite, 1053, annite, 469, 757, antigorite, 1595, apatite, 981, arfvedsonite (titanian, oxygenian), 1255, armalcolite, 529, baddeleyite, 976, barite, 1053, beidellite, 1569, bernalite, 1211, berthierine, 455, beryl, 452, betafite, 540, beusite, 292, biotite, 29, 59, 469, bismutomicrolite, 622, blatonite, 1077, blatterite, 1171, blatterite (Mg analogue), 1181, boltwoodite, 1069, bornite, 215, burtite, 1203, caryopilitite, 163, cassiterite, 572, 623, celestine, 1053, chamosite, 1547, chestermanite, 1191, chiolite, 1009, chlorite, 714, 742, 1330, 1527, 1550, chloritoid, 137, 743,

chromite, 126, chrysotile, 728, clinochlore, 1577, clino-pyroxene, 54, 97, colemanite, 851, columbite (tungstenian), 569, columbite-tantalite, 289, 345, 569, 588, 613, columbite-tantalite (scandian), 674, columbite-tantalite (titanian), 551, compreignacite, 1061, cordierite (beryllian), 448, "Cs-anne", 757, "Cs-tetra-ferri-anne", 757, curite, 851, davyne (carbonate-bearing), 1285, dickite, 1577, dravite, 418, dugganite, 823, eckermannite (fluorian), 1255, eddylerite, 851, elbaite, 35, 418, euxenite (uranian), 270, fayalite, 147, fergusonite, 343, ferrocolumbite, 527, ferrotantalite, 623, 666, ferrotapiolite, 623, 667, ferrowodginit, 642, fersmite, 347, 536, feruvite, 433, fillowite, 355, fluoromagnesiokatophorite, 1246, fluoropargasite, 1246, fluororichterite, 1255, fluororichterite (titanian), 1255, friedrichite, 861, gahnite, 628, garnet, 27, gerenite-(Y), 793, 801, goldfieldite, 1115, graeserite, 1083, graftonite, 369, 386, graftonite-beusite series, 368, 378, grandidierite, 408, greenalite, 147, 163, grumilucite, 1321, halloysite-7Å, 1621, hambergite, 442, hercynite, 409, illite, 1397, 1409, 1415, 1421, 1435, 1453, 1475, 1485, 1507, 1559, ilmenite, 942, ilmenite (niobian), 529, ishikawaite, 603, isolueshite, 960, ixiolite, 569, ixiolite (scandian), 676, ixiolite (stannian), 675, ixiolite (titanian), 527, 548, 675, ixiolite (wolframian), 675, jacobsite, 705, jacobsite (manganian), 705, jarosite-group compounds, 1225, johnsonervilleite, 355, juonnite, 972, kainosite-(Y), 798, kaolinite, 1577, 1609, 1615, kassite, 945, kensuite, 201, kirkite (selenian), 1105, kukharenkoite-(Ce), 810, latrappite, 107, lepidolite, 32, lepidolite (ferroan), 469, lindströmite, 1139, lizardite, 735, 1587, 1610, lizardite-17, 1587, lizardite-2H₁, 1587, loparite, 955, loveringite, 764, lucasite-(Ce), 946, magnetite, 705, manganocolumbite, 37, 527, 663, 666, manganotantalite, 666, margarite, 1569, 1577, meneghinite, 207, metascohoepite, 831, microcline (rubidian), 484, microlite, 37, 347, 527, 536, 572, 619, 666, minnesotaite, 147, mitridatite, 395, monazite, 689, muscovite, 29, 59, 469, 743, 1017, 1618, muscovite (borian), 32, nigerite, 628, oenite, 855, pargasite, 1237, pargasite (Co-substituted), 1237, perovskite, 111, 939, 953, 1332, phase E, 1217, phlogopite, 59, 1577, platinum-group oxide minerals, 887, plumbomicrolite, 540, plumbopyrochlore, 349, polycrase-(Y), 603, pseudobrookite, 529, 1332, pseudobrookite (ferroan), 1332, pyrochlore, 977, pyrochlore (uranoan), 540, pyroxmangite, 704, rectorite, 1429, rhodonite, 704, richette, 187, richterite, 181, richterite (fluorian), 1255, richterite (titanian, fluorian), 1255, richterite (titanian, fluorian, potassic), 1255, robinsonite, 207, roméite, 539, roxbyite, 1203, rubicline, 486, rutile (niobian), 528, 551, 569, ryersonsite, 664, samarskite-(Y), 602, sarcopside, 369, 386, scapolite (intermediate), 1268, schoenfliesite, 1203, schoepite, 831, schoepite (dehydrated), 831, schorl, 418, sillimanite, 408, spessartine, 451, 704, sphalerite (mercurian), 1322, stibiotabafite, 622, stibiomicrolite, 540, 619, 667, stibiotantallite, 667, striliverite, 623, tadzhikite, 817, ternovite, 977, tetra-ferri-anne, 757, thomasclarkite-(Y), 1293, thorite, 690, tienshanite, 1305, titanite, 536, titanowodginit, 642, tobermorite, 1149, tourmaline, 33, 415, 433, 1619, trembarithite, 1195, tugtupite, 88, unidentified Na-Ca-Al-Mn phosphate, 250, unknown gadolinite-group mineral, 798, unknown (*LREE,Ca*)(Ti,Nb)₂(O,OH)₆, 946, unknown REE-niobate, 691, unknown Y-Yb silicate, 691, unnamed (Fe,Ni)SbAs, 857, unnamed Fe-Ti-enriched wodginit, 646, unnamed Mn-W-enriched wodginit, 646, uranmicrolite, 540, 666, uranpyrochlore, 976, vandendriesscheite, 851, vesuvianite, 1029, vuonnemite, 1312, wadeite, 1002, werdingite, 399, wickmanite, 1203, wiluite, 1301, wodginit, 348, 617, 637, wolfeite, 386, wurtzite-4H, 775, wurtzite-8H, 775, xenotime, 689, zinkenite, 207, zinnwaldite, 469, zinnwaldite (ferroan), 469, zirconolite, 976

color photographs: kensuite, 203, zinnwaldite, 466, 467, 475, miarolitic cavity, 478, Nb-Ta oxides, 616, 624, pyrochlore-group minerals, 621, ferrowodginit, 643, wodginit, 645, loveringite structure, 764, CCD detector images, 849, perovskite, 941, direct-ion image of gold in arsenopyrite, 1357

errata, 938, 1388

Hawley medal (Burns, Miller & Ewing), 239

Past Presidents' medal (Fleet), 244

Proceedings of the 42nd annual meeting, 237

referees for 1997, 1387

MÖSSBAUER SPECTROSCOPY

aegirine, 782, chloritoid, 139, chrysotile, 732, gold, 1366, latrappite, 108, Leda clay, (magnetite), 1631

NEW MINERAL SPECIES

1998 listing of I.M.A.-approved new minerals, 927, blatonite, 1077, gerenite-(Y), 793, 801, graeserite, 1083, grumilucite, 1321, kensuite, 201, oenite, 855, thomasclarkite-(Y), 1293, wiluite, 1301

New minerals recently approved by the Commission on New Minerals and Mineral Names, International Mineralogical Association, (Mandarino & Grice), 927

NOMENCLATURE

afrikandite, 895, blatonite, 1077, boltwoodite, 1074, fundamental particles in clay mineralogy, 1397, 1409, 1415, gerenite-(Y), 793, goldfieldite, 1128, graeserite, 1083, grumilucite, 1321, guidelines on mineral nomenclature, 913, kensuite, 201, kugdite, 895, melilitolite, 895, mica, 906, oenite, 855, okaite, 895, schoepite, 833, tadzhikite, 822, tetrahedrite group, 1128, thomasclarkite-(Y), 1293, turjaitte, 895, ultramelilitolite, 895, uncompahgrite, 895, wiluite, 1301, wodginit group, 641, zigzag borate group, 1171

OPTICAL PROPERTIES

General

annite, 469, biotite, 469, blatonite, 1077, gerenite-(Y), 796, hambergite, 444, kensuite, 202, lepidolite (ferroan), 469, mitridatite, 396, muscovite, 469, thomasclarkite-(Y), 1294, vesuvianite, 1031, wiluite, 1302, zinnwaldite, 469, zinnwaldite (ferroan), 469

Reflectance

friedrichite, 863, goldfieldite, 1120, graeserite, 1085, graphite, 749, grumilucite, 1323, kirkite, 1109, lindströmite, 1142, oenite, 859

PETROLOGY (see also Experimental)

A-type granite, 696, afrikandite, 895, carbonatite, 939, 971, chlorite geothermobarometer, "discredited", 725, chondrite-normalized REE, 276, 335, 605, 688, 787, 797, 990, chromite, 117, 1328, chrysotile-lizardite equilibria, 738, coticule, 703, crystallinity-index standards for clay minerals, 1455, detrital-ilite identification, 1520, diagenesis, 1485, 1507, 1526, Duluth Complex, 870, fibrous chlorite, 751, fibrous muscovite, 751, fluid inclusion data, 155, 315, 512, fundamental particles in clay mineralogy, 1397, 1409, 1415, geobarometry, 156, 318, 724, geochronology, 7, 695, geothermometry, 67, 318, 720, 1336, 1501, gold chemically bound in sulfides, 1370, gold deposition, 1368, gold in arsenopyrite, 1369, gold in cassiterite, 1356, gold in pyrite, 1367, granite pegmatite, 1, 255, 283, 303, 327, 339, 367, 377, 395, 399, 415, 433, 441, 447, 463, 483, 512, 525, 563, 585, 601, 609, greisenization, 1615, Harding pegmatite, 585, illite age analysis, 1520, illite crystallinity, 1397, 1409, 1415, 1421, 1435, 1453, 1535, invisible gold, 1354, 1361, Khibina alkaline complex, 953, kimberlite, 939, Kola Peninsula, 939, 953, 971, Kovdor massif, 971, kugdite, 895, lamproite, 1339, Leda clay mineralogy, 1625, MacEwan crystallite, 1410, magmatic sulfides, 879, miarolitic granite pegmatite, 1, 442, 465,

melilitolite, 895, metamict Nb–Ta–Ti oxides, 602, metamorphic chlorite, 713, 1453, Mont Saint-Hilaire, 775, 779, 1293, Muskok intrusion, 117, Neves-Corvo VMS deposit, 1347, okaite, 895, ophiolite, 1328, oxygen fugacity, 707, perovskite alteration, 940, 955, 1335, phoscorite, 971, platinum-group oxide minerals, 887, rhyolite dike, 265, rodigitization, 1336, rubidium feldspars, 483, Rutherford #2 pegmatite, 339, S/Se ratio, 877, scandium mineralization, 971, secondary beryl, 447, serpentinization, 728, 1328, smectite-to-illite evolution, 1485, Strange Lake peralkaline complex, 793, 1001, Sudbury Igneous Complex, 981, Topsham pegmatite district, 601, tourmaline colouration, 38, tourmalinization, 433, turjaite, 895, ultramelilitolite, 895, ultrapotassic rocks, 49, 788, 1340, uncomphagrite, 895

RAMAN SPECTRA

graeserite, 1087, jarosite-group compounds, 1225, phase E, 1217

SCANNING-ELECTRON MICROGRAPHS

"adularia", 92, aegirine, 782, aeglyte-(Ce), 941, baddeleyite, 977, bernalite, 1212, berthierine, 457, blatonite, 1079, cannizzarite, 1108, chamosite, 1549, chiolite twins, 1011, chlorite, 1330, chloritoid, 140, chromite, 128, columbite-tantalite, 291, 572, corderoite, 204, "Cs-annite", 758, "Cs-tetra-ferri-annite", 758, euxenite (uranoan), 273, fayalite, 151, ferrocolumbite, 527, feruvite, 435, fibrous chlorite, 746, gerenite-(Y), 795, graeserite, 1085, graftonite-beusite series, 384, greenalite, 151, grumilucite, 1322, illite, 1411, 1561, 1621, ilmenite, 128, ixiolite (titanian), 527, juonniite, 977, kainosit-(Y), 799, kaolinite, 1621, kensuite, 203, kirkite, 1107, Kola Peninsula, 940, manganotantalite, 653, microcline (rubidian), 488, microlite, 527, 663, minnesotaite, 151, muscovite, 1618, perovskite, 941, 1335, perthite, 72, platinum-group oxide minerals, 888, pyrite (arsenian), 1365, roméite, 538, roxybite, 1205, rutile, 1335, rutile (niobian), 531, 537, 550, schoenfliesite, 1205, sphalerite (mercurian), 1322, synthetic calcite, 1091, synthetic interstratified margarite-beidellite, 1574, thomasclarkite-(Y), 1294, tobermorite, 1153, tourmaline, 1620, unknown gadolinite-group mineral, 799, wadeite, 1003, wurtzite-4H, 776

TEXTURES

aegirine, 782, altered cordierite, 450, chamosite, 1549, chloritoid in pyrite, 138, chromite, 120, graftonite-beusite series, 383, illite, 1561, 1621, kaolinite, 1621, perthite, 70, secondary Nb–Ta oxides, 663

THERMOGRAVIMETRIC ANALYSIS

blatonite, 1078, gerenite-(Y), 797, muscovite, 746, synthetic interstratified margarite-beidellite, 1572, thomasclarkite-(Y), 1295

TRACE-ELEMENT DATA

aegirine, 786, aegirine-riebeckite gneiss, 692, amphibole-biotite gneiss, 692, apatite, 991, aplite, 24, 577, argillite, 872, arsenopyrite, 1355, baddeleyite, 976, bastnäsite, 687, cassiterite, 1354, chloritoid, 139, granite pegmatite, 24, 310, granophyre, 987, juonniite, 976, melasyenite, 53, monzodiorite, 53, muscovite, 277, 311, 1619, norite, 987, Onaping Formation, 987, orthogneiss, 12, paragneiss, 12, parosite, 687,

pyrite, 139, 1355, pyroxenite, 53, quartz gabbro, 987, rhyolite dike, 275, sulfides (PGE-rich), 872, syenite, 53, uranopyrochlore, 976, zircon, 687, zirconolite, 976

TRANSMISSION ELECTRON MICROSCOPY

antigorite, 1602, caryopilitite, 167, chlorite, 749, 1461, columbite-tantalite, 588, "Cs-annite", 759, "Cs-tetra-ferri-annite", 759, greenalite, 167, illite, 1438, 1453, 1459, 1497, 1514, 1563, illite surface micromorphology, 1559, kaolinite, 1622, kirkite, 1109, latrappite, 109, lindströmite, 1144, muscovite, 749, 1441, 1461, pargasite (Co-substituted), 1239, rectorite, 1497, smectite, 1492, submicrometric gold in pyrite, 1367, vesuvianite, 1031

TWINNING (see also Crystallography)

bernalite, 1212, chiolite, 1009, compreignacite, 1062, graeserite, 1084, loparite, 955, perovskite, 941, trembathite, 1196, vesuvianite, 1035, werdingite, 401

X-RAY DIFFRACTION (see also Crystal Structure)

Cell Dimensions

anglesite, 1053, annite, 757, antigorite, 1599, apatite, 992, arfvedsonite (titanian, oxygenian), 1255, Ba(ZnAsO₄)₂, 1046, Ba(ZnPO₄)₂, 1046, barite, 1053, bernalite, 1212, beusite, 373, blatonite, 1077, blatterite, 1172, boltwoodite, 1069, burtite, 1206, celestine, 1053, chiolite, 1009, chlorite, 1552, clinopyroxene, 99, columbite-tantalite, 346, 589, columbite-tantalite (titanian), 558, compreignacite, 1061, "Cs-annite", 757, "Cs-tetra-ferri-annite", 757, davyne (carbonate-bearing), 1285, dravite, 419, dugganite, 823, eckermannite (fluorian), 1255, elbaite, 419, fluoro-magnesiokatophorite, 1247, fluoropargasite, 1247, fluororichterite, 1255, fluororichterite (titanian), 1255, friedrichite, 867, gerenite-(Y), 797, 802, goldfieldite, 1120, graeserite, 1085, graftonite, 373, grumilucite, 1321, johnsomervilleite-filowellite series, 358, kensuite, 204, kirkite, 1109, kukharenkoite-(Ce), 810, latrappite, 112, lindströmite, 1142, lizardite-17, 1589, lizardite-2H₁, 1589, loveringite, 771, metaschoepite, 831, mitridate, 397, muscovite, 1019, Na₂MgGd₂(Si₄O₁₂)F₂, 1039, oenite, 860, pargasite (Co-substituted), 1241, richetite, 188, richterite (fluorian), 1255, richterite (titanian, fluorian), 1255, richterite (titanian, fluorian, potassic), 1255, sarcopside, 373, scapolite (intermediate), 1271, schoenfliesite, 1206, schoepite, 831, schoepite (dehydrated), 831, schorl, 419, Sr(ZnAsO₄)₂, 1046, synthetic (K,Na)MgF₃, 1343, synthetic K₂TiSi₃O₉, 1343, tadzhikite, 818, tetra-ferri-annite, 757, thomasclarkite-(Y), 1297, tienshanite, 1306, trembathite, 1196, vesuvianite, 1029, vuonemite, 1312, werdingite, 410, wickmanite, 1206, wiluite, 1303, wurtzite-4H, 777, wurtzite-8H, 777

Powder Data

antigorite, 1598, blatonite, 1080, calcite (synthetic), 1098, chlorite, 1554, friedrichite, 867, gerenite-(Y), 798, graeserite, 1087, grumilucite, 1324, ishikawaite, 606, kensuite, 204, kirkite, 1111, latrappite, 112, mitridate, 397, oenite, 859, synthetic interstratified margarite-beidellite, 1572, synthetic (K,Na)MgF₃, 1343, synthetic K₂TiSi₃O₉, 1343, thomasclarkite-(Y), 1297, tobermorite, 1154, wiluite, 1303, wurtzite-4H, 777, wurtzite-8H, 777

Proceedings of the Russian Mineralogical Society*

RUSSIAN ACADEMY OF SCIENCES



Volume 127

Number 4

1998

The 225th anniversary of the Saint Petersburg Mining Institute	YU.B. MARIN	1
Anatexis and formation of magmatic chambers in the crust: petrological and geochemical evidence	V.A. GLEBOVITSKY & I.S. SEDOVA	5
The new genetic approach to the ore-formation analysis of metasomatic rocks	V.G. BOGOLEPOV	27
Geochemical features of the Nizhne-Tagilsky zoned massif and problems concerning its genesis	E.A. LANDA & V.G. LAZARENKO	38
Thermobarometry of basic rocks from the southern tectonic contact of the Laplandian granulite belt (Kola Peninsula)	N.YE. KOZLOVA & S.A. REZHENOVA	51
Fractal geometry of columnar aggregates with geometrical selection	YU.L. GULBIN	58
Graphic representation of a mineral's chemical composition and the 50% rule for definition of mineral species	V.G. KRIVOVICHEV	72
Recrystallization of polymimetic aggregates	A.E. GLIKIN & S.V. PETROV	79
New Minerals		
Shibkovite, $K(Ca,Mn,Na)_2(K_{2-x}\square_x)_2Zn_3Si_{12}O_{30}$ – a new mineral of the milarite group	L.A. PAUTOV, A.A. AGAKHANOV & E.V. SOKOLOVA	89
Seidite-(Ce), $Na_4SrCeTiSi_8O_{22}F \cdot 5H_2O$, a new mineral with zeolitic properties	A.P. KHOZYAKOV, G. FERRARIS, E. BELLUSO, S.N. BRITVIN, G.N. NECHELYUSTOV & S.V. SOBOLEVA	94
Minerals and Mineral Parageneses		
Rare earth elements in minerals of the Far East tin ore deposits	V.V. SMOLENKY, V.V. GAVRILENKO, U. KEMPE & D. WOLF	101
Association of pyrite and pyrrhotite in rocks of the carbonatite series of the Khibina massif	A.N. ZAITSEV, M.YU. SINAI, A.R. CHAKHMOURADIAN & E.N. LEPEKHINA	110
Gem corundum and zircon from the Primorye placers	S.A. ANANYEV, T.A. ANANYEVA, V.K. GARANIN & G.P. KUDRYAVTSEVA	120
New data on billietite	V.G. KRUGLOVA, E.G. RJABEVA & I.S. NAUMOVA	125
Strontium-bearing carbonates from tuffs of the Songye River (Tanzania)	E.I. VOROBIEV & A.A. KONEV	127
Hambergerite from pegmatite veins of the eastern Pamirs	Z.T. DZHURAEV, A.A. ZOLOTAREV, I.V. PEKOV & L.V. FROLOVA	132
Chronicles		
Annual session of the Russian Mineralogical Society and its Scientific Council conference	N.Z. EVZIKOVA & T.A. KARIAKINA	140

* This page presents the table of contents of a recent issue of

ЗАПИСКИ ВСЕРОССИЙСКОГО МИНЕРАЛОГИЧЕСКОГО ОБЩЕСТВА
Except where indicated, the articles are published in Russian.

Zap. Vser. Mineral. Obshchest.

THE CANADIAN MINERALOGIST

**Journal of the
Mineralogical Association
of Canada**



R.F. Martin, Editor
Volume 36, 1998

THE CANADIAN MINERALOGIST

JOURNAL OF THE MINERALOGICAL ASSOCIATION OF CANADA

Geological setting and petrogenesis of symmetrically zoned, miarolitic granitic pegmatites at Stak Nala,
Nanga Parbat – Haramosh Massif, northern Pakistan

B.M. LAURS, J.H. DILLES, Y. WAIRACH, A.B. KAUSAR & L.W. SNEE

1

The mafic minerals of the Falcon Island ultrapotassic pluton, Lake of the Woods, Ontario: progressive
reduction during fractionation

J.A. AYER

49

Feldspar thermometry: a valuable tool for deciphering the thermal history of granulite-facies rocks, as
illustrated with metapelites from Sri Lanka

P. RAASE

67

Identification of normal and anomalous compositions of minerals by electron-microprobe analysis:
K-rich feldspar as a case study

D.K. TEERTSTRA, F.C. HAWTHORNE & P. ČERNÝ

87

Clinopyroxene from Lipari: comparison with analogues from other Aeolian Islands, Italy

D. PASQUAL, G. MOLIN, P.F. ZANAZZI & G.M. CRISCI

97

Latrappite: a re-investigation

R.H. MITCHELL, JIN-BEOM CHOI, F.C. HAWTHORNE,
C.A. McCAMMON & P.C. BURNS

107

Composition of chromite in the upper chromitite, Muskox layered intrusion, Northwest Territories

T.A. ROACH, P.L. ROEDER & L.J. HULBERT

117

Chloritoid inclusions in pyrite from Navajún, Spain

K. LODDERS, G. KLINGELHÖFER & D.T. KREMSER

137

Low-temperature fayalite, greenalite, and minnesotaite from the Overlook gold deposit, Washington:
phase relations in the system FeO–SiO₂–H₂O

M.G. RASMUSSEN, B.W. EVANS & S.M. KUEHNER

147

Modulated crystal structures of greenalite and caryopilitite: a system with long-range, in-plane structural
disorder in the tetrahedra sheet

S. GUGGENHEIM & R.A. EGGLETON

163

Characterization of OH–F short-range order in potassium-fluor-richterite by infrared spectroscopy in
the OH-stretching region

G. DELLA VENTURA, J.-L. ROBERT & F.C. HAWTHORNE

181

The structure of richetite, a rare lead uranyl oxide hydrate

P.C. BURNS

187

Kenhsuite, γ -Hg₃S₂Cl₂, a new mineral species from the McDermitt mercury deposit, Humboldt County,
Nevada

J.K. MCCORMACK & F.W. DICKSON

201

Solid solution in synthetic zinkenite, robinsonite and meneghinitite in the system Cu₂S – PbS – Sb₂S₃

K.L. PRUSETH, B. MISHRA & H.J. BERNHARDT

207

Compositional controls on phase-transition temperatures in bornite: a differential scanning
calorimetry study

B.A. GRGURIC & A. PUTNIS

215

BOOK REVIEWS

Proceedings of the forty-second Annual Meeting of the Mineralogical Association of Canada

G.M. LECHEMINANT

237

The Hawley Medal for 1997 to P.C. Burns, M.L. Miller and R.C. Ewing

239

The Leonard G. Berry Medal for 1997 to J.M. Duke

242

The Past Presidents' Medal for 1997 to M.E. Fleet

244

GRANITIC PEGMATITES: THE ČERNÝ – FOORD VOLUME

Preface	A.J. ANDERSON, L.A. GROAT & W.B. SIMMONS, JR.	249
Eugene E. Foord (1946 – 1998)	P.J. MODRESKI	251
The escape of pegmatite dikes from granitic plutons: constraints from new models of viscosity and dike propagation	D.R. BAKER	255
The Richemont rhyolite dyke, Massif Central, France: a subvolcanic equivalent of rare-metal granites	L. RAIMBAULT & L. BURNOL	265
The YITT-B pegmatite swarm at Bernic Lake, southeastern Manitoba: a geochemical and paragenetic anomaly	S.D. ANDERSON, P. ČERNÝ, N.M. HALDEN, R. CHAPMAN & P. UHER	283
The Forcarei Sur rare-element granitic pegmatite field and its associated mineralization, Galicia, Spain	M. FUERTES-FUENTE & A. MARTIN-ÍZARD	303
Sm–Nd isotope systematics and the derivation of granitic pegmatites in southwestern Maine	P.B. TOMASCAK, E.J. KROGSTAD & R.J. WALKER	327
Rare-element mineralogy and internal evolution of the Rutherford #2 pegmatite, Amelia County, Virginia: a classic locality revisited	G.R. LUMPKIN	339
La série johnsomervilleite – fillowite dans les associations de phosphates de pegmatites granitiques de l'Afrique centrale	A.-M. FRANSOLET, F. FONTAN, P. KELLER & D. ANTENUCCI	355
Graftonite – beusite in granitic pegmatites of the Superior Province: a study in contrasts	P. ČERNÝ, J.B. SELWAY, T.S. ERCIT, F.W. BREAKS, A.J. ANDERSON & S.D. ANDERSON	367
Graftonite – beusite in Sweden: primary phases, products of exsolution, and distribution in zoned populations of granitic pegmatites	S.-A. SMEDS, P. UHER, P. ČERNÝ, M.A. WISE, L. GUSTAFSSON & P. PENNER	377
Mitridatite from the San Luis granitic pegmatite, La Florida, Argentina	M.A. GALLISKI, M.F. MÁRQUEZ ZAVALÁ, I.L. DE UPTON & J.C. OYARZÁBAL	395
Werdeingite, a borosilicate new to granitic pegmatites	E.S. Grew, M.G. Yates, J.P.P. Huijsmans, J.J. McGEE, C.K. SHEARER, M. WIEDENBECK & R.C. ROUSE	399
Compositional variation of tourmaline in the granitic pegmatite dykes of the Cruzeiro mine, Minas Gerais, Brazil	M. FEDERICO, G.B. ANDREZZI, S. LUCCHESI, G. GRAZIANI & J. CÉSAR-MENDES	415
Feruvite from lepidolite pegmatites at Red Cross Lake, Manitoba	J.B. SELWAY, P. ČERNÝ & F.C. HAWTHORNE	433
Fluorine variation in hambergite from granitic pegmatites	M. NOVÁK, P.C. BURNS & G.B. MORGAN VI	441
The beryllian cordierite + beryl + spessartine assemblage, and secondary beryl in altered cordierite, Greer Lake granitic pegmatites, southeastern Manitoba	S. JOBIN-BEVANS & P. ČERNÝ	447
Micas from the Pikes Peak Batholith and its cogenetic granitic pegmatites, Colorado: optical properties, composition, and correlation with pegmatite evolution	D.E. KILE & E.E. FOORD	463
Rubidium feldspars in granitic pegmatites	D.K. TEERTSTRA, P. ČERNÝ & F.C. HAWTHORNE	483

Stability and solubility of pollucite in the granite system at 200 MPa H ₂ O D. LONDON, G.B. MORGAN VI & J. ICENHOWER	497
A microbeam XAFS study of aqueous chlorozinc complexing to 430°C in fluid inclusions from the Knaumühle granitic pegmatite, Saxonian granulite massif, Germany A.J. ANDERSON, R.A. MAYANOVIC & S. BAJT	511
Evolution of Nb,Ta-oxide minerals in the Prašivá granitic pegmatites, Slovakia. I. Primary Fe,Ti-rich assemblage P. UHER, P. ČERNÝ, R. CHAPMAN, J. HATÁR & O. MIKO	525
Evolution of Nb,Ta-oxide minerals in the Prašivá granitic pegmatites, Slovakia. II. External hydrothermal Pb,Sb overprint P. UHER, P. ČERNÝ, R. CHAPMAN, J. HATÁR & O. MIKO	535
Compositional, structural and phase relationships in titanian ixiolite and titanian columbite-tantalite P. ČERNÝ, T.S. ERCIT, M.A. WISE, R. CHAPMAN & H.M. BUCK	547
Composition of complex lepidolite-type granitic pegmatites and of constituent columbite-tantalite, Chèdeville, Massif Central, France L. RAIMBAULT	563
Composition and structural state of columbite-tantalite from the Harding pegmatite, Taos County, New Mexico G.R. LUMPKIN	585
Nb-Ta-Ti oxides in granitic pegmatites from the Topsham pegmatite district, southern Maine S.L. HANSON, W.B. SIMMONS & A.U. FALSTER	601
Oxide minerals of the Separation Rapids rare-element granitic pegmatite group, northwestern Ontario A.G. TINDLE & F.W. BREAKS	609
Wodginite-group minerals from the Separation Rapids rare-element granitic pegmatite group, northwestern Ontario A.G. TINDLE, F.W. BREAKS & P.C. WEBB	637
Niobium – tantalum oxide minerals from complex granitic pegmatites in the Moldanubicum, Czech Republic: primary <i>versus</i> secondary compositional trends M. NOVÁK & P. ČERNÝ	659
Scandium substitution in columbite-group minerals and ixiolite M.A. WISE, P. ČERNÝ & A.U. FALSTER	673
The accumulation of rare-earth and high-field-strength elements in peralkaline granitic rocks: the Galileiro orthogneissic complex, northwestern Spain P. MONTERO, P. FLOOR & G. CORRETGÉ	683
Mn-Fe spinels and silicates in manganese-rich rocks from the Ossa-Morena Zone, southern Iberian Massif, southwestern Spain J. JIMÉNEZ-MILLÁN & N. VELILLA	701
New data on metamorphic chlorite as a petrogenetic indicator mineral, with special regard to greenschist-facies rocks A. ZANE, R. SASSI & C.V. GUIDOTTI	713
The composition of chrysotile and its relationship with lizardite D.S. O'HANLEY & M.D. DYAR	727
Fibrous chlorite and muscovite from the Kaisersberg graphite mine, Styria, Austria J.G. RAITH & H. VALI	741
Hydrothermal synthesis of a Cs ferruginous trioctahedral mica M. DRÁBEK, M. RIEDER, C. VITI, Z. WEISS & J. FRÝDA	755
The stability and crystal chemistry of synthetic loveringite in the system Ca–Mn–Ti–O under strongly reducing conditions R.C. PETERSON, I.E. GREY, L.M.D. CRANSTICK & C. LI	763
The occurrence of two rare polytypes of wurtzite, 4H and 8H, at Mont Saint-Hilaire, Quebec G.Y. CHAO & R.A. GAULT	775
The crystal chemistry of aegirine from Mont Saint-Hilaire, Quebec P.C. PIILONEN, A.M. McDONALD & A.E. LALONDE	779
Gerenite-(Y), (Ca,Na) ₂ (Y,REE) ₃ Si ₆ O ₁₈ •2H ₂ O, a new mineral species, and an associated Y-bearing gadolinite-group mineral, from the Strange Lake peralkaline complex, Quebec – Labrador J.L. JAMBOR, A.C. ROBERTS, J.D. GRICE, T.C. BIRKETT, L.A. GROAT & S. ZAJAC	793
The crystal structure of gerenite-(Y), (Ca,Na) ₂ (Y,REE) ₃ Si ₆ O ₁₈ •2H ₂ O, a cyclosilicate mineral L.A. GROAT	801

The crystal structure of kukharenkoite-(Ce), $\text{Ba}_2\text{REE}(\text{CO}_3)_3\text{F}$, and an interpretation based on cation-coordinated F tetrahedra	S.V. KRIVOVICHEV, S.K. FILATOV & A.N. ZAITSEV	809
Refinement of the crystal structure of tadzhikite	F.C. HAWTHORNE, M.A. COOPER & M.C. TAYLOR	817
The crystal structure of dugganite, $\text{Pb}_3\text{Zn}_3\text{Te}^{6+}\text{As}_2\text{O}_{14}$	A.E. LAM, L.A. GROAT & T.S. ERCIT	823
Structural relations among schoepite, metaschoepite and "dehydrated schoepite"	R.J. FINCH, F.C. HAWTHORNE & R.C. EWING	831
CCD area detectors of X-rays applied to the analysis of mineral structures	P.C. BURNS	847
Oenite, CoSbAs, a new mineral species from the Tunaberg Cu–Co sulfide skarns, Bergslagen, Sweden	R.T.M. DOBBE & M.A. ZAKRZEWSKI	855
Friedrichite from Băița Bihor, Romania	M. SHIMIZU, A. KATO, G. CIOFLICA, M. LUPULESCU & M. SHIMIZU	861
Compositional variations in Cu–Ni–PGE sulfides of the Dinka Road deposit, Duluth Complex, Minnesota: the importance of combined assimilation and magmatic processes	R.D. THÉRIAULT & S.-J. BARNES	869
Historical observations on oxygen-bearing compounds of platinum and palladium in Minas Gerais, Brazil	J. JEDWAB & J. CASSEDANNE	887
Melilitolites: a new scheme of classification	E. A. DUNWORTH & K. BELL	895
Nomenclature of the micas	M.RIEDER <i>et al.</i>	905
The IMA Commission on New Minerals and Mineral Names: procedures and guidelines on mineral nomenclature, 1998	E.H. NICKEL & J.D. GRICE	913
New minerals recently approved by the Commission on New Minerals and Mineral Names, International Mineralogical Association		927
BOOK REVIEWS		933
Errata		938
Instability of perovskite in a CO_2 -rich environment: examples from carbonatite and kimberlite	R.H. MITCHELL & A.R. CHAKHMOURADIAN	939
Compositional variation of perovskite-group minerals from the Khibina Complex, Kola Peninsula, Russia	A.R. CHAKHMOURADIAN & R.H. MITCHELL	953
A new type of scandium mineralization in phoscorites and carbonatites of the Kovdor massif, Russia	R.P. LIFEROVICH, V.V. SUBBOTIN, YA.A. PAKHOMOVSKY & M.F. LYALINA	971
Apatite as a monitor of fractionation, degassing, and metamorphism in the Sudbury igneous complex, Ontario	S. WARNER, R.F. MARTIN, A.M. ABDEL-RAHMAN & R. DOIG	981
Chemical controls on the solubility of Zr-bearing phases in simplified peralkaline melts and application to the Strange Lake intrusion, Quebec – Labrador	R.A. MARR, D.R. BAKER & A.E. WILLIAMS-JONES	1001
Morphology of chiolite twins from the Morefield mine, Amelia County, Virginia	R.P. RICHARDS, L.E. KEARNS & W.R. COOK, JR.	1009
Triclinic muscovite: X-ray diffraction, neutron diffraction and photo-acoustic FTIR spectroscopy	JIAN-JIE LIANG, F.C. HAWTHORNE & I.P. SWAINSON	1017
X-ray and neutron single-crystal study of $\text{P}4/n$ vesuvianite	A. PAVESE, M. PRENCIPE, M. TRIBAUDINO & S. SØRENSEN AAGAARD	1029
The crystal structure of $\text{Na}_2\text{MgGd}_2(\text{Si}_4\text{O}_{12})\text{F}_2$ and its relationship with leucophanite	V. MAISONNEUVE & M. LEBLANC	1039
Synthesis and Rietveld refinement of new phosphate and arsenate analogues of paracelsian	F. LUCAS, A. ELFAKIR, G. WALLET, M. QUARTON & M. LAGACHE	1045
Rigid-body character of the SO_4 groups in celestine, anglesite and barite	S.D. JACOBSEN, J.R. SMYTH, R.J. SWOPE & R.T. DOWNS	1053
The structure of compregnacite, $\text{K}_2[(\text{UO}_2)_3\text{O}_2(\text{OH})_3]_2(\text{H}_2\text{O})_7$	P.C. BURNS	1061

The structure of boltwoodite and implications of solid solution toward sodium boltwoodite	P.C. BURNS	1069
Blatonite, $\text{UO}_2\text{CO}_3 \cdot \text{H}_2\text{O}$, a new uranyl carbonate monohydrate from San Juan County, Utah	R. VOCHTEN & M. DELIENS	1077
Graeserite, $\text{Fe}_4\text{Ti}_3\text{AsO}_{13}(\text{OH})$, a new mineral species of the derbylite group from the Monte Leone nappe, Binntal region, Western Alps, Switzerland	M.S. KRZEMNICKI & E. REUSSER	1083
The response of luminescence in synthetic calcite to laboratory heating	R.A. MASON	1089
Rare sulfosalts from Vulcano, Aeolian Islands, Italy. I. Se-bearing kirkite, $\text{Pb}_{10}(\text{Bi},\text{As})_6(\text{S},\text{Se})_{19}$	YU.S. BORODAEV, A. GARAVELLI, O.V. KUZMINA, N.N. MOZGOVA, N.I. ORANOVA, N.V. TRUBKIN & F. VURRO	1105
Crystallography, mineral chemistry and chemical nomenclature of goldfieldite, the tellurian member of the tetrahedrite solid-solution series	A.G. TRUDU & U. KNITTEL	1115
Lindströmite from Cobalt, Ontario	A. PRING, B.A. GRGURIC & A.J. CRIDDLE	1139
An occurrence of tobermorite in Tertiary basalts from Patagonia, Chile	L. AGUIRRE, S. DOMÍNGUEZ-BELLA, D. MORATA & O. WITTKE	1149
The Volta Grande pegmatites, Minas Gerais, Brazil: an example of rare-element pegmatites exceptionally enriched in lithium and rubidium: discussion	F.R.M. PIRES & A.R. CABRAL	1157
The Volta Grande pegmatites, Minas Gerais, Brazil: an example of rare-element pegmatites exceptionally enriched in lithium and rubidium: reply	M. LAGACHE & J. QUÉMÉNEUR	1158
BOOK REVIEW		1161
ERRATUM		1104
The crystal structure of blatterite, $\text{Sb}^{5+}_3(\text{Mn}^{3+},\text{Fe}^{3+})_9(\text{Mn}^{2+},\text{Mg})_{35}(\text{BO}_3)_{16}\text{O}_{32}$, and structural hierarchy in Mn^{3+} -bearing zigzag borates	M.A. COOPER & F.C. HAWTHORNE	1171
The crystal structure of trembachite, $(\text{Mg}_{1.55}\text{Fe}_{1.43}\text{Mn}_{0.02})\text{B}_7\text{O}_{13}\text{Cl}$, a mineral of the boracite group: an example of the insertion of a cluster into a three-dimensional net	M. SCHINDLER & F.C. HAWTHORNE	1195
Description of schoenfliesite, $\text{MgSn}(\text{OH})_6$, and roxybite, $\text{Cu}_{1.72}\text{S}$, from a 1375 BC shipwreck, Rietveld neutron-diffraction refinement of synthetic schoenfliesite, wickmanite, $\text{MnSn}(\text{OH})_6$, and burtite, $\text{CaSn}(\text{OH})_6$	L.C. BASCIANO, R.C. PETERSON, P.L. ROEDER & I. SWAINSON	1203
Bernalite from the Clara mine, Germany, and the incorporation of tungsten in minerals containing ferric iron	U. KOLITSCH	1211
Raman and infrared spectra of Phase E, a plausible hydrous phase in the mantle	T.P. MERNAGH & LIN-GUN LIU	1217
Distinction of jarosite-group compounds by Raman spectroscopy	K. SASAKI, O. TANAIKE & H. KONNO	1225
Contrasting patterns of $^{[6]}\text{Al}$ order in synthetic pargasite and Co-substituted pargasite	G. DELLA VENTURA, J.-L. ROBERT, F.C. HAWTHORNE, M. RAUDSEPP & M.D. WELCH	1237
Synthetic fluoro-amphiboles: site preferences of Al, Ga, Sc and inductive effects on mean bond-lengths of octahedra	R. OBERTI, F.C. HAWTHORNE, F. CAMARA & M. RAUDSEPP	1245
The role of Ti in hydrogen-deficient amphiboles: sodic-calcic and sodic amphiboles from Coyote Peak, California	F.C. HAWTHORNE, R. OBERTI, A. ZANETTI & G.K. CZAMANSKE	1253
Intermediate scapolite: ^{29}Si MAS and ^{27}Al SATRAS NMR spectroscopy and Rietveld structure-refinement	B.L. SHERRIFF, E.V. SOKOLOVA, YU.K. KABALOV, D.K. TEERTSTRA, G. KUNATH-FANDREI, S. GOETZ & C. JÄGER	1267
Carbonate groups in davyne: structural and crystal-chemical considerations	P. BALLIRANO, E. BONACCORSI, S. MERLINO & A. MARAS	1285

Thomasclarkite-(Y), a new sodium – rare-earth-element bicarbonate mineral species from Mont Saint-Hilaire, Quebec	J.D. GRICE & R.A. GAULT	1293
Wiluite, $\text{Ca}_{19}(\text{Al},\text{Mg},\text{Fe},\text{Ti})_{13}(\text{B},\text{Al},\square)_5\text{Si}_{18}\text{O}_{68}(\text{O},\text{OH})_{10}$, a new mineral species isostructural with vesuvianite, from the Sakha Republic, Russian Federation	L.A. GROAT, F.C. HAWTHORNE, T.S. ERCIT & J.D. GRICE	1301
Refinement of the crystal structure of tienshanite: short-range-order constraints on chemical composition	M.A. COOPER, F.C. HAWTHORNE & E.S. GREW	1305
The crystal structure of vuonnemite, $\text{Na}_{11}\text{Ti}^{4+}\text{Nb}_2(\text{Si}_2\text{O}_7)_2(\text{PO}_4)_2\text{O}_3(\text{F},\text{OH})$, a phosphate-bearing sorosilicate of the lomonosovite group	T.S. ERCIT, M.A. COOPER & F.C. HAWTHORNE	1311
Grumplucite, a new mercury – bismuth sulfosalt species from the Leviglioni mine, Apuan Alps, Tuscany, Italy	P. ORLANDI, A. DINI & F. OLMI	1321
An unusual assemblage of high-Ti oxides and ferroan clinochlore along zones of brittle deformation in the Vourinos (Rodiani) ophiolite complex, Greece	G.E. CHRISTIDIS, M. ÉCONOMOU-ELIOPoulos, T. MARCOPoulos & M. LASKOU	1327
Stability and composition of K–Ti silicates, K–Ba phosphate and K–Mg fluoride at 0.85–2.6 GPa: implications for the genesis of potassic alkaline magmas	C.E. GULLIVER, A.D. EDGAR & R.H. MITCHELL	1339
Distribution of gold in tin-rich samples from the Corvo orebody, Portugal	L.J. CABRI, O.C. GASPAR, R. LASTRA & G. McMAHON	1347
The nature of invisible gold in sulfides from the Xiangxi Au–Sb–W ore deposit in northwestern Hunan, People's Republic of China	SIXUE YANG, N. BLUM, E. RAHDERS & ZHENRU ZHANG	1361
Glossary of geological localities in the former Austro-Hungarian Empire, now in Romania	Ş. NICOLESCU	1373
BOOK REVIEWS		1383
Referees for 1997		1387
Errata		1388
XRD AND ELECTRON-MICROSCOPY INVESTIGATIONS OF LAYER SILICATES		
Preface	R.F. MARTIN	1395
Implications of TEM data for the concept of fundamental particles	D.R. PEACOR	1397
Fundamental particles and the advancement of geoscience: response to “Implications of TEM data for the concept of fundamental particles”	P.H. NADEAU	1409
Evolution, current situation, and geological implications of the “fundamental particle” concept	F. NIETO & J. CUADROS	1415
A coherent TEM- and XRD-description of mixed-layer illite/smectite	G.D. GUTHRIE, JR. & R.C. REYNOLDS, JR.	1421
Modification of illite – muscovite crystallite-size distributions by sample preparation for powder XRD analysis	GEJING LI, D.R. PEACOR, P.R. BUSECK & P. ÁRKAI	1435
Crystallite thickness and defect density of phyllosilicates in low-temperature metamorphic pelites: a TEM and XRD study of clay-mineral crystallinity-index standards	L.N. WARR & F. NIETO	1453

Changes in layer organization of Na- and Ca-exchanged smectite materials during solvent exchanges for embedment in resin	F. ELSASS, A. BEAUMONT, M. PERNES, A.-M. JAUNET & D. TESSIER	1475
Significance of <i>n</i> -alkylammonium exchange in the study of 2:1 clay-mineral diagenesis, Mackenzie Delta – Beaufort Sea region, Arctic Canada	S.K. SEARS, R. HESSE & H. VALI	1485
K-Ar ages of 2:1 clay minerals, Mackenzie Delta – Beaufort Sea region, Arctic Canada: significance of <i>n</i> -alkylammonium exchange	S.K. SEARS, R. HESSE, H. VALI, W.C. ELLIOTT, J.L. ARONSON & R.F. MARTIN	1507
A refined XRD method for the determination of chlorite composition and application to the McGerrigle Mountains anchizone in the Quebec Appalachians	S. SHATA & R. HESSE	1525
Chamosite from oolitic ironstones: the necessity of a combined XRD–EDX approach	A. WIEWIÓRA, A. WILAMOWSKI, B. ŁĄCKA, M. KUŹNIARSKI & D. GRABSKA	1547
Surface microtopography of illite crystals from different modes of occurrence	R. KITAGAWA	1559
Synthesis and properties of regularly interstratified (R=2) margarite (0.67) – beidellite, a 34 Å phase	T. MATSUDA & M. KUROSAKI	1569
Calculated H-atom positions in micas and clay minerals	JIAN-JIE LIANG & F.C. HAWTHORNE	1577
Effect of temperature on the structures of lizardite-1 T and lizardite-2 H_1	S. GUGGENHEIM & WUDI ZHAN	1587
TEM and XRD study of antigorite superstructures	S. UEHARA	1595
Evidence for atomic-scale resolution in atomic-force microscopy of layer silicates	F.J. WICKS, G.S. HENDERSON, F.C. HAWTHORNE & K. KJOLLER	1607
Greisen and post-greisen alteration in the São Vicente de Pereira kaolinite deposit, Portugal	I. BOBOS & C. GOMES	1615
Mineralogy, grain-size distribution and geotechnical behavior of Champlain clay core-samples, Quebec	R.W. BERRY & J.K. TORRANCE	1625
Index, volume 36	J.D. SCOTT	1637