

THE CANADIAN MINERALOGIST

INDEX, VOLUME 36

J. DOUGLAS SCOTT

203-44 Brousseau Avenue, Timmins, Ontario P4N 5Y2

AUTHOR INDEX

- Adams, P.M. with Grew, E.S., 277
 Akizuki, M., Kudoh, Y. & Nakamura, S., Growth texture and symmetry of heulandite-Ca from Poona, India, 1307
 Alimov, V. with Garuti, G., 1099
 Ananiev, V.V. with Vergasova, L.P., 911
 Appleyard, E.C. with Elliott-Meadows, S.R., 375
 Arden, K.M. & Halden, N.M., Crystallization and alteration history of britholite in rare-earth-element-enriched pegmatic segregations associated with the Eden Lake Complex, Manitoba, Canada, 1239
 Armbruster, T. with Lager, G.A., 763
 Atencio, D., Coutinho, J.M.V., Ulbrich, M.N.C., Vlach, S.R.F., Rastsvetaeva, R.K. & Pushcharovsky, D.Yu., Hainite from Poços de Caldas, Minas Gerais, Brazil, 91
 Atencio, D. with Coutinho, J.M.V., 945
 Augé, T., Cabri, L.J., Legendre, O., McMahon, G. & Cocherie, A., PGE distribution in base-metal alloys and sulfides of the New Caledonia ophiolite, 1147
 Bachmann, H.-G. with Weiser, T.W., 1131
 Back, M.E., Grice, J.D., Gault, R.A., Criddle, A.J. & Mandarino, J.A., Walfordite, a new tellurite species from the Wendy open pit, El Indio – Tambo mining property, Chile, 1261
 Bardoux, M. with Voicu, G., 559
 Barkov, A.Y., Halkoaho, T.A.A., Roberts, A.C., Criddle, A.J., Martin, R.F. & Papunen, H., New Pd–Pb and Pb–V oxides from a bonanza-type PGE-rich, nearly BMS-free deposit in the Penikat layered complex, Finland, 1507
 Barkov, A.Y., Thibault, Y., Laajoki, K.V.O., Melezlik, V.A. & Nilsson, L.P., Zoning and substitutions in Co–Ni–(Fe)–PGE sulfarsenides from the Mount General'skaya layered intrusion, Arctic Russia, 127
 Béziat, D., Bourges, F., Debat, P., Fuchs, Y., Lompo, M., Martin, F., Nikiéma, S. & Tollen, F., The Guibaré and Fété Kolé gold-bearing tourmaline-quartz veins in the Birimian green-stone belts of Burkina Faso, 575
 Béziat, D. with Martin, F., 997
 Blackburn, W.H. with Martin, R.F., 1045
 Blackburn, W.H. with Samson, I.M., 1405
 Boatner, L.A. with Meldrum, A., 207
 Borisov, S.V. with Vasil'ev, V.I., 119
 Borodaev, Yu.S. with Vurro, F., 1499
 Borodina, N.S., Fershtater, G.B. & Votyakov, S.L., The oxidation ratio of iron in coexisting biotite and hornblende from granitic and metamorphic rocks: the role of P, T, and $f(O_2)$, 1423
 Bourges, F. with Béziat, D., 575
 Boyd, T. & Scott, S.D., Two-XRD-line ferrihydrite and Fe–Si–Mn oxyhydroxide mineralization from Franklin Seamount, western Woodlark Basin, Papua New Guinea, 973
 Brennan, S. with Hovis, G.L., 701
 Brown, M. with Solar, G.S., 311
 Brugger, J. & Gieré, R., As, Sb, Be and Ce enrichment in minerals from a metamorphosed Fe–Mn deposit, Val Ferrera, eastern Swiss Alps, 37
 Brugger, J. with Meisser, N., 673
 Buck, H.M., Cooper, M.A., Černý, P., Grice, J.D. & Hawthorne, F.C., Xenotime-(Yb), $YbPO_4$, a new mineral species from the Shatford Lake pegmatite group, southeastern Manitoba, Canada, 1303
 Burns, P.C., The structure of edoyerite determined from a micro-crystal, 113
 Burns, P.C. & Hanchar, J.M., The structure of masuyite, $Pb[(UO_2)_3O_3(OH)_2(H_2O)_3]$, and its relationship to protasite, 1483
 Burns, P.C. with Grice, J.D., 731
 Burns, P.C. with Hill, F.C., 1283
 Cabella, R., Lucchetti, G. & Marescotti, P., Occurrence of LREE- and Y-arsenates from a Fe–Mn deposit, Ligurian Briançonnais Domain, Maritime Alps, Italy, 961
 Cabri, L.J. with Augé, T., 1147
 Campostrini, I., Gramaccioli, C.M. & Demartin, F., Orlandoite, $Pb_3Cl_4(SeO_3) \cdot H_2O$, a new mineral species, and an associated lead copper selenite chloride from the Baccu Locci mine, Sardinia, Italy, 1493
 Carlson, W.D., The case against Ostwald ripening of porphyroblasts, 403
 Černý, P. with Buck, H.M., 1303
 Černý, P. with Cooper, M.A., 1289
 Černý, P. with Smeds, S.-A., 665
 Chakhmouradian, A.R. & Mitchell, R.H., Niobian ilmenite, hydroxyapatite and sulfatian monazite: alternative hosts for incompatible elements in calcite kimberlite from International'naya, Yakutia, 1177
 Chakhmouradian, A.R. & Zaïtsev, A.N., Calcite – amphibole – clinopyroxene rock from the Afrikanda Complex, Kola Peninsula, Russia: mineralogy and a possible link to carbonatites. I. Oxide minerals, 177
 Chakhmouradian, A.R. with McCammon, C., 991
 Chakhmouradian, A.R. with Mitchell, R.H., 99
 Chakhmouradian, A.R. with Reguir, E.P., 1369
 Chang Jianping with Hong Hanlie, 1525
 Chapman, R. with Smeds, S.-A., 665
 Chiappero, P.-J. with Meisser, N., 673
 Chukanov, N.V., Pekov, I.V., Rastsvetaeva, R.K. & Nekrasov, A.N., Labuntsovite: solid solutions and features of the crystal structure, 901
 Cocherie, A. with Augé, T., 1147
 Coimbra, A.M. with Coutinho, J.M.V., 945
 Cook, N.J. with Wagner, T., 545
 Cooper, M.A. & Hawthorne, F.C., Local Pb^{2+} –□ disorder in the crystal structure of jamesite, $PbZnFe_4(OH)_{18}[(OH)_{12}O_{0.8}]$, 53
 Cooper, M.A. & Hawthorne, F.C., The crystal structure of betpakdalite, and a new chemical formula: $\{Mg(H_2O)_6\} Ca_2(H_2O)_{13}[MoAsFeO_{36}(OH)](H_2O)_4$, 61
 Cooper, M.A. & Hawthorne, F.C., The crystal structure of wooldridgeite, $Na_2CaCu_2(H_2O)_{10}$, a novel copper pyrophosphate mineral, 73

- Cooper, M.A. & Hawthorne, F.C., The effect of differences in coordination on ordering of polyvalent cations in close-packed structures: the crystal structure of arakiite and comparison with hematolite, 1471
- Cooper, M.A. & Hawthorne, F.C., The structure topology of sidpietersite, $\text{PbO}_2(\text{OH})_2$, a novel thiosulfate structure, 1275
- Cooper, M.A., Hawthorne, F.C. & Černý, P., Ta-Nb order in the crystal structure of niobium-rich claciotantite, 1289
- Cooper, M.A., Hawthorne, F.C., Merlini, S., Pasero, M. & Perazzini, N., Stereoeactive lone-pair behavior of Pb in the crystal structure of bideauxite: $\text{PbAg}^+\text{Cl}_3\text{F(OH)}$, 915
- Cooper, M.A. with Buck, H.M., 1303
- Cooper, M.A. with Finch, R.J., 929
- Cooper, M.A. with Grice, J.D., 923
- Cooper, M.A. with Roberts, A.C., 1269
- Coutinho, J.M.V., Atencio, D., Coimbra, A.M. & Fernandes, L.A., Gorceixite, a singular product of replacement in fossil bones from the Bauru Basin, Brazil, 945
- Coutinho, J.M.V. with Atencio, D., 91
- Cox, R. & Indares, A., High-pressure and high-temperature metamorphism of the mafic and ultramafic Lac Éspadon suite, Manicouagan imbricate zone, eastern Grenville Province, Quebec, 335
- Craig, J.R. & Solberg, T.N., Compositional zoning in ore minerals at the Craig mine, Sudbury, Ontario, Canada, 1163
- Craig, J.R. with Márquez-Zavalía, F., 1255
- Crelling, J. with Hovis, G.L., 701
- Criddle, A.J. with Back, M.E., 1261
- Criddle, A.J. with Barkov, A.Y., 1507
- Criddle, A.J. with Roberts, A.C., 1269
- Crocket, J.H. with Gornostayev, S.S., 1117
- Cureton, F. with Foord, E.E., 67
- Çelik, M. with Yavuz, F., 155
- De Jong, L.S. & Owen, J.V., Reproducibility of electron-microprobe bulk analyses of fine-grained media: a case study using modern bone china, 239
- Debat, P. with Béziat, D., 575
- Delmotte, L. with Martin, F., 997
- Demartin, F. with Campostriani, I., 1493
- De Parseval, P. with Martin, F., 997
- Dessureau, G. with Piper, D.J.W., 619
- Devaraju, T.C., Raith, M.M. & Spiering, B., Mineralogy of the Archean barite deposit of Ghattihsahalli, Karnataka, India, 603
- Dipple, G.M. with Gordon, T.M., 17
- Dipple, G.M. with Raudsepp, M., 1
- Díaz de Federico, A. with Puga, E., 1191
- Duan, M.J. with Hassan, I., 1363
- Duvallot, L., Martin, F., Soubiès, F., Salvi, S., Melfi, A.J. & Fortuné, J.-P., The mobility of zirconium and identification of secondary Zr-bearing phases in bauxite from Pocos de Caldas, Minas Gerais, Brazil: a mass-balance and X-ray absorption spectroscopic study, 635
- Dyar, M.D. with Francis, C.A., 1431
- Elliott-Meadows, S.R., Froese, E. & Appleyard, E.C., Cordierite – anthophyllite – cummingtonite rocks from the Lar deposit, Laurie Lake, Manitoba, 375
- Ercit, T.S. with Johnsen, O., 893
- Ercit, T.S. with Lam, A.E., 721
- Essene, E.J. with Peacor, D.R., 1453
- Evdkimov, M.D. with Reguir, E.P., 1369
- Ewing, R.C. with Finch, R.J., 929
- Ewing, R.C. with Meldrum, A., 207
- Falster, A.U. with Foord, E.E., 67
- Fernandes, L.A. with Coutinho, J.M.V., 945
- Ferraris, G., Prencipe, M., Pautov, L.A. & Sokolova, E.V., The crystal structure of darapoisite and a comparison with Li- and Zn-bearing minerals of the milarite group, 769
- Ferraris, G. with Grice, J.D., 247
- Ferraris, G. with Sokolova, E.V., 83
- Ferret, J. with Martin, F., 997
- Fershtater, G.B. with Borodina, N.S., 1423
- Filatov, S.K. with Vergasova, L.P., 911
- Finch, R.J., Cooper, M.A., Hawthorne, F.C. & Ewing, R.C., Refinement of the crystal structure of rutherfordine, 929
- Fleet, M.E. with Pan, Yuanming, 359
- Foord, E.E., Hughes, J.M., Cureton, F., Maxwell, C.H., Falster, A.U., Sommer, A.J. & Hlava, P.F., Esperanzaite, $\text{NaCa}_2(\text{As}^{5+}\text{O}_4)_2\text{F}_4(\text{OH})\bullet 2\text{H}_2\text{O}$, a new mineral species from the La Esperanza mine, Mexico: descriptive mineralogy and atomic arrangement, 67
- Fortuné, J.-P. with Duvallot, L., 635
- Fortuné, J.-P. with Martin, F., 997
- Foster, C.T. Jr., Forward modeling of metamorphic textures, 415
- Francis, C.A., Dyar, M.D., Williams, M.L. & Hughes, J.M., The occurrence and crystal structure of foite from a tungsten-bearing vein at Copper Mountain, Taos County, New Mexico, 1431
- Franz, G. with von Goerne, G., 1025
- Frimmel, H.E. with Guggenheim, S., 1445
- Froese, E. with Elliott-Meadows, S.R., 375
- Fuchs, Y. with Béziat, D., 575
- Gagnon, J.E. with Samson, I.M., 1405
- Garavelli, A. with Vurro, F., 1499
- Garbarino, C. with Vurro, F., 1499
- Garutti, G., Zaccarini, F., Moloshag, V. & Alimov, V., Platinum-group minerals as indicators of sulfur fugacity in ophiolitic upper mantle: an example from chromitites of the Ray-Iz ultramafic complex, Polar Urals, Russia, 1099
- Gault, R.A. with Back, M.E., 1261
- Gault, R.A. with Johnsen, O., 893, 1295
- Ghazi, A.M. with Goble, R.J., 163
- Gieré, R. with Brugger, J., 37
- Goble, R.J., Ghazi, A.M. & Treves, S.B., Mineralogy and geochemistry of Proterozoic alkaline basaltic intrusions, southwestern Alberta, 163
- Godinho, M.M. with Neves, L.J.P.F., 691
- Gordon, T.M. & Dipple, G.M., Measuring mineral abundance in skarn. II. A new linear programming formulation and comparison with projection and Rietveld methods, 17
- Gornostayev, S.S., Crocket, J.H., Mochalov, A.G. & Laajoki, K.V.O., The platinum-group minerals of the Baimka placer deposits, Aluchin Horst, Russian Far East, 1117
- Gorton, M.P. with Schandl, E.S., 1211
- Gramaccioli, C.M. with Campostriani, I., 1493
- Grauby, O. with Martin, F., 997
- Grew, E.S., Yates, M.G., Adams, P.M., Kirkby, R. & Wiedenbeck, M., Harkerite and associated minerals in marble and skarn from Crestmore quarry, Riverside County, California and Cascade Slide, Adirondack Mountains, New York, 277
- Grice, J.D., Redetermination of the crystal structure of hanawaltite, 775
- Grice, J.D., Burns, P.C. & Hawthorne, F.C., Borate minerals. II. A hierarchy of structures based upon the borate fundamental building block, 731
- Grice, J.D., Cooper, M.A. & Hawthorne, F.C., Crystal-structure determination of twinned kettnerite, 923
- Grice, J.D. & Ferraris, G., New minerals approved in 1998 by the Commission on New Minerals and Mineral Names, International Mineralogical Association, 247
- Grice, J.D. with Back, M.E., 1261
- Grice, J.D. with Buck, H.M., 1303
- Grice, J.D. with Hawthorne, F.C., 1439
- Grice, J.D. with Johnsen, O., 865, 893, 1295
- Grice, J.D. with Lam, A.E., 721
- Groat, L.A. with Lam, A.E., 721
- Guggenheim, S. & Frimmel, H.E., Ferrokinoshitalite, a new species of brittle mica from the Broken Hill mine, South Africa: structural and mineralogical characterization, 1445
- Guggenheim, S. with Russell, R.L., 711
- Halden, N.M. with Arden, K.M., 1239
- Halkoaho, T.A.A. with Barkov, A.Y., 1507

- Hanchar, J.M. with Burns, P.C., 1483
 Hassan, I. & Duane, M.J., The differential thermal analysis of gauderofroyite, 1363
 Hawthorne, F.C., Selway, J.B., Kato, A., Matsubara, S., Shimizu, M., Grice, J.D. & Vajdak, J., Magnesiofoitite, $\square(\text{Mg}_2\text{Al})\text{Al}_6(\text{Si}_6\text{O}_{18})(\text{BO}_3)_3(\text{OH})_4$, a new alkali-deficient tourmaline, 1439
 Hawthorne, F.C. with Buck, H.M., 1303
 Hawthorne, F.C. with Cooper, M.A., 53, 61, 73, 915, 1275, 1289, 1471
 Hawthorne, F.C. with Finch, R.J., 929
 Hawthorne, F.C. with Grice, J.D., 731, 923
 Hawthorne, F.C. with Roberts, A.C., 1269
 Hawthorne, F.C. with Schindler, M., 1463
 Helmy, H.M., The Um Samiuki volcanogenic Zn–Cu–Pb–Ag deposit, Eastern Desert, Egypt: a possible new occurrence of cervelleite, 143
 Hill, F.C. & Burns, P.C., The structure of synthetic Cs uranyl oxide hydrate and its relationship to compeignacite, 1283
 Hlava, P.F. with Foord, E.E., 67
 Holtstam, D. & Söderhielm, J., The discreditation of platynite, 1313
 Hong Hanlie, Wang Qinyan, Chang Jianping, Liu Shirong & Hu Ruizhong, Occurrence and distribution of invisible gold in the Shewushuan supergene gold deposit, southeastern Hubei, China, 1525
 Hovis, G.L., Brennan, S., Keohane, M. & Crelling, J., High-temperature X-ray investigation of sanidine–anabite crystalline solutions: thermal expansion, phase transitions, and volumes of mixing, 701
 Hu Ruizhong with Hong Hanlie, 1525
 Hughes, J.M. with Foord, E.E., 67
 Hughes, J.M. with Francis, C.A., 1431
 Indares, A. with Cox, R., 335
 Irwin, M.B. & Peterson, R.C., The crystal structure of ludwigite, 939
 Iskenderoglu, A. with Yavuz, F., 1007
 Jackson, S.J. with Kontak, D.J., 469
 Jackson, S.J. with Yang, P., 443
 Jambor, J.L., Nomenclature of the alunite supergroup, 1323
 Jambor, J.L. with Roberts, A.C., 1269
 Jaszczałk, J.A. with Kvasnitza, V.N., 951
 Jébrak, M. with Voicu, G., 559
 Ji, Shaocheng with Wang, Zichao, 525
 Jiang, Shao-Yong with Yavuz, F., 1007
 Johnsen, O., Gault, R.A., Grice, J.D. & Ercit, T.S., Khomyakovite and manganokhomyakovite, two new members of the eudialyte group from Mont Saint-Hilaire, Quebec, Canada, 893
 Johnsen, O. & Grice, J.D., The crystal chemistry of the eudialyte group, 865
 Johnsen, O., Grice, J.D. & Gault, R.A., Oneillite: a new Ca-deficient and REE-rich member of the eudialyte group from Mont Saint-Hilaire, Quebec, Canada, 1295
 Jonasson, I.R. & Perfitt, M.R., Unusual forms of amorphous silica from submarine warm springs, Juan de Fuca Ridge, north-eastern Pacific Ocean, 27
 Kabalov, Yu.K. with Sokolova, E.V., 83
 Karakaya, N. with Yavuz, F., 155
 Kato, A. with Hawthorne, F.C., 1439
 Keohane, M. with Hovis, G.L., 701
 Key, C.L. with Roberts, A.C., 1269
 Khomyakov, A.P. with Sokolova, E.V., 83
 Kirkby, R. with Grew, E.S., 277
 Kontak, D.J. & Jackson, S.J., Documentation of variable trace- and rare-earth-element abundances in carbonatites from auriferous quartz veins in Meguma lode gold deposits, Nova Scotia, 469
 Krivovichev, S.V. with Vergasova, L.P., 911
 Kudoh, Y. with Akizuki, M., 1307
 Kvasnitza, V.N., Yatsenko, V.G. & Jaszczałk, J.A., Disclinations in unusual graphite crystals from anorthosites of Ukraine, 951
 Kyser, T.K., O'Hanley, D.S. & Wicks, F.J., The origin of fluids associated with serpentinitization: evidence from stable-isotope compositions, 223
 Laajoki, K.V.O. with Barkov, A.Y., 127
 Laajoki, K.V.O. with Gornostayev, S.S., 1117
 Lager, G.A., Xie, Q., Ross, F.K., Rossman, G.R., Armbruster, T., Rotella, F.J. & Schultz, A.J., Hydrogen-atom positions in P4/nnc vesuvianite, 763
 Lam, A.E., Groat, L.A., Grice, J.D. & Ercit, T.S., The crystal structure of choloalite, 721
 Lauf, R.J. with Peacor, D.R., 1453
 Le Dred, R. with Martin, F., 997
 Legendre, O. with Augé, T., 1147
 Lentz, D.R., Deformation-induced mass transfer in felsic volcanic rocks hosting the Brunswick No. 6 massive sulfide deposit, New Brunswick: geochemical effects and petrogenetic implications, 489
 Lesher, C.M. with Menard, T., 431
 Li, Dien, Peng, Mingsheng & Murata, T., Coordination and local structure of magnesium in silicate minerals and glasses: Mg K-edge XANES study, 199
 Liu Shirong with Hong Hanlie, 1525
 Lompo, M. with Béziat, D., 575
 Lucchetti, G. with Cabella, R., 961
 Magarill, S.A. with Vasil'ev, V.I., 119
 Mandarino, J.A. with Back, M.E., 1261
 Manning, P.G., Prepas, E.E. & Serediak, M.S., Pyrite and vivianite intervals in the bottom sediments of eutrophic Baptiste Lake, Alberta, Canada, 593
 Maresch, W.V. with Schumacher, R., 381
 Marescotti, P. with Cabella, R., 961
 Mari, A. with Martin, F., 997
 Marichal, C. with Martin, F., 997
 Marincea, S., Ludwigite from the type locality, Ocna de Fier, Romania: new data and review, 1343
 Martin, F., Micoud, P., Delmotte, L., Marichal, C., Dred, R.L., Parseval, P.de, Mari, A., Fortuné, J.-P., Salvi, S., Béziat, D., Grauby, O. & Ferret, J., The structural formula of talc from the Trimouns deposit, Pyrénées, France, 997
 Martin, F. with Béziat, D., 575
 Martin, F. with Duvallet, L., 635
 Martin, R.F., Editorial: an electronic version of *The Canadian Mineralogist*, 1321
 Martin, R.F. & Blackburn, W.H., Encyclopedia of Mineral Names: first update, 1045
 Martin, R.F. with Barkov, A.Y., 1507
 Mason, R.A., Experimental evidence for the effect of defects on the luminescence of synthetic calcite, 297
 Matsubara, S. with Hawthorne, F.C., 1439
 Maxwell, C.H. with Foord, E.E., 67
 Márquez-Zavalía, F., Craig, J.R. & Solberg, T.N., Duranusite, product of realgar alteration, Mina Capillitas, Argentina, 1255
 McCammon, C., Mitchell, R.H. & Chakhmouradian, A.R., Mössbauer spectra of priderite and synthetic iron-bearing hollandite, 991
 McCormick, K.A. & McDonald, A.M., Chlorine-bearing amphiboles from the Fraser mine, Sudbury, Ontario, Canada: description and crystal chemistry, 1385
 McDonald, A.M. with McCormick, K.A., 1385
 McMahon, G. with Augé, T., 1147
 Meisser, N., Perseil, E.-A., Brugger, J. & Chiappero, P.-J., Strontiomelane, SrMnMnO_6 , a new mineral species of the cryptomelane group from St. Marcel – Prabora, Aosta Valley, Italy, 673
 Meldrum, A., Boatner, L.A., Zinkle, S.J., Wang, Shi-Xin, Wang, Lu-Min & Ewing, R.C., The effects of dose rate and temperature on the crystalline-to-metamict transformation in the ABO_4 orthosilicates, 207
 Melezhik, V.A. with Barkov, A.Y., 127
 Melfi, A.J. with Duvallet, L., 635
 Melgarejo, J.C. with Proenza, J., 679
 Menard, T., Ridgway, C.K., Stowell, H.H. & Lesher, C.M., Geochemistry and textures of metasomatic combs and orbicules in ultramafic rocks, Namew Lake, Manitoba, 431
 Merlino, S. with Cooper, M.A., 915

- Micoud, P. with Martin, F., 997
- Mitchell, R.H. & Chakhmouradian, A.R., Sr-bearing perovskite and olivite from lamproite and agpaitic nepheline syenite pegmatites, 99
- Mitchell, R.H. with Chakhmouradian, A.R., 1177
- Mitchell, R.H. with McCammon, C., 991
- Mochalov, A.G. with Gornostayev, S.S., 1117
- Moëlo, Y. with Vurro, F., 1499
- Moloshag, V. with Garuti, G., 1099
- Murata, T. with Li, Dien, 199
- Nakamura, S. with Akizuki, M., 1307
- Nekrasov, A.N. with Chukanov, N.V., 901
- Neves, L.J.P.F. & Godinio, M.M., Structural state of K-feldspar in some Hercynian granites from Iberia: a review of data and controlling factors, 691
- Nikiéma, S. with Béziat, D., 575
- Nilsson, L.P. with Barkov, A.Y., 127
- O'Hanley, D.S. with Kyser, T.K., 223
- Olivo, G.R. & Williams-Jones, A.E., Hydrothermal REE-rich eudialyte from the Pilanesberg Complex, South Africa, 653
- Owen, J.V. with De Jong, L.S., 239
- Pan, Yuanming & Fleet, M.E., Kyanite in the western Superior Province of Ontario: implications for Archean accretionary tectonics, 359
- Pani, E. with Raudsepp, M., 1
- Papunen, H. with Barkov, A.Y., 1507
- Pasero, M. with Cooper, M.A., 915
- Pattison, D.R.M. with Rivers, T., 273
- Pautov, L.A. with Ferraris, G., 769
- Pe-Piper, G. with Piper, D.J.W., 619
- Peacor, D.R., Rouse, R.C., Essene, E.J. & Lauf, R.J., Coskrenite-(Ce), $(Ce,Nd,La)_2(SO_4)_2(C_2O_4)_8H_2O$, a new rare-earth oxalate mineral from Alum Cave Bluff, Tennessee: characterization and crystal structure, 1453
- Pekov, I.V. with Chukanov, N.V., 901
- Peng, Mingsheng with Li, Dien, 199
- Perchiazzi, N. with Cooper, M.A., 915
- Perfit, M.R. with Jonasson, I.R., 27
- Perseil, E.-A. with Meissner, N., 673
- Pervukhina, N.V. with Vasil'ev, V.I., 119
- Peterson, R.C. with Irwin, M.B., 939
- Piper, D.J.W., Dessureau, G. & Pe-Piper, G., Occurrence of early Carboniferous high-Zr rhyolites, Cobequid Highlands, Nova Scotia: temperature effect of a contemporaneous mafic magma, 619
- Prencipe, M. with Ferraris, G., 769
- Prepas, E.E. with Manning, P.G., 593
- Proenza, J., Solé, J. & Melgarroj, J.C., Uvarovite in podiform chromitite: the Moa-Baracoa ophiolitic massif, Cuba, 679
- Puga, E., Ruiz Cruz, M.D. & Díaz de Federico, A., Magnetite-silicate inclusions in olivine of ophiolitic metagabbros from the Mulhacén Complex, Betic Cordillera, southeastern Spain, 1191
- Pushcharovsky, D. Yu. with Atencio, D., 91
- Raith, M.M. with Devaraju, T.C., 603
- Rastsvetaeva, R.K. with Atencio, D., 91
- Rastsvetaeva, R.K. with Chukanov, N.V., 901
- Raudsepp, M., Pani, E. & Dippe, G.M., Measuring mineral abundance in skarn. I. The Rietveld method using X-ray powder-diffraction data, 1
- Reguir, E.P., Chakhmouradian, A.R. & Evdokimov, M.D., The mineralogy of a unique baratovite- and miserite-bearing quartz – albite – aegirine rock from the Dara-i-Pioz complex, northern Tajikistan, 1369
- Ridgway, C.K. with Menard, T., 431
- Rivers, T. & Pattison, D.R.M., Preface: Mineral-scale processes in metamorphic petrology: the Kretz volume, 273
- Rivers, T. with Yang, Panseok, 443
- Rizzo, G. with Zane, A., 1229
- Robert, J.-L. with von Goerne, G., 1025
- Roberts, A.C., Cooper, M.A., Hawthorne, F.C., Criddle, A.J., Stanley, C.J., Key, C.L. & Jambor, J.L., Sidpietersite, $PbO_2(OH)_2$, a new thiosulfate-bearing mineral species from Tsumeb, Namibia, 1269
- Roberts, A.C. with Barkov, A.Y., 1507
- Romanenko, G.V. with Vasil'ev, V.I., 119
- Ross, F.K. with Lager, G.A., 763
- Rossman, G.R. with Lager, G.A., 763
- Rotella, F.J. with Lager, G.A., 763
- Rouse, R.C. with Peacor, D.R., 1453
- Rötzler, K. with Schumacher, R., 381
- Rucklidge, J.C. with Sharara, N.A., 1081
- Ruiz Cruz, M.D. with Puga, E., 1191
- Russell, R.L. & Guggenheim, S., Crystal structures of near-end-member phlogopite at high temperatures and heat-treated Fe-rich phlogopite: the influence of the O,OH,F site, 711
- Salvi, S. with Duvallet, L., 635
- Salvi, S. with Martin, F., 997
- Samson, I.M., Blackburn, W.H. & Gagnon, J.E., Paragenesis and composition of amphibole and biotite in the MacLellan gold deposit, Lynn Lake greenstone belt, Manitoba, Canada, 1405
- Schandl, E.S., Sharara, N.A. & Gorton, M.P., The origin of the Atshan talc deposit in the Hamata area, Eastern Desert, Egypt: a geochemical and mineralogical study, 1211
- Schindler, M. & Hawthorne, F.C., The crystal structure of schuilinge-(Nd), 1463
- Schneider, J. with Sokolova, E.V., 83
- Schultz, A.J. with Lager, G.A., 763
- Schumacher, R., Rötzler, K. & Maresch, W.V., Subtle oscillatory zoning in garnet from regional metamorphic phyllites and mica schists, western Erzgebirge, Germany, 381
- Scott, S.D. with Boyd, T., 973
- Selway, J.B. with Hawthorne, F.C., 1439
- Serediak, M.S. with Manning, P.G., 593
- Sharara, N.A., Wilson, G.C. & Rucklidge, J.C., Platinum-group elements and gold in Cu–Ni mineralized peridotite at Gabro Akarem, Eastern Desert, Egypt, 1081
- Sharara, N.A. with Schandl, E.S., 1211
- Shimizu, M. with Hawthorne, F.C., 1439
- Smeds, S.-A., Cerny, P. & Chapman, R., Niobian calciotantite and plumboco-stannaean cesstibantite from the Island of Utö, Stockholm Archipelago, Sweden, 665
- Sokolova, E.V., Kabalov, Yu.K., Ferraris, G., Schneider, J. & Khomyakov, A.P., Modular approach in solving the crystal structure of a synthetic dimorph of nacaphite, $Na_2Ca[PO_4]F$, from powder diffraction data, 83
- Sokolova, E.V. with Ferraris, G., 769
- Solar, G.S. & Brown, M., The classic high-T – low-P metamorphism of west-central Maine: is it post-tectonic or syntectonic? Evidence from porphyroblast–matrix relations, 311
- Solberg, T.N. with Craig, J.R., 1163
- Solberg, T.N. with Márquez-Zavalía, F., 1255
- Solé, J. with Proenza, J., 679
- Sommer, A.J. with Foord, E.E., 67
- Soubies, F. with Duvallet, L., 635
- Söderhielm, J. with Holtstam, D., 1313
- Spiering, B. with Devaraju, T.C., 603
- Stanley, C.J. with Roberts, A.C., 1269
- Starova, G.L. with Vergasova, L.P., 911
- Stowell, H.H. with Menard, T., 431
- Thibault, Y. with Barkov, A.Y., 127
- Tollon, F. with Béziat, D., 575
- Treves, S.B. with Goble, R.J., 163
- Ulbrich, M.N.C. with Atencio, D., 91
- Vajdak, J. with Hawthorne, F.C., 1439
- Vasil'ev, V.I., Pervukhina, N.V., Romanenko, G.V., Magarill, S.A. & Borisov, S.V., New data on the mercury oxide-chloride mineral poyarkovite: the second find, and crystal-structure determination, 119
- Vergasova, L.P., Starova, G.L., Krivovichev, S.V., Filatov, S.K. & Ananiev, V.V., Coparsite, $Cu_4O_2[(As,V)O_4]Cl$, a new mineral species from the Tolbachik volcano, Kamchatka Peninsula, Russia, 911

- Vernon, R.H., Quartz and feldspar microstructures in metamorphic rocks, 513
- Vlach, S.R.F. with Atencio, D., 91
- Voicu, G., Bardoux, M. & Jébrak, M., Tellurides from the Paleoproterozoic Omaj gold deposit, Guiana Shield, 559
- von Goerne, G., Franz, G. & Robert, J.-L., Upper thermal stability of tourmaline + quartz in the system $MgO-Al_2O_3-SiO_2-B_2O_3-H_2O$ and $Na_2O-MgO-Al_2O_3-SiO_2-B_2O_3-H_2O-HCl$ in hydrothermal solutions and siliceous melts, 1025
- Votyakov, S.L. with Borodina, N.S., 1423
- Vurro, F., Garavello, A., Garbarino, C., Moëlo, Y. & Borodaev, Yu.S., Rare sulfosalts from Vulcano, Aeolian Islands, Italy. II. Mozgovaitsev, $PbBi_4(S,Se)_7$, a new mineral species, 1499
- Wagner, T. & Cook, N.J., Carrollite and related minerals of the linnaeite group: solid solutions and nomenclature in the light of new data from the Siegerland district, Germany, 545
- Wang, Lu-Min with Meldrum, A., 207
- Wang Qinyan with Hong Hanlie, 1525
- Wang, Shi-Xin with Meldrum, A., 207
- Wang, Zichao & Ji, Shaoheng, Deformation of silicate garnets: brittle–ductile transition and its geological implications, 525
- Weiser, T.W. & Bachmann, H.-G., Platinum-group minerals from the Aikora River area, Papua New Guinea, 1131
- Wicks, F.J. with Kyser, T.K., 223
- Wiedenbeck, M. with Grew, E.S., 277
- Williams, M.L. with Francis, C.A., 1431
- Williams-Jones, A.E. with Olivo, G.R., 653
- Wilson, G.C. with Sharara, N.A., 1081
- Xie, Qianyan with Lager, G.A., 763
- Yang, Panseok, Rivers, T. & Jackson, S.J., Crystal-chemical and thermal controls on trace-element partitioning between co-existing garnet and biotite in metamorphic rocks from western Labrador, 443
- Yates, M.G. with Grew, E.S., 277
- Yatsenko, V.G. with Kvasnitsa, V.N., 951
- Yavuz, F., Çelik, M. & Karakaya, N., Fibrous foitite from Sebinkarahisar, Giresun Pb–Zn–Cu–(U) mineralization area, northern Turkey, 155
- Yavuz, F., Iskenderoglu, A. & Jiang, Shao-Yong, Tourmaline compositions from the Salikyan porphyry Cu–Mo deposit and vicinity, northeastern Turkey, 1007
- Zaccarini, F. with Garuti, G., 1099
- Zaitsev, A.N. with Chakhmouradian, A.R., 177
- Zane, A. & Rizzo, G., The compositional space of muscovite in granitic rocks, 1229
- Zinkle, S.J. with Meldrum, A., 207

SUBJECT INDEX

- As, Sb, Be and Ce enrichment in minerals from a metamorphosed Fe–Mn deposit, Val Ferrera, eastern Swiss Alps, (Brugger & Gieré), 37
- Borate minerals. II. A hierarchy of structures based upon the borate fundamental building block, (Grice *et al.*), 731
- Calcite – amphibole – clinopyroxene rock from the Afrikanda Complex, Kola Peninsula, Russia: mineralogy and a possible link to carbonatites. I. Oxide minerals, (Chakhmouradian & Zaitsev), 177
- Carrollite and related minerals of the linnaeite group: solid solutions and nomenclature in the light of new data from the Siegerland district, Germany, (Wagner & Cook), 545
- Coordination and local structure of magnesium in silicate minerals and glasses: Mg *K*-edge XANES study, (Li *et al.*), 199
- Cordierite – anthophyllite – cummingtonite rocks from the Lar deposit, Laurie Lake, Manitoba, (Elliott-Meadows *et al.*), 375
- Crystal structures of near-end-member phlogopite at high temperatures and heat-treated Fe-rich phlogopite: the influence of the O, OH, F site, (Russell & Guggenheim), 711
- Crystal-chemical and thermal controls on trace-element partitioning between coexisting garnet and biotite in metamorphic rocks from western Labrador, (Yang *et al.*), 443
- Deformation of silicate garnets: brittle–ductile transition and its geological implications, (Wang & Ji), 525
- Deformation-induced mass transfer in felsic volcanic rocks hosting the Brunswick No. 6 massive sulfide deposit, New Brunswick: geochemical effects and petrogenetic implications, (Lentz), 489
- Documentation of variable trace- and rare-earth-element abundances in carbonatites from auriferous quartz veins in Meguma lode gold deposits, Nova Scotia, (Kontak & Jackson), 469
- Esperanzaite, $\text{NaCa}_2(\text{As}^{5+}\text{O}_4)_2\text{F}_4(\text{OH}) \cdot 2\text{H}_2\text{O}$, a new mineral species from the La Esperanza mine, Mexico: descriptive mineralogy and atomic arrangement, (Foord *et al.*), 67
- Experimental evidence for the effect of defects on the luminescence of synthetic calcite, (Mason), 297
- Fibrous foitite from Sebinkarahisar, Giresun Pb–Zn–Cu–(U) mineralization area, northern Turkey, (Yavuz *et al.*), 155
- Forward modeling of metamorphic textures, (Foster), 415
- Geochemistry and textures of metasomatic combs and orbicules in ultramafic rocks, Namew Lake, Manitoba, (Menard *et al.*), 431
- Hainite from Poços de Caldas, Minas Gerais, Brazil, (Atencio *et al.*), 91
- Harkerite and associated minerals in marble and skarn from Crestmore quarry, Riverside County, California and Cascade Slide, Adirondack Mountains, New York, (Grew *et al.*), 277
- High-pressure and high-temperature metamorphism of the mafic and ultramafic Lac Espadon suite, Manicouagan imbricate zone, eastern Grenville Province, Quebec, (Cox & Indares), 335
- High-temperature X-ray investigation of sanidine–anabite crystalline solutions: thermal expansion, phase transitions, and volumes of mixing, (Hovis *et al.*), 701
- Hydrogen-atom positions in P4/nnc vesuvianite, (Lager *et al.*), 763
- Hydrothermal REE-rich eudialyte from the Pilanesberg Complex, South Africa, (Olivo & Williams-Jones), 653
- Kyanite in the western Superior Province of Ontario: implications for Archean accretionary tectonics, (Pan & Fleet), 359
- Local Pb^{2+} –□ disorder in the crystal structure of jamesite, $\text{Pb}_2\text{ZnFe}_4(\text{OH})_{18}(\text{OH})_{1,2}\text{O}_{0.8}$, (Cooper & Hawthorne), 53
- Measuring mineral abundance in skarn. I. The Rietveld method using X-ray powder-diffraction data, (Raudsepp *et al.*), 1
- Measuring mineral abundance in skarn. II. A new linear programming formulation and comparison with projection and Rietveld methods, (Gordon & Dipple), 17
- Mineralogy and geochemistry of Proterozoic alkaline basaltic intrusions, southwestern Alberta, (Goble *et al.*), 163
- Mineralogy of the Archean barite deposit of Ghattihsahalli, Karnataka, India, (Devaraju *et al.*), 603
- Modular approach in solving the crystal structure of a synthetic dimorph of nacaphite, $\text{Na}_2\text{Ca}[\text{PO}_4]\text{F}$, from powder-diffraction data, (Sokolova *et al.*), 83
- New data on the mercury oxide-chloride mineral poyarkovite: the second find, and crystal-structure determination, (Vasil'ev *et al.*), 119
- New minerals approved in 1998 by the Commission on New Minerals and Mineral Names, International Mineralogical Association, (Grice & Ferraris), 247
- Niobian calciotantite and plumboan-stannoan cesstibtantite from the Island of Utö, Stockholm Archipelago, Sweden, (Smeds *et al.*), 665
- Occurrence of early Carboniferous high-Zr rhyolites, Cobequid Highlands, Nova Scotia: temperature effect of a contemporaneous mafic magma, (Piper *et al.*), 619
- Preface: Mineral-scale processes in metamorphic petrology: the Kretz volume, (Rivers & Pattison), 273
- Program and Abstracts, E.E. Foord Memorial Symposium on NYF Granitic Pegmatites, 791
- Pyrite and vivianite intervals in the bottom sediments of eutrophic Baptiste Lake, Alberta, Canada, (Manning *et al.*), 593
- Quartz and feldspar microstructures in metamorphic rocks, (Vernon), 513
- Redetermination of the crystal structure of hanawaltite, (Grice), 775
- Reproducibility of electron-microprobe bulk analyses of fine-grained media: a case study using modern bone china, (De Jong & Owen), 239
- Sr-bearing perovskite and loparite from lamproite and aegapitic nepheline syenite pegmatites, (Mitchell & Chakhmouradian), 99
- Strontiomelane, SrMnMnO_{16} , a new mineral species of the cryptomelane group from St. Marcel – Praborna, Aosta Valley, Italy, (Meisser *et al.*), 673
- Structural state of K-feldspar in some Hercynian granites from Iberia: a review of data and controlling factors, (Neves & Godinho), 691
- Subtle oscillatory zoning in garnet from regional metamorphic phyllites and mica schists, western Erzgebirge, Germany, (Schumacher *et al.*), 381
- Tellurides from the Paleoproterozoic Omai gold deposit, Guiana Shield, (Voicu *et al.*), 559
- The case against Ostwald ripening of porphyroblasts, (Carlson), 403
- The classic high-T – low-P metamorphism of west-central Maine: is it post-tectonic or syntectonic? Evidence from porphyroblast–matrix relations, (Solar & Brown), 311
- The crystal structure of betpkaldalite, and a new chemical formula: $[\text{Mg}(\text{H}_2\text{O})_6]\text{Ca}_2(\text{H}_2\text{O})_{13}[\text{MoAsFeO}_3(\text{OH})](\text{H}_2\text{O})_4$, (Cooper & Hawthorne), 61
- The crystal structure of choloalite, (Lam *et al.*), 721
- The crystal structure of darapiosite and a comparison with Li- and Zn-bearing minerals of the milarite group, (Ferraris *et al.*), 769
- The crystal structure of woolridgeite, $\text{Na}_2\text{CaCu}_2(\text{H}_2\text{O})_{10}$, a novel copper pyrophosphate mineral, (Cooper & Hawthorne), 73
- The effects of dose rate and temperature on the crystalline-to-metamict transformation in the ABO_4 orthosilicates, (Meldrum *et al.*), 207
- The Guibaré and Fété Kolé gold-bearing tourmaline-quartz veins in the Birimian greenstone belts of Burkina Faso, (Béziat *et al.*), 575
- The mobility of zirconium and identification of secondary Zr-bearing phases in bauxite from Poços de Caldas, Minas Gerais,

- Brazil: a mass-balance and X-ray absorption spectroscopic study, (Duvallet *et al.*), 635
 The origin of fluids associated with serpentinization: evidence from stable-isotope compositions, (Kysar *et al.*), 223
 The structure of edoyleite determined from a microcrystal, (Burns), 113
 The Um Samiuki volcanic Zn–Cu–Pb–Ag deposit, Eastern Desert, Egypt: a possible new occurrence of cervelleite, (Helmy), 143
 Unusual forms of amorphous silica from submarine warm springs, Juan de Fuca Ridge, northeastern Pacific Ocean, (Jonasson & Perfit), 27
 Uvarovite in podiform chromitite: the Moa–Baracoa ophiolitic massif, Cuba, (Proenza *et al.*), 679
 Zoning and substitutions in Co–Ni–(Fe)–PGE sulfarsenides from the Mount General'skaya layered intrusion, Arctic Russia, (Barkov *et al.*), 127

CHEMICAL ANALYSES (see also Electron-microprobe analyses)

Minerals

birnessite, 977, ferrihydrite, 977, ludwigite, 1353, nontronite, 977, opal-A, 977, talc, 999

Rocks

basalt, 166, bauxite, 639, Fe–Mn ore, 966, foliated tuff, 497, lake sediment, 597, nepheline syenite, 654, orbicular ultramafic rock, 434, pyroxenite (PGE-rich), 514, rhyolite (high-Zr), 630, seafloor sulfides (silicified), 30, supergene gold deposit, 1528

COUPLED-ATOM SUBSTITUTIONS

Arsenates

araikiite, 1479, unknown LaAsO₄, 968, unknown LREE-AsO₄, 968, unknown YAsO₄, 968

Oxides

ilmenite (niobian), 1184, roméite, 45, rutile, 43, strontiomelane, 676, thorutite, 182

Phosphates

apatite, 47, 1185, bergslagite, 48, fluorapatite, 1374, monazite-(Ce), 1186

Silicates

andradite, 286, britholite, 1245, celadonite (barian), 607, eudialyte, 658, 881, forsterite, 287, harkerite, 285, hastingsite (Cl-rich), 1394, labuntsovite, 904, monticellite, 287, muscovite (chromian), 607, muscovite, 1232, talc, 1004, titanite, 43, tourmaline (foitite), 159, tourmaline, 579, 1019, 1029

Sulfides

carrollite, 553, cervelleite, 150, PGE in cobaltite–gersdorffite, 138

CRYSTALLOGRAPHY (see also Twinning)

alunite supergroup, 1333, biotite oxidation, 1426, borate fundamental building block, 731, borate hierarchical structural classification, 731, calcite (defects and cathodoluminescence), 297, CCD detector, 113, 1284, 1484, Cu–Cl bonding, 725, 735, eudialyte-group crystal chemistry, 865, eudialyte stoichiometry, 658, 866, eudialyte–kentbrooksite solid-solution series, 888, Fe sites in tourmaline, 583, ferrihydrite composition, 986, garnet (intracrystalline diffusion), 396, 407, gaudefroyite, 1364, harkerite, 285, homblende oxidation, 1427, hydrogen bonding, 57, 64, 71, 76, 918, 932, 1000,

1457, 1466, Jahn–Teller distortion (Cu²⁺), 76, 735, 1466, lone-pair electrons (As³⁺), 1474, lone-pair electrons (Hg²⁺), 777, lone-pair electrons (Pb²⁺), 56, 725, 915, 1278, 1466, lone-pair electrons (Te⁴⁺), 724, 1266, Mg coordination and local structure in silicates and glasses, 199, milarite group, 770, muscovite atomic substitution data, 1232, orthoclase ordering index, 693, orthoclase structural state in granites, 693, oxalate group, 1457, pyrophosphate, 73, Rietveld refinement, 1, 17 (skarn minerals), 83 (nacaphite dimorph), Ta–Nb ordering in oxides, 1294, taic structural formula, 997, thiosulfate group geometry, 1278, thorutite, 182, trace-element partitioning (garnet/biotite), 464, U–O(uranyl) distance, 938, vesuvianite (H-atom positions), 763, zeolite optical anomaly, 1307

CRYSTAL STRUCTURE (see also X-ray diffraction)

arakite, 1471, betpakdalite, 61, bideauxite, 915, calciotantite (Nb-rich), 1289, cesium uranyl oxide hydrate (synthetic), 1283, choloalite, 721, coskreinite-(Ce), 1456, darapiosite, 769, edoyleite, 113, esperanzaite, 69, eudialyte, 866, ferrokinoshitalite, 1448, foitite, 1431, hainite, 97, hanawaltite, 775, jamesite, 53, kettnerite, 923, khomyakovite, 898, labuntsovite, 903, ludwigite, 939, masuyite, 486, nacaphite dimorph, 83, oneillite, 1298, orlandite, 1497, phlogopite (ferroan), 711, phlogopite (heat-treated), 711, phlogopite-1*M*, 711, poyarkovite, 122, rutherfordine, 929, schilingite-(Nd), 1463, sidpietersite, 1275, vesuvianite, 763, walfordite, 1264, wooldridgeite, 73

ELECTRON-MICROPROBE ANALYSES

actinolite, 615, 1391, 1412, aegirine, 40, 1371, albite, 389, 609, almandine, 378, 1193, altaite, 564, amphibole, 345, 1512, andesine, 1193, andradite, 288, anthophyllite, 378, 1391, antigorite, 1347, apatite, 48, arakiite, 1474, awaruite, 1155, baddeleyite, 185, 1180, baratovite, 1374, bazirite, 1378, bergslagite, 48, betafite (thorian), 187, betafite, 187, betpakdalite, 62, biotite, 365, 393, 450, 1413, bone china, 241, bornite, 147, bowieite, 1121, braggite, 1513, britholite, 1245, calaverite, 564, calciotantite (Nb-rich), 668, 1291, calcite, 1180, 1215, calzirtite, 185, carrollite, 551, celadonite (barian), 613, celsian, 609, cervelleite, 151, cesstibtantite (plumbboan-stannaon), 670, chalcopyrite, 32, 147, cherepanovite, 1107, chlorite, 389, 1215, 1512, 1413, choloalite, 722, chromite, 1102, 1156, clinochlore (chromian), 685, clinohumite, 1347, clinopyroxene, 288, 345, clinozoisite, 385, clintonite, 288, cobaltite–holingworthite (zoned), 133, coloradoite, 564, cooperite, 1121, coparsite, 912, cordierite (synthetic), 1034, cordierite, 378, 1215, coskreinite-(Ce), 1455, covellite, 147, cummingtonite, 378, cuproiridisite, 1107, cuprorhdsite, 1122, darapiosite, 769, diopside, 1193, 1215, dolomite, 1215, dravite (chromian), 615, duranusite, 1258, edenite, 1193, electrum, 147, enstatite, 1193, epidote (chromian), 615, erlichmanite, 1106, esperanzaite, 69, eudialyte, 659, 868, ferrihydrite, 979, ferro-actinolite, 1391, ferrohornblende, 1391, ferrokinoshitalite, 1448, ferrotschermaikite, 1391, fersmite, 191, fluorapatite, 1374, foitite, 1434, forsterite, 287, 1088, 1193, 1347, galena, 564, garnet, 344, 365, 385, 449, geikielite, 1181, glass (rhyolitic, synthetic), 1034, goethite, 607, gold, 564, goorceixite, 949, guanglinite, 1124, hainite, 96, harkerite, 284, hastingsite (Cl-rich), 1391, heazlewoodite, 1154, hematite (titanianorous), 181, hessite, 564, heulandite-Ca, 1309, holingworthite, 1122, 1141, hydroxyapatite, 1185, illite, 386, ilmenite (niobian), 1181, ilmenite, 181, 365, 386, irarsite, 1107, 1141, iridium, 1121, 1138, jamesite, 56, kashinite, 1107, katophorite, 1193, khomyakovite, 896, labradorite, 1193, labuntsovite, 903, laitakarite, 1314, laurite, 1106, 1141, lizardite, 1347, loparite (strontian), 105, loparite, 183, ludwigite, 1353, luhsite, 183, magnesiochromite, 1102, 1180, magnesioferrite, 289, magnesiofoitite, 1441, magnesiohornblende, 1391, 1412, magnetite, 179, 1347, manganokhomyakovite, 896, masuyite, 1486, melonite, 564, merenskyite, 138, miserite, 1375, monazite (sulfatian), 1185, monchite (rhodian), 1142, monticellite, 287, mogozvataite, 1502, muscovite (chromian), 613, muscovite, 40, olivine, 345, 1215, omphacite, 1193, oneillite, 1297, orlandite, 1495, orthoclase (barian), 609, orthopyroxene, 345, 1215, Os–Ir alloy, 1106,

osmium, 1122, 1138, pargasite, 1193, pentlandite (rhodian), 1107, pentlandite, 1089, 1154, perovskite (strontian), 104, perovskite, 183, petzite, 564, phlogopite, 1193, 1215, plagioclase, 345, 365, 393, 1088, platasite, 1141, poyarkovite, 122, prasgoite, 1124, priderite, 992, Pt-Fe alloy (silicate glass inclusions), 1126, Pt-Fe alloy, 1120, 1139, pyrite (nickeloen), 606, pyrite, 32, 564, pyrochlore (thorian), 187, pyrophanite, 42, pyrrhotite, 564, realgar, 1258, rhodarsenide, 1125, roméite, 42, ruarsite, 1141, rutheniridiosmine, 1138, ruthenium, 1138, rutile (antimonian), 42, rutile (chromian), 616, rutile, 191, 685, schuilingite-(Nd), 1466, serpentine, 1215, sidpietersite, 1272, sphalerite, 32, 564, 1258, spinel, 289, 345, staurolite, 365, stillwellite, 1376, strontiomelane, 675, szaibelyite, 1348, taddzhikite, 1376, talc, 999, 1215, tellurobismuthite, 564, tennantite, 147, tetraferroplatinum, 1140, tetrahedrite, 147, thorutite, 181, titanite (chromian), 616, 685, titanite (niobian), 1378, titanite (stannoan), 1378, titanite, 42, tourmaline (foite), 157, tourmaline (synthetic), 1034, tourmaline, 579, 615, 1012, tremolite, 615, 1215, 1391, tschermakite, 1412, tulameenite, 1139, turkestanite, 1375, unidentified Ir oxide, 1124, unidentified REE-Ti oxide, 191, unknown (Cu,Rh,Pt)S, 1126, unknown (Pt,Rh,Pd)₃(Fe,Cu)As, 1125, unknown (Pt,Rh,Pd)S, 1126, unknown (Rh,Ni)₇As₄, 1143, unknown (Ru,Os,Ir)O, 1143, unknown (Ru,Os,Ir)O₂, 1143, unknown Fe-Ni oxide, 1156, unknown Ir(Ni,Fe,Cu)₂S₃, 1143, unknown Ir-Rh-Ni sulfide, 1107, unknown LaAsO₄, 969, unknown LREE-AsO₄, 970, unknown Pt₃Cu(Fe), 1125, unknown Ru-Os-Fe oxide, 1106, unknown YAsO₄, 966, unnamed Pb-V oxide, 1515, unnamed Pb₂CuCl₃(SeO₃)₃(OH), 1495, unnamed Pb-Ph oxide, 1518, unnamed Pb-Pb-(Cu,Fe) oxide, 1516, uvarovite, 615, 684, vesuvianite, 288, 764, vysotskite, 1513, walfordite, 1264, xenotime-(Yb), 1305, zircon, 1378, zirconolite, 186, zvyagintsevite, 1514

EXPERIMENTAL (see also Petrology)

Analytical Techniques

AMS (PGE), 1081, ESR (talc), 999, ⁵⁷Fe Mössbauer, 580, 595, 642, 993, 998, LAM-ICP-MS, 447, 473, laser-ablation microprobe, 447, Mg K-edge XANES, 199, NMR (talc), 999, reproducibility of EMP data, 239, SIMS, 1156, XRD-measured mineral abundance, 1, 17, Zr K-edge XANES, 646, Zr XAFS, 646

General

brittle-ductile transition (garnet), 525, calcite recrystallization, 307, cathodoluminescence (calcite), 297, cesium uranyl oxide hydrate (synthesis), 1284, crystalline-to-metamict transformation, 207, garnet melting temperature, 527, garnet shear modulus, 527, laser-ablation microprobe (analytical precision), 447, Mg coordination and local structure in silicates and glasses, 199, mineral abundance estimates, 1, 17, olivine (oriented inclusions), 1196, Pt in awaruite, 1157, Pt in pentlandite, 1158, S/Se ratio in sulfides, 1091, sanidine-analbite thermal parameters, 701, sanidine-analbite triclinic-monoclinic inversion temperatures, 707, sanidine-analbite volumes of K-Na mixing, 705, synthetic Fe-dominant hollandite, 992, tourmaline (synthesis), 1025, tourmaline (thermal stability), 1025, trace-element partitioning (garnet/biotite), 449

Stable Isotopes

boron, 1018, carbon, 953, hydrogen, 224, oxygen, 224, 497, sulfur, 1091, 1152

System

MgO-Al₂O₃-SiO₂-B₂O₃-H₂O, 1025, Na₂O-MgO-Al₂O₃-SiO₂-B₂O₃-H₂O-HCl, 1025

INFRARED-ABSORPTION SPECTRA

darapiosite, 771, esperanzaite, 68, eudialyte, 876, harkerite, 282, labuntsovite, 903, ludwigite, 1357, manganokhomayakovite, 896,

oneillite, 1297, orlandiite, 1495, sidpietersite, 1272, strontiomelane, 677, talc, 999, tourmaline, 584, unnamed Pb₂CuCl₃(SeO₃)₃(OH), 1495, unnamed Pd-Pb oxide, 1518, vesuvianite, 767

MICROHARDNESS

mozgovayaite, 1501, sidpietersite, 1271, strontiomelane, 675

MINERAL DATA (see also Electron-microprobe analyses)

actinolite, 607, 1391, 1414, aegirine, 40, 1371, albite, 389, almandine, 527, altaite, 565, andradite, 288, anthophyllite, 375, antigorite, 224, apatite, 48, arakiite, 1471, awaruite, 1155, baddeleyite, 184, baratovite, 1372, barite, 604, bazirite, 1379, bergslagite, 48, betafite (thorian), 189, betafite, 187, betapkaldalite, 61, bideauxite, 915, biotite, 450, 1413, 1424, birnessite, 977, bowieite, 1121, braggite, 1515, britholite, 1242, calaverite, 562, calciotantite (Nb-rich), 665, 1289, calzirtite, 184, carrollite, 549, celadonite (barian), 607, celsian, 606, cervelleite, 143, cessitantite (plumbano-stannoan), 665, cherepanovite, 1109, chernovite, 966, chlorite, 389, 1413, choloalite, 721, chromite, 1102, 1156, clinochlore (chromian), 685, clinohumite, 1347, clinozoisite, 385, clintonite, 288, cobaltite-hollingworthite (zoned), 133, coloradoite (argentian), 565, cooperite, 1121, coparsite, 911, cordierite, 375, coskreelite-(Ce), 1453, cummingtonite, 375, cuproridisite, 1108, cuprorhodsite, 1122, darapiosite, 769, dravite (chromian), 607, dravite, 1026, duranusite, 1255, eddyolerite, 113, epidote (chromian), 608, erlichmanite, 1105, 1123, esperanzaite, 67, eudialyte, 653, 866, Fedominant hollandite (synthetic), 991, ferrihydrite, 977, ferro-actinolite, 1391, ferrohornblende, 1391, ferrokinoshitalite, 1445, ferrotschermakite, 1391, 1414, fersmite, 189, fluorapatite, 1374, foitite, 1434, forsterite, 287, 1347, galena (selenian), 1314, garnet, 385, 449, 527, gaufredroyite, 1363, geikielite, 1181, gibbsite, 645, goethite (zirconian), 648, goethite, 607, 645, gold, 564, gorceixite, 945, graphite, 951, grossular (ferrian), 527, guanglinite, 1124, gysinite-(Nd), 1468, hafnon, 209, hainite, 91, 644, hanawaltite, 775, harkerite, 278, hastingsite (Cl-rich), 1391, heazlewoodite, 1154, hematite (titiferous), 181, hematolite, 1476, hessite, 562, heulandite-Ca, 1307, hollandite, 991, hollingworthite, 1122, 1141, hornblende, 1424, huttonite, 209, hydroxyapatite, 1185, illite, 386, ilmenite (niobian), 1181, ilmenite, 181, 386, irarsite, 1109, iridium, 1121, 1135, jamesite, 53, kashinite, 1108, keithconnite, 1515, kettnerite, 923, khomyakovite, 893, kyanite, 539, labuntsovite, 903, laitakarite, 1314, laurite, 1104, 1123, 1140, levinsonite-(Y), 1454, lizardite, 224, 1347, loparite (strontian), 99, loparite, 184, ludwigite, 939, 1343, lueshite, 184, magnesiochromite, 1102, magnesiofoidite, 1439, magnesiohornblende (F-rich), 1391, magnesiohornblende, 1414, magnetite, 179, 1346, mangano-khomayakovite, 893, masuyite, 1483, melonite, 565, merenskyite, 138, miserite, 1374, monazite (sulfatian), 1185, moncheite (rhodian), 1142, montcellite, 287, mozgovayaite, 1499, muscovite (chromian), 607, muscovite, 40, 1230, naupachite dimorph, 83, nontronite, 977, olivine, 1191, oneillite, 1295, opal-A, 977, orlandiite, 1493, orthoclase (barian), 606, orthoclase, 693, Os-Ir alloy, 1107, osmium, 1122, 1135, pentlandite (rhodian), 1109, pentlandite, 1089, 1154, 1165, perovskite (strontian), 99, perovskite, 183, petzite, 562, phlogopite (heat-treated), 711, platynite (discredited), 1313, prasgoite, 1124, priderite, 991, protasite, 1489, Pt-Fe alloy (silicate glass inclusions), 1126, Pt-Fe alloy, 1120, 1139, 1152, pyralspite, 527, pyrite (cobaltian), 1172, pyrite (nickeloen), 606, pyrochlore (thorian), 189, pyrophanite, 40, pyrrhotite (nickeloen), 1168, pyrrhotite, 1088, realgar, 1255, rhodarsenide, 1125, roméite, 45, rutheniridiosmine, 1138, ruthenium, 1135, rutherfordite, 929, rutile (antimonian), 40, rutile (chromian), 608, rutile, 189, schuilingite-(Nd), 1463, sidpietersite, 1269, 1275, silica (amorphous) 27, spessartine, 527, stillwellite, 1377, strontiomelane, 673, szaibelyite, 1348, taddzhikite, 1376, talc, 997, tellurobismuthite, 564, tetraferroplatinum, 1140, thorianite, 191, thorite, 209, thorutite, 181, titanite (antimonian), 43, titanite (chromian), 608, titanite (niobian), 1377, titanite (stannoan), 1377, tourmaline (foite), 155, tourmaline, 578, 1007, 1026, tremolite, 607, 1391, troilite, 1088, tschermakite, 1414, tulameenite, 1140, turkestanite, 1375, unidentified Ir oxide, 1124, unidentified REE-Ti oxide, 189, unknown (Cu,Rh,Pt)S, 1126, unknown (Ir(Ni,Fe,Cu)₂S₃), 1143, unknown (Pt,Rh,Pd)₃(Fe,Cu)As,

1125, unknown (Pt,Rh,Pd)S, 1126, unknown (Rh,Ni)₂As, 1109, unknown (Rh,Ni)₇As₄, 1143, unknown (Ru,Os,Ir)O, 1143, unknown (Ru,Os,Ir)O₂, 1143, unknown Fe–Ni oxide, 1156, unknown Ir–Rh–Ni sulfide, 1108, unknown LaAsO₄, 964, unknown LREE–AsO₄, 964, unknown Na–Zr silicate, 657, unknown Pd–Cu alloy, 1152, unknown Pt₃(Cu,Fe), 1125, unknown Ru–Os–Fe oxide, 1108, unknown YAsO₄, 964, unnamed Pb₄CuCl₃(SeO₃)₃(OH), 1494, unnamed Pb₄V₂O₉, 1516, unnamed Pd–Pb oxide, 1516, unnamed Pd–Pb–(Cu,Fe) oxide, 1516, uvarovite, 527, 608, 679, 684, vesuvianite, 288, 763, vivianite, 597, vysotskite, 1515, walfordite, 1261, wooldridgeite, 73, xenotime–(Yb), 1303, zircon, 208, 1378, zirconolite, 185, zugshunstite–(Ce), 1454, zvyagintsevite, 1515

MINERALOGICAL ASSOCIATION OF CANADA

An electronic version of *The Canadian Mineralogist* (editorial), 1321, Berry medal (Smith), 261, book reviews, 253, 779, 1041, Encyclopedia of Mineral Names: first update, (Martin & Blackburn), 1045, Hawley medal (Hawthorne), 259, Past Presidents' medal (Longstaffe), 263, Proceedings of the 43rd annual meeting (LeCheminant), 257, Program and Abstracts, E.E. Foord Memorial Symposium on NYF Granitic Pegmatites, 791, referees for 1998, 1317, Young Scientist Award (Burns), 265

MÖSSBAUER SPECTROSCOPY

eudialyte, 876, goethite, 645, ludwigite, 1350, priderite, 991, pyrite, 596, synthetic Fe-dominant hollandite, 991, talc, 998, tourmaline, 580, vivianite, 596

NEW MINERAL SPECIES

New minerals approved in 1998 by the Commission on New Minerals and Mineral Names, International Mineralogical Association, (Grice & Ferraris), 247, coparsite, 911, coskrenite–(Ce), 1453, esperanzaite, 67, ferrokinoshitalite, 1445, khomyakovite, 893, magnesiofoitite, 1439, manganokhomyakovite, 893, mozgovaita, 1499, oneillite, 1295, orlandite, 1493, sidpietersite, 1269, strontiomelane, 673, unnamed Pb₄CuCl₃(SeO₃)₃(OH), 1494, walfordite, 1261, xenotime–(Yb), 1303

NOMENCLATURE

alunite group, 1324, alunite supergroup, 1324, betpakdalite, 61, borate hierarchical structural classification, 731, choloalite (new formula), 721, coparsite, 911, coskrenite–(Ce), 1453, crandallite group, 1327, cryptomelane group, 673, esperanzaite, 67, ferrihydrite composition redefined, 986, ferrokinoshitalite, 1445, "giannettite" is hainite, 92, jamesite, 53, khomyakovite, 893, labuntsovite group, 906, linnaeite group, 555, magnesiofoitite, 1439, manganokhomyakovite, 893, mozgovaita, 1499, oneillite, 1295, orlandite, 1493, platynite (discredited), 1313, sidpietersite, 1269, strontiomelane, 673, tazhikite–(Y), 1377, tourmaline group, 1442, walfordite, 1261, xenotime–(Yb), 1303

OPTICAL PROPERTIES

General

britholite, 1242, coskrenite–(Ce), 1455, esperanzaite, 68, ferrokinoshitalite, 1447, foitite, 1435, gorceixite, 946, hainite, 95, khomyakovite, 896, magnesiofoitite, 1441, manganokhomyakovite, 896, oneillite, 1296, orlandite, 1495, unnamed Pb₄CuCl₃(SeO₃)₃(OH), 1495, vesuvianite, 764, xenotime–(Yb), 1305

Reflectance

cerveilleite, 150, duranusite, 1257, ludwigite, 1349, mozgovaita, 1501, poyarkovite, 121, realgar, 1257, strontiomelane, 675, unnamed Pd–Pb oxide, 1517, walfordite, 1263

PETROLOGY (see also Experimental)

A-type granitic magma, 619, Abitibi greenstone belt, 230, anorthosite, 951, basalt discrimination *via* trace-element data, 171, bone china phase chemistry, 241, britholite formation, 1246, Brunswick No. 6 VMS deposit, 489, calcite kimberlite, 1178, carbonatite, 177, chondrite-normalized REE, 172, 438, 457, 475, 627, 1016, 1218, 1246, chromitite, 679, 1099, comb texture (metamorphic), 414, Crestmore quarry, 278, 939, eclogite, 382, Eden Lake complex, 1239, elemental mass-transfer (deformation induced), 490, eutrophic lake, 593, Fe³⁺ incorporation in biotite and hornblende, 1424, Fe³⁺#, 1411, 1423, feldspar cooling rate determines Al–Si ordering, 697, feldspar microstructures, 514, fluid-inclusion data, 567, 1217, forward modeling of metamorphic textures, 415, Franklin Seamount, 973, geobarometry, 349, 365, 390, geothermometry, 349, 365, 375, 390, 566, 1223, gold transport, 569, 589, 1530, granite pegmatite, 666, 1304, 1432, graphite crystal-growth mechanism, 953, Grenville Province, 335, immobile elements, 507, invisible gold, 1525, isobaric heating textures, 421, isothermal decompression textures, 423, Juan de Fuca Ridge, 27, Kimberlite, 1178, lamproite (olivine), 100, lamproite, 992, layered intrusion, 1081, 1508, metamictization, 208, 1244, metamorphism (high-*T*, high-*P*), 335, metamorphism (high-*T*, low-*P*), 311, metamorphosed Mn-deposit, 38, Mont Saint Hilaire, 866, 893, 1295, muscovite in granite, 1229, nepheline syenite pegmatite (apgaite), 107, 866, 894, ophiolite, 1099, 1118, 1132, 1147, 1191, orthoclase structural state in granites, 693, oscillatory zoning (garnet), 381, Ostwald ripening (discredited for garnet), 403, peridotite, 1081, 1148, perovskite, 99, PGE in base metal sulfides, 1152, PGE in sulfides, 1081, PGE minerals, 127, PGE oxides, 1143, 1508, PGE partition coefficients, 1092, 1152, 1521, PGM placer-nuggets, 1119, 1134, quartz microstructures, 514, 1327, REE-rich pegmatite, 1239, 1370, REE transport, 661, 1381, rhyolite (high-Zr), 620, seafloor Fe–Si–Mn oxyhydroxides, 976, serpentization fluids, 224, silica (amorphous needles), 30, Sudbury Structure, 1386, sulfur fugacity in chromitites, 1110, Superior Province, 360, 1386, talc deposit formation conditions, 1224, tellurium transport, 569, tourmaline (fibrous), 155, ultramafic complex, 1081, 1099, 1118, 1132, 1148, 1191, VMS deposit, 143, 375, 489, zirconium mobility, 635, zirconium transport, 661

RAMAN SPECTRA

uvarovite, 685

SCANNING-ELECTRON MICROGRAPHS

altaite, 564, awaruite, 1150, bergslagite, 41, bone china, 241, braggite, 1513, britholite, 1243, calaverite, 564, calciotantite, 667, calcite (synthetic), 300, calcite, 1179, cervelleite, 148, cestibtantite, 667, cobaltite–holingworthite (zoned), 130, cobaltite–merenskyite, 132, cordierite, 1031, coskrenite–(Ce), 1455, erlichmanite, 1105, geikielite, 1179, gold, 564, 1528, graphite, 953, hastingsite (Cl-rich), 1393, heazlewoodite, 1150, hessite, 148, 564, ilmenite (niobian), 1183, iridium, 1135, laurite, 1104, ludwigite, 1348, magnetite, 1348, masuyite, 1486, melonite, 564, orlandite, 1496, osmium, 1135, petzite, 564, poyarkovite, 120, Pt–Fe alloy, 1135, pyrite (Co-zoned), 1174, rutheniridosmine, 1136, ruthenium, 1135, rutile (antimonian), 41, sidpietersite, 1271, silica (amorphous needles), 33, strontiomelane, 676, symplectite (chromite–orthopyroxene), 1150, tellurobismuthite, 564, tetraferroplatinum, 1140, titanite (zoned), 1378, titanite, 41, tourmaline (fibrous), 158, tourmaline, 1031, tulameenite, 1140, unknown (Rh,Ni)₇As₄, 1140, unknown (Ru,Os,Ir)O, 1140, unknown (Ru,Os,Ir)O₂, 1140, unknown LREE arsenate, 965, unknown Na–Zr silicate, 657, unknown Y arsenate, 965, unnamed Pb–V oxide, 1515, unnamed Pd–Pb oxide, 1516, unnamed Pd–Pb–(Cu,Fe) oxide, 1516, vysotskite, 1513, wollastonite concentrate, 4, wurtzite, 33, zircon in rhyolite, 625, zvyagintsevite, 1514

TEXTURES

amphibole (poikiloblastic), 1408, britholite, 1243, comb, 431, cumulus, 1086, 1194, 1508, feldspar microstructures, 514, Footwall Breccia (Sudbury Structure), 1388, forward modeling of metamorphic textures, 415, graphite, 952, heulandite-Ca (growth sectors), 1307, isobaric heating textures, 421, isothermal decompression textures, 423, Ni–Cu ore (Sudbury), 1164, orbicular, 431, oscillatory zoning (garnet), 381, pentlandite (flames), 1165, pyrite (Co-zoned), 1174, quartz microstructures, 514, serpentine, 228, 1216, symplectite (chromite–orthopyroxene), 1150, tourmaline (fibrous), 156, tourmaline, 1011, zoned Co–Ni–PGE sulfarsenides, 130

THERMOGRAVIMETRIC ANALYSIS

esperanzaite, 68, eudialyte, 875, ferrihydrite, 979, ferrokinoshitalite, 1447, gaudefroyite, 1363, ludwigite, 1355, manganokhomyakovite, 896

TRACE-ELEMENT DATA

basalt, 166, bauxite, 639, biotite, 450, birnessite, 977, britholite, 1245, calcite, 477, chalcopyrite (PGE), 1091, chromite (PGE), 1152, Cu–Ni peridotitic ore, 1092, 1152, dolomite (ferroan), 477, Fe–Mn ore, 964, ferrihydrite, 977, foliated tuff, 497, garnet, 449, granodiorite, 1013, loparite (strontian), 105, meta-andesite, 1217, metabasalt, 1217, nepheline syenite, 654, nontronite, 977, opal-A, 977, orbicular ultramafic rock, 434, pentlandite (PGE), 1091, peridotite (PGE), 1152, perovskite (strontian), 104, pyroxenite (PGE-rich), 1514, pyrrhotite (PGE), 1091, rhyolite (high-Zr), 627, talc deposit host rocks, 1217, tonalite porphyry, 1013, tourmaline (REE content), 1015, tourmaline, 1013, USGS reference glass BCR-2G, 447, uvarovite, 687

TRANSMISSION ELECTRON MICROSCOPY

ferrihydrite, 980, gold, 1529, grossular, 535, huttonite, 211, olivine, 1195, talc, 999, thorite, 211, zircon, 211

TWINNING (see also Crystallography)

baratovite, 1372, heulandite-Ca, 1310, kettnerite, 923, masuyite, 1486, nacaphte dimorph, 84, oneillite, 1299, orlandiite, 1495

X-RAY DIFFRACTION (see also Crystal Structure)

Cell Dimensions

albite, 1030, arakiite, 1472, betpakdalite, 62, bideauxite, 916, calciotantite (Nb-rich), 668, 1290, cesium uranyl oxide hydrate (synthetic), 1284, choloalite, 722, coparsite, 913, cordierite, 1030, coskrenite-(Ce), 1456, darapiosite, 769, dravite, 1030, duranusite, 1258, edoyerite, 114, esperanzaite, 69, eudialyte, 869, ferrokinoshitalite, 1448, fluorapatite, 84, fluorite, 84, foite, 1435, gaudefroyite, 1366, gorceixite, 947, hainite, 97, hanawalite, 775, heulandite-Ca, 1310, jamesite, 54, kettnerite, 924, khomyakovite, 898, labuntsovite, 904, ludwigite, 939, 1355, magnesiofoitite, 1441, magnetite, 1346, manganokhomyakovite, 898, masuyite, 1486, mozgovaite, 1503, nacaphte dimorph, 84, oneillite, 1298, orlandiite, 1496, phlogopite (as a function of temperature), 713, poyarkovite, 122, realgar, 1257, rutherfordine, 931, schuilingite-(Nd), 1464, sidpietersite, 1271, 1276, sillimanite, 1030, strontiomelane, 675, synthetic Fe-dominant hollandite, 992, synthetic tourmaline, 1030, szabelyite, 1348, tourmaline (Na-free), 1030, unnamed $Pb_4CuCl_3(SeO_3)_3(OH)$, 1497, uvarovite, 686, vesuvianite, 764, villiaumite, 84, walfordite, 1264, wooldridgeite, 73, xenotime-(Yb), 1305

Powder Data

birnessite, 977, coparsite, 913, coskrenite-(Ce), 1456, darapiosite, 771, duranusite, 1257, esperanzaite, 70, ferrihydrite, 977, ferrokinoshitalite, 1450, gorceixite, 947, hainite, 97, magnesiofoitite, 1441, manganokhomyakovite, 898, mozgovaite, 1504, nontronite, 977, oneillite, 1298, opal-A, 977, orlandiite, 1497, poyarkovite, 122, sidpietersite, 1271, strontiomelane, 675, talc, 999, unnamed $Pb_4CuCl_3(SeO_3)_3(OH)$, 1497, unnamed Pd–Pb oxide, 1519, walfordite, 1264, xenotime-(Yb), 1305

Proceedings of the Russian Mineralogical Society*

RUSSIAN ACADEMY OF SCIENCES

Volume 128

Number 4



1999


Accessory minerals of basic-ultrabasic complexes in eastern Tuva		
V.V. VELINSKY, C.K. OIDUP, K.S. KUZHUGET & V.I. LEBEDEV		1
Mineralogical and isotope evidence for the origin of Alpine-type massifs: the example		
of Ust'-Belsky massif, Koryak Highland		
N.S. RUDASHEVSKY, A.I. KOSTOYANOV & V.N. RUDASHEVSKY		11
Serpentinization processes in garnet peridotites from the Saxonian granulitic massif,		
eastern Germany	K.N. EGOROV, A.I. MEL'NIKOV & YU.V. MEN'SHAGIN	29
New Minerals		
Bismutopyrochlore, $(Bi,U,Ca,Pb)_{1+x}(Nb,Ta)_2O_6(OH)\bullet nH_2O$ – a new mineral from the pegmatite		
vein Mika, eastern Pamirs	N.V. CHUKANOV, A.M. SKRIGITIL', O.V. KUZ'MINA & A.E. ZADOV	36
Kuzmenkoite, $K_2(Mn,Fe)(Ti,Nb)_4[Si_4O_{12}]_2(OH)_4\bullet 5H_2O$ – a new mineral		
N.V. CHUKANOV, I.V. PEKOV, N.I. GOLOVINA, A.E. ZADOV & V.V. NEDEL'KO		42
Potassicferrisadanagaite, $K_2(Mn,Fe)(Fe^{2+},Mg)_3(Fe^{3+},Al)_2[Si_5Al_3O_{22}](OH)_2$, a new mineral species		
of the amphibole group, Ilmen Mountains, southern Urals	A.G. BASHENOV, L.F. BAZHENOVA, T.V. KRINOVA & P.V. KHVOROV	50
New minerals approved in 1998 by the Commission on New Minerals and Mineral Names,		
International Mineralogical Association	J.D. GRICE & G. FERRARIS	55
Minerals and Mineral Parageneses		
Physical-chemical conditions of magnetite formation in Paleozoic skarn magnetite deposits		
of Mongolia	P.F. KUDRYA & V.L. RUSINOV	61
Morphology and origin of donnayite-(Y) dendrites in mckelveyite-(Y) and ewaldite		
G.YU. IVANYUK, V.N. YAKOVENCHUK & YA.A. PAKHOMOVSKY		70
Investigation Techniques for Minerals, Rocks and Ores		
X-ray powder diffraction parameters of simferite	E.K. VASILIEV & V.G. YEVJSUNIN	77
Evaluation of the unit-cell parameters and defects of zircon single crystals	I.E. KAMENTSEV & A.V. MASLENIKOV	80
Improved diagnostics of zeolites on the basis of their fractionation in heavy liquids		
T.S. YUSUPOV, L.G. SHUMSKAYA & E.A. KIRILLOVA		85
Acoustopolariscopy of some rock-forming minerals		
F.F. GORBATEVICH, V.L. ILCHENKO, M.V. KOVALEVSKY & A.K. SHPACHENKO		88
Atomic densities and character of boundaries in a mineral aggregate	A.I. KORNITSKY	93
Discussions, Criticism, Bibliography		
From experience of teaching mineralogy. XVI	D.P. GRIGORIEV	98
Alkaline rocks: what are they?	M.I. DUBROVSKY	100
Temperature-dependent structures of aggregates of epigenetic minerals		
A.V. VASHHENOK, V.I. ALEXEEV & N.S. NIKOLSKAYA		105
Anniversaries		
Creator of the new mineralogy	N.P. YUSHKIN	115
Chronicles		
The E.S. Fedovov workshop of 1998	S.N. SAMUSINA	120

* This page presents the table of contents of a recent issue of

*ЗАПИСКИ ВСЕРОССИЙСКОГО МИНЕРАЛОГИЧЕСКОГО ОБЩЕСТВА

Except where indicated, the articles are published in Russian.

Zap. Vser. Mineral. Obshchest.




*future
opportunities
ideas &
technology*



DISCOVER

**GeoCanada 2000,
The cross disciplinary
millennium summit
for Canada's
geoscience leaders.**

**May 29 - June 2
Calgary, Alberta**



www.geocanada2000.com

Graphic Design by Danette Taylor of Iron Leaf Communications. Photo (top left) by Peter B. Jones.



THE CANADIAN MINERALOGIST

**Journal of the
Mineralogical Association
of Canada**



R.F. Martin, Editor

Volume 36, 1998



THE CANADIAN MINERALOGIST

JOURNAL OF THE MINERALOGICAL ASSOCIATION OF CANADA

Measuring mineral abundance in skarn. I. The Rietveld method using X-ray powder-diffraction data M. RAUDSEPP, E. PANI & G.M. DIPPLE	1
Measuring mineral abundance in skarn. II. A new linear programming formulation and comparison with projection and Rietveld methods T.M. GORDON & G.M. DIPPLE	17
Unusual forms of amorphous silica from submarine warm springs, Juan de Fuca Ridge, n ortheastern Pacific Ocean I.R. JONASSON & M.R. PERFIT	27
As, Sb, Be and Ce enrichment in minerals from a metamorphosed Fe–Mn deposit, Val Ferrera, eastern Swiss Alps J. BRUGGER & R. GIERÉ	37
Local Pb ²⁺ –□ disorder in the crystal structure of jamesite, $PbZnFe^{3+}_2(Fe^{3+}_{2.8}Zn_{1.2})(AsO_4)_4(OH)_8$ [(OH) _{1.2} O _{0.8}] M.A. COOPER & F.C. HAWTHORNE	53
The crystal structure of betpakdalite, and a new chemical formula: {Mg (H ₂ O) ₆ } Ca ₂ (H ₂ O) ₁₃ [Mo ⁶⁺ ₈ As ⁵⁺ ₂ Fe ³⁺ ₃ O ₃₆ (OH)] (H ₂ O) ₄ M.A. COOPER & F.C. HAWTHORNE	61
Esperanzaite, NaCa ₂ Al ₂ (As ⁵⁺ O ₄) ₂ F ₄ (OH)•2H ₂ O, a new mineral species from the La Esperanza mine, Mexico: descriptive mineralogy and atomic arrangement E.E. FOORD, J.M. HUGHES, F. CURETON, C.H. MAXWELL, A.U. FALSTER, A.J. SOMMER & P.F. HLAVA	67
The crystal structure of wooldridgeite, Na ₂ CaCu ²⁺ ₂ (P ₂ O ₇) ₂ (H ₂ O) ₁₀ , a novel copper pyrophosphate mineral M.A. COOPER & F.C. HAWTHORNE	73
Modular approach in solving the crystal structure of a synthetic dimorph of nacaphite, Na ₂ Ca[PO ₄]F, from powder-diffraction data E.V. SOKOLOVA, YU.K. KAVALOV, G. FERRARIS, J. SCHNEIDER & A.P. KHOMYAKOV	83
Hainite from Poços de Caldas, Minas Gerais, Brazil D. ATENCIO, J.M.V. COUTINHO, M.N.C. ULRICH, S.R.F. VLACH, R.K. RASTSVETAeva & D.YU. PUSHCHAROVSKY	91
Sr-bearing perovskite and loparite from lamproite and agpaitic nepheline syenite pegmatites R.H. MITCHELL & A.R. CHAKHMOURADIAN	99
The structure of edoyerite determined from a microcrystal P.C. BURNS	113
New data on the mercury oxide–chloride mineral poyarkovite: the second find, and crystal-structure determination V.I. VASIL'EV, N.V. PERVUKHINA, G.V. ROMANENKO, S.A. MAGARILL & S.V. BORISOV	119
Zoning and substitutions in Co–Ni–(Fe)–PGE sulfarsenides from the Mount General'skaya layered intrusion, Arctic Russia A.Y. BARKOV, Y. THIBAULT, K.V.O. LAAJOKI, V.A. MELEZHIK & L.P. NILSSON	127
The Um Samiuki volcanogenic Zn–Cu–Pb–Ag deposit, Eastern Desert, Egypt: a possible new occurrence of cervelleite H.M. HELMY	143
Fibrous foitite from Şebinkarahisar, Giresun Pb–Zn–Cu–(U) mineralization area, northern Turkey F. YAVUZ, M. ÇELİK & N. KARAKAYA	155
Mineralogy and geochemistry of Proterozoic alkaline basaltic intrusions, southwestern Alberta R.J. GOBLE, A.M. GHAZI & S.B. TREVES	163

Calcite – amphibole – clinopyroxene rock from the Afrikanda Complex, Kola Peninsula, Russia: mineralogy and a possible link to carbonatites. I. Oxide minerals	ANTON R. CHAKHMOURADIAN & ANATOLY N. ZAITSEV	177
Coordination and local structure of magnesium in silicate minerals and glasses: Mg <i>K</i> -edge XANES study	DIEN LI, MINGSHENG PENG & T. MURATA	199
Effects of dose rate and temperature on the crystalline-to-metamict transformation in the ABO_4 orthosilicates	A. MELDRUM, L.A. BOATNER, S.J. ZINKLE, SHIXIN WANG, LUMIN WANG & R.C. EWING	207
The origin of fluids associated with serpentinization: evidence from stable-isotope compositions	T.K. KYSER, D.S. O'HANLEY & F.J. WICKS	223
Reproducibility of electron-microprobe bulk analyses of fine-grained media: a case study using modern bone china	L.S. DE JONG & J.V. OWEN	239
New minerals approved in 1998 by the Commission on New Minerals and Mineral Names, International Mineralogical Association	J.D. GRICE & G. FERRARIS	247
BOOK REVIEWS		253
Proceedings of the forty-third Annual Meeting of the Mineralogical Association of Canada	G.M. LECHEMINANT	257
The Hawley Medal for 1998 to Frank C. Hawthorne		259
The Leonard G. Berry Medal for 1998 to D.G.W. Smith		261
The Past Presidents' Medal for 1998 to F.J. Longstaffe		263
The Young Scientist Award for 1998 to P.C. Burns		265

MINERAL-SCALE PROCESSES IN METAMORPHIC PETROLOGY: THE KRETZ VOLUME

Preface	T. RIVERS & D.R.M. PATTISON	273
Harkerite and associated minerals in marble and skarn from Crestmore quarry, Riverside County, California and Cascade Slide, Adirondack Mountains, New York	E.S. GREW, M.G. YATES, P.M. ADAMS, R. KIRKBY & M. WIEDENBECK	277
Experimental evidence for the effect of defects on the luminescence of synthetic calcite	R.A. MASON	297
The classic high-T – low-P metamorphism of west-central Maine: is it post-tectonic or syntectonic? Evidence from porphyroblast – matrix relations	G.S. SOLAR & M. BROWN	311
High-pressure and high-temperature metamorphism of the mafic and ultramafic Lac Espadon suite, Manicouagan imbricate zone, eastern Grenville Province, Quebec	R. COX & A. INDARES	335
Kyanite in the western Superior Province of Ontario: implications for Archean accretionary tectonics	YUANMING PAN & M.E. FLEET	359
Cordierite – anthophyllite – cummingtonite rocks from the Lar deposit, Laurie Lake, Manitoba	S.R. ELLIOTT-MEADOWS, E. FROESE & E.C. APPLEYARD	375
Subtle oscillatory zoning in garnet from regional metamorphic phyllites and mica schists, western Erzgebirge, Germany	R. SCHUMACHER, K. RÖTZLER & W.V. MARESCH	381
The case against Ostwald ripening of porphyroblasts	W.D. CARLSON	403
Forward modeling of metamorphic textures	C.T. FOSTER, JR.	415

Geochemistry and textures of metasomatic combs and orbicules in ultramafic rocks, Namew Lake, Manitoba	T. MENARD, C.K. RIDGWAY, H.H. STOWELL & C.M. LESHER	431
Crystal-chemical and thermal controls on trace-element partitioning between coexisting garnet and biotite in metamorphic rocks from western Labrador	PANSEOK YANG, T. RIVERS & S. JACKSON	443
Documentation of variable trace- and rare-earth-element abundances in carbonates from auriferous quartz veins in Meguma lode gold deposits, Nova Scotia	D.J. KONTAK & S.J. JACKSON	469
Deformation-induced mass transfer in felsic volcanic rocks hosting the Brunswick No. 6 massive-sulfide deposit, New Brunswick: geochemical effects and petrogenetic implications	D.R. LENTZ	489
Quartz and feldspar microstructures in metamorphic rocks	R.H. VERNON	513
Deformation of silicate garnets: brittle–ductile transition and its geological implications	ZICHAO WANG & SHAOCHENG JI	525
Carrollite and related minerals of the linnaeite group: solid solutions and nomenclature in the light of new data from the Siegerland district, Germany	T. WAGNER & N.J. COOK	545
Tellurides from the Paleoproterozoic Omai gold deposit, Guiana Shield	G. VOICU, M. BARDOUX & M. JÉBRAK	559
The Guibaré and Fété Kolé gold-bearing tourmaline–quartz veins in the Birimian greenstone belts of Burkina Faso	D. BÉZIAT, F. BOURGES, P. DEBAT, Y. FUCHS, M. LOMPO, F. MARTIN, S. NIKIÉMA & F. TOLLON	575
Pyrite and vivianite intervals in the bottom sediments of eutrophic Baptiste Lake, Alberta, Canada	P.G. MANNING, E.E. PREPAS & M.S. SEREDIAK	593
Mineralogy of the Archean barite deposit of Ghattihosahalli, Karnataka, India	T.C. DEVARAJU, M.M. RAITH & B. SPIERING	603
Occurrence of early Carboniferous high-Zr rhyolites, Cobequid Highlands, Nova Scotia: temperature effect of a contemporaneous mafic magma	D.J.W. PIPER, G. DESSUREAU & G. PE-PIPER	619
The mobility of zirconium and identification of secondary Zr-bearing phases in bauxite from Poços de Caldas, Minas Gerais, Brazil: a mass-balance and X-ray absorption spectroscopic study	L. DUVALLET, F. MARTIN, F. SOUBIÈS, S. SALVI, A.J. MELFI & J.-P. FORTUNÉ	635
Hydrothermal REE-rich eudialyte from the Pilanesberg Complex, South Africa	G.R. OLIVO & A.E. WILLIAMS-JONES	653
Niobian calciotantite and plumboan–stannoan cesstibtantite from the Island of Utö, Stockholm Archipelago, Sweden	S.-A. SMEDS, P. ČERNÝ & R. CHAPMAN	665
Strontiomelane, $\text{SrMn}^{4+}_6\text{Mn}^{3+}_2\text{O}_{16}$, a new mineral species of the cryptomelane group from St. Marcel – Praborna, Aosta Valley, Italy	N. MEISSER, E.-A. PERSEIL, J. BRÜGGER & P.-J. CHIAPPERO	673
Uvarovite in podiform chromitite: the Moa–Baracoa ophiolitic massif, Cuba	J. PROENZA, J. SOLÉ & J.C. MELGAREJO	679
Structural state of K-feldspar in some Hercynian granites from Iberia: a review of data and controlling factors	L.J.P.F. NEVES & M.M. GODINHO	691
High-temperature X-ray investigation of sanidine – analbite crystalline solutions: thermal expansion, phase transitions, and volumes of mixing	G.L. HOVIS, S. BRENNAN, M. KEOHANE & J. CRELLING	701
Crystal structures of near-end-member phlogopite at high temperatures and heat-treated Fe-rich phlogopite: the influence of the O,OH,F site	R.L. RUSSELL & S. GUGGENHEIM	711
The crystal structure of choloalite	A.E. LAM, L.A. GROAT, J.D. GRICE & T.S. ERCIT	721

Borate minerals. II. A hierarchy of structures based upon the borate fundamental building block	J.D. GRICE, P.C. BURNS & F.C. HAWTHORNE	731
Hydrogen-atom positions in <i>P4/nnc</i> vesuvianite	G.A. LAGER, QIANYEN XIE, F.K. ROSS, G.R. ROSSMAN, T. ARMBRUSTER, F.J. ROTELLA & A.J. SCHULTZ	763
The crystal structure of darapiosite and a comparison with Li- and Zn-bearing minerals of the milarite group	G. FERRARIS, M. PRENCIPE, L.A. PAUTOV & E.V. SOKOLOVA	769
Redetermination of the crystal structure of hanawaltite	J.D. GRICE	775
Book Reviews		779
Program and Abstracts, E.E. Foord Memorial Symposium on NYF Granitic Pegmatites		791
The crystal chemistry of the eudialyte group	O. JOHNSEN & J.D. GRICE	865
Khomyakovite and manganesekhomyakovite, two new members of the eudialyte group from Mont Saint-Hilaire, Quebec, Canada	O. JOHNSEN, R.A. GAULT, J.D. GRICE & T.S. ERCIT	893
Labantsovite: solid solutions and features of the crystal structure	N.V. CHUKANOV, I.V. PEKOV, R.K. RASTSVETAeva & A.N. NEKRASOV	901
Coparsite, $\text{Cu}_4\text{O}_2[\text{As}, \text{V}]\text{O}_4\text{Cl}$, a new mineral species from the Tolbachik volcano, Kamchatka Peninsula, Russia	L.P. VERGASOVA, G.L. STAROVA, S.V. KRIVOVICHEV, S.K. FILATOV & V.V. ANANIEV	911
Stereoactive lone-pair behavior of Pb in the crystal structure of bideauxite: $\text{Pb}^{2+}2\text{Ag}^+\text{Cl}_3\text{F}(\text{OH})$	M.A. COOPER, F.C. HAWTHORNE, S. MERLINO, M. PASERO & N. PERCHIAZZI	915
Crystal-structure determination of twinned kettnerite	J.D. GRICE, M.A. COOPER & F.C. HAWTHORNE	923
Refinement of the crystal structure of rutherfordine	R.J. FINCH, M.A. COOPER, F.C. HAWTHORNE & R.C. EWING	929
The crystal structure of ludwigite	M.B. IRWIN & R.C. PETERSON	939
Gorceixite, a singular product of replacement in fossil bones from the Bauru Basin, Brazil	J.M.V. COUTINHO, D. ATENCIO, A.M. COIMBRA & L.A. FERNANDES	945
Disclinations in unusual graphite crystals from anorthosites of Ukraine	V.N. KVASNITSA, V.G. YATSENKO & J.A. JASZCZAK	951
Occurrence of LREE- and Y-arsenates from a Fe–Mn deposit, Ligurian Briançonnais Domain, Maritime Alps, Italy	R. CABELLA, G. LUCCHETTI & P. MARESCOTTI	961
Two-XRD-line ferrihydrite and Fe–Si–Mn oxyhydroxide mineralization from Franklin Seamount, western Woodlark Basin, Papua New Guinea	T. BOYD & S.D. SCOTT	973
Mössbauer spectra of priderite and synthetic iron-bearing hollandite	C. McCAMMON, R.H. MITCHELL & A.R. CHAKHMOURADIAN	991
The structural formula of talc from the Trimouns deposit, Pyrénées, France	F. MARTIN, P. MICoud, L. DELMOTTE, C. MARICHAL, R. LE DRED, P. DE PARSEVAL, A. MARI, J.-P. FORTUNÉ, S. SALVI, D. BÉZIAT, O. GRAUBY & J. FERRET	997
Tourmaline compositions from the Salikvan porphyry Cu–Mo deposit and vicinity, northeastern Turkey	F. YAVUZ, A. İSKENDEROGLU & SHAO-YONG JIANG	1007
Upper thermal stability of tourmaline + quartz in the system $\text{MgO}-\text{Al}_2\text{O}_3-\text{SiO}_2-\text{B}_2\text{O}_3-\text{H}_2\text{O}$ and $\text{Na}_2\text{O}-\text{MgO}-\text{Al}_2\text{O}_3-\text{SiO}_2-\text{B}_2\text{O}_3-\text{H}_2\text{O}-\text{HCl}$ in hydrothermal solutions and siliceous melts	G. VON GOERNE, G. FRANZ & J.-L. ROBERT	1025
Book Reviews		1041
Encyclopedia of Mineral Names: first update	R.F. MARTIN & W.H. BLACKBURN	1045

Platinum-group elements and gold in Cu–Ni-mineralized peridotite at Gabbro Akarem, Eastern Desert, Egypt	N.A. SHARARA, G.C. WILSON & J.C. RUCKLIDGE	1081
Platinum-group minerals as indicators of sulfur fugacity in ophiolitic upper mantle: an example from chromitites of the Ray–Iz ultramafic complex, Polar Urals, Russia	G. GARUTI, F. ZACCARINI, V. MOLOSHAG & V. ALIMOV	1099
The platinum-group minerals of the Baimka placer deposits, Aluchin Horst, Russian Far East	S.S. GORNOSTAYEV, J.H. CROCKET, A.G. MOCHALOV & K.V.O. LAAJOKI	1117
Platinum-group minerals from the Aikora River area, Papua New Guinea	T.W. WEISER & H.-G. BACHMANN	1131
PGE distribution in base-metal alloys and sulfides of the New Caledonia ophiolite	T. AUGÉ, L.J. CABRI, O. LEGENDRE, G. McMAHON & A. COCHERIE	1147
Compositional zoning in ore minerals at the Craig mine, Sudbury, Ontario, Canada	J.R. CRAIG & T.N. SOLBERG	1163
Niobian ilmenite, hydroxylapatite and sulfatian monazite: alternative hosts for incompatible elements in calcite kimberlite from Internatsional'naya, Yakutia	A.R. CHAKHMOURADIAN & R.H. MITCHELL	1177
Magnetite–silicate inclusions in olivine of ophiolitic metagabbros from the Mulhacén Complex, Betic Cordillera, southeastern Spain	E. PUGA, M.D. RUIZ CRUZ & A. DÍAZ DE FEDERICO	1191
The origin of the Atshan talc deposit in the Hamata area, Eastern Desert, Egypt: a geochemical and mineralogical study	E.S. SCHANDL, N.A. SHARARA & M.P. GORTON	1211
The compositional space of muscovite in granitic rocks	A. ZANE & G. RIZZO	1229
Crystallization and alteration history of britholite in rare-earth-element-enriched pegmatitic segregations associated with the Eden Lake Complex, Manitoba, Canada	K.M. ARDEN & N.M. HALDEN	1239
Duranusite, product of realgar alteration, Mina Capillitas, Argentina	F. MÁRQUEZ-ZAVALÍA, J.R. CRAIG & T.N. SOLBERG	1255
Walfordite, a new tellurite species from the Wendy open pit, El Indio – Tambo mining property, Chile	M.E. BACK, J.D. GRICE, R.A. GAULT, A.J. CRIDDLE & J.A. MANDARINO	1261
Sidpietersite, $\text{Pb}^{2+}_4(\text{S}^{6+}\text{O}_3\text{S}^{2-})\text{O}_2(\text{OH})_2$, a new thiosulfate-bearing mineral species from Tsumeb, Namibia	A.C. ROBERTS, M.A. COOPER, F.C. HAWTHORNE, A.J. CRIDDLE, C.J. STANLEY, C.L. KEY & J.L. JAMBOR	1269
The structure topology of sidpietersite, $\text{Pb}^{2+}_4(\text{S}^{6+}\text{O}_3\text{S}^{2-})\text{O}_2(\text{OH})_2$, a novel thiosulfate structure	M.A. COOPER & F.C. HAWTHORNE	1275
The structure of a synthetic Cs uranyl oxide hydrate and its relationship to compregnacite	F.C. HILL & P.C. BURNS	1283
Ta–Nb order in the crystal structure of niobium-rich calciotantite	M.A. COOPER, F.C. HAWTHORNE & P. ČERNÝ	1289
Oneillite: a new Ca-deficient and REE-rich member of the eudialyte group from Mont Saint- Hilaire, Quebec, Canada	O. JOHNSEN, J.D. GRICE & R.A. GAULT	1295
Xenotime-(Yb), YbPO_4 , a new mineral species from the Shatford Lake pegmatite group, southeastern Manitoba, Canada	H.M. BUCK, M.A. COOPER, P. ČERNÝ, J.D. GRICE & F.C. HAWTHORNE	1303
Growth texture and symmetry of heulandite-Ca from Poona, India	M. AKIZUKI, Y. KUDOH & S. NAKAMURA	1307
The discreditation of platinite	D. HOLTSTAM & J. SÖDERHIELM	1313

Referees for 1998		1317
Editorial: an electronic version of <i>The Canadian Mineralogist</i>	R.F. MARTIN	1321
Nomenclature of the alunite supergroup	J.L. JAMBOR	1323
Ludwigite from the type locality, Ocna de Fier, Romania: new data and review	S. MARINCEA	1343
The differential thermal analysis of gaudéfroyite	I. HASSAN & M.J. DUANE	1363
The mineralogy of a unique baratovite- and miserite-bearing quartz – albite – aegirine rock from the Dara-i-Pioz complex, northern Tajikistan	E.P. REGUIR, A.R. CHAKHMOURADIAN & M.D. EVDOKIMOV	1369
Chlorine-bearing amphiboles from the Fraser mine, Sudbury, Ontario, Canada: description and crystal chemistry	K.A. MCCORMICK & A.M. McDONALD	1385
Paragenesis and composition of amphibole and biotite in the MacLellan gold deposit, Lynn Lake greenstone belt, Manitoba, Canada	I.M. SAMSON, W.H. BLACKBURN & J.E. GAGNON	1405
The oxidation ratio of iron in coexisting biotite and hornblende from granitic and metamorphic rocks: the role of P, T, and $f(O_2)$	N.S. BORODINA, G.B. FERSHTATER & S.L. VOTYAKOV	1423
The occurrence and crystal structure of foitite from a tungsten-bearing vein at Copper Mountain, Taos County, New Mexico	C.A. FRANCIS, M.D. DYAR, M.L. WILLIAMS & J.M. HUGHES	1431
Magnesiofoitite, $\square(Mg_2Al)Al_6(Si_6O_{18})(BO_3)_3(OH)_4$, a new alkali-deficient tourmaline	F.C. HAWTHORNE, J.B. SELWAY, A. KATO, S. MATSUBARA, M. SHIMIZU, J.D. GRICE & J. VAJDAK	1439
Ferrokinoshitalite, a new species of brittle mica from the Broken Hill mine, South Africa: structural and mineralogical characterization	S. GUGGENHEIM & H.E. FRIMMEL	1445
Coskrenite-(Ce), $(Ce,Nd,La)_2(SO_4)_2(C_2O_4) \cdot 8H_2O$, a new rare-earth oxalate mineral from Alum Cave Bluff, Tennessee: characterization and crystal structure	D.R. PEACOR, R.C. ROUSE, E.J. ESSENE & R.J. LAUF	1453
The crystal structure of schuilingite-(Nd)	M. SCHINDLER & F.C. HAWTHORNE	1463
The effect of differences in coordination on ordering of polyvalent cations in close-packed structures: the crystal structure of arakiite and comparison with hematolite	M.A. COOPER & F.C. HAWTHORNE	1471
The structure of masuyite, $Pb[(UO_2)_3O_3(OH)_2](H_2O)_3$, and its relationship to protasite	P.C. BURNS & J.M. HANCHAR	1483
Orlandiite, $Pb_3Cl_4(SeO_3) \cdot H_2O$, a new mineral species, and an associated lead–copper selenite chloride from the Baccu Locci mine, Sardinia, Italy	I. CAMPOSTRINI, C.M. GRAMACCIOLI & F. DEMARTIN	1493
Rare sulfosalts from Vulcano, Aeolian Islands, Italy. II. Mozgovaite, $PbBi_4(S,Se)_7$, a new mineral species	F. VURRO, A. GARAVELLI, C. GARBARINO, Y. MOËLO & YU.S. BORODAEV	1499
New Pd–Pb and Pb–V oxides from a bonanza-type PGE-rich, nearly BMS-free deposit in the Penikat layered complex, Finland	A.Y. BARKOV, T.A.A. HALKOAHIO, A.C. ROBERTS, A.J. CRIDDLE, R.F. MARTIN & H. PAPUNEN	1507
Occurrence and distribution of invisible gold in the Shewushan supergene gold deposit, southeastern Hubei, China	HONG HANLIE, WANG QINYAN, CHANG JIANPING, LIU SHIRONG & HU RUIZHONG	1525
Index, volume 37	J.D. SCOTT	1533