

THE CANADIAN MINERALOGIST

INDEX, VOLUME 38

J. DOUGLAS SCOTT

203-44 Brousseau Avenue, Timmins, Ontario P4N 5Y2, Canada

AUTHOR INDEX

- Alviola, R. with Mancini, F., 1103
 Appleyard, E.C. with Elliott-Meadows, S.R., 545
 Arima, M. with Patti, J.K., 1177
 Bai, Wenji, Robinson, P.T., Fang, Qingsong, Yang, Jingsui, Yan, Binggang, Zhang, Zhongming, Hu, Xu-Feng, Zhou, Mei-Fu & Malpas, J., The PGE and base-metal alloys in the podiform chromitites of the Luobusa ophiolite, southern Tibet, 585
 Babić-Zunić, T. with Topa, D., 611
 Ballirano, P., Bonaccorsi, E., Maras, A. & Merlini, S., The crystal structure of franzinitie, the ten-layer mineral of the cancrinite group, 657
 Barkov, A.Y., Martin, R.F., Poirier, G. & Men'shikov, Yu.P., Zoned tungstenoan molybdenite from a fenitized megaxenolith in the Khibina alkaline complex, Kola Peninsula, Russia, 1377
 Barkov, A.Y., Martin, R.F., Poirier, G. & Yakovlev, Yu.N., The taimyrite-tatyanite series and zoning in intermetallic compounds of Pt, Pd, Cu and Sn from Noril'sk, Siberia, Russia, 599
 Baur, W.H. with Schindler, M., 1443
 Beaudoin, G., Acicular sphalerite enriched in Ag, Sb, and Cu embedded within color-banded sphalerite from the Kokanee Range, British Columbia, Canada, 1387
 Bellatreccia, F. with Della Ventura, G., 57
 Berman, R.G. & Easton, R.M., Preface: Tectonometamorphic studies in the Canadian Shield (Part II), 273
 Berman, R.G., Easton, R.M. & Nadeau, L., A new tectonometamorphic map of the Canadian Shield: introduction, 277
 Berman, R.G. with Jackson, G.D., 399
 Bermanc, V., Sijarić, G., Kniewald, G. & Mandarino, J.A., 1371
 Birch, W.D., Kolitsch, U., Witzke, T., Nasdala, L. & Bottrell, R.S., Petterlite, the Cr-dominant analogue of dundasite, a new mineral species from Dundas, Tasmania, Australia and Callenberg, Saxony, Germany, 1467
 Bismayer, U. with Zhang, Ming, 119
 Blanc, P. with Perseil, E.-A., 101
 Blencoe, J.G. with Guidotti, C.V., 709
 Boiron, M.C. with Fuertes-Fuente, M., 1163
 Bonaccorsi, E. with Ballirano, P., 657
 Borodaae, Yu.S., Garavelli, A., Garbarino, C., Grillo, S.M., Mozgova, N.N., Organova, N.I., Trubkin, N.V. & Vurro, F., Rare sulfosalts from Vulcano, Aeolian Islands, Italy. III. Wittite and cannizzarite, 23
 Bottrell, R.S. with Birch, W.D., 1467
 Brown, M. with Solar, G., 1007
 Brugger, J. & Gieré, R., Origin and distribution of some trace elements in metamorphosed Fe–Mn deposits, Val Ferrara, eastern Swiss Alps, 1075
 Burns, P.C., Clark, C.M. & Gault, R.A., Juabite, $\text{CaCu}_{10}(\text{Te}^{4+}\text{O}_3)_4(\text{AsO}_4)_4(\text{OH})_2(\text{H}_2\text{O})_4$: crystal structure and revision of chemical formula, 809
 Burns, P.C. & Hill, F.C., A new uranyl sheet in $\text{K}_5[(\text{UO}_2)_{10}\text{O}_8(\text{OH})_9](\text{H}_2\text{O})$: new insight into sheet anion-topologies, 163
 Burns, P.C. & Hill, F.C., Implications of the synthesis and structure of the Sr analogue of curite, 175
 Burns, P.C. with Krivovichev, S.V., 719, 847
 Burns, P.C. with Li, Yaping, 153, 715, 729, 739, 1433
 Burns, P.C. with Mitchell, R.H., 145, 617
 Burwash, R.A., Krupicka, J. & Wijbrans, J.R., Metamorphic evolution of the Precambrian basement of Alberta, 423
 Cabri, L.J., Newville, M., Gordon, R.A., Crozier, E.D., Sutton, S.R., McMahon, G. & Jiang, De-Tong, Chemical speciation of gold in arsenopyrite, 1265
 Cabri, L.J. with Steele, I.M., 1
 Cahill, C.L. with Parise, J.B., 777
 Campostrini, I. with Gramaccioli, C.M., 1409
 Carlson, W.D., The case against Ostwald ripening of porphyroblasts: reply, 1029
 Černý, P., Chapman, R. & Masau, M., Two-stage exsolution of a titanian (Sc,Fe^{3+}) $(\text{Nb},\text{Ta})\text{O}_4$ phase in niobian rutile from southern Norway, 907
 Černý, P. with Fransolet, A.-M., 893
 Černý, P. with Masau, M., 687, 899
 Černý, P. with Selway, J.B., 869, 877
 Chacón, F. de la F. with Ruano, S.M., 553
 Chakhmouradian, A.R. & Mitchell, R.H., Occurrence, alteration patterns and compositional variation of perovskite in kimberlites, 975
 Chakhmouradian, A.R. with Mitchell, R.H., 145, 617
 Channer, D.M. with Kaminsky, F.V., 1347
 Chao, G.Y. with McDonald, A.M., 649
 Chapman, R. with Černý, P., 907
 Chapman, R. with Fransolet, A.-M., 893
 Chapman, R. with Masau, M., 687, 899
 Choi, Seon-Gyu & Youm, Seung-Jun, Compositional variation of arsenopyrite and fluid evolution at the Ulsan deposit, southeastern Korea: a low-sulfidation porphyry system, 567
 Clark, C.M. with Burns, P.C., 809
 Comodi, P. with Guidotti, C.V., 709
 Coombs, D.S. with Mossman, D.J., 191
 Cooper, M.A. & Hawthorne, F.C., Boleite: resolution of the formula, $\text{KPb}_{26}\text{Ag}_9\text{Cu}_{24}\text{Cl}_{62}(\text{OH})_{48}$, 801
 Cooper, M.A. & Hawthorne, F.C., Highly undersaturated anions in the crystal structure of andyrobortsuite – calcio-andyrobortsuite, a doubly acid arsenate of the form $\text{K}(\text{Cd,Ca})[\text{Cu}^{2+}_5(\text{AsO}_4)_4(\text{As}(\text{OH})_2\text{O}_2)](\text{H}_2\text{O})_2$, 817

- Cooper, M.A. with Fransolet, A.-M., 893
 Cooper, M.A. with Grice, J.D., 1457
 Crawford, M.L. with Lindline, J., 951
 Crawford, W.A. with Lindline, J., 951
 Crozier, E.D. with Cabri, L.J., 1265
 Della Ventura, G., Bellatreccia, F. & Williams, C.T., Zirconolite with significant REEZrNb(Mn,Fe)O₇ from a xenolith of the Laacher See eruptive center, Eifel volcanic region, Germany, 57
 Demartin, F., Gramaccioli, C.M. & Pilati, T., Structure refinement of bazzite from pegmatitic and miarolitic occurrences, 1419
 Demartin, F. with Gramaccioli, C.M., 1409
 Diaz de Federico, A. with Puga, E., 1137
 Diella, V. with Gramaccioli, C.M., 1409
 Dutrow, B.L. & Henry, D.J., Complexly zoned fibrous tourmaline, Cruzeiro mine, Minas Gerais, Brazil: a record of evolving magmatic and hydrothermal fluids, 131
 Dyar, M.D. with Hughes, J.M., 861
 Easton, R.M., Metamorphism of the Canadian Shield, Ontario, Canada. I. The Superior Province, 287
 Easton, R.M., Metamorphism of the Canadian Shield, Ontario, Canada. II. Proterozoic metamorphic history, 319
 Easton, R.M. with Berman, R.G., 273, 277
 Elliott-Meadows, S.R., Froese, E. & Appleyard, E.C., Cordierite – anthophyllite – cummingtonite rocks from the Lar deposit, Laurie Lake, Manitoba, 545
 Ercit, T.S. with Groat, L.A., 767
 Ertl, A. with Hughes, J.M., 861
 Fang, Qingsong with Bai, Wenji, 585
 Ferraris, G. with Grice, J.D., 245
 Förster, H.-J., Cerite-(Ce) and thorian synchysite-(Ce) from the Niederbohrtschz granite, Erzgebirge, Germany: implications for the differential mobility of the LREE and Th during alteration, 67
 Förster, H.-J., Harlov, D.E. & Milke, R., Composition and Th – U – total Pb ages of huttonite and thorite from Gillespie's Beach, South Island, New Zealand, 677
 Fransolet, A.-M., Cooper, M.A., Černý, P., Hawthorne, F.C., Chapman, R. & Grice, J.D., The Tanco pegmatite at Bemis Lake, southeastern Manitoba. XV. Ercite, NaMn³⁺PO₄(OH)(H₂O)₂, a new phosphate mineral species, 893
 Frisch, T. with Kitsul, V.I., 443
 Froese, E. with Elliott-Meadows, S.R., 545
 Froese, E. with Jungwirth, T., 435
 Fuertes-Fuente, M., Martín-Izard, A., Boiron, M.C. & Viñuela, J.M., P-T path and fluid evolution in the Franqueira granitic pegmatite, central Galicia, northwestern Spain, 1163
 Galuskin, E.V. & Galuskina, I.O., Wiluite, Ca₁₉(Al,Mg,Fe,Ti)₁₃(B,Al, \square)₅Si₁₈O₆₈(O,OH)₁₀, a new mineral species isostructural with vesuvianite, from the Sakha Republic, Russian Federation: discussion, 765
 Galuskina, I.O. with Galuskin, E.V., 765
 Garavelli, A. with Borodaev, Yu.S., 23
 Garbarino, C. with Borodaev, Yu.S., 23
 Gaspar, J.C. with Steele, I.M., 1
 Gaspéite and associated Ni-rich minerals from veins in altered ultrabasic rocks from Dubostica, Bosnia and Herzegovina, 1371
 Gault, R.A. with Burns, P.C., 809
 Gault, R.A. with Grice, J.D., 1457
 Gault, R.A. with Li, Yaping, 153
 Gault, R.A. with Perchiazzi, N., 641
 Gault, R.A. with Piilonen, P.C., 627
 Gehör, S. with Liforovich, R.P., 1477
 Ghent, E.D. & Stout, M.Z., Mineral equilibria in quartz leucoamphibolites (quartz – garnet – plagioclase – hornblende calc-silicates) from southeastern British Columbia, Canada, 233
 Gieré, R. with Brugger, J., 1075
 Glebovitsky, V.A. with Kitsul, V.I., 443
 Goetz, S. with Sheriff, B.L., 1201
 Gordon, R.A. with Cabri, L.J., 1265
 Gordon, T.M. with Jungwirth, T., 435
 Gorton, M.P. & Schandl, E.S., From continents to island arcs: a geochemical index of tectonic setting for arc-related and within-plate felsic to intermediate volcanic rocks, 1065
 Gramaccioli, C.M., Diella, V., Demartin, F., Orlandi, P. & Campostrini, I., Cesian bazzite and thortveitite from Cuasso al Monte, Varese, Italy: a comparison with the material from Baveno, and inferred origin, 1409
 Gramaccioli, C.M. with Demartin, F., 1419
 Grew, E.S. with Hughes, J.M., 861
 Grice, J.D. & Ferraris, G., New Minerals approved in 1999 by the Commission on New Minerals and Mineral Names, International Mineralogical Association, 245
 Grice, J.D., Gault, R.A., Roberts, A.C. & Cooper, M.A., Adamsite-(Y), a new sodium–yttrium carbonate mineral species from Mont Saint-Hilaire, Quebec, 1457
 Grice, J.D. with Fransolet, A.-M., 893
 Grice, J.D. with Groat, L.A., 767
 Grice, J.D. with McDonald, A.M., 649
 Griffin, W.L. with Kaminsky, F.V., 1347
 Grillo, S.M. with Borodaev, Yu.S., 23
 Groat, L.A., Hawthorne, F.C., Ercit, T.S. & Grice, J.D., Wiluite, Ca₁₉(Al,Mg,Fe,Ti)₁₃(B,Al, \square)₅Si₁₈O₆₈(O,OH)₁₀, a new mineral species isostructural with vesuvianite, from the Sakha Republic, Russian Federation: reply, 767
 Groat, L.A. with Zhang, Ming, 119
 Guidotti, C.V., The classic high-P – low-P metamorphism of west-central Maine: is it post-tectonic or syntectonic? Evidence from porphyroblast – matrix relations: discussion, 995
 Guidotti, C.V., Sassi, F.P., Comodi, P., Zanazzi, P.F. & Blencoe, J.G., The contrasting responses of muscovite and paragonite to increasing pressure: petrological implications, 709
 Guidotti, C.V. with Hughes, J.M., 861
 Gupta, A.K. with Pati, J.K., 1177
 Hach-Alí, P.F. with Ruano, S.M., 553
 Harlov, D.E. with Förster, H.-J., 677
 Hawthorne, F.C. & Schindler, M., Topological enumeration of decorated [Cu²⁺fffl]_N sheets in hydroxy-hydrated copper-oxy salt minerals, 753
 Hawthorne, F.C. with Cooper, M.A., 801, 817
 Hawthorne, F.C. with Fransolet, A.-M., 893
 Hawthorne, F.C. with Groat, L.A., 767
 Hawthorne, F.C. with Huminicki, D.M.C., 1425
 Hawthorne, F.C. with Liforovich, R.P., 1477
 Hawthorne, F.C. with Schindler, M., 1443
 Hawthorne, F.C. with Selway, J.B., 869, 877
 Hawthorne, F.C. with Sokolova, E.V., 669, 853
 Henry, D.J. with Dutrow, B.L., 131
 Herd, C.D.K., Peterson, R.C. & Rossman, G.R., Violet-colored diopside from southern Baffin Island, Nunavut, Canada, 1193
 Hill, F.C. with Burns, P.C., 163, 175
 Hosser, A. with Prencipe, M., 183
 Hu, Xu-Feng with Bai, Wenji, 585
 Hubé, D. with Leroy, J.L., 1125
 Hughes, J.M., Ertl, A., Dyar, M.D., Grew, E.S., Shearer, C.K., Yates, M.G. & Guidotti, C.V., Tetrahedrally coordinated boron in a tourmaline: boron-rich olenite from Stoffhütte, Koralpe, Austria, 861
 Hughes, J.M. with Rakovan, J.F., 839
 Huminicki, D.M.C. & Hawthorne, F.C., Refinement of the crystal structure of väyrynenite, 1425
 Huminicki, M.A.E. with Larocque, A.C.L., 1233
 Izawa, E. with Zeng, Nanshi, 11
 Jackson, G.D. & Berman, R.G., Precambrian metamorphic and tectonic evolution of northern Baffin Island, Nunavut, Canada, 399
 Jambor, J.L., Nomenclature of the alunite supergroup: reply, 1298
 Jamieson, R.A. with Wodicka, N., 471
 Jäger, C. with Sheriff, B.L., 1201
 Jenkins, D.M. with Sheriff, B.L., 1201
 Jiang, De-Tong with Cabri, L.J., 1265
 Johnsen, O. with Perchiazzi, N., 641

- Jungwirth, T., Gordon, T.M. & Froese, E., Metamorphism of the Burntwood Group in the Duval Lake area, Manitoba, 435
- Kabalov, Yu.K. with Sherriff, B.L., 1201
- Kabalov, Yu.K. with Sokolova, E., 669
- Kaminsky, F.V., Zakharchenko, O.D., Griffin, W.L., Channer, D.M.DeR. & Khachatryan-Blinova, G.K., Diamond from the Guaniamo area, Venezuela, 1347
- Kawachi, Y. with Mossman, D.J., 191
- Keith, J.D. with Larocque, A.C.L., 1233
- Ketchum, J.W.F. with Wodicka, N., 471
- Khachatryan-Blinova, G.K. with Kaminsky, F.V., 1347
- Kitsul, V.I., Glebovitsky, V.A., Vapnik, Ye.A. & Frisch, T., Gneisses from the granulite terrane of the central Boothia Uplift, Arctic Canada, 443
- Kniewald, G. with Bermanec, V., 1371
- Kolitsch, U. with Birch, W.D., 1467
- Konno, H. with Sasaki, K., 45
- Kretz, R., Redistribution of major and trace elements during the formation of biotite-plagioclase reaction zones at boundaries between amphibolite and K-feldspar gneiss, Otter Lake area, Quebec, Canada, 525
- Krivenko, A.P. with Tolstykh, N.D., 1251
- Krivichev, S.V. & Burns, P.C., Crystal chemistry of uranyl molybdates. I. The structure and formula of umohoitie, 719
- Krivichev, S.V. & Burns, P.C., The crystal chemistry of uranyl molybdates. II. The crystal structure of iringite, 847
- Krupicka, J. with Burwash, R.A., 423
- Kumazawa, M. with Togami, S., 1283
- Kunath-Fandrei, G. with Sherriff, B.L., 1201
- Laajoki, K.V.O. with Liforovich, R.P., 1477
- Laajoki, K.V.O. with Tolstykh, N.D., 1251
- Lai, Laijen with Zeng, Nanshi, 11
- LaLonde, A.E. with Piilonen, P.C., 627
- Larocque, A.C.L., Stimac, J.A., Keith, J.D. & Huminicki, M.A.E., Evidence for open-system behavior in immiscible Fe-S-O liquids in silicate magmas: implications for contributions of metals and sulfur to ore-forming fluids, 1233
- Lee, Yongjae with Parise, J.B., 777
- Leroy, J.L., Hubé, D. & Marcoux, E., Episodic deposition of Mn minerals in cockade breccia structures in three low-sulfidation epithermal deposits: a mineral stratigraphy and fluid-inclusion approach, 1125
- Li, Yaping & Burns, P.C., Investigations of crystal-chemical variability in lead uranyl oxide hydrates. I. Curite, 729
- Li, Yaping & Burns, P.C., Investigations of crystal-chemical variability in lead uranyl oxide hydrates. II. Fourmarierite, 739
- Li, Yaping & Burns, P.C., Refinement of the structure of bandylite, 715
- Li, Yaping & Burns, P.C., Synthesis and crystal structure of a new Pb uranyl oxide hydrate with a framework structure that contains channels, 1433
- Li, Yaping, Burns, P.C. & Gault, R.A., A new rare-earth-element uranyl carbonate sheet in the structure of bijvoetite-(Y), 153
- Liferovich, R.P., Sokolova, E.V., Hawthorne, F.C., Laajoki, K.V.O., Gehör, S., Pakhomovsky, Ya.A. & Sorokhtina, N.V., Gladiusite, $\text{Fe}^{3+}_2(\text{Fe}^{2+}, \text{Mg})_4(\text{PO}_4)_{11}(\text{H}_2\text{O})$, a new hydrothermal mineral species from the phoscorite-carbonate unit, Kovdor Complex, Kola Peninsula, Russia, 1477
- Liferovich, R.P. with Yakubovich, O.V., 831
- Lindline, J., Crawford, W.A., Crawford, M.L. & Omar, G.I., Post-accretionary magmatism within the Kuiu-Etolin Igneous Belt, southeastern Alaska, 951
- López, E.C. with Ruano, S.M., 553
- Lucas, S.B. with St-Onge, M.R., 379
- Mackovicky, E. with Topa, D., 611
- Malcherek, T. with Zhang, Ming, 119
- Malpas, J. with Bai, Wenji, 585
- Mancini, F., Alviola, R., Marshall, B., Satoh, H. & Papunen, H., The manganese silicate rocks of the Early Proterozoic Vittinki Group, southwestern Finland: metamorphic grade and genetic interpretations, 1103
- Mandarino, J.A. with Bermanec, V., 1371
- Maras, A. with Ballirano, P., 657
- Marcoux, E. with Leroy, J.L., 1125
- Marquez, M.A. with Steele, I.M., 1
- Marshall, B. with Mancini, F., 1103
- Martin, R.F. with Barkov, A.Y., 599, 1377
- Martin-Izard, A. with Fuertes-Fuente, M., 1163
- Masau, M., Černý, P. & Chapman, R., Dysprosian xenotime-(Y) from the Annie Claim #3 granitic pegmatite, southeastern Manitoba, Canada: evidence of the tetrad effect?, 899
- Masau, M., Černý, P. & Chapman, R., Exsolution of zirconian-hafnian wodginite from manganan-tantalian cassiterite, Annie Claim #3 granitic pegmatite, southeastern Manitoba, Canada, 687
- Masau, M. with Černý, P., 907
- Massa, W. with Yakubovich, O.V., 831
- McCammon, C. with Sokolova, E., 669
- McDonald, A.M., Grice, J.D. & Chao, G.Y., The crystal structure of yoshimuraite, a layered Ba-Mn-Ti silicophosphate, with comments on five-coordinated Ti^{4+} , 649
- McDonald, A.M. with Perchiazzini, N., 641
- McDonald, A.M. with Piilonen, P.C., 627
- McMahon, G. with Cabri, L.J., 1265
- McMahon, G. with Steele, I.M., 1
- Men'shikov, Yu.P. with Barkov, A.Y., 1377
- Merlino, S. with Ballirano, P., 657
- Merlino, S. with Perchiazzini, N., 641
- Michibayashi, K. with Togami, S., 1283
- Milke, R. with Förster, H.-J., 677
- Mitchell, R.H., Burns, P.C. & Chakhmouradian, A.R., The crystal structures of loparite-(Ce), 145
- Mitchell, R.H., Yakovenchuk, V.N., Chakhmouradian, A.R., Burns, P.C. & Pakhomovsky, Ya.A., Henrymeyerite, a new hollandite-group Ba-Fe titanate from the Kovdor complex, Russia, 617
- Mitchell, R.H. with Chakhmouradian, A.R., 975
- Miyazaki, K., The case against Ostwald ripening of porphyroblasts: discussion, 1027
- Mossman, D.J., Coombs, D.S., Kawachi, Y. & Reay, A., High-Mg arc-ankaramitic dikes, Greenhills Complex, Southland, New Zealand, 191
- Motomura, Y. with Zeng, Nanshi, 11
- Mozgovaya, N.N. with Borodaev, Yu.S., 23
- Nadeau, L. with Berman, R.G., 277
- Nasdala, L. with Birch, W.D., 1467
- Newville, M. with Cabri, L.J., 1265
- Nicholls, J., "Thermodynamics of a magmatic gas phase" 50 years later: comments on a paper by John Verhoogen (1949), 1313
- Nieto, J.M. with Puga, E., 1137
- Novák, M. & Taylor, M.C., Foitite: formation during late stages of evolution of complex granitic pegmatites at Dobrá Voda, Czech Republic, and Pala, California, U.S.A., 1399
- Novák, M. with Selway, J.B., 869, 877
- Ohnenstetter, D. with Perseil, E.-A., 101
- Omar, G.I. with Lindline, J., 951
- Organova, N.I. with Borodaev, Yu.S., 23
- Orlandi, P. with Gramaccioni, C.M., 1409
- Pakhomovsky, Ya.A. with Liforovich, R.P., 1477
- Pakhomovsky, Ya.A. with Mitchell, R.H., 617
- Pakhomovsky, Ya.A. with Yakubovich, O.V., 831
- Papunen, H. with Mancini, F., 1103
- Parise, J.B., Cahill, C.L. & Lee, Yongjae, Dynamic powder crystallography with synchrotron X-ray sources, 777
- Pati, J.K., Arima, M. & Gupta, A.K., Experimental study of the system diopside – albite – nepheline at $P(\text{H}_2\text{O}) = P(\text{Total}) = 2$ and 10 kbar and at $P(\text{Total}) = 28$ kbar, 1177
- Pautov, L.A. with Sokolova, E.V., 853
- Pavesi, A. with Prencipe, M., 183
- Pe-Piper, G., Mode of occurrence, chemical variation and genesis of mordenite and associated zeolites from the Morden area, Nova Scotia, Canada, 1215

- Pe-Piper, G. & Reynolds, P.H., Early Mesozoic alkaline mafic dykes, southwestern Nova Scotia, Canada, and their bearing on Triassic–Jurassic magmatism, 217
- Peck, W.H. & Valley, J.W., Genesis of cordierite– gedrite gneisses, Central Metasedimentary Belt boundary thrust zone, Grenville Province, Ontario, Canada, 511
- Perchiazzi, N., McDonald, A.M., Gault, R.A., Johnsen, O. & Merlino, S., The crystal structure of normandite and its crystal-chemical relationships with lávénite, 641
- Percival, J.A. & Skulski, T., Tectono-thermal evolution of the northern Minto block, Superior Province, Quebec, Canada, 345
- Pereira Gómez, M.D. & Rodríguez Alonso, M.D., Duality of cordierite granites related to melt–restite segregation in the Peña Negra anatexitic complex, central Spain, 1329
- Perseil, E.-A., Blanc, P. & Ohnenstetter, D., As-bearing fluorapatite in manganeseiferous deposits from St. Marcel – Prabornea, Val d’Aosta, Italy, 101
- Peterson, R.C. with Herd, C.D.K., 1193
- Piilonen, P.C., Lalonde, A.E., McDonald, A.M. & Gault, R.A., Niobokupletskite, a new astrophyllite-group mineral from Mont Saint-Hilaire, Quebec, Canada: description and crystal structure, 627
- Pilati, T. with Demartin, F., 1419
- Podlipskiy, M. with Tolstykh, N.D., 1251
- Poirier, G. with Barkov, A.Y., 599, 1377
- Prencipe, M., Tribaudino, M., Pavese, A., Hoser, A. & Reehuis, M., A single-crystal neutron-diffraction investigation of diopside at 10 K, 183
- Puga, E., Nieto, J.M. & Diaz de Federico, A., Contrasting P-T paths in eclogites of the Betic Ophiolitic Association, Mulhacén Complex, southeastern Spain, 1137
- Raase, P., Orientation of exsolution lamellae and rods, and optimal phase-boundaries in antiperthite from pelitic granulites, Sri Lanka, 697
- Raková, J.F. & Hughes, J.M., Strontium in the apatite structure: strontian fluorapatite and belovite-(Ce), 839
- Reay, A. with Mossman, D.J., 191
- Reehuis, M. with Prencipe, M., 183
- Reyf, F.G., Seltmann, R. & Zaraisky, G.P., The role of magmatic processes in the formation of banded Li,F-enriched granites from the Orlovka tantalum deposit, Transbaikalia, Russia: microthermometric evidence, 915
- Reynolds, P.H. with Pe-Piper, G., 217
- Ricketts, A. with Wood, S.A., 81
- Roberts, A.C. with Grice, J.D., 1457
- Robinson, P.T. with Bai, Wenji, 585
- Rodríguez Alonso, M.D. with Pereira Gómez, M.D., 1329
- Rosman, G.R. with Herd, C.D.K., 1193
- Rosúa, F.J.C. with Ruano, S.M., 553
- Ruano, S.M., Rosúa, F.J.C., Hach-Alí, P.F., Chacón, F. de la F., López, E.C., Epithermal Cu–Au mineralization in the Palai-Islica deposit, Almería, southeastern Spain: fluid-inclusion evidence for mixing of fluids as a guide to mineralization, 553
- Salje, E.K.H. with Zhang, Ming, 119
- Salvi, S., Mineral and fluid equilibria in Mo-bearing skarn at the Zenith deposit, southwestern Grenville Province, Renfrew area, Ontario, Canada, 937
- Samson, I.M. & Walker, R.T., Cryogenic Raman spectroscopic studies in the system NaCl–CaCl₂–H₂O and implications for low-temperature phase behavior in aqueous fluid inclusions, 35
- Sasaki, K. & Konno, H., Morphology of jarosite-group compounds precipitated from biologically and chemically oxidized Fe ions, 45
- Sassi, F.P., with Guidotti, C.V., 709
- Satoh, H. with Mancini, F., 1103
- Schandl, E.S. with Gorton, M.P., 1065
- Schindler, M., Hawthorne, F.C. & Baur, W.H., A crystal-chemical approach to the composition and occurrence of vanadium minerals, 1443
- Schindler, M. with Hawthorne, F.C., 753
- Schneider, J. with Sherriff, B.L., 1201
- Schneider, J. with Sokolova, E., 669
- Scott, K.M., Nomenclature of the alunite supergroup: discussion, 1295
- Seltmann, R. with Reyf, F.G., 915
- Selway, J.B., Černý, P., Hawthorne, F.C. & Novák, M., The Tanco pegmatite at Bernic Lake, Manitoba. XIV. Internal tourmaline, 877
- Selway, J.B., Novák, M., Černý, P. & Hawthorne, F.C., The Tanco pegmatite at Bernic Lake, Manitoba. XIII. Exocontact tourmaline, 869
- Shaw, D.M., Continuous (dynamic) melting theory revisited, 1041
- Shearer, C.K. with Hughes, J.M., 861
- Sherriff, B.L., Sokolova, E.V., Kabalov, Yu.K., Jenkins, D.M., Kunath-Fandrei, G., Goetz, S., Jäger, C. & Schneider, J., Meionite: Rietveld structure-refinement, ²⁹Si MAS and ²⁷Al SATRAS NMR spectroscopy, and comments on the milarite–meionite series, 1201
- Siderov, E.G. with Tolstykh, N.D., 1251
- Sijarić, G. with Bermanec, V., 1371
- Skulski, T. with Percival, J.A., 345
- Sokolova, E.V., Hawthorne, F.C., Kabalov, Yu., Schneider, J. & McCammon, C., The crystal chemistry of potassio-ferri-sadanagaite, 669
- Sokolova, E.V., Hawthorne, F.C. & Pautov, L.A., The crystal chemistry of Li-bearing minerals with the milarite-type structure: the crystal structure of end-member sogdianite, 853
- Sokolova, E.V. with Liferovich, R.P., 1477
- Sokolova, E.V. with Sherriff, B.L., 1201
- Solar, G. & Brown, M., The classic high-T – low-P metamorphism of west-central Maine: is it post-tectonic or syntectonic? Evidence from porphyroblast – matrix relations: reply, 1007
- Sorokhtina, N.V. with Liferovich, R.P., 1477
- St-Onge, M.R., Wodicka, N. & Lucas, S.B., Granulite- and amphibolite-facies metamorphism in a convergent-plate-margin setting: synthesis of the Quebec–Baffin segment of the Trans-Hudson Orogen, 379
- Steele, I.M., Cabri, L.J., Gaspar, J.C., McMahon, G., Marquez, M.A. & Vasconcellos, M.A.Z., Comparative analysis of sulfides for gold using SXRF and SIMS, 1
- Stimac, J.A. with Larocque, A.C.L., 1233
- Stone, D., Temperature and pressure variations in suites of Archean felsic plutonic rocks, Berens River area, northwestern Superior Province, Ontario, Canada, 455
- Stout, M.Z. with Ghent, E.D., 233
- Sutton, S.R. with Cabri, L.J., 1265
- Takano, M. with Togami, S., 1283
- Taylor, M.C. with Novak, M., 1399
- Togami, S., Takano, M., Kumazawa, M. & Michibayashi, K., An algorithm for the transformation of XRF images into mineral-distribution maps, 1283
- Tolstykh, N.D., Siderov, E.G., Laajoki, K.V.O., Krivenko, A.P. & Podlipskiy, M., The association of platinum-group minerals in placers of the Pustaya River, Kamchatka, Russia, 1251
- Topa, D., Balíč-Žunić, T. & Mackovicky, E., The crystal structure of Cu_{1.6}Pb_{1.6}Bi_{6.4}S₁₂, a new 44.8 Å derivative of the bismuthinite–aikinite solid-solution series, 611
- Tribaudino, M. with Prencipe, M., 183
- Trubkin, N.V. with Borodaev, Yu.S., 23
- Valley, J.W. with Peck, W.H., 511
- Vapnik, Ye.A. with Kitsul, V.I., 443
- Vasconcellos, M.A.Z. with Steele, I.M., 1
- Vifñuela, J.M. with Fuertes-Fuente, M., 1163
- Vurro, F. with Borodaev, Yu.S., 23
- Walker, R.T. with Samson, I.M., 35
- Wijbrans, J.R. with Burwash, R.A., 423
- Williams, C.T. with Della Ventura, G., 57
- Witzke, T. with Birch, W.D., 1467
- Wodicka, N., Ketchum, J.W.F. & Jamieson, R.A., Grenvillian metamorphism of monocyclic rocks, Georgian Bay, Ontario, Canada: implications for convergence history, 471

- Wodicka, N. with St-Onge, M.R., 379
Wood, S.A. & Ricketts, A., Allanite-(Ce) from the Eocene Casto granite, Idaho: response to hydrothermal alteration, 81
Yakovenchuk, V.N. with Mitchell, R.H., 617
Yakovlev, Yu.N. with Barkov, A.Y., 599
Yakubovich, O.V., Massa, W., Liferovich, R.P. & Pakhomovsky, Ya.A., The crystal structure of bakhchisaraitsevite, $[\text{Na}_2(\text{H}_2\text{O})_2]\{(\text{Mg}_{4.5}\text{Fe}_{0.5})(\text{PO}_4)_4(\text{H}_2\text{O})_5\}$, a new mineral species of hydrothermal origin from the Kovdor phoscorite-carbonatite complex, Russia, 831
Yan, Binggang with Bai, Wenji, 585
Yang, Jingsui with Bai, Wenji, 585
Yates, M.G. with Hughes, J.M., 861
Youm, Seung-Jun with Choi, Seon-Gyu, 567
Zakharchenko, O.D. with Kaminsky, F.V., 1347
Zanazzi, P.F. with Guidotti, C.V., 709
Zaraisky, G.P. with Reyf, F.G., 915
Zeng, Nanshi, Izawa, E., Motomura, Y. & Lai, Laien, Silver minerals and paragenesis in the Kangjiawan Pb-Zn-Ag-Au deposit of the Shuikoushan mineral district, Hunan Province, China, 11
Zhang, Ming, Salje, E.K.H., Malcherek, T., Bismayer, U. & Groat, L.A., Dehydration of metamict titanite: an infrared spectroscopic study, 119
Zhang, Zhongming with Bai, Wenji, 585
Zhou, Mei-Fu with Bai, Wenji, 585
-

SUBJECT INDEX

- A crystal-chemical approach to the composition and occurrence of vanadium minerals, (Schindler *et al.*), 1443
- A new rare-earth-element uranyl carbonate sheet in the structure of bijvoetite-(Y), (Li *et al.*), 153
- A new tectonometamorphic map of the Canadian Shield: introduction, (Berman *et al.*), 277
- A new uranyl sheet in $K_5[(UO_2)_{10}O_8(OH)_9](H_2O)$: new insight into sheet anion-topologies, (Burns & Hill), 163
- A single-crystal neutron-diffraction investigation of diopside at 10 K, (Prencipe *et al.*), 183
- Acicular sphalerite enriched in Ag, Sb, and Cu embedded within color-banded sphalerite from the Kokanee Range, British Columbia, Canada, (Beaudoin), 1387
- Adamsite-(Y), a new sodium–yttrium carbonate mineral species from Mont Saint-Hilaire, Quebec, (Grice *et al.*), 1457
- Allanite-(Ce) from the Eocene Casto granite, Idaho: response to hydrothermal alteration, (Wood & Ricketts), 81
- An algorithm for the transformation of XRF images into mineral-distribution maps, (Togami *et al.*), 1283
- As-bearing fluorapatite in manganiferous deposits from St. Marcel – Praborna, Val d’Aosta, Italy, (Perseil *et al.*), 101
- Boleite: resolution of the formula, $KPb_{26}Ag_9Cu_{24}Cl_{62}(OH)_{48}$, (Cooper & Hawthorne), 801
- Cerite-(Ce) and thorian synchysite-(Ce) from the Niederbobritzsch granite, Erzgebirge, Germany: implications for the differential mobility of the LREE and Th during alteration, (Förster), 67
- Cesian bazzite and thortveitite from Cuasso al Monte, Varese, Italy: a comparison with the material from Baveno, and inferred origin, (Gramaccioli *et al.*), 1409
- Chemical speciation of gold in arsenopyrite, (Cabri *et al.*), 1265
- Comparative analysis of sulfides for gold using SXRF and SIMS, (Steele *et al.*), 1
- Complexly zoned fibrous tourmaline, Cruzeiro mine, Minas Gerais, Brazil: a record of evolving magmatic and hydrothermal fluids, (Dutrow & Henry), 131
- Composition and Th-U-total Pb ages of huttonite and thorite from Gillespie’s Beach, South Island, New Zealand, (Förster *et al.*), 677
- Compositional variation of arsenopyrite and fluid evolution at the Ulsan deposit, southeastern Korea: a low-sulfidation porphyry system, (Choi & Youm), 567
- Continuous (dynamic) melting theory revisited, (Shaw), 1041
- Contrasting P-T paths in eclogites of the Betic Ophiolitic Association, Mulhacén Complex, southeastern Spain, (Puga *et al.*), 1137
- Cordierite – anthophyllite – cummingtonite rocks from the Lar deposit, Laurie Lake, Manitoba, (Elliott-Meadows *et al.*), 545
- Cryogenic Raman spectroscopic studies in the system NaCl– $CaCl_2$ – H_2O and implications for low-temperature phase behavior in aqueous fluid inclusions, (Samson & Walker), 35
- Crystal chemistry of uranyl molybdates. I. The structure and formula of umohoitite, (Krivovichev & Burns), 719
- Dehydration of metamict titanite: an infrared spectroscopic study, (Zhang *et al.*), 119
- Diamond from the Guaniamo area, Venezuela, (Kaminsky *et al.*), 1347
- Duality of cordierite granites related to melt–restite segregation in the Peña Negra anatexic complex, central Spain, (Pereira Gómez & Rodríguez Alonso), 1329
- Dynamic powder crystallography with synchrotron X-ray sources, (Parise *et al.*), 777
- Dysprosian xenotime-(Y) from the Annie Claim #3 granitic pegmatite, southeastern Manitoba, Canada: evidence of the tetrad effect?, (Masau *et al.*), 899
- Early Mesozoic alkaline mafic dykes, southwestern Nova Scotia, Canada, and their bearing on Triassic–Jurassic magmatism, (Pe-Piper & Reynolds), 217
- Episodic deposition of Mn minerals in cockade breccia structures in three low-sulfidation epithermal deposits: a mineral stratigraphy and fluid-inclusion approach, (Leroy *et al.*), 1125
- Epithermal Cu–Au mineralization in the Palai–Islica deposit, Almería, southeastern Spain: fluid-inclusion evidence for mixing of fluids as a guide to mineralization, (Ruano *et al.*), 553
- Evidence for open-system behavior in immiscible Fe–S–O liquids in silicate magmas: implications for contributions of metals and sulfur to ore-forming fluids, (Larocque *et al.*), 1233
- Experimental study of the system diopside – albite – nepheline at $P(H_2O) = P(\text{Total}) = 2$ and 10 kbar and at $P(\text{Total}) = 28$ kbar, (Pati *et al.*), 1177
- Exsolution of zirconian-hafnian wodginite from manganoantatian cassiterite, Annie Claim #3 granitic pegmatite, southeastern Manitoba, Canada, (Masau *et al.*), 687
- Foitite: formation during late stages of evolution of complex granitic pegmatites at Dobrá Voda, Czech Republic, and Pala, California, U.S.A., (Novák & Taylor), 1399
- From continents to island arcs: a geochemical index of tectonic setting for arc-related and within-plate felsic to intermediate volcanic rocks, (Gorton & Schandl), 1065
- Gaspéite and associated Ni-rich minerals from veins in altered ultrabasic rocks from Dubostica, Bosnia and Herzegovina, (Bermanec *et al.*), 1371
- Genesis of cordierite– gedrite gneisses, Central Metasedimentary Belt boundary thrust zone, Grenville Province, Ontario, Canada, (Peck & Valley), 511
- Gladiusite, $Fe^{3+}_2(Fe^{2+},Mg)_4(PO_4)(OH)_{11}(H_2O)$, a new hydrothermal mineral species from the phoscorite–carbonatite unit, Kovdor Complex, Kola Peninsula, Russia, (Liferovich *et al.*), 1477
- Gneisses from the granulite terrane of the central Boothia Uplift, Arctic Canada, (Kitsul *et al.*), 443
- Granulite- and amphibolite-facies metamorphism in a convergent-plate-margin setting: synthesis of the Quebec–Baffin segment of the Trans-Hudson Orogen, (St-Onge *et al.*), 379
- Grenvillian metamorphism of monocyclic rocks, Georgian Bay, Ontario, Canada: implications for convergence history, (Wodicka *et al.*), 471
- Henrymeyerite, a new hollandite-group Ba–Fe titanate from the Kovdor complex, Russia, (Mitchell *et al.*), 617
- High-Mg arc-ankaramitic dikes, Greenhills Complex, Southland, New Zealand, (Mossman *et al.*), 191
- Highly undersaturated anions in the crystal structure of andyrobertsite – calcio-andyrobertsite, a doubly acid arsenate of the form $K(Cd,Ca)[Cu^{2+}_5(AsO_4)_4[As(OH)_2O_2]](H_2O)_2$, (Cooper & Hawthorne), 817
- Implications of the synthesis and structure of the Sr analogue of curite, (Burns & Hill), 175
- Investigations of crystal-chemical variability in lead uranyl oxide hydrates. I. Curite, (Li & Burns), 729
- Investigations of crystal-chemical variability in lead uranyl oxide hydrates. II. Fourmarierite, (Li & Burns), 739
- Jubuite, $CaCu_{10}(Te^{4+}O_3)_4(AsO_4)_4(OH)_2(H_2O)_4$: crystal structure and revision of chemical formula, (Burns *et al.*), 809
- Meionite: Rietveld structure-refinement, ^{29}Si MAS and ^{27}Al SATRAS NMR spectroscopy, and comments on the marialite–meionite series, (Sheriff *et al.*), 1201
- Metamorphic evolution of the Precambrian basement of Alberta, (Burwash *et al.*), 423
- Metamorphism of the Burntwood Group in the Duval Lake area, Manitoba, (Jungwirth *et al.*), 435
- Metamorphism of the Canadian Shield, Ontario, Canada. I. The Superior Province, (Easton), 287
- Metamorphism of the Canadian Shield, Ontario, Canada. II. Proterozoic metamorphic history, (Easton), 319
- Mineral and fluid equilibria in Mo-bearing skarn at the Zenith deposit, southwestern Grenville Province, Renfrew area, Ontario, Canada, (Salvi), 937

- Mineral equilibria in quartz leucoamphibolites (quartz – garnet – plagioclase – hornblende calc-silicates) from southeastern British Columbia, Canada, (Ghent & Stout), 233
- Mode of occurrence, chemical variation and genesis of mordenite and associated zeolites from the Morden area, Nova Scotia, Canada, (Pe-Piper), 1215
- Morphology of jarosite-group compounds precipitated from biologically and chemically oxidized Fe ions, (Sasaki & Konno), 45
- New Minerals approved in 1999 by the Commission on New Minerals and Mineral Names, International Mineralogical Association, (Grice & Ferraris), 245
- Niobokupletskite, a new astrophyllite-group mineral from Mont Saint-Hilaire, Quebec, Canada: description and crystal structure, (Piilonen *et al.*), 627
- Nomenclature of the alunite supergroup: discussion, (Scott), 1295
- Nomenclature of the alunite supergroup: reply, (Jambor), 1298
- Occurrence, alteration patterns and compositional variation of perovskite in kimberlites, (Chakhmouradian & Mitchell), 975
- Orientation of exsolution lamellae and rods, and optimal phase-boundaries in antiperthite from pelitic granulites, Sri Lanka, (Raase), 697
- Origin and distribution of some trace elements in metamorphosed Fe–Mn deposits, Val Ferrara, eastern Swiss Alps, (Brugger & Gieré), 1075
- Petterdite, the Cr-dominant analogue of dundasite, a new mineral species from Dundas, Tasmania, Australia and Callenberg, Saxony, Germany, (Birch *et al.*), 1467
- Post-accretionary magmatism within the Kuui–Etolin Igneous Belt, southeastern Alaska, (Lindline *et al.*), 951
- Precambrian metamorphic and tectonic evolution of northern Baffin Island, Nunavut, Canada, (Jackson & Berman), 399
- Preface: Tectonometamorphic studies in the Canadian Shield (Part II), (Berman & Easton), 273
- P–T path and fluid evolution in the Franqueira granitic pegmatite, central Galicia, northwestern Spain, (Fuentes-Fuente *et al.*), 1163
- Rare sulfosalts from Vulcano, Aeolian Islands, Italy. III. Wittite and caninnarite, (Borodaev *et al.*), 23
- Redistribution of major and trace elements during the formation of biotite–plagioclase reaction zones at boundaries between amphibolite and K-feldspar gneiss, Otter Lake area, Quebec, Canada, (Kretz), 525
- Refinement of the crystal structure of väyrynenite, (Huminicki, D.M.C. & Hawthorne), 1425
- Refinement of the structure of bandylite, (Li & Burns), 715
- Silver minerals and paragenesis in the Kangjiawan Pb–Zn–Ag–Au deposit of the Shuitkoushan mineral district, Hunan Province, China, (Zeng *et al.*), 11
- Srontium in the apatite structure: strontian fluorapatite and belovite-(Ce), (Rakovan & Hughes), 839
- Structure refinement of bazzite from pegmatitic and miarolitic occurrences, (Demartin *et al.*), 1419
- Synthesis and crystal structure of a new Pb uranyl oxide hydrate with a framework structure that contains channels, (Li & Burns), 1433
- Tectonothermal evolution of the northern Minto block, Superior Province, Quebec, Canada, (Percival & Skulski), 345
- Temperature and pressure variations in suites of Archean felsic plutonic rocks, Berens River area, northwestern Superior Province, Ontario, Canada, (Stone), 455
- Tetrahedrally coordinated boron in a tourmaline: boron-rich olenite from Stoffhütte, Koralpe, Austria, (Hughes *et al.*), 861
- The association of platinum-group minerals in placers of the Pustaya River, Kamchatka, Russia, (Tolstykh *et al.*), 1251
- The case against Ostwald Ripening of porphyroblasts: discussion, (Miyazaki), 1027
- The case against Ostwald Ripening of porphyroblasts: reply, (Carlson), 1029
- The classic high-T – low-P metamorphism of west-central Maine: is it post-tectonic or syntectonic? Evidence from porphyroblast – matrix relations: discussion, (Guidotti), 995
- The contrasting responses of muscovite and paragonite to increasing pressure: petrological implications, (Guidotti *et al.*), 709
- The crystal chemistry of Li-bearing minerals with the milarite-type structure: the crystal structure of end-member sogdianite, (Sokolova *et al.*), 853
- The crystal chemistry of potassio-ferrisadanagite, (Sokolova *et al.*), 669
- The crystal chemistry of uranyl molybdates. II. The crystal structure of iriginitie, (Krivovichev & Burns), 847
- The crystal structure of bakhchisaraitsevite, $[\text{Na}_2(\text{H}_2\text{O})_2]\{(\text{Mg}_{4.5}\text{Fe}_{0.5})(\text{PO}_4)_4(\text{H}_2\text{O})_5\}$, a new mineral species of hydrothermal origin from the Kovdor phoscorite–carbonatite complex, Russia, (Yakubovich *et al.*), 831
- The crystal structure of $\text{Cu}_{1.6}\text{Pb}_{1.6}\text{Bi}_{6.4}\text{S}_{12}$, a new 44.8 Å derivative of the bismuthinite–aikinite solid-solution series, (Topa *et al.*), 611
- The crystal structure of franzinitie, the ten-layer mineral of the cancrinite group, (Ballirano *et al.*), 657
- The crystal structure of normandite and its crystal-chemical relationships with lavenite, (Perchiazzini *et al.*), 641
- The crystal structure of yoshimuraite, a layered Ba–Mn–Ti silicophosphate, with comments on five-coordinated Ti^{4+} , (McDonald *et al.*), 649
- The crystal structures of loparite-(Ce), (Mitchell *et al.*), 145
- The manganese silicate rocks of the Early Proterozoic Vittinki Group, southwestern Finland: metamorphic grade and genetic interpretations, (Mancini *et al.*), 1103
- The PGE and base-metal alloys in the podiform chromitites of the Luobusa ophiolite, southern Tibet, (Bai *et al.*), 585
- The role of magmatic processes in the formation of banded Li,F-enriched granites from the Orlovka tantalum deposit, Transbaikalia, Russia: microthermometric evidence, (Reyf *et al.*), 915
- The taimyrite–tatyanaite series and zoning in intermetallic compounds of Pt, Pd, Cu and Sn from Noril'sk, Siberia, Russia, (Barkov *et al.*), 599
- The Tanco pegmatite at Bernic Lake, Manitoba. XIII. Exocontact tourmaline, (Selway *et al.*), 869
- The Tanco pegmatite at Bernic Lake, Manitoba. XIV. Internal tourmaline, (Selway *et al.*), 877
- The Tanco pegmatite at Bernic Lake, southeastern Manitoba. XV. Ercitite, $\text{NaMn}^{3+}\text{PO}_4(\text{OH})(\text{H}_2\text{O})_2$, a new phosphate mineral species, (Fransolet *et al.*), 893
- "Thermodynamics of a magmatic gas phase" 50 years later: comments on a paper by John Verhoogen (1949), (Nicholls), 1313
- Topological enumeration of decorated $[\text{Cu}^{2+}\text{fff}_2]_n$ sheets in hydroxy-hydrated copper-oxy salt minerals, (Hawthorne & Schindler), 733
- Two-stage exsolution of a titanian $(\text{Sc},\text{Fe}^{3+})(\text{Nb},\text{Ta})\text{O}_4$ phase in niobian rutile from southern Norway, (Cerný *et al.*), 907
- Violet-colored diopside from southern Baffin Island, Nunavut, Canada, (Herd *et al.*), 1193
- Wiluite, $\text{Ca}_{19}(\text{Al,Mg,Fe,Ti})_{13}(\text{B,Al,}\%)\text{Si}_{18}\text{O}_{68}(\text{O,OH})_{10}$, a new mineral species isostructural with vesuvianite, from the Sakha Republic, Russian Federation: discussion, (Galuskin & Galuskinska), 765
- Wiluite, $\text{Ca}_{19}(\text{Al,Mg,Fe,Ti})_{13}(\text{B,Al,}\%)\text{Si}_{18}\text{O}_{68}(\text{O,OH})_{10}$, a new mineral species isostructural with vesuvianite, from the Sakha Republic, Russian Federation: reply, (Groth *et al.*), 767
- Zirconolite with significant $\text{REE}_{\text{Zr}}\text{Nb}(\text{Mn,Fe})\text{O}_7$ from a xenolith of the Laacher See eruptive center, Eifel volcanic region, Germany, (Della Ventura *et al.*), 57
- Zoned tungsten-molybdenite from a fenitized megaxenolith in the Khibina alkaline complex, Kola Peninsula, Russia, (Barkov *et al.*), 1377

CHEMICAL ANALYSES (see also Electron-microprobe analyses)

Minerals

ammoniojarosite, 47, argentojarosite, 47, gaspéite, 1373, jarosite, 47

Rocks

ankaramitic dike, 208, apatite schist, 1087, cordierite leucogranite, 1336, gabbro, 956, granite, 956, granite (alkali), 956, granodiorite, 1336, graywacke, 956, jacobsite-rich iron ore, 1087, lamprophyre, 220, mafic magmatic enclave, 956, manganese-silicate rock, 1114, marble, 1087, metamorphic reaction zone, 531, metamorphosed Fe–Mn ore, 1087, migmatite, 1336, olivine diabase, 220, orthogneiss, 1336, peraluminous granite, 70, pyroxenite, 1087, quartz – amphibole Å braunite vein, 1114, roméite-bearing iron ore, 1087, sillimanite-rich restite, 1336, skarn, 1087

COUPLED-ATOM SUBSTITUTIONS

Oxides

cassiterite (tantalian), 688, fourmarierite, 744, zirconolite, 61

Phosphates

apatite, 101

Silicates

allanite-(Ce), 86, cuspidine, 644, elbaite, 1403, foitite, 1403, meionite, 1208, niobokupletskite, 637, normandite, 647, potassio-ferrisadanagaite, 671, sogdianite, 857, tourmaline, 887, tourmaline (olenite), 861

Sulfides

cannizzarite, 32, galena, 18, tetrahedrite, 19, wittite, 32

CRYSTALLOGRAPHY (see also Twinning)

aikinite–bismuthinite derivative structures, 611, amphibole structural formula calculation, 462, antiperthite, 695, astrophyllite group, 628, bazzite (cesian), 1412, bond-valence theory for vanadates, 1443, cancrinite cages, 666, cancrinite group, 657, CCD detector, 145, 154, 164, 642, 713, 718, 729, 738, 779, 810, 848, 855, 1334, 1462, crystal-chemical classification of vanadates, 1443, cuspidine group, 641, gold speciation in arsenopyrite, 1266, hollandite group, 617, Jahn–Teller distortion (Cu^{2+}), 714, 752, jarosite-group morphology, 53, lone-pair electrons (Pb^{2+}), 179, 731, 805, lone-pair electrons (Te^{4+}), 812, losod cages, 662, milarite structure crystal chemistry, 853, muscovite compressibility, 708, neutron diffraction, 183, Rietveld refinement, 669, 788, 1201, scapolite structure crystal chemistry, 1207, sodalite cages, 663, Sr substitution in the apatite structure, 839, structural classification of copper oxysalts, 751, synchrotron X-ray powder-diffraction, 777, ${}^{[5]}\text{Ti}^{4+}$ coordination, 655, time-resolved X-ray powder-diffraction, 778, U–O (uranyl) distance, 157, 166, 178, 720, 731, 742, 849, 1436, uranyl molybdate crystal chemistry, 717, uranyl-sheet topologies, 168, 177, 720, 744, 850, 1439, valence-sum rule deviations, 829, zero-point motion (diopside), 187

CRYSTAL STRUCTURE (see also X-ray diffraction)

adamsite-(Y), 1462, andyrobortsuite, 817, bakhchisaraitsevite, 831, bandylite, 713, bazzite (cesian), 1419, belovite-(Ce), 840, bijvoetite-(Y), 154, boleite, 801, curite, 727, diopside (10 K), 183, diopside (violet-colored), 1195, fluorapatite (strontian),

840, fourmarierite, 737, franzinitie, 657, henrymeyerite, 617, iriginite, 847, jubabite, 809, loparite-(Ce), 145, meionite, 1201, niobokupletskite, 627, normandite, 641, olenite, 862, potassio-ferrisadanagaite, 669, sogdianite, 853, synthetic $\text{Ca}_2(\text{H}_2\text{O})_10\text{UO}_12(\text{OH})_6(\text{H}_2\text{O})_2$, 1439, synthetic curite (Sr analog), 175, synthetic $\text{K}_5[(\text{UO}_2)_{10}\text{O}_8(\text{OH})_9](\text{H}_2\text{O})$, 163, synthetic $\text{Pb}_2(\text{H}_2\text{O})_10\text{UO}_12(\text{OH})_6(\text{H}_2\text{O})_2$, 1433, umohoite, 717, unnamed $\text{Cu}_{1.6}\text{Pb}_{1.6}\text{Bi}_{6.4}\text{S}_{12}$, 611, väyrynenite, 1425, yoshimuraite, 649

ELECTRON-MICROPROBE ANALYSES

actinolite (manganano), 1111, adamsite-(Y), 1460, albite, 920, 1146, allanite, 70, allanite-(Ce), 85, almandine, 548, 1145, amphibole, 510, amphibole (calcic), 235, andyrobortsuite, 818, anthophyllite, 548, 1220, arsenopyrite, 21, 572, 1270, atokite, 606, augite, 226, 1145, augite (sodian), 1145, awaruite, 594, baddeleyite, 60, bakhchisaraitsevite, 833, barrosoite, 1146, bazzite (cesian), 1413, 1422, belovite-(Ce), 842, bijvoetite-(Y), 155, biotite, 235, 354, 414, 440, 449, 507, 531, 920, 1146, boleite, 804, calcite, 1081, 1108, calcite (manganano), 1133, calderite, 1081, cannizzarite, 29, cassiterite (tantalian), 689, cerite-(Ce), 73, chromite, 199, chromite (inclusion in diamond), 1363, clinoptilolite, 1217, clinoptilolite (sodian), 1217, clinopyroxene, 356, 448, 510, clinopyroxene (inclusion in diamond), 1363, clinopyroxene (synthetic), 1179, clinozoisite, 1145, cooperite, 1255, cordierite, 355, 449, 548, cummingtonite, 548, 1116, curite, 731, diopside, 200, 1111, diopside (skarn), 941, diopside (violet-colored), 1195, dolomite, 1108, dolomite (manganano), 1133, edenite, 202, 1146, elbaite, 883, 1402, enstatite, 204, 1145, epidote, 235, epistilbite, 1217, ercitite, 897, fayalite, 1107, Fe-oxide globules, 1239, Fe–Si alloy, 595, feldspar (Or–Ab), 59, ferrosilite, 1107, ferrotapiolite, 689, ferrowodginite, 689, feruvite, 871, fluorapatite, 920, fluorapatite (arsenian), 104, fluorapatite (strontian), 842, fluorite, 920, foitite, 884, 1403, forsterite, 199, 226, fourmarierite, 739, freibergite, 18, garnet, 235, 354, 414, 440, 447, 505, garnet (inclusion in diamond), 1359, gladiusite, 1481, glaucophane, 1145, gold (palladian), 1254, henrymeyerite, 621, hercynite, 449, heulandite, 1217, hollingworthite, 1255, hongshiite, 1253, hornblende, 356, 531, 1116, huttonite, 677, ilmenite, 206, 235, 1116, ilmenite (inclusion in diamond), 1363, Ir–Ni–Fe alloy, 593, iridium, 590, 1253, iron, 595, isoferroplatinum, 1253, juabite, 811, keithconnite, 1257, kutnohorite, 1081, längbanite, 1082, lävenite, 646, löllingite, 572, loparite-(Ce), 147, magnesiohornblende, 202, 449, 463, magnetite, 59, 1239, magnetite (chromian), 199, manganocummingtonite, 1108, mangano-grunerite, 1108, manganotantalite, 689, mediate, 1081, meionite, 1204, molybdenite (tungsten), 1382, monazite, 70, monazite-(La), 60, mordenite, 1217, muscovite, 920, neighborite, 1383, nepheline (synthetic), 1179, niobokupletskite, 630, normandite, 646, olenite, 864, olivine (inclusion in diamond), 1366, omphacite, 1145, orthopyroxene, 356, 414, 448, 510, osmium, 590, 1253, paragonite, 1145, pargasite, 202, 449, Pearceite, 18, periclase (inclusion in diamond), 1363, perovskite, 985, petterlite, 1470, phengite, 1146, phlogopite (ferroan), 59, phlogopite (titaniiferous), 226, pigeonite, 1145, plagioclase, 235, 355, 414, 440, 449, 508, 1116, 1220, plagioclase (synthetic), 1179, platasite (osman), 1255, platinum, 1253, polybasite, 18, polybasite (arsenian), 18, potassio-ferrisadanagaite, 671, proustite, 18, Pt–Fe alloy, 592, pyrargyrite, 18, pyrite, 572, 1239, pyromangite, 1108, pyrrhotite, 1239, pyrrhotite (inclusion in diamond), 1365, pyrrhotite (rhodian), 1259, quartz, 920, rhodarsenide, 1257, rhodochrosite, 1108, 1133, rhodochrosite (calcian), 1133, rhodonite, 1081, 1108, 1133, rustenburgite, 606, ruthenium, 590, rutile (inclusion in diamond), 1363, rutile (niobian), 910, sapphirine, 449, schorl, 871, 883, siderite, 1108, silicon, 595, sogdianite, 855, sperrylite, 1255, spessartine, 1081, 1108, sphalerite, 574, 1391, staurolite, 355, 440, stibiopalladinite, 1257, stilbite, 1217, synchysite-(Ce), 73, synchysite-(Ce)

(thorian), 73, taimyrite-tatyanite solid solution, 604, taramite, 1146, tephroite, 1081, 1108, tetrahedrite, 18, thorite, 70, 679, thortveitite, 1414, titanite, 120, topaz, 920, topaz-hosted melt inclusions, 928, tourmaline, 871, 883, tourmaline (fibrous), 137, tremolite (mangananoan), 1111, tschermakite, 205, unidentified Fe-Mg-Na silicate, 1220, unidentified *LREE* fluorocarbonate, 73, unnamed (Cu,Fe,Pd,Pt,Rh,Ru)₉S₈, 1259, unnamed Pd₂Te, 1257, unnamed (Pt,Pd)₃S₂, 1259, unnamed (Pt,Pd,Cu,Fe)₃S, 1259, unnamed titanian (Sc,Fe³⁺)(Nb,Ta)O₄ phase, 910, uraninite, 70, vasilite, 1259, väyrynenite, 1426, vysotskite, 1255, wittite, 29, wodginite (zirconian-hafnian), 689, xenotime, 70, xenotime-(Y) (dysprosian), 901, yoshimuraite, 650, zinnwaldite, 920, zircon, 70, zirconolite, 62

EXPERIMENTAL (see also Petrology)

Analytical Techniques

²⁷Al satellite transition NMR (SATRAS), 1201, apatite fission-track geochronology, 957, ⁵⁷Fe Mössbauer, 670, gold in sulfides, 1, 1265, H₂O in melt inclusions, 935, LAM-ICP-MS, 1351, micro-XANES, 1265, microthermometry, 935, 1167, optical absorption spectra, 1196, Raman microprobe, 1167, scanning X-ray analytical microscope (SXAM), 1284, ²⁹Si magic angle spinning (MAS), 1201, SIMS, 1, 864, 1265, synchrotron X-ray diffraction (SXRD), 777, synchrotron X-ray fluorescence (SXRF), 1, Th - U - total Pb age dating, 679

General

Al-in-hornblende geobarometer, 459, Ar/Ar geochronology, 367, 428, atomic mobility during metamorphism, 526, cathodoluminescence, fluorapatite 101, diopside 1196, Duhem's theorem, 1316, fourmarierite synthesis, 738, *in situ* XRD on hydrothermal Fe-S system syntheses, 787, iringite synthesis, 848, meionite synthesis, 1203, mineral distribution maps from XRF images, 1285, nepheline synthesis, 1178, oxygen diffusivity during metamorphism, 515, 523, Pb₂(H₂O)[(UO₂)₁₀UO₁₂(OH)₆(H₂O)₂] synthesis, 1434, synthetic BaFe²⁺Ti₇O₁₆, 622, synthetic curite (Sr analog), 176, synthetic K₅[(UO₂)₁₀O₈(OH)₉](H₂O), 163, U-Pb concordia, 361, 429

Stable Isotopes

carbon, 1358, hydrogen, lead, 221, 360, neodymium, 221, oxygen, 513, 1116, 1337, rubidium, 957, strontium, 221, 957, 1337, uranium, 360

System

diopside - albite - nepheline, 1177, Ni-O-H-S-C (Eh-pH), 1373

INFRARED-ABSORPTION SPECTRA

adamsite-(Y), 1461, ammoniojarosite, 49, argentojarosite, 49, boleite, 803, diamond, 1353, diopside (violet-colored), 1196, dundasite, 1472, encelite, 897, franzinitie, 659, gaspéite, 1373, gladiolite, 1480, jarosite, 49, niobokupletskeite, 629, petterdite, 1472, titanite (metamict), 119

MINERAL DATA (see also Electron-microprobe analyses)

actinolite (mangananoan), 1111, adamsite-(Y), 1457, allanite-(Ce), 82, almandine, 548, ammoniojarosite, 45, andyrobortsuite, 817, anthophyllite, 548, apophyllite, 1223, argentojarosite, 45, arsenopyrite, 6, 572, 1266, atokite, 604, aurostibite, 1273, awaruite, 592, baddeleyite, 60, bakhchisaraitsevite, 831, bandylite, 713, barroisite, 1150, bazzite (cesian), 1409, 1419, belovite-(Ce), 840, beryl, 1166, bijvoetite-(Y), 153, boleite, 801, calcio-andyrobortsuite, 818, calcite, 1081, 1108, calcite

(mangananoan), 1133, calderite, 1081, canizzarite, 23, cassiterite (tantalian), 686, cerite-(Ce), 67, chromite (inclusion in diamond), 1362, chrysoberyl, 1165, clinoptiolite, 1222, clinoptiolite (sodian), 1222, clinopyroxene (inclusion in diamond), 1359, cooperite, 1255, cordierite, 548, cummingtonite, 548, 1116, curite, 727, diamond, 593, 1347, diopside, 1111, diopside (skarn), 941, diopside (violet-colored), 1193, dolomite, 1108, dolomite (mangananoan), 1133, dundasite, 1470, edgarite, 1383, elbaite, 883, 1399, epistilbite, 1222, ercrite, 893, fayalite, 1107, Fe-oxide globules, 1236, Fe-Si alloy, 592, feldspar (Or-Ab), 59, ferrosilite, 1107, ferrotantalite, 687, ferrotapiolite, 689, ferrowodginitie, 689, feruvite, 871, fluorapatite (arsenian), 101, fluorapatite (strontian), 840, foite, 884, 1399, fourmarierite, 737, franzinitie, 657, garnet (inclusion in diamond), 1357, gaspéite, 1373, gladiolite, 1477, gold, 1, 558, 601, 1265, gold (palladian), 1254, henrymeyerite, 617, heulandite, 1222, hollingworthite, 1255, hongshtite, 1253, hornblende, 1116, hututtonite, 675, ilmenite, 1116, ilmenite (inclusion in diamond), 1359, Ir-Ni-Fe alloy, 590, iridium, 590, 1253, iringite, 847, iron, 592, isoferroplatinum, 1253, jarosite, 45, juabite, 809, keithconnite, 1257, kutnohorite, 1081, längbanite, 1082, lävenite, 647, löllingite, 572, loparite-(Ce), 145, magnesiohornblende, 462, magnetite, 59, manganocummingtonite, 1108, manganogrunerite, 1108, manganoantantalite, 687, medaite, 1081, meionite, 1201, moissanite, 593, molybdenite (tungstenite), 1377, monazite-(La), 60, mordenite, 1215, muscovite, 708, neighborite, 1383, nickelhexahydrite, 1373, niobokupletskeite, 627, normandite, 641, olenite, 862, olivine (inclusion in diamond), 1362, Os-Ir-(Ru) alloy, 589, osmium, 590, 1253, paragonite, 710, periclase (inclusion in diamond), 1362, perovskite, 975, petterdite, 1467, phenakite, 1165, phlogopite (ferroan), 59, plagioclase, 1116, platarsite (osmian), 1255, platinum, 1253, potassio-ferrisadanagaite, 669, Pt-Fe alloy, 592, pyroxomangite, 1108, pyrrhotite (inclusion in diamond), 1365, pyrrhotite (rhodian), 1259, retgersite, 1373, rhodarsenite, 1257, rhodochrosite, 1108, 1133, rhodonite, 1081, 1108, 1132, rustenburgite, 604, ruthenium, 590, rutile (inclusion in diamond), 1363, rutile (niobian), 907, schorl, 871, 883, siderite, 1108, silicon, 592, sogdaniite, 853, sperrylite, 1255, spessartine, 1081, 1108, sphalerite, 1387, stibiopalladinite, 1257, stilbite, 1222, synchysite-(Ce), 67, synchysite-(Ce) (thorian), 72, synthetic, Pb₂(H₂O)[(UO₂)₁₀UO₁₂(OH)₆(H₂O)₂], 1433, taimyrite-tatyanite solid solution, 600, taromite, 1150, tephroite, 1081, 1108, thorite, 675, thortveitite, 1409, titanite, 119, topaz-hosted melt inclusions, 925, tourmaline, 871, 883, tourmaline (fibrous), 131, tremolite (mangananoan), 1111, umohosite, 717, unidentified Fe-Mg-Na silicate, 1220, unidentified *LREE* fluorocarbonate, 72, unidentified V-Ba-Sr oxide(?), 1079, unnamed chromium carbide, 593, unnamed (Cu,Fe,Pd,Pt,Rh,Ru)S₈, 1259, unnamed Cu_{1-x}Pb_{1.6}Bi_{6.4}S₁₂, 611, unnamed Pd₂Te, 1257, unnamed (Pt,Pd)₃S₂, 1259, unnamed (Pt,Pd,Cu,Fe)₃S, 1259, unnamed titanian (Sc,Fe³⁺)(Nb,Ta)O₄ phase, 908, vasilite, 1259, väyrynenite, 1425, vysotskite, 1255, wiluite, 763, 765, wittite, 23, wodginite (zirconian-hafnian), 689, xenotime-(Y) (dysprosian), 899, yoshimuraite, 649, zirconolite, 59

MINERALOGICAL ASSOCIATION OF CANADA

Berry medal (Halden), 259, book reviews, 251, 551, 767, 1033, 1305, 1487, Hawley medal (Anderson, Mayanovich & Bajt), 255, Past Presidents' medal (Hawthorne), 261, Presidential address, 1313, proceedings of the 44th annual meeting (LeCheminant), 253, referees for 1999, 1309, Young Scientist Award (Groat), 265

MÖSSBAUER SPECTROSCOPY

niobokupletskeite, 629, potassio-ferrisadanagaite, 670

NEW MINERAL SPECIES

New minerals approved in 1999 by the Commission on New Minerals and Mineral Names, International Mineralogical Association, (Grice & Ferraris), 245, adamsite-(Y), 1457, bakhchisaraitsevite, 831, ercrite, 893, gladiusite, 1477, henrymeyerite, 617, niobokupletskite, 627, petterdite, 1467

NOMENCLATURE

adamsite-(Y), 1457, alunite supergroup, 1295, 1298, bakhchisaraitsevite, 831, boleite formula redefined, 801, ercrite, 893, gladiusite, 1477, henrymeyerite, 617, immiscible Fe-(S-O) melt (IFM), 1235, juabite formula redefined, 809, loparite, 150, lävenite, 647, niobokupletskite, 627, normandite, 641, petterdite, 1467

OPTICAL PROPERTIES

General

adamsite-(Y), 1460, diopside (violet-colored), 1194, ercrite, 893, gladiusite, 1479, niobokupletskite, 629, petterdite, 1470

Reflectance

henrymeyerite, 619

PETROLOGY

General (see also Experimental)

amygdales (zeolite), 1218, antiperthite, 695, arsenopyrite geothermometer, 580, Baffin orogen, 405, chondrite-normalized REE, 63, 72, 86, 94, 681, 903, 964, 1091, 1115, 1340, chromitite, 585, cockade breccia, 1125, Committee belt (northern Baffin Island), 400, diamond morphology, 1352, eclogite-derived diamond, 1363, epithermal Cu-Au deposit, 553, 1126, exocontact tourmaline, 869, Fe-oxide globules, 1236, fluid inclusion data, 19, 35, 95, 449, 559, 574, 920, 943, 1133, 1141, 1167, geobarometry, 238, 349, 391, 414, 440, 448, 459, 488, 708, 1114, 1154, 1170, 1366, geochemical discriminant diagrams for intermediate and felsic volcanic rocks, 1065, geochronology, 221, 348, 428, 679, 957, geothermometry, 238, 349, 391, 414, 440, 448, 459, 488, 580, 921, 943, 1114, 1154, 1170, 1366, gold mineralization, 309, 553, 1125, gold transport, 563, 1135, Grenville Front Tectonic Zone, 329, Grenville Province, 282, 327, 471, 511, 525, 937, hydrothermal alteration, 557, 937, immiscible Fe-S-O liquid, 1233, invisible gold, 1, 1240, 1265, Kapuskasing structural zone, 300, Kola Peninsula, 1379, 1478, magmatic gas phase, 1318, mantle-melting models, 1041, metamorphic zone definitions, 278, 349, metamorphism (high-T, low-P), 371, 995, 1007, molybdenum transport, 946, Mont Saint-Hilaire, 627, 641, 1457, Ostwald ripening of porphyroblasts, 1027, 1029, perovskite alteration, 977, PGE alloys, 586, 1251, radioactive waste disposal, 97, 160, 171, 180, 976, 1438, reactive exsolution (hornblende in clinopyroxene), 212, REE fractionation during mantle melting, 1047, REE geochemical modeling, 1041, REE mobility, 75, 87, 1088, REE tetrad effect, 902, scandium geochemistry, 1414, Southern Province, 325, spidergram, 1339, Sudbury Igneous Complex, 326, Superior Province, 287, 346, 389, 455, Ta/Yb - Th/Yb discriminant diagram, 1067, tectonometamorphic map, (Alberta), 426, tectonometamorphic map (Grenville Province), 281, 322, tectonometamorphic map (Southern Province), 322, tectonometamorphic map (Superior Province), 288, tectonometamorphic map legend, 279, 289, 323, Th/Ta - Yb discriminant diagram, 1069, Thompson space diagram, 1324, titanite (metamict), 119, topaz-hosted melt inclusions, 925, tourmaline (fibrous), 131, tourmaline stability, 873,

Trans-Hudson Orogen, 380, wodginite-group exsolution from cassiterite, 692, zirconolite (non-metamict), 61

Igneous

A-type granite, 951, anatetic complex, 1329, ankaramite dike, 193, banded granite (Li,F-enriched), 915, eclogite, 1137, 1347, fenite, 1379, granite crystallization, 962, granite pegmatite, 132, 310, 685, 869, 877, 893, 899, 907, 938, 1163, 1400, 1419, granitic gneiss, 444, kimberlite, 975, 1347, komatiite, 192, lamprophyre, 219, migmatite, 1332, olivine diabase, 219, ophiolite, 585, 1137, 1165, 1371, peraluminous granite, 68, S-type granite, 1329, Tanco pegmatite, 869, 877, 893, ultramafic complex, 192, 1252, wehrlite, 194, 1252

Metamorphic

Alpine metamorphism, 1137, banded iron-formation, 3, cordierite - anthophyllite - cummingtonite rocks, 547, eclogite-facies metamorphism, 499, exoskarn formation, 945, Kisseynew gneiss belt, 435, leucoamphibolite, 234, metachert, 1107, metamorphosed Fe-Mn deposit, 1075, 1103, pelitic granulite, 695, skarn (Mo-bearing), 940

RAMAN SPECTRA

antarcticite, 37, halite, 37, petterdite, 1472, water, 37

SCANNING-ELECTRON MICROGRAPHS

allanite-(Ce), 89, ammoniojarosite, 55, argentojarosite, 53, arsenopyrite, 1269, atokite, 607, baddleyite, 60, canizzarite, 26, cassiterite, 687, elbaite, 1401, ercrite, 896, Fe-oxide globules, 1236, fluorapatite (arsenian), 104, foitite, 1401, galena (selenian), 28, gladiusite, 1480, henrymeyerite, 620, heulandite, 1220, huttonite, 678, jarosite, 54, magnesian ilmenite, 978, metamorphosed Fe-Mn ore, 1081, molybdenite (tungstenian), 1380, monazite, 370, mordenite, 1220, niobian rutile, 909, niobokupletskite, 628, perovskite, 978, petterdite, 1471, priderite, 979, rustenburgite, 607, sogdianite, 854, sphalerite (acicular), 1391, taimyrite-tayanaite solid solution, 602, thorite, 678, topaz-hosted melt inclusions, 926, unnamed titanian (Sc,Fe^{3+})(Nb,Ta)O₄ phase, 909, wittite, 26, zeolite amygdale, 1220, zirconolite, 60

TEXTURES

amygdales (zoned zeolites), 1218, antiperthite, 695, atokite, 607, banded Li,F-enriched granite, 915, cockade breccia, 1127, diamond, 1351, exocontact tourmaline, 872, Fe-oxide globules, 1236, mafic magmatic enclave, 960, metamorphic, 482, metamorphosed Fe-Mn ore, 1081, migmatite, 1332, niobian rutile exsolution, 909, perovskite alteration in kimberlite, 977, rustenburgite, 607, sphalerite (color-banding), 1388, taimyrite-tayanaite solid solution, 602, unnamed titanian (Sc,Fe^{3+})(Nb,Ta)O₄ phase, 909

THERMOGRAVIMETRIC ANALYSIS

adamsite-(Y), 1460, gaspéite, 1373, gladiusite, 1480

TRACE-ELEMENT DATA

allanite, 70, ankaramitic dike, 208, apatite schist, 1087, cassiterite (tantalian), 689, clinopyroxene (inclusion in diamond), 1362, cordierite leucogranite, 1341, Fe-oxide globules, 1239, fluorapatite (arsenian), 111, gabbro, 956, garnet (inclusion in diamond), 1362, gold in arsenopyrite, 8, granite, 956, granite (alkali), 956, granodiorite, 1341, graywacke, 956, huttonite, 677, jacobsite-rich iron ore, 1087, lamprophyre, 220, mafic magmatic enclave, 956, manganese-silicate rock, 1114, marble, 1087, metamorphic reaction zone, 531, metamor-

phosed Fe–Mn ore, 1087, migmatite, 1341, monazite, 70, olivine diabase, 220, orthogneiss, 1342, peraluminous granite, 70, pyroxenite, 1087, quartz – amphibole Å braunite vein, 1114, REE in intermediate and felsic volcanic rocks, 1073, roméite-bearing iron ore, 1087, sillimanite-rich restite, 1341, skarn, 1087, thorite, 70, 679, topaz-hosted melt inclusions (Ta & Nb), 930, uraninite, 70, xenotime, 70, zircon, 70

TRANSMISSION ELECTRON MICROSCOPY

clinopyroxene, 1113, pyroxmangite, 1112, rhodonite, 1112, wittite, 30

TWINNING (see also Crystallography)

albite, 695, antiperthite, 695, bijvoetite-(Y), 154, diamond, 1352, diopside, 184, loparite-(Ce), 146

X-RAY DIFFRACTION (see also Crystal Structure)

Cell Dimensions

adamsite-(Y), 1462, ammoniojarosite, 47, andyrobortsuite, 817, argentojarosite, 47, bakhchisaraitsevite, 831, bandylite, 713,

bazzite (cesian), 1410, 1420, belovite-(Ce), 841, bijvoetite-(Y), 155, boleite, 801, cannizzarite, 32, curite, 727, diopside (violet-colored), 1194, ercrite, 893, fluorapatite (strontian), 841, fourmarierite, 737, franzinitie, 659, gladiusite, 1479, henrymeyerite, 620, iriginitie, 847, jarosite, 47, juabite, 809, loparite-(Ce), 147, meionite, 1205, nickelhexahydrite, 1373, niobian rutile, 908, niobokupletskite, 632, normandite, 642, olenite, 862, petterdite, 1470, potassic-ferrisadanagaite, 670, retgersite, 1373, sogdianite, 853, synthetic BaFe²⁺Ti₇O₁₆, 623, synthetic Ca₂(H₂O)[(UO₂)₁₀UO₁₂(OH)₆(H₂O)₂], 1439, synthetic curite (Sr analogue), 176, synthetic K₅[(UO₂)₁₀O₈(OH)₉](H₂O), 164, synthetic Pb₂(H₂O)[(UO₂)₁₀UO₁₂(OH)₆(H₂O)₂], 1435, thortveitite, 1413, umohoite, 717, unnamed Cu_{1.6}Pb_{1.6}Bi_{6.4}S₁₂, 612, värynenite, 1426, wittite, 32, yoshimuraite, 650, zirconolite, 61

Powder Data

adamsite-(Y), 1462, ammoniojarosite, 48, argentojarosite, 48, cannizzarite, 31, ercrite, 895, gladiusite, 1481, henrymeyerite, 622, huttonite, 677, jarosite, 48, niobokupletskite, 632, petterdite, 1474, synthetic BaFe²⁺Ti₇O₁₆, 622, thorite, 677, thortveitite, 1411, unnamed titanian (Sc,Fe³⁺)(Nb,Ta)O₄ phase, 908, wittite, 31, zirconolite, 61

PART 1

Comparative analysis of sulfides for gold using SXRF and SIMS	I.M. STEELE, L.J. CABRI, J.C. GASPAR, G. McMAHON, M.A. MARQUEZ & M.A.Z. VASCONCELLOS	1
Silver minerals and paragenesis in the Kangjiawan Pb–Zn–Ag–Au deposit of the Shuikoushan mineral district, Hunan Province, China	NANSHI ZENG, E. IZAWA, Y. MOTOMURA & LAIREN LAI	11
Rare sulfosalts from Vulcano, Aeolian Islands, Italy. III. Wittite and cannizzarite	YU.S. BORODAEV, A. GARAVELLI, C. GARBARINO, S.M. GRILLO, N.N. MOZGOVA, N.I. ORGANOVA, N.V. TRUBKIN & F. VURRO	23
Cryogenic Raman spectroscopic studies in the system NaCl–CaCl ₂ –H ₂ O and implications for low-temperature phase behavior in aqueous fluid inclusions	I.M. SAMSON & R.T. WALKER	35
Morphology of jarosite-group compounds precipitated from biologically and chemically oxidized Fe ions	K. SASAKI & H. KONNO	45
Zirconolite with significant REEZrNb(Mn,Fe)O ₇ from a xenolith of the Laacher See eruptive center, Eifel volcanic region, Germany	G. DELLA VENTURA, F. BELLATRECCIA & C.T. WILLIAMS	57
Cerite-(Ce) and thorian synchysite-(Ce) from the Niederbobritzsch granite, Erzgebirge, Germany: implications for the differential mobility of the LREE and Th during alteration	H.-J. FÖRSTER	67
Allanite-(Ce) from the Eocene Casto granite, Idaho: response to hydrothermal alteration	S.A. WOOD & A. RICKETTS	81
As-bearing fluorapatite in manganiferous deposits from St. Marcel – Praborna, Val d'Aosta, Italy	E.-A. PERSEIL, P. BLANC & D. OHNENSTETTER	101
Dehydration of metamict titanite: an infrared spectroscopic study	MING ZHANG, E.K.H. SALJE, T. MALCHEREK, U. BISMAYER & L.A. GROAT	119
Complexly zoned fibrous tourmaline, Cruzeiro mine, Minas Gerais, Brazil: a record of evolving magmatic and hydrothermal fluids	B.L. DUTROW & D.J. HENRY	131
The crystal structures of loparite-(Ce)	R.H. MITCHELL, P.C. BURNS & A.R. CHAKHMOURADIAN	145
A new rare-earth-element uranyl carbonate sheet in the structure of bijvoetite-(Y)	YAPING LI, P.C. BURNS & R.A. GAULT	153
A new uranyl sheet in K ₅ [(UO ₂) ₁₀ O ₈ (OH) ₉](H ₂ O): new insight into sheet anion-topologies	P.C. BURNS & F.C. HILL	163
Implications of the synthesis and structure of the Sr analogue of curite	P.C. BURNS & F.C. HILL	175
A single-crystal neutron-diffraction investigation of diopside at 10 K	M. PRENCIPE, M. TRIBAUDINO, A. PAVESE, A. HOSER & M. REEHUIS	183
High-Mg arc-ankaramitic dikes, Greenhills Complex, Southland, New Zealand	D.J. MOSSMAN, D.S. COOMBS, Y. KAWACHI & A. REAY	191
Early Mesozoic alkaline mafic dykes, southwestern Nova Scotia, Canada, and their bearing on Triassic–Jurassic magmatism	G. PE-PIPER & P.H. REYNOLDS	217
Mineral equilibria in quartz leucoamphibolites (quartz – garnet – plagioclase – hornblende calc-silicates) from southeastern British Columbia, Canada	E.D. GHENT & M.Z. STOUT	233
New Minerals approved in 1999 by the Commission on New Minerals and Mineral Names, International Mineralogical Association	J.D. GRICE & G. FERRARIS	245

BOOK REVIEWS		251
Proceedings of the forty-fourth Annual Meeting of the Mineralogical Association of Canada	G.M. LECHEMINANT	253
The Hawley Medal for 1999 to Alan J. Anderson, Robert A. Mayanovic and Saša Bajt		255
The Leonard G. Berry Medal for 1999 to Norman M. Halden		259
The Past Presidents' Medal for 1999 to Frank C. Hawthorne		261
The Young Scientist Medal for 1999 to Lee A. Groat		265
<hr/>		
PART 2		
<hr/>		
TECTONOMETAMORPHIC STUDIES IN THE CANADIAN SHIELD (PART II)		
Preface	R.G. BERMAN & R.M. EASTON	273
A new tectonometamorphic map of the Canadian Shield: introduction	R.G. BERMAN, R.M. EASTON & L. NADEAU	277
Metamorphism of the Canadian Shield, Ontario, Canada. I. The Superior Province	R.M. EASTON	287
Metamorphism of the Canadian Shield, Ontario, Canada. II. Proterozoic metamorphic history	R.M. EASTON	319
Tectonothermal evolution of the northern Minto block, Superior Province, Quebec, Canada	J.A. PERCIVAL & T. SKULSKI	345
Granulite- and amphibolite-facies metamorphism in a convergent-plate-margin setting: synthesis of the Quebec–Baffin segment of the Trans-Hudson Orogen	M.R. ST-ONGE, N. WODICKA & S.B. LUCAS	379
Precambrian metamorphic and tectonic evolution of northern Baffin Island, Nunavut, Canada	G.D. JACKSON & R.G. BERMAN	399
Metamorphic evolution of the Precambrian basement of Alberta	R.A. BURWASH, J. KRUPIČKA & J.R. WIJBRANS	423
Metamorphism of the Burntwood Group in the Duval Lake area, Manitoba	T. JUNGWIRTH, T.M. GORDON & E. FROESE	435
Gneisses from the granulite terrane of the central Boothia Uplift, Arctic Canada	V.I. KITSUL, V.A. GLEBOVITSKY, YE.A. VAPNIK & T. FRISCH	443
Temperature and pressure variations in suites of Archean felsic plutonic rocks, Berens River area, northwestern Superior Province, Ontario, Canada	D. STONE	455
Grenvillian metamorphism of monocyclic rocks, Georgian Bay, Ontario, Canada: implications for convergence history	N. WODICKA, J.W.F. KETCHUM & R.A. JAMIESON	471
Genesis of cordierite–gedrite gneisses, Central Metasedimentary Belt boundary thrust zone, Grenville Province, Ontario, Canada	W.H. PECK & J.W. VALLEY	511
<hr/>		
Redistribution of major and trace elements during the formation of biotite–plagioclase reaction zones at boundaries between amphibolite and K-feldspar gneiss, Otter Lake area, Quebec, Canada	R. KRETZ	525
Cordierite – anthophyllite – cummingtonite rocks from the Lar deposit, Laurie Lake, Manitoba	S.R. ELLIOTT-MEADOWS, E. FROESE & E.C. APPLEYARD	545
BOOK REVIEW		551

PART 3

Epithermal Cu–Au mineralization in the Palai–Islica deposit, Almeria, southeastern Spain: fluid-inclusion evidence for mixing of fluids as a guide to gold mineralization	S. MORALES RUANO, F.J. CARRILLO ROSÚA, P. FENOLL HACH-ALÍ, F. DE LA FUENTE CHACÓN & E. CONTRERAS LÓPEZ	553
Compositional variation of arsenopyrite and fluid evolution at the Ulsan deposit, southeastern Korea: a low-sulfidation porphyry system	SEON-GYU CHOI & SEUNG-JUN YOUM	567
The PGE and base-metal alloys in the podiform chromitites of the Luobusa ophiolite, southern Tibet	WENJI BAI, P.T. ROBINSON, QINGSONG FANG, JINGSUI YANG, BINGGANG YAN, ZHONGMING ZHANG, XU-FENG HU, MEI-FU ZHOU & JOHN MALPAS	585
The taimyrite–tatyanaite series and zoning in intermetallic compounds of Pt, Pd, Cu and Sn from Noril'sk, Siberia, Russia	A.Y. BARKOV, R.F. MARTIN, G. POIRIER & YU.N. YAKOVLEV	599
The crystal structure of Cu _{1.6} Pb _{1.6} Bi _{6.4} S ₁₂ , a new 44.8 Å derivative of the bismuthinite–aikinite solid-solution series	D. TOPA, T. BALIĆ-ŽUNIĆ & E. MAKOVICKY	611
Henrymeyerite, a new hollandite-type Ba–Fe titanate from the Kovdor complex, Russia	R.H. MITCHELL, V.N. YAKOVENCHUK, A.R. CHAKHMOURADIAN, P.C. BURNS & YA.A. PAKHOMOVSKY	617
Niobokupletskite, a new astrophyllite-group mineral from Mont Saint-Hilaire, Quebec, Canada: description and crystal structure	P.C. PIILONEN, A.E. LALONDE, A.M. McDONALD & R.A. GAULT	627
The crystal structure of normandite and its crystal-chemical relationships with lävenite	N. PERCHIAZZI, A.M. McDONALD, R.A. GAULT, O. JOHNSEN & S. MERLINO	641
The crystal structure of yoshimuraite, a layered Ba–Mn–Ti silicophosphate, with comments on five-coordinated Ti ⁴⁺	A.M. McDONALD, J.D. GRICE & G.Y. CHAO	649
The crystal structure of franzinitite, the ten-layer mineral of the cancrinite group	P. BALLIRANO, E. BONACCORSI, A. MARAS & S. MERLINO	657
The crystal chemistry of potassio-ferrisadanagaite	E. SOKOLOVA, F.C. HAWTHORNE, YU. KABALOV, J. SCHNEIDER & C. McCAMMON	669
Composition and Th – U – total Pb ages of buttonite and thorite from Gillespie's Beach, South Island, New Zealand	H.-J. FÖRSTER, D.E. HARLOV & R. MILKE	675
Exsolution of zirconian-hafnian wodginitite from manganooan-tantalian cassiterite, Annie Claim #3 granitic pegmatite, southeastern Manitoba, Canada	M. MASAU, P. ČERNÝ & R. CHAPMAN	685
Orientation of exsolution lamellae and rods, and optimal phase-boundaries in antiperthite from pelitic granulites, Sri Lanka	P. RAASE	695
The contrasting responses of muscovite and paragonite to increasing pressure: petrological implications	C.V. GUIDOTTI, F.P. SASSI, P. COMODI, P.F. ZANAZZI & J.G. BLENCOE	707
Refinement of the structure of bandylite	YAPING LI & P.C. BURNS	713
Crystal chemistry of uranyl molybdates. I. The structure and formula of umohoite	S.V. KRIVOVICHEV & P.C. BURNS	717
Investigations of crystal-chemical variability in lead uranyl oxide hydrates. I. Curite	YAPING LI & P.C. BURNS	727
Investigations of crystal-chemical variability in lead uranyl oxide hydrates. II. Fourmarierite	YAPING LI & P.C. BURNS	737
Topological enumeration of decorated [Cu ²⁺ φ ₂]N sheets in hydroxy-hydrated copper-oxy salt minerals	F.C. HAWTHORNE & M. SCHINDLER	751

Wiluite, $\text{Ca}_{19}(\text{Al},\text{Mg},\text{Fe},\text{Ti})_{13}(\text{B},\text{Al},\square)_5\text{Si}_{18}\text{O}_{68}(\text{O},\text{OH})_{10}$, a new mineral species isostructural with vesuvianite, from the Sakha Republic, Russian Federation: discussion	E.V. GALUSKIN & I.O. GALUSKINA	763
Wiluite, $\text{Ca}_{19}(\text{Al},\text{Mg},\text{Fe},\text{Ti})_{13}(\text{B},\text{Al},\square)_5\text{Si}_{18}\text{O}_{68}(\text{O},\text{OH})_{10}$, a new mineral species isostructural with vesuvianite, from the Sakha Republic, Russian Federation: reply	L.A. GROAT, F.C. HAWTHORNE, T.S. ERCIT & J.D. GRICE	765
BOOK REVIEWS		767
<hr/>		
PART 4		
<hr/>		
Dynamic powder crystallography with synchrotron X-ray sources	JOHN B. PARISE, C.L. CAHILL & YONGJAE LEE	777
Boleite: resolution of the formula, $\text{K Pb}_{26} \text{Ag}_9 \text{Cu}_{24} \text{Cl}_{62} (\text{OH})_{48}$	M.A. COOPER & F.C. HAWTHORNE	801
Juabite, $\text{CaCu}_{10}(\text{Te}^{4+}\text{O}_3)_4(\text{AsO}_4)_4(\text{OH})_2(\text{H}_2\text{O})_4$: crystal structure and revision of the chemical formula	P.C. BURNS, C.M. CLARK & R.A. GAULT	809
Highly undersaturated anions in the crystal structure of andyrobortske – calcio-andyrobortske, a doubly acid arsenate of the form $\text{K}(\text{Cd},\text{Ca})[\text{Cu}^{2+}_5(\text{AsO}_4)_4\{\text{As}(\text{OH})_2\text{O}_2\}](\text{H}_2\text{O})_2$	M.A. COOPER & F.C. HAWTHORNE	817
The crystal structure of bakhchisaraitsevite, $[\text{Na}_2(\text{H}_2\text{O})_2]\{(\text{Mg}_{4.5}\text{Fe}_{0.5})(\text{PO}_4)_4(\text{H}_2\text{O})_5\}$, a new mineral species of hydrothermal origin from the Kovdor phoscorite–carbonatite complex, Russia	O.V. YAKUBOVICH, W. MASSA, R.P. LIFEROVICH & Ya.A. PAKHOMOVSKY	831
Strontium in the apatite structure: strontian fluorapatite and belovite-(Ce)	J.F. RAKOVAN & J.M. HUGHES	839
The crystal chemistry of uranyl molybdates. II. The crystal structure of iriginitite	S.V. KRIVOVICHEV & P.C. BURNS	847
The crystal chemistry of Li-bearing minerals with the milarite-type structure: the crystal structure of end-member sogdianite	E.V. SOKOLOVA, F.C. HAWTHORNE & L.A. PAUTOV	853
Tetrahedrally coordinated boron in a tourmaline: boron-rich olenite from Stoffhütte, Koralpe, Austria	J.M. HUGHES, A. ERTL, M.D. DYAR, E.S. GREW, C.K. SHEARER, M.G. YATES & C.V. GUIDOTTI	861
The Tanco pegmatite at Bernic Lake, Manitoba. XIII. Exocontact tourmaline	J.B. SELWAY, M. NOVÁK, P. ČERNÝ & F.C. HAWTHORNE	869
The Tanco pegmatite at Bernic Lake, Manitoba. XIV. Internal tourmaline	J.B. SELWAY, P. ČERNÝ, F.C. HAWTHORNE & M. NOVÁK	877
The Tanco pegmatite at Bernic Lake, southeastern Manitoba. XV. Ercitite, $\text{Na Mn}^{3+}\text{PO}_4(\text{OH})(\text{H}_2\text{O})_2$, a new phosphate mineral species	A.-M. FRANSOLET, M.A. COOPER, P. ČERNÝ, F.C. HAWTHORNE, R. CHAPMAN & J.D. GRICE	893
Dysprosian xenotime-(Y) from the Annie Claim #3 granitic pegmatite, southeastern Manitoba, Canada: evidence of the tetrad effect?	M. MASAU, P. ČERNÝ, & R. CHAPMAN	899
Two-stage exsolution of a titanian $(\text{Sc},\text{Fe}^{3+})(\text{Nb},\text{Ta})\text{O}_4$ phase in niobian rutile from southern Norway	P. ČERNÝ, R. CHAPMAN & M. MASAU	907
The role of magmatic processes in the formation of banded Li,F-enriched granites from the Orlovka tantalum deposit, Transbaikalia, Russia: microthermometric evidence	F.G. REYF, R. SELTMANN & G.P. ZARAISKY	915
Mineral and fluid equilibria in Mo-bearing skarn at the Zenith deposit, southwestern Grenville Province, Renfrew area, Ontario, Canada	S. SALVI	937

Post-accretion magmatism within the Kuiu–Etolin Igneous Belt, southeastern Alaska	J. LINDLINE, W.A. CRAWFORD, M.L. CRAWFORD & G.I. OMAR	951
Occurrence, alteration patterns and compositional variation of perovskite in kimberlites	A.R. CHAKHMOURADIAN & R.H. MITCHELL	975
The classic high-T – low-P metamorphism of west-central Maine: is it post-tectonic or syntectonic? Evidence from porphyroblast – matrix relations: discussion	C.V. GUIDOTTI	995
The classic high-T – low-P metamorphism of west-central Maine: is it post-tectonic or syntectonic? Evidence from porphyroblast – matrix relations: reply	G. SOLAR & M. BROWN	1007
The case against Ostwald ripening of porphyroblasts: discussion	K. MIYAZAKI	1027
The case against Ostwald ripening of porphyroblasts: reply	W.D. CARLSON	1029
BOOK REVIEWS		1033

PART 5

Continuous (dynamic) melting theory revisited	D.M. SHAW	1041
From continents to island arcs: a geochemical index of tectonic setting for arc-related and within-plate felsic to intermediate volcanic rocks	M.P. GORTON & E.S. SCHANDL	1065
Origin and distribution of some trace elements in metamorphosed Fe–Mn deposits, Val Ferrera, eastern Swiss Alps	J. BRUGGER & R. GIERÉ	1075
The manganese silicate rocks of the Early Proterozoic Vittinki Group, southwestern Finland: metamorphic grade and genetic interpretations	F. MANCINI, R. ALVIOLA, B. MARSHALL, H. SATOH & H. PAPUNEN	1103
Episodic deposition of Mn minerals in cockade breccia structures in three low-sulfidation epithermal deposits: a mineral stratigraphy and fluid-inclusion approach	J.L. LEROY, D. HUBÉ & E. MARCOUX	1125
Contrasting P–T paths in eclogites of the Betic Ophiolitic Association, Mulhacén Complex, southeastern Spain	E. PUGA, J.M. NIETO & A. DÍAZ DE FEDERICO	1137
P–T path and fluid evolution of the Franqueira granitic pegmatite, central Galicia, northwestern Spain	M. FUERTES-FUENTE, A. MARTÍN-IZARD, M.C. BOIRON & J. MANGAS VIÑUELA	1163
Experimental study of the system diopside – albite – nepheline at $P(H_2O) = P(\text{Total}) = 2$ and 10 kbar and at $P(\text{Total}) = 28$ kbar	J.K. PATI, M. ARIMA & A.K. GUPTA	1177
Violet-colored diopside from southern Baffin Island, Nunavut, Canada	C.D.K. HERD, R.C. PETERSON & G.R. ROSSMAN	1193
Meionite: Rietveld structure-refinement, ^{29}Si MAS and ^{27}Al SATRAS NMR spectroscopy, and comments on the marialite–meionite series	B.L. SHERRIFF, E.V. SOKOLOVA, YU.K. KABALOV, D.M. JENKINS, G. KUNATH-FANDREI, S. GOETZ, C. JÄGER & J. SCHNEIDER	1201
Mode of occurrence, chemical variation and genesis of mordenite and associated zeolites from the Morden area, Nova Scotia, Canada	G. PE-PIPER	1215
Evidence for open-system behavior in immiscible Fe–S–O liquids in silicate magmas: implications for contributions of metals and sulfur to ore-forming fluids	A.C.L. LAROCQUE, J.A. STIMAC, J.D. KEITH & M.A.E. HUMINICKI	1233
The association of platinum-group minerals in placers of the Pustaya River, Kamchatka, Russia	N.D. TOLSTYKH, E.G. SIDOROV, K.V.O. LAAJOKI, A.P. KRIVENKO & M. PODLIPSKIY	1251
Chemical speciation of gold in arsenopyrite	L.J. CABRI, M. NEWVILLE, R.A. GORDON, E.D. CROZIER, S.R. SUTTON, G. McMAHON & DE-TONG JIANG	1265

An algorithm for the transformation of XRF images into mineral-distribution maps	S. TOGAMI, M. TAKANO, M. KUMAZAWA & K. MICHIBAYASHI	1283
Nomenclature of the alunite supergroup: discussion	K.M. SCOTT	1295
Nomenclature of the alunite supergroup: reply	J.L. JAMBOR	1298
BOOK REVIEWS		1305
Referees for 1999		1309

PART 6

“Thermodynamics of a magmatic gas phase” 50 years later: comments on a paper by John Verhoogen (1949)	J. NICHOLLS	1313
Duality of cordierite granites related to melt–restite segregation in the Peña Negra anatetic complex, central Spain	M.D. PEREIRA GÓMEZ & M.D. RODRÍGUEZ ALONSO	1329
Diamond from the Guaniamo area, Venezuela	F.V. KAMINSKY, O.D. ZAKHAROV, W.L. GRIFFIN, D.M. DER. CHANNER & G.K. KHACHATRYAN-BLINOVA	1347
Gaspéite and associated Ni-rich minerals from veins in altered ultrabasic rocks from Duboštica, Bosnia and Herzegovina	V. BERMANEC, G. SIJARIĆ, G. KNIEWALD & J.A. MANDARINO	1371
Zoned tungstenoan molybdenite from a fenitized megaxenolith in the Khibina alkaline complex, Kola Peninsula, Russia	A.Y. BARKOV, R.F. MARTIN, G. POIRIER & YU.P. MEN’SHIKOV	1377
Acicular sphalerite enriched in Ag, Sb, and Cu embedded within color-banded sphalerite from the Kokanee Range, British Columbia, Canada	G. BEAUDOIN	1387
Foitite: formation during late stages of evolution of complex granitic pegmatites at Dobrá Voda, Czech Republic, and Pala, California, U.S.A.	M. NOVÁK & M.C. TAYLOR	1399
Cesian bazzite and thortveitite from Cuasso al Monte, Varese, Italy: a comparison with the material from Baveno, and inferred origin	C.M. GRAMACCIOLI, V. DIELLA, F. DEMARTIN, P. ORLANDI & I. CAMPOSTRINI	1409
Structure refinement of bazzite from pegmatitic and miarolitic occurrences	F. DEMARTIN, C.M. GRAMACCIOLI & T. PILATI	1419
Refinement of the crystal structure of väyrynenite	D.M.C. HUMINICKI & F.C. HAWTHORNE	1425
Synthesis and crystal structure of a new Pb uranyl oxide hydrate with a framework structure that contains channels	YAPING LI & P.C. BURNS	1433
A crystal-chemical approach to the composition and occurrence of vanadium minerals	M. SCHINDLER, F.C. HAWTHORNE & W.H. BAUR	1443
Adamsite-(Y), a new sodium–yttrium carbonate mineral species from Mont Saint-Hilaire, Quebec	J.D. GRICE, R.A. GAULT, A.C. ROBERTS & M.A. COOPER	1457
Petterdite, the Cr-dominant analogue of dundasite, a new mineral species from Dundas, Tasmania, Australia and Callenberg, Saxony, Germany	W.D. BIRCH, U. KOLITSCH, T. WITZKE, L. NASDALA & R.S. BOTTRILL	1467
Gladiusite, $\text{Fe}^{3+}_2(\text{Fe}^{2+},\text{Mg})_4(\text{PO}_4)_1(\text{OH})_{11}(\text{H}_2\text{O})$, a new hydrothermal mineral species from the phoscorite–carbonatite unit, Kovdor Complex, Kola Peninsula, Russia	R.P. LIFEROVICH, E.V. SOKOLOVA, F.C. HAWTHORNE, K.V.O. LAAJOKI, S. GEHÖR, YA.A. PAKHOMOVSKY & N.V. SOROKHTINA	1477
BOOK REVIEWS		1487
Index, volume 38	J.D. SCOTT	1493