

THE CANADIAN MINERALOGIST

INDEX, VOLUME 43

J. DOUGLAS SCOTT[§]

203-44 Brousseau Avenue, Timmins, Ontario P4N 5Y2, Canada

AUTHOR INDEX

- Agakhanov, A.A. with Pekov, I.V., 965
 Agakhanov, A.A. with Uvarova, Yu.A., 1511
 Ageeva, O.A. with Németh, P., 973
 Aleinikoff, J.N. with Wintsch, R.F., 327
 Alexandre, P. & Kyser, T.K., Effects of cationic substitutions and alteration in uraninite, and implications for the dating of uranium deposits, 1005
 Alpers, C.N. with Jamieson, H.E., 1225
 Anderson, G.M., Truth and beauty in thermodynamics, 11
 Andrade, C.F. with Walker, S.R., 1205
 Anovitz, L.M. with Fayek, M., 1631
 Armbruster, T. with Krivovichev, S.V., 671
 Arms, D.A. with Core, D.P., 1781
 Augé, T., Petrunov, R. & Bailly, L., On the origin of the PGE mineralization in the Elatite porphyry Cu–Au deposit, Bulgaria: comparison with the Baula–Nuasahi Complex (India) and other alkaline PGE-rich porphyries, 1355
 Bailly, L. with Augé, T., 1355
 Balic-Žunić, T. with Chaplygin, I.V., 695
 Balic-Žunić, T. with Makovicky, E., 679
 Balic-Žunić, T. with Topa, D., 909
 Barkov, A.Y., Fleet, M.E., Martin, R.F. & Halkoaho, T.A.A., New data on “bonanza”-type PGE mineralization in the Kirakkajuppura PGE deposit, Penikat layered complex, Finland, 1663
 Barkov, A.Y., Fleet, M.E., Nixon, G.T. & Levson, V.M., Platinum-group minerals from five placer deposits in British Columbia, Canada, 1687
 Baronnet, A. & Devouard, B., Microstructures of common polygonal serpentines from axial HRTEM imaging, electron diffraction, and simulation data, 513
 Barron, L.M., A linear model and topology for the host–inclusion mineral system involving diamond, 203
 Bayliss, P., Kaez, H.D. & Nickel, E.H., The use of chemical-element adjectival modifiers in mineral nomenclature, 1429
 Beaufort, D. with Gaboreau, S., 813
 Bédard, J.H. with Cadéron, S., 463
 Bégin, N.J. with Pattison, D.R.M., 1
 Belakovskiy, D.I. with Sokolova, E., 1545
 Bellatreccia, F., Cámarra, F., Ottolini, L., Della Ventura, G., Cibin, G. & Mottana, A., Wiluite from Ariccia, Latium, Italy: occurrence and crystal structure, 1457
 Beresford, S.W. with Stone, W.E., 1745
 Berlepsch, P. with Sejkora, J., 1393
 Berman, R.G., Sanborn-Barrie, M., Stern, R.A. & Carson, C.J., Tectonometamorphism at *ca.* 2.35 and 1.85 Ga in the Rae Domain, western Churchill Province, Nunavut, Canada: insights from structural, metamorphic and *in situ* geochronological analysis of the southwestern Committee Bay Belt, 409
 Bindi, L. & Pratesi, G., Selenojalpaita, Ag_3CuSe_2 , a new mineral species from the Skriterum Cu–Ag–Tl selenide deposit, Småland, southeastern Sweden, 1373
 Birch, W.D. with Pring, A., 1401
 Blencoe, J.G. with Guidotti, C.V., 311
 Boldyreva, M.M. with Pekov, I.V., 965
 Bonaccorsi, E. with Garavelli, A., 703
 Bonev, I.K., Vassileva, R.D., Zотов, N. & Kouzmanov, K., Manganiilvaite, $\text{CaFe}^{2+}\text{Fe}^{3+}(\text{Mn},\text{Fe}^{2+})(\text{Si}_2\text{O}_7)\text{O(OH)}$, a new mineral species of the ilvaita group from Pb–Zn skarn deposits in the Rhodope Mountains, Bulgaria, 1027
 Bonev, I.K. with Zотов, N., 1043
 Bonli, T. with Botis, S., 1565
 Borodaev, Yu.S. with Garavelli, A., 703
 Bortnikova, S.B. with Sidenko, N.V., 1141
 Botis, S., Nokhrin, S.M., Pan, Y., Yingaki Xu, Bonli, T. & Sopuck, V., Natural radiation-induced damage in quartz. I. Correlations between cathodoluminescence colors and paramagnetic defects, 1565
 Breaks, F.W. with Tindle, A.G., 769
 Bril, H. with Soubiran-Colin, M., 1077
 Brouwer, F.M. & Engi, M., Staurolite and other aluminous phases in Alpine eclogite from the Central Swiss Alps: analysis of domain evolution, 105
 Bruneton, P. with Gaboreau, S., 813
 Bryzgalov, I.A. with Chaplygin, I.V., 695
 Bucher, K., de Capitani, C. & Grapes, R., The development of a margarite–corundum blackwall by metasomatic alteration of a slice of mica schist in ultramafic rock, Kvesjöen, Norwegian Caledonides, 129
 Burke, E.A.J. & Ferraris, G., New minerals and nomenclature modifications approved in 2004 by the Commission on New Minerals and Mineral Names, International Mineralogical Association, 829
 Burns, P.C., U^{6+} minerals and inorganic compounds: insights into an expanded structural hierarchy of crystal structures, 1839
 Burns, P.C. with Krivovichev, S.V., 713
 Burns, P.C. with Locock, A.J., 721, 989
 Burns, P.C. with Roberts, A.C., 1055
 Cabri, L.J. with McDonald, A.M., 1735
 Cadéron, S., Trzcienski, W.E., Jr., Bédard, J.H. & Goulet, N., An occurrence of sapphirine in the Archean Superior Province, northern Quebec, 463
 Cámarra, F. with Bellatreccia, F., 1457
 Carlson, W.D. with Meth, C.E., 157
 Carson, C.J. with Berman, R.G., 409
 Černý, P. & Ercit, T.S., The classification of granitic pegmatites revisited, 2005
 Chakhmouradian, A.R., Hughes, J.M. & Rakovan, J., Fluorcaphtite, a second occurrence and detailed structural analysis: simulta-

[§] E-mail address: jdscott@vianet.on.ca

- neous accommodation of Ca, Sr, Na, and LREE in the apatite atomic arrangement, 735
- Chao, G.Y. with McDonald, A.M., 747
- Chaplygin, I.V., Mozgovaya, N.N., Magazina, L.O., Kuznetsova, O.Yu., Safonov, Yu.G., Bryzgalov, I.A., Makovicky, E. & Balic-Zunić, T., Kudriavite, (Cd,Pb)Bi₂S₄, a new mineral species from Kudriavy volcano, Iturup Island, Kurile Arc, Russia, 695
- Chapman, L.H. with Roache, T.J., 241
- Chatfield, E.J. with Wicks, F.J., 1993
- Cherepansky, P.N. with Krivovichev, S.V., 671
- Chouinard, A., Paquette, J. & Williams-Jones, A.E., Crystallographic controls on trace-element incorporation in auriferous pyrite from the epithermal high-sulfidation Pascua deposit, Chile–Argentina, 951
- Cibin, G. with Bellatreccia, F., 1457
- Cisneros, S. with Roberts, A.C., 1055
- Clarke, R. with Core, D.P., 1781
- Colchester, D.M. with Williams, P.A., 1061
- Comodi, P. with Guidotti, C.V., 311
- Cooper, M.A. with Roberts, A.C., 1055
- Core, D.P., Kesler, S.E., Essene, E.J., Dufresne, E.B., Clarke, R., Arms, D.A., Walko, D. & Rivers, M.L., Copper and zinc in silicate and oxide minerals in igneous rocks from the Bingham – Park City Belt, Utah: synchrotron X-ray fluorescence data, 1781
- Courtin-Nomade, A. with Soubrand-Colin, M., 1077
- Crocket, J.H., Leng, D.M., Good, D.J., Stone, W.E. & Stone, M.S., The spinifex layer of the Boston Creek ferropicrite, Abitibi Belt, Ontario: mineralogical and geochemical evidence for an unusual history of clinopyroxene growth and magma recharge, 1759
- Culetto, F.J. with Paar, W.H., 689
- Day, H.W. & Springer, R.K., The first appearance of actinolite in the prehnite–pumpellyite facies, Sierra Nevada, California, 89
- de Capitani, C. with Bucher, K., 129
- De Vito, C. with Martin, R.F., 2027
- Della Ventura, G. with Bellatreccia, F., 1457
- Della Ventura, G. with Hawthorne, F.C., 1895
- Deloule, E. with Garnier, V., 1315
- Deloule, E. with Stone, W.E., 1745
- Devouard, B. with Baromet, A., 513
- Díaz de Federico, A. with Puga, E., 183
- Dipple, G.M. with Hansen, L.D., 225
- Donohue, C.L. & Essene, E.J., Granulite-facies conditions preserved in vanadium- and chromium-rich metapelites from the Paradise Basin, Wind River Range, Wyoming, U.S.A., 495
- Drits, V.A., McCarty, D.K., Sakharov, B. & Milliken, K.L., New insight into structural and compositional variability of some ancient excess-Ca dolomite, 1255
- Dufresne, E.B. with Core, D.P., 1781
- Durham, B.R. with McDonald, A.M., 1735
- Ejeckam, R.B. & Sherriff, B.L., A ¹³³Cs, ²⁹Si and ²⁷Al MAS NMR spectroscopic study of Cs adsorption by clay minerals: implications for the disposal of nuclear wastes, 1131
- Engi, M. with Brouwer, F.M., 105
- Ercit, T.S., Identification and alteration trends of granitic-pegmatite-hosted (Y,REE,U,Th)-(Nb,Ta,Ti) oxide minerals: a statistical approach, 1291
- Ercit, T.S. with Černý, P., 2005
- Essene, E.J. with Core, D.P., 1781
- Essene, E.J. with Donohue, C.L., 495
- Ewing, R.C., The nuclear fuel cycle *versus* the carbon cycle, 2099
- Ewing, R.C. with Fayek, M., 1631
- Fanning, C.M. with Puga, E., 183
- Fayek, M., Utsunomiya, S., Pfiffner, S.M., White, D.C., Riciputi, L.R., Ewing, R.C., Anovitz, L.M. & Stadermann, F.J., The use of HRTEM techniques and the NanoSIMS to chemically and isotopically characterize *Geobacter sulfurreducens* surfaces, 1631
- Ferraris, G. with Burke, E.A.J., 829
- Ferraris, G. with Németh, P., 973
- Filatov, S.K. with Krivovichev, S.V., 671
- Fiorentini, M. with Stone, W.E., 1745
- Fleet, M.E., XANES spectroscopy of sulfur in Earth materials, 1811
- Fleet, M.E., Liu, Xiaoyang, Harmer, S.L. & King, P.L., Sulfur K-edge XANES spectroscopy: chemical state and content of sulfur in silicate glasses, 1605
- Fleet, M.E., Liu, Xiaoyang, Harmer, S.L. & Nesbitt, H.W., Chemical state of sulfur in natural and synthetic lazurite by S K-edge XANES and X-ray photoelectron spectroscopy, 1589
- Fleet, M.E. with Barkov, A.Y., 1663
- Fleet, M.E. with Harmer, S.L., 1619
- Fleming, R.L., Salzsauler, K., Sherriff, B.L. & Sidenko, N.V., Identification of scorodite in fine-grained, high-sulfide, arsenopyrite mine-waste using micro X-ray diffraction (mXRD), 1243
- Flynn, T.M. with Locock, A.J., 721
- Fonteilles, M. with Pascal, M.-L., 857
- Foord, E.E. with Roberts, A.C., 1055
- Förster, H.-J., Tischendorf, G. & Rhede, D., Mineralogy of the Niederschlema-Alberoda U – Se – polymetallic deposit, Erzgebirge, Germany. V. Watkinsonite, nevskite, bohdano-wiczite and other bismuth minerals, 899
- Francis, C.A. with Hughes, J.M., 1379
- Frost, B.R., Swapp, S.M. & Gregory, R.W., Prolonged existence of sulfide melt in the Broken Hill orebody, New South Wales, Australia, 479
- Frost, R.L. with Martens, W.N., 1065
- Gaboreau, S., Beaufort, D., Vieillard, P., Patrier, P. & Bruneton, P., Aluminum phosphate–sulfate minerals associated with Proterozoic unconformity-type uranium deposits in the East Alligator River uranium field, Northern Territories, Australia, 813
- Garavelli, A., Mozgovaya, N.N., Orlandi, P., Bonaccorsi, E., Pinto, D., Moëlo, Y. & Borodava, Yu.S., Rare sulfosalts from Vulcano, Aeolian Islands, Italy. VI. Vurroite, Pb₂₀Sn₂(Bi,As)₂₂S₅₄Cl₆, a new mineral species, 703
- Garnier, V., Ohnenstetter, D., Giuliani, G., Maluski, H., Deloule, E., Trinh Phan Trong, Long Pham Van & Vinh Hoang Quang, Age and significance of ruby-bearing marble from the Red River Shear Zone, northern Vietnam, 1315
- Garuti, G. & Zaccarini, F., Minerals of Au, Ag and U in volcanic-rock-associated massive sulfide deposits of the Northern Apennine ophiolite, Italy, 935
- Gault, R.A. with Grice, J.D., 1469
- Gault, R.A. with Roberts, A.C., 1055
- Ghent, E.D. & Simony, P.S., Geometry of isogradic, isothermal, and isobaric surfaces: interpretation and application, 295
- Ghent, E.D. with Tinkham, D.K., 35
- Giuliani, G. with Garnier, V., 1315
- Good, D.J. with Crocket, J.H., 1759
- Gordon, T.M. with Hansen, L.D., 225
- Götte, T. with Trepmann, C.A., 553
- Goulet, N. with Cadéron, S., 463
- Graetsch, H.A. & Schreyer, W., Rietveld refinement of synthetic monoclinic NaBSiO₄, 759
- Grant, A.H. with Peterson, R.C., 1171
- Grapes, R. with Bucher, K., 129
- Gregory, R.W. with Frost, B.R., 479
- Grice, J.D., Strontioginorite: crystal-structure analysis and hydrogen bonding, 1019
- Grice, J.D., The structure of spurrite, tilleyite and scawtite, and relationships to other silicate–carbonate minerals, 1489
- Grice, J.D., Gault, R.A. & Van Velthuizen, J., Borate minerals of the Penobsquis and Millstream deposits, southern New Brunswick, Canada, 1469
- Grice, J.D. with Kogarko, L.N., 1501

- Grishin, V.G. with Pekov, I.V., 965
 Guidotti, C.V., Sassi, F.P., Comodi, P., Zanazzi, P.F. & Blencoe, J.G., Slaty cleavage: does the crystal chemistry of layer silicates play a role in its development?, 311
 Guiraud, M. with Powell, R., 21
 Halkoaho, T.A.A. with Barkov, A.Y., 1663
 Hall, G.E.M. with Walker, S.R., 1205
 Hansen, L.D., Dipple, G.M., Gordon, T.M. & Kellett, D.A., Carbonated serpentinite (listwanite) at Atlin, British Columbia: a geological analogue to carbon dioxide sequestration, 225
 Harmer, S.L., Pratt, A.R., Nesbitt, H.W. & Fleet, M.E., Reconstruction of fracture surfaces on bornite, 1619
 Harmer, S.L. with Fleet, M.E., 1589, 1605
 Hatert, F., Transformation sequences of copper sulfides at Vielsalm, Stavelot Massif, Belgium, 623
 Hawthorne, F.C., Preface: The Mineralogical Association of Canada 50th Anniversary Symposium Volume, 1809
 Hawthorne, F.C., Della Ventura, G., Oberti, R., Robert, J.-L. & Iezzi, G., Short-range order in minerals: amphiboles, 1895
 Hawthorne, F.C. with Kogarko, L.N., 1501
 Hawthorne, F.C. with Roberts, A.C., 1055
 Hawthorne, F.C. with Sokolova, E., 1521, 1527, 1545
 Hawthorne, F.C. with Uvarova, Yu.A., 1511
 Heimann, A., Spry, P.G. & Teale, G.S., Zincian spinel associated with metamorphosed Proterozoic base-metal sulfide occurrences, Colorado: a re-evaluation of gahnite composition as a guide in exploration, 601
 Henderson, G.S., The structure of silicate melts: a glass perspective, 1921
 Henderson, G.S. & Pan, Y., Preface: S³: Sulfides, Structures, and Synchrotron Light: a Tribute to Michael E. Fleet, 1449
 Henderson, G.S. with Soltay, L.G., 1643
 Horikawa, T. with Ueno, T., 1653
 Hughes, J.M., Schindler, M. & Francis, C.A., The C2/m disordered structure of pascosite, Ca₃[V₁₀O₂₈]•17H₂O: bonding between structural units and interstitial complexes in compounds containing the [V₁₀O₂₈]⁶⁻ decavanadate polyanion, 1379
 Hughes, J.M. with Chakhmouradian, A.R., 735
 Hughes, J.M. with Lupulescu, M.V., 1423
 Iezzi, G. with Hawthorne, F.C., 1895
 Indares, A.D. with Yang, Panseok, 443
 Ivanov, V.V. with Nekrasov, I.Ya., 637
 Jacobsen, S.D. with Zotov, N., 1043
 Jambor, J.L., Raudsepp, M. & Mountjoy, K., Mineralogy of permeable reactive barriers for the attenuation of subsurface contaminants, 2117
 Jamieson, H.E., Robinson, C., Alpers, C.N., Nordstrom, D.K., Poustovetov, A. & Lowers, H.A., The composition of coexisting jarosite-group minerals and water from the Richmond mine, Iron Mountain, California, 1225
 Jamieson, H.E. with Sidenko, N.V., 1157
 Jamieson, H.E. with Walker, S.R., 1205
 Kaesz, H.D. with Bayliss, P., 1429
 Kamp, A.R., The crystal structure of cobaltarthurite from the Bou Azzer District, Morocco: the location of hydrogen atoms in the arthurite structure-type, 1387
 Karanovic, L. with Makovicky, E., 679
 Karpenko, V.V. with Uvarova, Yu.A., 1511
 Katona, I. with Pascal, M.-L., 857
 Kawakami, M. with Ueno, T., 1653
 Kellett, D.A. with Hansen, L.D., 225
 Kesler, S.E. with Core, D.P., 1781
 Khomyakov, A.P. with Sokolova, E., 1521, 1527
 Kile, D.E., Mineralogy and provenance of clays in miarolitic cavities of the Pikes Peak Batholith, Colorado, 1093
 King, P.L. with Fleet, M.E., 1605
 Kinman, W.S. with Locock, A.J., 989
 Kireev, A.D. with Sidenko, N.V., 1141
 Kloprogge, J.T. with Martens, W.N., 1065
 Kockelmann, W. with Zotov, N., 1043
 Kogarko, L.N., Uvarova, Yu.A., Sokolova, E., Hawthorne, F.C., Ottolini, L. & Grice, J.D., Oxykinoshitalite, a new species of mica from Fernando de Noronha Island, Pernambuco, Brazil: occurrence and crystal structure, 1501
 Kolitsch, U. with Pring, A., 1401
 Kondo, K. with Ueno, T., 1653
 Kouzmanov, K. with Bonev, I.K., 1027
 Kretz, R., A study of gneissic biotite syenite and nepheline syenite, Otter Lake area, Quebec, 1107
 Kretz, R., Mineral reactions at boundaries between amphibolite and marble in the southern Grenville Province, Quebec, Canada, 569
 Kretz, R., Review and comparison of simple transfer and exchange equilibria, 1349
 Krivovichev, S.V. & Burns, P.C., Crystal chemistry of uranyl molybdates. XI. Crystal structures of Cs₂[(UO₂)(MoO₄)₂] and Cs₂[(UO₂)(MoO₄)₂](H₂O), 713
 Krivovichev, S.V., Filatov, S.K., Cherepanovsky, P.N., Armbruster, T. & Pankratova, O.Yu., Crystal structure of γ-Cu₂V₂O₇ and its comparison to blossite (α-Cu₂V₂O₇) and ziesite (β-Cu₂V₂O₇), 671
 Kruhl, J.H. & Vernon, R.H., Syndeformational emplacement of a tonalitic sheet-complex in a late-Variscan thrust regime: fabrics and mechanism of intrusion, Monte' Senes, northeastern Sardinia, Italy, 387
 Kuznetsova, O.Yu. with Chaplygin, I.V., 695
 Kyser, T.K. with Alexandre, P., 1005
 Lanzirotti, A. with Walker, S.R., 1205
 Lazareva, E.V. with Sidenko, N.V., 1141
 Lee, M.R. with Parsons, I., 1959
 Lenaz, D. & Princivalle, F., The crystal chemistry of detrital chromian spinel from the southeastern Alps and outer Dinarides: the discrimination of supplies from areas of similar tectonic setting?, 1305
 Leng, D.M. with Crocket, J.H., 1759
 Lennikov, A.M. with Nekrasov, I.Ya., 637
 Léone, P. with Orlandi, P., 919
 Leverett, P. with Williams, P.A., 1061
 Levens, V.M. with Barkov, A.Y., 1687
 Liforovich, R.P. & Mitchell, R.H., Composition and paragenesis of Na-, Nb- and Zr-bearing titanite from Khibina, Russia, and crystal-structure data for synthetic analogues, 795
 Liu, Xiaoyang with Fleet, M.E., 1589, 1605
 Locock, A.J., Burns, P.C. & Flynn, T.M., Structures of strontium- and barium-dominant compounds that contain the autunite-type sheet, 721
 Locock, A.J., Kinman, W.S. & Burns, P.C., The structures and compositions of uranosposphate, Al_{1-x}□_x[(UO₂)(PO₄)₂(H₂O)_{20-3x}F_{1-3x}, 0 < x < 0.33, a non-centrosymmetric fluorine-bearing mineral of the autunite group, and a related synthetic lower hydrate, Al_{0.67}□_{0.33}[(UO₂)(PO₄)₂(H₂O)_{15.5}], 989
 Lodziak, J. with Melcher, F., 1711
 Long Pham Van with Garnier, V., 1315
 Lowers, H.A. with Jamieson, H.E., 1225
 Lupulescu, M.V., Rakovan, J., Robinson, G.W. & Hughes, J.M., Fluoropargasite, a new member of the calcic amphiboles, from Edenville, Orange County, New York, 1423
 Magazina, L.O. with Chaplygin, I.V., 695
 Makovicky, E., Karanovic, L., Poletti, D., Balic-Žunić, T. & Paar, W.H., Crystal structure of copper-rich unsubstituted tennantite, Cu_{12.5}As₄S₁₃, 679
 Makovicky, E. with Chaplygin, I.V., 695
 Makovicky, E. with Paar, W.H., 689
 Makovicky, E. with Topa, D., 909
 Maluski, H. with Garnier, V., 1315
 Mandarino, J.A., Derivation of a new Gladstone-Dale constant for VO₂, 1123
 Martens, W.N., Kloprogge, J.T., Frost, R.L. & Rintoul, L., Site occupancy of Co and Ni in erythrite-annabergite solid solutions deduced by vibrational spectroscopy, 1065

- Martin, F. with Soubran-Colin, M., 1077
 Martin, R.F. & De Vito, C., The patterns of enrichment in felsic pegmatites ultimately depend on tectonic setting, 2027
 Martin, R.F. with Barkov, A.Y., 1663
 Martin, R.F. with Paktunc, D., 1129
 McCarty, D.K. with Drits, V.A., 1255
 McDonald, A.M., Cabri, L.J., Stanley, C.J., Rudashevsky, N.S., Poirier, G., Mungall, J.E., Ross, K.C., Durham, B.R. & Rudashevsky, V.N., Ungavaite, $(\text{Na}, \text{Ca})_{13}\text{Sr}_{11}(\text{Zr}, \text{Y}, \text{Nb})_{14}\text{Si}_4\text{B}_6\text{O}_{132}(\text{OH})_{12} \cdot 12\text{H}_2\text{O}$, a new mineral species from Mont Saint-Hilaire, Quebec: description, structure determination and relationship to benitoite and wadeite, 747
 Meerschaut, A. with Orlandi, P., 919
 Melcher, F., Oberthür, T. & Lodziak, J., Modification of detrital platinum-group minerals from the Eastern Bushveld Complex, South Africa, 1711
 Meneghini, C. with Tribaudino, M., 1411
 Meth, C.E. & Carlson, W.D., Diffusion-controlled synkinematic growth of garnet from a heterogeneous precursor at Passo del Sole, Switzerland, 157
 Milliken, K.L. with Drits, V.A., 1255
 Mitchell, R.H., Carbonatites and carbonatites and carbonatites, 2049
 Mitchell, R.H. with Lifervich, R.P., 795
 Mitov, I. with Zотов, N., 1043
 Moëlo, Y. with Garavelli, A., 703
 Moëlo, Y. with Orlandi, P., 919
 Monecke, T. with Trinkler, M., 883
 Monecke, T. with Wagner, T., 655
 Mottana, A. with Bellatreccia, F., 1457
 Mountjoy, K. with Jambor, J.L., 2117
 Mozgova, N.N. with Chaplygin, I.V., 695
 Mozgova, N.N. with Garavelli, A., 703
 Mulrooney, D. & Rivers, T., Redistribution of the rare-earth elements among coexisting minerals in metamorphic rocks across the epidote-out isograd: an example from the St. Anthony Complex, northern Newfoundland, Canada, 263
 Mungall, J.E. with McDonald, A.M., 1735
 Nagasaki, K. with Ueno, T., 1653
 Naldrett, A.J., A history of our understanding of magmatic Ni–Cu sulfide deposits, 2069
 Néel, C. with Soubran-Colin, M., 1077
 Nekrasov, I.Ya., Lennikov, A.M., Zalishchak, B.L., Oktyabrsky, R.A., Ivanov, V.V., Sapin, V.I. & Taskaev, V.I., Chemical variations of platinum-group minerals and gold in the Kondor alkaline-ultrabasic massif, Aldan Shield, Russia, 637
 Németh, P., Ferraris, G., Radnócz, G. & Ageeva, O.A., TEM and X-ray study of syntactic intergrowths of epistolite, murmanite and shkatulkalite, 973
 Nesbitt, H.W. with Fleet, M.E., 1589
 Nesbitt, H.W. with Harmer, S.L., 1619
 Nestola, F. with Tribaudino, M., 1411
 Nickel, E.H. with Bayliss, P., 1429
 Nieto, J.M. with Puga, E., 183
 Nilges, M.J. with Nokhrin, S.M., 1581
 Nixon, G.T. with Barkov, A.Y., 1687
 Nokhrin, S.M., Pan, Y., Weil, J.A. & Nilges, M.J., Multifrequency EPR study of radiation-induced defects in chlorapatite, 1581
 Nokhrin, S.M. with Botis, S., 1565
 Nordstrom, D.K. with Jamieson, H.E., 1225
 Novák, M. with Sejkora, J., 1393
 Novotný, P. with Sejkora, J., 1393
 Oberthür, T. with Melcher, F., 1711
 Oberthür, R. with Hawthorne, F.C., 1895
 Ohnenstetter, D. with Garnier, V., 1315
 Oktyabrsky, R.A. with Nekrasov, I.Ya., 637
 Orlandi, P., Meerschaut, A., Moëlo, Y., Palvadeau, P. & Léone, P., Lead–antimony sulfosilicates from Tuscany (Italy). VIII. Rouxelite, $\text{Cu}_2\text{HgPb}_{22}\text{Sb}_{28}\text{S}_{64}(\text{O}, \text{S})_2$, a new sulfosalt from Buca della Vena mine, Apuan Alps: definition and crystal structure, 919
 Orlandi, P. with Garavelli, A., 703
 Ottolini, L. with Bellatreccia, F., 1457
 Ottolini, L. with Kogarko, L.N., 1501
 Paar, W.H., Topa, D., Makovicky, E. & Culeto, F.J., Miloštaite, PdSbSe , a new palladium mineral species from Předbořice, Czech Republic, 689
 Paar, W.H. with Makovicky, E., 679
 Paar, W.H. with Roberts, A.C., 1055
 Paktunc D. & Martin, R.F., Preface: Metals in the Environment and Mine Wastes, 1129
 Palvadeau, P. with Orlandi, P., 919
 Pan, Yuanming with Botis, S., 1565
 Pan, Yuanming with Henderson, G.S., 1449
 Pan, Yuanming with Nokhrin, S.M., 1581
 Paneva, D. with Zотов, N., 1043
 Pankratova, O.Yu. with Krivovichev, S.V., 671
 Paquette, J. with Chouinard, A., 951
 Parker, D.F. with White, J.C., 1331
 Parsons, I. & Lee, M.R., Minerals are not just chemical compounds, 1959
 Pascal, M.-L., Katona, I., Fonteilles, M. & Verkaeren, J., Relics of high-temperature clinopyroxene on the join Di–CaTs with up to 7 mol. % $\text{Ca}(\text{Al}, \text{Fe}^{3+})\text{AlSiO}_6$ in the skarns of Ciclova and Magureaua Vatei, Carpathians, Romania, 857
 Patrier, P. with Gaboreau, S., 813
 Pattison, D.R.M. & Vogl, J.J., Contrasting sequences of metapelitic mineral-assemblages in the aureole of the tilted Nelson Batholith, British Columbia: implications for phase equilibria and pressure determination in andalusite–sillimanite-type settings, 51
 Pattison, D.R.M., St-Onge, M.R. & Bégin, N.J., Preface: Truth and beauty in metamorphism: a tribute to Dugald Carmichael, 1
 Pautov, L.A. with Sokolova, E., 1545
 Pautov, L.A. with Uvarova, Yu.A., 1511
 Pekov, I.V., Agakhanov, A.A., Boldyreva, M.M. & Grishin, V.G., Pautovite, CsFe_2S_3 , a new mineral species from the Lovozerо alkaline complex, Kola Peninsula, Russia, 965
 Peterson, R.C. & Grant, A.H., Dehydration and crystallization reactions of secondary sulfate minerals found in mine waste: *in situ* powder-diffraction experiments, 1171
 Petrunov, R. with Augé, T., 1355
 Pfiffner, S.M. with Fayek, M., 1631
 Pinto, D. with Garavelli, A., 703
 Poirier, G. with McDonald, A.M., 1735
 Poletti, D. with Makovicky, E., 679
 Poustovetov, A. with Jamieson, H.E., 1225
 Powell, R., Guiraud, M. & White, R.W., Truth and beauty in metamorphic phase equilibria: conjugate variables and phase diagrams, 21
 Pratesi, G. with Bindì, L., 1373
 Pratt, A.R. with Harmer, S.L., 1619
 Princivalle, F. with Lenaz, D., 1305
 Pring, A., Kolitsch, U. & Birch, W.D., Description and unique crystal-structure of waterhouseite, a new hydroxy manganese phosphate species from the Iron Monarch deposit, Middleback Ranges, South Australia, 1401
 Puga, E., Fanning, C.M., Nieto, J.M. & Díaz de Federico, A., Recrystallization textures in zircon generated by ocean-floor and eclogite-facies metamorphism: a cathodoluminescence and U–Pb SHRIMP study, with constraints from REE elements, 183
 Radnócz, G. with Németh, P., 973
 Rakovan, J. with Chakhmouradian, A.R., 735
 Rakovan, J. with Lupulescu, M.V., 1423
 Rankin, J. with Williams, P.A., 1061

- Raudsepp, M. with Jambor, J.L., 2117
 Ren, Minghua with White, J.C., 1331
 Rhede, D. with Förster, H.-J., 899
 Richmond, J.M. with Roache, T.J., 241
 Riciputi, L.R. with Fayek,M., 1631
 Rintoul, L. with Martens, W.N., 1065
 Rivers, M.L. with Core, D.P., 1781
 Rivers, T. with Mulrooney, D., 263
 Roache, T.J., Williams, P.J., Richmond, J.M. & Chapman, L.H., Vein and skarn formation at the Cannington Ag–Pb–Zn deposit, northeastern Australia, 241
 Robert, J.-L. with Hawthorne, F.C., 1895
 Roberts, A.C., Gault, R.A., Paar, W.H., Cooper, M.A., Hawthorne, F.C., Burns, P.C., Cisneros, S. & Foord, E.E., Terlingua-creekite, $Hg^{2+}_3O_2Cl_2$, a new mineral species from the Perry Pit, Mariposa mine, Terlingua mining district, Brewster County, Texas, U.S.A., 1055
 Robinson, C. with Jamieson, H.E., 1225
 Robinson, G.W. with Lupulescu, M.V., 1423
 Ross, K.C. with McDonald, A.M., 1735
 Rozendaal, A. with Stalder, M., 585
 Rubenach, M.J., Relative timing of albitization and chlorine enrichment in biotite in Proterozoic schists, Snake Creek Anticline, Mount Isa Inlier, northeastern Australia, 349
 Rudashevsky, N.S. with McDonald, A.M., 1735
 Rudashevsky, V.N. with McDonald, A.M., 1735
 Safonov, Yu.G. with Chaplygin, I.V., 695
 Sakharov, B. with Drits, V.A., 1255
 Salzsauler, K. with Flemming, R.L., 1243
 Sanborn-Barrie, M. with Berman, R.G., 409
 Sapin, V.I. with Nekrasov, I.Ya., 637
 Sassi, F.P. with Guidotti, C.V., 311
 Schindler, M. with Hughes, J.M., 1379
 Schreyer, W. with Graetsch, H.A., 759
 Sejkora, J., Novotný, P., Novák, M., Šrein, V. & Berlepsch, P., Calciopteterite from Domašov nad Bystřicí, northern Moravia, Czech Republic, a new mineral species of the mixite group, 1393
 Selway, J.B. with Tindle, A.G., 769
 Sharpe, J.L. with Williams, P.A., 1061
 Shaw, S.C. with Sidenko, N.V., 1157
 Sherriff, B.L. with Ejeckam, R.B., 1131
 Sherriff, B.L. with Flemming, R.L., 1243
 Sherriff, B.L. with Sidenko, N.V., 1141, 1157
 Sidenko, N.V., Sherriff, B.L., Jamieson, H.E. & Shaw, S.C., Characterization of aluminum-rich phases in heap-leach pads at the Landusky gold mine, Montana, USA, 1157
 Sidenko, N.V., Lazareva, E.V., Bortnikova, S.B., Kireev, A.D. & Sherriff, B.L., Geochemical and mineralogical zoning of high-sulfide mine-waste at the Berikul mine-site, Kemerovo region, Russia, 1141
 Sidenko, N.V. with Flemming, R.L., 1243
 Simony, P.S. with Ghent, E.D., 295
 Skinner, W.M. with Weber, P.A., 1183, 1193
 Smart, R.St.C. with Weber, P.A., 1183, 1193
 Sokolova, E., Hawthorne, F.C., Belakovskiy, D.I. & Pautov, L.A., The OD (order-disorder) structure of holfertite, a hydrated uranyl titanate mineral from Searle Canyon, Thomas Range, Utah, USA, 1545
 Sokolova, E., Hawthorne, F.C. & Khomyakov, A.P., Refinement of the crystal structure and revision of the chemical formula of olgite: $(Ba,Sr)(Na,Sr,REE)_2 Na [PO_4]_2$, 1521
 Sokolova, E., Hawthorne, F.C. & Khomyakov, A.P., Polyphite and sobolevite: revision of their crystal structures, 1527
 Sokolova, E. with Kogarko, L.N., 1501
 Sokolova, E. with Uvarova, Yu.A., 1511
 Soltay, L.G. & Henderson, G.S., The structure of lithium-containing silicate and germanate glasses, 1643
 Sopuck, V. with Botis, S., 1565
 Soubrand-Colin, M., Bril, H., Néel, C., Courtin-Nomade, A. & Martin, F., Weathering of basaltic rocks from the French Massif Central: origin and fate of Ni, Cr, Zn and Cu, 1077
 Spray, J.G. with Trepmann, C.A., 553
 Springer, R.K. with Day, H.W., 89
 Spry, P.G. with Heimann, A., 601
 Šrein, V. with Sejkora, J., 1393
 Stadermann, F.J. with Fayek,M., 1631
 Stalder, M. & Rozendaal, A., Calderite-rich garnet and franklinite-rich spinel in amphibolite-facies hydrothermal sediments, Gamsberg Zn–Pb deposit, Namaqua Province, South Africa, 585
 Stanley, C.J. with McDonald, A.M., 1735
 Stein, E. with Stowell, H.H., 367
 Stern, R.A. with Berman, R.G., 409
 Stone, M.S. with Crocket, J.H., 1759
 Stone, W.E., Deloule, E., Beresford, S.W. & Fiorentini, M., Anomalously high δD values in an Archean ferropicritic melt: implications for magma degassing, 1745
 Stone, W.E. with Crocket, J.H., 1759
 St-Onge, M.R. with Pattison, D.R.M., 1
 Stowell, H.H. & Stein, E., The significance of plagioclase-dominant coronas on garnet, Wenatchee Block, northern Cascades, Washington, U.S.A., 367
 Swapp, S.M. with Frost, B.R., 479
 Taskaev, V.I. with Nekrasov, I.Ya., 637
 Teale, G.S. with Heimann, A., 601
 Teertstra, D.K., The optical analysis of minerals, 543
 Thomas, J.E. with Weber, P.A., 1183, 1193
 Thomas, R. with Trinkler, M., 883
 Tindle, A.G., Selway, J.B. & Breaks, F.W., Liddicoatite and associated species from the McCombe spodumene-subtype rare-element granitic pegmatite, northwestern Ontario, Canada, 769
 Tinkham, D.K. & Ghent, E.D., Estimating P–T conditions of garnet growth with isochemical phase-diagram sections and the problem of effective bulk-composition, 35
 Tischendorf, G. with Förster, H.-J., 899
 Topa, D., Makovicky, E. & Balić-Žunić, T., Mineralogical data on salzburgite and paarite, two new members of the bismuthinite–aikinite series, 909
 Topa, D. with Paar, W.H., 689
 Trepmann, C.A., Götte, T. & Spray, J.G., Impact-related Ca-metasomatism in crystalline target-rocks from the Charlevoix structure, Quebec, Canada, 553
 Tribaudino, M., Nestola, F. & Meneghini, C., Rietveld refinement of clinopyroxenes with intermediate Ca-content along the join diopside–enstatite, 1411
 Trinh Phan Trong with Garnier, V., 1315
 Trinkler, M., Monecke, T. & Thomas, R., Constraints on the genesis of yellow fluorite in hydrothermal barite–fluorite veins of the Erzgebirge, eastern Germany: evidence from optical absorption spectroscopy, rare-earth-element data, and fluid-inclusion investigations, 883
 Trzcienski, W.E., Jr. with Cadéron, S., 463
 Ueno, T., Nagasaki, K., Horikawa, T., Kawakami, M. & Kondo, K., Phase equilibria in the system Cu–Ga–S at 500° and 400°C, 1653
 Utsunomiya, S. with Fayek,M., 1631
 Uvarova, Yu.A., Sokolova, E., Hawthorne, F.C., Karpenko, V.V., Agakhanov, A.A. & Pautov, L.A., The crystal chemistry of the “nickelalumite”-group minerals, 1511
 Uvarova, Yu.A. with Kogarko, L.N., 1501
 Van Laer, W.C., Potassic-carpholite and the myth of Centerville, Idaho, 1125
 Van Velthuizen, J. with Grice, J.D., 1469
 Vassileva, R.D. with Bonev, I.K., 1027
 Vassileva, R.D. with Zотов, N., 1043
 Verkaeren, J. with Pascal, M.-L., 857
 Vernon, R.H. with Kruhl, J.H., 387
 Vieillard, P. with Gaboreau, S., 813
 Vinh Hoàng Quang with Garnier, V., 1315
 Vogl, J.J. with Pattison, D.R.M., 51
 Wagner, T. & Monecke, T., Germanium-bearing colusite from the Waterloo volcanic-rock-hosted massive sulfide deposit,

- Australia: crystal chemistry and formation of colusite-group minerals, 655
- Walker, D., Core–mantle chemical issues, 1553
- Walker, S.R., Jamieson, H.E., Lanzirotti, A., Andrade, C.F. & Hall, G.E.M., Speciation of arsenic in iron oxides in mine wastes from the Giant gold mine, N.W.T.: application of synchrotron micro-XRD and micro-XANES at the grain scale, 1205
- Walko, D. with Core, D.P., 1781
- Weber, P.A., Thomas, J.E., Skinner, W.M. & Smart, R.St.C., A methodology to determine the acid-neutralization capacity of rock samples, 1183
- Weber, P.A., Thomas, J.E., Skinner, W.M. & Smart, R.St.C., Calculated acid-base balance for H_2O_2 oxidation of carbonate-poor pyritic mine-rock, 1193
- Weil, J.A. with Nokhrin, S.M., 1581
- White, D.C. with Fayek, M., 1631
- White, J.C., Ren, Minghua & Parker, D.F., Variation in mineralogy, temperature, and oxygen fugacity in a suite of strongly peraluminous lavas and tuffs, Pantelleria, Italy, 1331
- White, R.W. with Powell, R., 21
- Wicks, F.J. & Chatfield, E.J., Scrolling of thin crystals of lizardite: an expression of internal stress, 1993
- Williams, P.A., Leverett, P., Sharpe, J.L., Colchester, D.M. & Rankin, J., Elsmoreite, cubic $WO_3 \bullet 0.5H_2O$, a new mineral species from Elsmore, New South Wales, Australia, 1061
- Williams, P.J. with Roache, T.J., 241
- Williams-Jones, A.E. with Chouinard, A., 951
- Wintsch, R.F., Aleinikoff, J.N. & Yi, Keewook, Foliation development and reaction softening by dissolution and precipitation in the transformation of granodiorite to orthogneiss, Glastonbury Complex, Connecticut, U.S.A., 327
- Xu, Yingaki with Botis, S., 1565
- Yang, Panseok & Indares, A.D., Mineral zoning, phase relations, and P-T evolution of high-pressure granulites from the Lelu-kauu terrane, northeastern Grenville Province, Quebec, 443
- Yi, Keewook with Wintsch, R.F., 327
- Zaccarini, F. with Garuti, G., 935
- Zalischak, B.L. with Nekrasov, I.Ya., 637
- Zanazzi, P.F. with Guidotti, C.V., 311
- Zotov, N., Kockelmann, W., Jacobsen, S.D., Mitov, I., Paneva, D., Vassileva, R.D. & Bonev, I.K., Structure and cation order in manganelvaite: a combined X-ray diffraction, neutron diffraction and Mössbauer study, 1043
- Zotov, N. with Bonev, I.K., 1027

SUBJECT INDEX

- A ^{133}Cs , ^{29}Si and ^{27}Al MAS NMR spectroscopic study of Cs adsorption by clay minerals: implications for the disposal of nuclear wastes, (Ejeckam & Sherriff), 1131
- A history of our understanding of magmatic Ni–Cu sulfide deposits, (Naldrett), 2069
- A linear model and topology for the host–inclusion mineral system involving diamond, (Barron), 203
- A methodology to determine the acid-neutralization capacity of rock samples, (Weber *et al.*), 1183
- A study of gneissic biotite syenite and nepheline syenite, Otter Lake area, Quebec, (Kretz), 1107
- Age and significance of ruby-bearing marble from the Red River Shear Zone, northern Vietnam, (Garnier *et al.*), 1315
- Aluminum phosphate–sulfate minerals associated with Proterozoic unconformity-type uranium deposits in the East Alligator River uranium field, Northern Territories, Australia, (Gaboreau *et al.*), 813
- An occurrence of sapphirine in the Archean Superior Province, northern Quebec, (Cadéron *et al.*), 463
- Anomalously high δD values in an Archean ferropicritic melt: implications for magma degassing, (Stone *et al.*), 1745
- Bobtaillite, $(Na,Ca)_{13}Sr_{11}(Zr,Y,Nb)_{14}Si_{42}B_6O_{132}(OH)_{12} \bullet 12H_2O$, a new mineral species from Mont Saint-Hilaire, Quebec: description, structure determination and relationship to benitoite and wadeite, (McDonald & Chao), 747
- Borate minerals of the Penobsquis and Millstream deposits, southern New Brunswick, Canada, (Grice *et al.*), 1469
- Calciopetersite from Domašov nad Bystřicí, northern Moravia, Czech Republic, a new mineral species of the mixite group, (Sejkora *et al.*), 1393
- Calculated acid–base balance for H_2O_2 oxidation of carbonate-poor pyritic mine-rock, (Weber *et al.*), 1193
- Calderite-rich garnet and franklinite-rich spinel in amphibolite-facies hydrothermal sediments, Gamsberg Zn–Pb deposit, Namaqua Province, South Africa, (Stalder & Rozendaal), 585
- Carbonated serpentinite (listwanite) at Atlin, British Columbia: a geological analogue to carbon dioxide sequestration, (Hansen *et al.*), 225
- Carbonatites and carbonatites and carbonatites, (Mitchell), 2049
- Characterization of aluminum-rich phases in heap-leach pads at the Landusky gold mine, Montana, USA, (Sidenko *et al.*), 1157
- Chemical state of sulfur in natural and synthetic lazurite by S K-edge XANES and X-ray photoelectron spectroscopy, (Fleet *et al.*), 1589
- Chemical variations of platinum-group minerals and gold in the Konder alkaline-ultrabasic massif, Aldan Shield, Russia, (Nekrasov *et al.*), 637
- Composition and paragenesis of Na-, Nb- and Zr-bearing titanite from Khibina, Russia, and crystal-structure data for synthetic analogues, (Liferovich & Mitchell), 795
- Constraints on the genesis of yellow fluorite in hydrothermal barite–fluorite veins of the Erzgebirge, eastern Germany: evidence from optical absorption spectroscopy, rare-earth-element data, and fluid-inclusion investigations, (Trinkler *et al.*), 883
- Contrasting sequences of metapelitic mineral-assemblages in the aureole of the tilted Nelson Batholith, British Columbia: implications for phase equilibria and pressure determination in andalusite–sillimanite-type settings, (Pattison & Vogl), 51
- Copper and zinc in silicate and oxide minerals in igneous rocks from the Bingham – Park City Belt, Utah: synchrotron X-ray fluorescence data, (Core *et al.*), 1781
- Core–mantle chemical issues, (Walker), 1553
- Crystal chemistry of uranyl molybdates. XI. Crystal structures of $Cs_2[(UO_2)(MoO_4)_2]$ and $Cs_2[(UO_2)(MoO_4)_2](H_2O)$, (Krivovichev & Burns), 713
- Crystal structure of copper-rich unsubstituted tennantite, $Cu_{12.5}As_4S_{13}$, (Makovicky *et al.*), 679
- Crystal structure of $\gamma\text{-}Cu_2V_2O_7$ and its comparison to blossite ($\alpha\text{-}Cu_2V_2O_7$) and ziesite ($\beta\text{-}Cu_2V_2O_7$), (Krivovichev *et al.*), 671
- Crystallographic controls on trace-element incorporation in auriferous pyrite from the epithermal high-sulfidation Pascua deposit, Chile–Argentina, (Chouinard *et al.*), 951
- Dehydration and crystallization reactions of secondary sulfate minerals found in mine waste: *in situ* powder-diffraction experiments, (Peterson & Grant), 1171
- Derivation of a new Gladstone–Dale constant for VO_2 , (Mandarino), 1123
- Description and unique crystal-structure of waterhouseite, a new hydroxy manganese phosphate species from the Iron Monarch deposit, Middleback Ranges, South Australia, (Pring *et al.*), 1401

- Diffusion-controlled synkinematic growth of garnet from a heterogeneous precursor at Passo del Sole, Switzerland, (Meth & Carlson), 157
- Effects of cationic substitutions and alteration in uraninite, and implications for the dating of uranium deposits, (Alexandre & Kyser), 1005
- Elsmoreite, cubic $\text{WO}_3 \cdot 0.5\text{H}_2\text{O}$, a new mineral species from Elsmore, New South Wales, Australia, (Williams *et al.*), 1061
- Estimating P-T conditions of garnet growth with isochemical phase-diagram sections and the problem of effective bulk-composition, (Tinkham & Ghent), 35
- Fluoraphphite, a second occurrence and detailed structural analysis: simultaneous accommodation of Ca, Sr, Na, and LREE in the apatite atomic arrangement, (Chakhmouradian *et al.*), 735
- Fluoropargasite, a new member of the calcic amphiboles, from Edenville, Orange County, New York, (Lupulescu *et al.*), 1423
- Foliation development and reaction softening by dissolution and precipitation in the transformation of granodiorite to orthogneiss, Glastonbury Complex, Connecticut, U.S.A., (Wintsch *et al.*), 327
- Geochemical and mineralogical zoning of high-sulfide mine-waste at the Berikul mine-site, Kemerovo region, Russia, (Sidenko *et al.*), 1141
- Geometry of isogradiac, isothermal, and isobaric surfaces: interpretation and application, (Ghent & Simony), 295
- Germanium-bearing colusite from the Waterloo volcanic-rock-hosted massive sulfide deposit, Australia: crystal chemistry and formation of colusite-group minerals, (Wagner & Monecke), 655
- Granulite-facies conditions preserved in vanadium- and chromium-rich metapelites from the Paradise Basin, Wind River Range, Wyoming, U.S.A., (Donohue & Essene), 495
- Identification and alteration trends of granitic-pegmatite-hosted (Y,REE,U,Th)-(Nb,Ta,Ti) oxide minerals: a statistical approach, (Ercit), 1291
- Identification of scorodite in fine-grained, high-sulfide, arsenopyrite mine-waste using micro X-ray diffraction (mmmmXRD), (Flemming *et al.*), 1243
- Impact-related Ca-metasomatism in crystalline target-rocks from the Charlevoix structure, Quebec, Canada, (Trepmann *et al.*), 553
- Kudriavite, $(\text{Cd},\text{Pb})\text{Bi}_2\text{S}_4$, a new mineral species from Kudriavay volcano, Iturup Island, Kurile Arc, Russia, (Chaplygin *et al.*), 695
- Lead-antimony sulfosalts from Tuscany (Italy). VIII. Rouxelite, $\text{Cu}_2\text{HgPb}_{22}\text{Sb}_{28}\text{S}_{64}(\text{O,S})_2$, a new sulfosalt from Buca della Vena mine, Apuan Alps: definition and crystal structure, (Orlandi *et al.*), 919
- Liddicoateite and associated species from the McCombe spodumenite-subtype rare-element granitic pegmatite, northwestern Ontario, Canada, (Tindle *et al.*), 769
- Manganilvaite, $\text{CaFe}^{2+}\text{Fe}^{3+}(\text{Mn},\text{Fe}^{2+})(\text{Si}_2\text{O}_7)\text{O}(\text{OH})$, a new mineral species of the ilvaite group from Pb-Zn skarn deposits in the Rhodope Mountains, Bulgaria, (Bonev *et al.*), 1027
- Microstructures of common polygonal serpentines from axial HRTEM imaging, electron diffraction, and simulation data, (Baronnet & Devouard), 513
- Milotaitite, PdSbSe , a new palladium mineral species from Předbořice, Czech Republic, (Paar *et al.*), 689
- Mineral reactions at boundaries between amphibolite and marble in the southern Grenville Province, Quebec, Canada, (Kretz), 569
- Mineral zoning, phase relations, and P-T evolution of high-pressure granulites from the Lelukaua terrane, northeastern Grenville Province, Quebec, (Yang & Indares), 443
- Mineralogical data on salzburgite and paarite, two new members of the bismuthinitite-aikinite series, (Topa *et al.*), 909
- Mineralogy and provenance of clays in miarolitic cavities of the Pikes Peak Batholith, Colorado, (Kile), 1093
- Mineralogy of permeable reactive barriers for the attenuation of subsurface contaminants, (Jambor *et al.*), 2117
- Mineralogy of the Niederschlema-Alberoda U – Se – polymetallic deposit, Erzgebirge, Germany. V. Watkinsonite, nevskite, bohdanowiczite and other bismuth minerals, (Fürster *et al.*), 899
- Minerals are not just chemical compounds, (Parsons & Lee), 1959
- Minerals of Au, Ag and U in volcanic-rock-associated massive sulfide deposits of the Northern Appenine ophiolite, Italy, (Garuti & Zaccarini), 935
- Modification of detrital platinum-group minerals from the Eastern Bushveld Complex, South Africa, (Melcher *et al.*), 1711
- Multifrequency EPR study of radiation-induced defects in chlorapatite, (Nokhrin *et al.*), 1581
- Natural radiation-induced damage in quartz. I. Correlations between cathodoluminescence colors and paramagnetic defects, (Botis *et al.*), 1565
- New data on “bonanza”-type PGE mineralization in the Kirak-kajuppura PGE deposit, Penikat layered complex, Finland, (Barkov *et al.*), 1663
- New insight into structural and compositional variability of some ancient excess-Ca dolomite, (Drits *et al.*), 1255
- New minerals and nomenclature modifications approved in 2004 by the Commission on New Minerals and Mineral Names, International Mineralogical Association, (Burke & Ferraris), 829
- On the origin of the PGE mineralization in the Elatsite porphyry Cu-Au deposit, Bulgaria: comparison with the Baula-Nuasahi Complex (India) and other alkaline PGE-rich porphyries, (Augé *et al.*), 1355
- Oxykinoshitalite, a new species of mica from Fernando de Noronha Island, Pernambuco, Brazil: occurrence and crystal structure, (Kogarko *et al.*), 1501
- Pautovite, CsFe_2S_3 , a new mineral species from the Lovozero alkaline complex, Kola Peninsula, Russia, (Pekov *et al.*), 965
- Phase equilibria in the system Cu–Ga–S at 500° and 400°C, (Ueno *et al.*), 1653
- Platinum-group minerals from five placer deposits in British Columbia, Canada, (Barkov *et al.*), 1687
- Polyphite and sobolevite: revision of their crystal structures, (Sokolova *et al.*), 1527
- Potassio-carpholite and the myth of Centerville, Idaho, (Van Laer), 1125
- Preface: Metals in the Environment and Mine Wastes, (Paktunc & Martin), 1129
- Preface: S³: Sulfides, Structures, and Synchrotron Light: A Tribute to Michael E. Fleet, (Henderson & Pan), 1449
- Preface: The Mineralogical Association of Canada 50th Anniversary Symposium Volume, (Hawthorne), 1809
- Preface: Truth and beauty in metamorphism: a tribute to Dugald Carmichael, (Pattison *et al.*), 1
- Prolonged existence of sulfide melt in the Broken Hill orebody, New South Wales, Australia, (Frost *et al.*), 479
- Rare sulfosalts from Vulcano, Aeolian Islands, Italy. VI. Vurroite, $\text{Pb}_{20}\text{Sn}_2(\text{Bi},\text{As})_{22}\text{S}_{54}\text{Cl}_6$, a new mineral species, (Garavelli *et al.*), 703
- Reconstruction of fracture surfaces on bornite, (Harmer *et al.*), 1619
- Recrystallization textures in zircon generated by ocean-floor and eclogite-facies metamorphism: a cathodoluminescence and U-Pb SHRIMP study, with constraints from REE elements, (Puga *et al.*), 183
- Redistribution of the rare-earth elements among coexisting minerals in metamorphic rocks across the epidote-out isograd: an example from the St. Anthony Complex, northern Newfoundland, Canada, (Mulrooney & Rivers), 263
- Refinement of the crystal structure and revision of the chemical formula of oligte: $(\text{Ba},\text{Sr})(\text{Na},\text{Sr},\text{REE})_2\text{Na}[\text{PO}_4]_2$, (Sokolova *et al.*), 1521

- Relative timing of albitization and chlorine enrichment in biotite in Proterozoic schists, Snake Creek Anticline, Mount Isa Inlier, northeastern Australia, (Rubenach), 349
- Relics of high-temperature clinopyroxene on the join Di–CaTs with up to 72 mol.% Ca_{(Al,Fe³⁺)AlSiO₆} in the skarns of Ciclova and Magureaua Vatei, Carpathians, Romania, (Pascal *et al.*), 857
- Review and comparison of simple transfer and exchange equilibria, (Kretz), 1349
- Rietveld refinement of clinopyroxenes with intermediate Ca-content along the join diopside–enstatite, (Tribaudino *et al.*), 1411
- Rietveld refinement of synthetic monoclinic NaBSiO₄, (Graetsch & Schreyer), 759
- Scrolling of thin crystals of lizardite: an expression of internal stress, (Wicks & Chatfield), 1993
- Selenojalpaite, Ag₃CuSe₂, a new mineral species from the Skrik-erum Cu–Ag–Tl selenide deposit, Småland, southeastern Sweden, (Bindi & Pratesi), 1373
- Short-range order in minerals: amphiboles, (Hawthorne *et al.*), 1895
- Site occupancy of Co and Ni in erythrite–annabergite solid solutions deduced by vibrational spectroscopy, (Martens *et al.*), 1065
- Slaty cleavage: does the crystal chemistry of layer silicates play a role in its development?, (Guidotti *et al.*), 311
- Speciation of arsenic in iron oxides in mine wastes from the Giant gold mine, N.W.T.: application of synchrotron micro-XRD and micro-XANES at the grain scale, (Walker *et al.*), 1205
- Staurolite and other aluminous phases in Alpine eclogite from the Central Swiss Alps: analysis of domain evolution, (Brouwer & Engi), 105
- Strontioginorite: crystal-structure analysis and hydrogen bonding, (Grice), 1019
- Structure and cation order in manganilvaite: a combined X-ray diffraction, neutron diffraction and Mössbauer study, (Zotov *et al.*), 1043
- Structures of strontium- and barium-dominant compounds that contain the autunite-type sheet, (Locock *et al.*), 721
- Sulfur K-edge XANES spectroscopy: chemical state and content of sulfur in silicate glasses, (Fleet *et al.*), 1605
- Syndeformational emplacement of a tonalitic sheet-complex in a late-Variscan thrust regime: fabrics and mechanism of intrusion, Monte's Senes, northeastern Sardinia, Italy, (Kruhl & Vernon), 387
- Tectonometamorphism at *ca.* 2.35 and 1.85 Ga in the Rae Domain, western Churchill Province, Nunavut, Canada: insights from structural, metamorphic and *in situ* geochronological analysis of the southwestern Committee Bay Belt, (Berman *et al.*), 409
- TEM and X-ray study of syntactic intergrowths of epistolite, murmanite and shkatulkalite, (Németh *et al.*), 973
- Terlinguaekite, Hg²⁺₃O₂Cl₂, a new mineral species from the Perry Pit, Mariposa mine, Terlingua mining district, Brewster County, Texas, U.S.A., (Roberts *et al.*), 1055
- The C2/m disordered structure of pascoite, Ca₃[V₁₀O₂₈]•17H₂O: bonding between structural units and interstitial complexes in compounds containing the [V₁₀O₂₈]⁶⁻ decavanadate poly-anion, (Hughes *et al.*), 1379
- The classification of granitic pegmatites revisited, (Černý & Ercit), 2005
- The composition of coexisting jarosite-group minerals and water from the Richmond mine, Iron Mountain, California, (Jamieson *et al.*), 1225
- The crystal chemistry of detrital chromian spinel from the southeastern Alps and outer Dinarides: the discrimination of supplies from areas of similar tectonic setting?, (Lenaz & Princivalle), 1305
- The crystal chemistry of the “nickelalumite”-group minerals, (Uvarova *et al.*), 1511
- The crystal structure of cobaltarthurite from the Bou Azzer District, Morocco: the location of hydrogen atoms in the arthurite structure-type, (Kampf), 1387
- The development of a margarite–corundum blackwall by metasomatic alteration of a slice of mica schist in ultramafic rock, Kvesjøen, Norwegian Caledonides, (Bucher *et al.*), 129
- The first appearance of actinolite in the prehnite–pumpellyite facies, Sierra Nevada, California, (Day & Springer), 89
- The nuclear fuel cycle *versus* the carbon cycle, (Ewing), 2099
- The OD (order–disorder) structure of holfertite, a hydrated uranyl titanate mineral from Searle Canyon, Thomas Range, Utah, USA, (Sokolova *et al.*), 1545
- The optical analysis of minerals, (Teertstra), 543
- The patterns of enrichment in felsic pegmatites ultimately depend on tectonic setting, (Martin & De Vito), 2027
- The significance of plagioclase-dominant coronas on garnet, Wenatchee Block, northern Cascades, Washington, U.S.A., (Stowell & Stein), 367
- The spinifex layer of the Boston Creek ferropicrite, Abitibi Belt, Ontario: mineralogical and geochemical evidence for an unusual history of clinopyroxene growth and magma recharge, (Crocket *et al.*), 1759
- The structure of lithium-containing silicate and germanate glasses, (Soltay & Henderson), 1643
- The structure of silicate melts: a glass perspective, (Henderson), 1921
- The structure of spurrite, tilleyite and scawtite, and relationships to other silicate–carbonate minerals, (Grice), 1489
- The structures and compositions of uranospaphite, Al_{1-x}□_x[(UO₂)(PO₄)₂(H₂O)_{20+3x}F_{1-3x}, 0 < x < 0.33, a non-centrosymmetric fluorine-bearing mineral of the autunite group, and a related synthetic lower hydrate, Al_{0.67}□_{0.33}[(UO₂)(PO₄)₂(H₂O)_{15.5}, (Locock *et al.*), 989
- The use of chemical-element adjectival modifiers in mineral nomenclature, (Bayliss *et al.*), 1429
- The use of HRTEM techniques and the NanoSIMS to chemically and isotopically characterize *Geobacter sulfurreducens* surfaces, (Fayek *et al.*), 1631
- Transformation sequences of copper sulfides at Vielsalm, Stavelot Massif, Belgium, (Hatert), 623
- Truth and beauty in metamorphic phase equilibria: conjugate variables and phase diagrams, (Powell *et al.*), 21
- Truth and beauty in thermodynamics, (Anderson), 11
- U⁶⁺ minerals and inorganic compounds: insights into an expanded structural hierarchy of crystal structures, (Burns), 1839
- Ungavaite, Pd₄Sb₃, a new intermetallic mineral species from the Mesamax Northwest deposit, Ungava region, Quebec, Canada: description and genetic implications, (McDonald *et al.*), 1735
- Variation in mineralogy, temperature, and oxygen fugacity in a suite of strongly peralkaline lavas and tuffs, Pantelleria, Italy, (White *et al.*), 1331
- Vein and skarn formation at the Cannington Ag–Pb–Zn deposit, northeastern Australia, (Roache *et al.*), 241
- Weathering of basaltic rocks from the French Massif Central: origin and fate of Ni, Cr, Zn and Cu, (Soubiran-Colin *et al.*), 1077
- Wiluite from Ariccia, Lazio, Italy: occurrence and crystal structure, (Bellatreccia *et al.*), 1457
- XANES spectroscopy of sulfur in Earth materials, (Fleet), 1811
- Zincian spinel associated with metamorphosed Proterozoic base-metal sulfide occurrences, Colorado: a re-evaluation of gahnite composition as a guide in exploration, (Heimann *et al.*), 601

BOOK REVIEWS

- A Practical Guide to Rock Microstructure, (Vernon), 844, Beryl and its Color Varieties, (Falster *et al.*), 1435, Crystallography of Modular Materials, (Ferraris *et al.*), 837, Crystals: Growth, Morphology and Perfection, (Sunagawa), 1127, Encyclopedia of Geology, (Shelley *et al.*, eds.), 1440, Evidence from

the Earth (Forensic Geology and Criminal Investigation), (Murray), 843, Fleischer's Glossary of Mineral Species 2004, (Mandarino & Back), 1436, Fleischer's Glossary of Mineral Species 2004: rebuttal, (Mandarino & Back), 1803, Geologic Map of North America, (Reed *et al.*), 1798, Geology of Gems, (Kievenko), 839, Historic Review of the Witwatersrand Goldfields, (Handley), 840, Kerch Iron-Ore Basin, (Chukanov), 1128, Kovdor, (Ivanyuk *et al.*), 1799, Magmatic Sulfide Deposits, (Naldrett), 841, Minerals and their Localities, (Bernard & Hyrsl), 1437, Ore Mineral Atlas, (Marshall *et al.*), 1439, Pakistan: Minerals, Mountains and Majesty, (Agozino *et al.*), 838, Phoscorites and Carbonatites from Mantle to Mine: the Key Example of the Kola Alkaline Province, (Wall & Zaitsev, eds.), 1438, Quantitative Seismic Interpretation: Applying Rock Physics Tools to Reduce Interpretation Risk, (Avseth *et al.*), 1801, Rock-Forming Minerals. 3A. Sheet Silicates: Micas (2nd ed.), (Fleet), 837, Rock-Forming Minerals. 4B. Framework Silicates: Silica Minerals, Feldspathoids and the Zeolites (2nd edition), (Deer *et al.*), 1439, The Dynamic Structure of the Deep Earth (An Interdisciplinary Approach), (Karato), 842, The Man Who Found Time, (Repcheck), 1797

CHEMICAL ANALYSES (see also Electron-microprobe analyses)

Minerals

Al-hydroxide precipitate, 1164, dolomite (excess-Ca), 1284, kaolinite, 1134, montmorillonite, 1134, vermiculite, 1134.

Rocks

amphibolite, 573, 1110, basalt, 1080, basalt (weathered), 1080, basanite, 1080, basanite (weathered), 1080, biotite syenite (gneissic), 1109, blackwall, 136, charnockitic gneiss, 564, comenditic trachyte, 1333, epidote amphibolite, 268, ferropicrite, 1763, garnet schist, 40, garnet-mica schist, 136, granodiorite dike, 374, green schist, 268, listwanite, 239, marble, 573, marble-amphibolite reaction zone, 573, metagabbro, 1110, metagabbro (granulite), 446, metapelite, 55, mica schist, 136, Mn-Zn rich garnet-spinel rocks, 597, nepheline syenite, 1109, pantellerite, 1333, pantelleritic trachyte, 1333, plagioclase amphibolite, 268

COUPLED-ATOM SUBSTITUTIONS

Phosphates

Al-Sr-phosphate-sulfate minerals, 822, calcipetersite, 1397

Selenides

bohdanowiczite, 906

Silicates

illite, 1164, lazurite, 1596, liddicoatite, 785, manganilvaite, 1036, 1047, oxykinoshitalite, 1508, prehnite, 558, titanite, 332, 796

Sulfides

colusite (germaniferous), 661, kudriavite, 697, laurite-erichmanite, 1673, pyrite (Au-Cu substituted), 959, rouxelite, 926, vurroite, 706, vysotskite-braggite, 1667

CRYSTALLOGRAPHY (see also Twinning)

apatite-group LREE crystal chemistry, 737, arthurite group (hydrogen bonding), 1387, Au-plus-Cu substitution in pyrite, 959, autunite-group crystal chemistry, 990, 1855, autunite

sheet, 722, 1855, bafertisite mero-plesiotype series, 974, benitoite-group crystal chemistry, 754, boron ordering in wiluite, 1461, Ca-Mg ordering in dolomite, 1264, chemical composition from crystal structure, 544, 684, 1045, 1404, 1524, 1549, chlorosulfosalts, 709, colusite-group crystal chemistry, 661, covalent Sb-S pairs, 693, crystal chemistry of Al-Sr phosphate-sulfate minerals, 819, decavanadate polyanion, 1380, defect microtextures of alkali feldspars, 1960, F in amphiboles, 1427, Gladstone-Dale relationship, 547, holfertite O-D structure, 1546, index of refraction, 544, Jahn-Teller distortion (Cu^{2+}), 673, lizardite scrolls, 1998, lone-pair electrons (Sb^{3+}), 928, mixite group, 1394, Mn order in manganilvaite, 1045, $NaBSiO_4$ polymorphs, 761, nanoscale uranyl compounds, 1881, "nickelalumite"-group crystal chemistry, 1512, optical analysis of minerals, 543, polygonal serpentine, 514, Rietveld refinement, 760, 805, 1045, 1260, 1413, short-range O-D of OH and F in amphiboles, 1909, short-range order in amphiboles, 1895, short-range order in silicate glasses, 1645, 1923, silicate-carbonate minerals crystal chemistry, 1495, silicate glass structure-models, 1645, 1925, spinel (chromian) crystal chemistry, 1307, structure of lithium germanate glass, 1647, structure of lithium silicate glass, 1644, structure of silicate melts from a glass perspective, 1644, 1921, synchrotron radiation, 1209, 1784, 1816, synthetic erythrite-annabergite solid-solutions, 1069, U-O (uranyl) distance, 715, 726, 995, 1549, 1842, uranyl compounds crystal-structure hierarchy, 1839, uranyl-sheet mineral crystal morphology, 731, 991, uranyl-sheet topologies, 717, 722, 997, 1851, watkinsonite (revised formula), 905

CRYSTAL STRUCTURE (see also X-ray diffraction)

ankerite, 1266, bobtrallite, 752, calcipetersite, 1396, cobaltarthurite, 1387, $\gamma\text{-Cu}_2\text{V}_2\text{O}_7$, 672, diopside (synthetic), 1412, dolomite (excess-Ca), 1260, enstatite (synthetic), 1412, epistolite, 982, fluorcaphtite, 736, fluoropargasite, 1425, holfertite, 1546, ilvaite, 1044, intermediate diopside-enstatite (synthetic), 1412, kudriavite, 697, manganilvaite, 1044, milotaite, 692, murmanite, 982, "nickelalumite", 1512, oligte, 1522, oxykinoshitalite, 1502, pscoite, 1380, polyphite, 1528, rouxelite, 921, scawtite, 1490, shkatul-kalite, 982, sobolevite, 1528, spinel (chromian), 1307, spurrite, 1490, strontioginorite, 1020, synthetic $Al_{0.6}\square_{0.33}[(UO_2)(PO_4)]_2(H_2O)_{15.5}$, 990, synthetic $Cs_2[(UO_2)(MoO_4)_2]$, 714, synthetic $Cs_2[(UO_2)(MoO_4)_2](H_2O)$, 714, synthetic heinrichite, 723, synthetic meta-uranocircite I, 723, synthetic meta-uranocircite II (revised), 725, synthetic $NaBSiO_4$, 759, synthetic $Sr[(UO_2)(AsO_4)_2](H_2O)_8$ (revised), 725, synthetic $Sr[(UO_2)(AsO_4)_2](H_2O)_{11}$, 723, synthetic titanite, 805, synthetic titanite (Nb,Na,Zr-rich), 805, synthetic titanite (Zr-rich), 805, tennantite (Cu-rich), 680, tilleyite, 1490, uranospaphite, 990, vurroite, 707, waterhouseite, 1405, wiluite, 1460

ELECTRON-MICROPROBE ANALYSES

actinolite, 104, aenigmatite, 1338, aikinite, 904, albite, 245, 470, 1114, 1160, Al-hydroxide precipitate, 1165, almandine, 38, 245, 485, 502, 779, amphibole (calcic), 574, andradite, 1114, anilite, 628, anorthite, 1321, anorthoclase, 1336, anthophyllite, 1186, arsenopalladinite (bismuthian), 647, astrophyllite, 804, Au-Cu solid solutions, 652, Au-Cu-Pd solid solutions, 652, Au-Cu-Pt solid solutions, 652, augite, 485, 1083, 1336, avarauite (Pt-rich), 1715, banalite, 804, bario-oligte, 1524, basalt weathering products, 1083, betafite (cerian), 805, betafite (yttrian), 805, biotite, 38, 84, 128, 144, 245, 377, 423, 470, 487, 503, 578, 1114, biotite (Cl-rich), 360, bismuth, 903, bismuthinite, 903, bobtraillite, 749, bohdanowiczite, 903, 1366, boracite, 1472, bornite, 628, braggite, 1721, brianroulstonite, 1472, calcipetersite, 1396, calcite, 574, 594, 1503,

- cancrinite, 866, carrollite, 1366, chalcocite, 628, chalcopyrite, 628, chambersite, 1472, chlorite, 104, 145, chlorite (altered), 1186, chromite (aluminous), 1664, clauthalite, 1366, clinochlore, 1319, clinopyroxene, 449, 594, 1502, cobaltarthurite, 1388, coffinite, 1012, colemanite, 1472, colusite (germaniferous), 660, conglolite, 1472, cooperite, 1703, 1722, copper (zinc-rich), 1678, cordierite, 88, 470, 486, 505, corundum, 128, 1319, covellite, 628, Cu-Ga alloy (synthetic), 1656, cummingtonite, 128, cuproiridsite, 644, 1673, 1703, cuprorhodsite, 644, 1673, digenite, 628, digenite (synthetic), 1656, diopside, 574, 863, diopside (very Al-rich), 866, djurleite, 628, dolomite (excess-Ca), 1258, edenite, 574, elbaite, 783, ellestadite, 868, elsmoreite, 1062, epidote, 104, 146, 269, 331, 594, episode (strontian), 594, episoltite, 976, erythrite-annabergite solid-solutions (synthetic), 1066, eseneteite, 866, fayalite, 1337, Fe-Cu sulfate hydroxy-hydrate (secondary), 2131, ferric sulfo-arsenate (amorphous), 1153, ferrorichterite, 1338, florencite-(Ce), 820, florencite-(La), 820, fluorapophite, 741, fluor-elbaite, 783, fluoropargasite, 1425, foitite, 783, forsterite, 1083, freibergite, 943, froodite, 648, gahnite, 608, gallite (synthetic), 1656, garnet, 86, 128, 145, 377, 423, 449, 485, 502, garnet (calderite-rich), 592, garnet (fibrous), 868, GaS (synthetic), 1656, Ga₂S₃ (synthetic), 1656, gersdorffite (Co-rich), 1366, gold, 942, gold (argentian), 652, 1365, gold (palladian), 1677, goyazite (LREE-rich), 820, grossular, 868, halloysite, 146, 1166, hedenbergite (sodian), 1336, hemmeyrite, 804, hercynite, 128, 472, 608, hessite, 1366, hilgardite, 1472, holftite, 1547, hongshiite, 644, hongshiite (palladian), 644, hornblende, 128, 145, 269, 485, 1114, 1186, hydroboracite, 1472, hydroromarite, 945, idaite, 628, "iddingsite", 1083, illite, 1163, ilmenite, 128, 1337, ilmenite (vanadoan), 504, ilvaite, 1036, inaglyite (rhodian), 644, insizwaite, 648, irarsite-hollingworthite, 1675, iridium, 1701, isoferroplatinum, 642, 1691, 1715, jarosite, 1153, 1232, kalsilite, 866, kaolinite, 1167, keithconnite, 1677, keithconnite (plumbian), 1677, konderite, 644, kotulskite, 649, kudriavite, 698, kurgantaite, 1473, kyanite, 128, labradorite, 1083, laflammeite, 1672, laurite-erichmanite, 1673, 1721, lazurite, 1594, lazurite (synthetic), 1594, liddicoatite, 783, luzonite, 681, maghemite (in calcine), 1215, magnesiohastingsite (igneous), 1750, 1762, magnesiohornblende, 1319, magnetite, 1337, malanite, 644, manganiolite, 1036, 1044, manganano ilmenite, 1665, margarite, 137, matildite, 903, melanotekite, 594, melilite, 866, merenskyite, 1362, milotaite, 692, moncheite, 1365, murmanite, 976, muscovite, 38, 85, 128, 137, 245, 1186, natrolite, 804, nepheline, 1114, 1503, nevskite, 903, "nickelalumite", 1518, nickelferroplatinum, 1715, olgite, 1524, olivine, 1503, orthoclase, 128, 146, 470, 574, 594, 1114, 1160, orthopyroxene, 128, 449, 485, Os-Ir-Ru-Pt solid solutions, 642, osmium, 642, 1701, oxykinoshitalite, 1504, paarite, 915, palladium, 1676, palladoarsenide, 1365, paragonite, 137, pautovite, 969, penobiusite, 1473, phlogopite, 866, plagioclase, 38, 88, 128, 145, 269, 377, 423, 449, 503, platinum, 1721, platinum (Fe-rich), 1691, platinum (ferroan), 642, polyphite, 1528, prehnite, 558, pringleite, 1473, pumpellyite, 104, pyrite, 941, 953, pyrophanite, 594, pyroxmangite, 594, pyrrhotite, 941, rhabdophane-(Ce), 741, rhodium, 1721, rhodonite, 594, rouxelite, 922, rustenburgite, 649, rutheniodosmine, 1701, rutile (vanadoan), 504, salzburgite, 913, sanidine, 1336, sapphirine, 467, scapolite, 574, 1594, schorl, 783, scorodite, 1248, secanojalpaite, 1376, siegenite, 1366, sillimanite (vanadoan), 502, skaergaardite, 1676, smectite, 1167, sobolevite, 1528, sobolevskite, 648, sperrylite (ferrous rhodian sulfuran), 1703, sperrylite, 1721, spertiniite (secondary), 2131, spessartine, 779, sphalerite, 941, spinel, 608, 1319, spinel (chromian), 1310, spinel (Fe-Cr), 1083, spinel (Fe-Ti), 1083, spinel (franklinite-jacobsite rich), 592, spionkopite, 628, spurrite, 1490, staurolite, 87, 128, 144, 486, strontioginorite, 1020, 1473, sudburyite, 648, svanbergite, 820, szaibélyite, 1473, tennantite (Cu-rich), 681, terlinguacreekite, 1059, tetraferroplatinum, 1698, 1720, tilleyite, 1491, titanite, 269, 331, 801, 1114, titanite (Nb-Na-rich), 801, titanite (Zr-rich), 801, tourmaline, 144, trembachite, 1472, tremolite, 594, 1186, tulameenite, 1698, 1720, ungaavaite, 1738, unidentified Cu₁₀Ga₃₂S₅₈ (synthetic), 1656, unidentified Fe-Ti oxide, 1503, unidentified ferric sulfo-arsenate (amorphous), 1248, unidentified konderite-like, 1675, unidentified Pb-rich Fe-silicate, 1678, unidentified (Pd,Pt)₃(Sb,Bi,As), 647, unidentified pentlandite-like Ir-sulfide, 644, unidentified platsartsite-like, 1703, unidentified Pt oxide, 1721, unidentified PtCu-Sn alloys, 649, unidentified Pt-Fe oxide, 1721, unidentified Ru oxide, 1721, unidentified Ru-Rh alloy, 1721, unidentified Ru-Rh oxide, 1721, unidentified zvyagintsevite-like, 1668, unknown Ir-Os oxide, 650, unknown Ir-Rh hydroxide, 650, unknown Ir-Rh oxide, 650, unknown (Pd,Ag)(Te,Bi)₂, 1365, unknown Pd₂Ge, 649, unknown Pd₃(Bi,Sb), 648, unknown Pd₃Bi₂, 648, unknown Pd₅Bi₂, 648, unknown Pd-Au-Bi sulfide, 644, unknown Pd-Bi plumbide, 649, unknown Pd-Cu oxide, 650, unknown PdSbTe, 649, unknown (Pt,Pd)(Bi,Sb), 648, unknown Pt_{1.5}Ir_{0.5}As₃, 647, unknown Pt-Cu oxide, 650, unknown Pt-dominant inaglyite, 644, unknown Pt-Fe hydroxide, 650, unknown Pt-Fe oxide, 650, unnamed Cu-dominant bohdanowiczite, 903, unnamed CuPbBi₄S₈, 904, unnamed ferrian Ca-Tschermakite, 866, unnamed Pd₃(As,Te,Sn,Pb)₂, 1677, unnamed Pd₂PbO₈, 1671, unnamed Rh(Ni,Fe,Cu)S₃, 1675, unnamed (Th,Ca)(V,Si,P)O₄, 1678, uraninite, 1012, veatchite, 1473, volkovskite, 1473, vurroite, 708, vysotskite-braggite, 1669, walkerite, 1473, watanabeite (bismuthian), 681, waterhouseite, 1404, watkinsonite, 902, wiluite, 1459, wittichenite, 903, wollastonite, 868, yarrowite, 628, zircon, 1323, zvyagintsevite, 1669

EXPERIMENTAL (see also Petrology)

Analytical techniques

Anton Paar THC chamber (modified), 1172, ⁴⁰Ar/³⁹Ar geochronology, 1971, cathodoluminescence, 189, 556, 1319, 1567, direct-ion SIMS imaging, 953, electron paramagnetic resonance (EPR), 1567, 1583, ⁵⁷Fe Mössbauer, 1047, high-resolution X-ray computed tomography (HRXCT), 160, ICP-AES, 887, 1079, ICP-MS, 886, 1035, 1079, 1159, 1358, 1567, ICP-OES, 1133, 1160, 1229, ion microprobe, 189, 1748, micro-PIXE, 1229, micro-XANES (synchrotron), 1209, micro-XRD, 1209, 1244, nanoscale secondary ionization mass spectrometry (NanoSIMS), 1633, optical absorption spectra, 886, photoelectron spectroscopy (XPS), 1590, 1621, powder neutron diffraction, 1033, 1044, Rietveld XRD refinement, 760, 805, 1045, 1066, 1260, 1413, secondary ionization mass spectrometry (SIMS), 953, 1459, 1632, ²⁹Si MAS NMR, 1132, synchrotron X-ray fluorescence (SXRF), 1784, U-Pb SHRIMP dating, 189, 338, 428, 1318, XAFS, 1465, XANES, 1206, 1466, 1593, 1606, 1812

Computer program

tourmaline structural formulas, 775

General

acid mine-drainage, 1142, 1158, 1193, 1226, 1244, acid mine-drainage remediation, 2121, acid rock drainage, 1184, 1193, acid-neutralization capacity, 1146, 1184, acid-neutralization capacity (ANC) determination, 1184, 1193, actinide immobilization in pyrochlore, 2108, Al_{0.67}□_{0.33}(UO₂)(PO₄)₂(H₂O)_{15.5} synthesis, 991, alkali feldspar dissolution, 1981, Ar diffusion in orthoclase, 1971, arsenic mobility, 1206, 1244, arsenic species in roaster calcine, 1207, base metal migration in sulfide mine-tailings, 1147, 1167, bioprecipitated uranium, 1632, bornite fracture-surface speciation, 1620, cathodoluminescence colors in quartz, 1566, chlorapatite synthesis, 1583, crystallite-thickness

distribution analysis of clays, 1094, Cs-adsorption onto clay minerals, 1132, $\text{Cs}_2[(\text{UO}_2)(\text{MoO}_4)_2]$ synthesis, 714, $\text{Cs}_2[(\text{UO}_2)(\text{MoO}_4)_2](\text{H}_2\text{O})$ synthesis, 714, Cu 2p XPS spectra for bornite, 1624, elsmoreite synthesis, 1063, EPR spectra of chlorapatite, 1584, EPR spectra of quartz, 1571, exchange equilibrium (orthopyroxene–Ca clinopyroxene), 1350, ferric sulfo-arsenate dissolution, 1144, *geobacter sulfurreducens* surface characterization, 1632, geochemical modeling of acid mine-drainage, 1236, geochemical zoning in sulfide mine-tailings, 1146, Gladstone–Dale constant for VO_2 , 1123, heinrichite synthesis, 723, hydration–dehydration reactions of Fe-sulfate-hydrates (by XRD), 1172, hydrogen in PGE oxides, 1712, jarosite precipitation, 1239, layer silicate compressibility, 314, lazurite synthesis, 1594, magnetic susceptibility, 233, meta-uranocircite I synthesis, 723, nuclear fuel cycle, 2102, nuclear waste storage, 1132, 2102, paramagnetic color-centers in quartz, 1577, permeable reactive barrier mineralogy, 2118, peroxy color-centers in quartz, 1577, plutonium sequestration, 2107, quantitative textural analysis, 162, QUILL equilibrium, 1338, S K-edge XANES, 1597, 1606, 1818, S L-edge XANES, 1824, S 2p XPS spectra for bornite, 1622, S 2p XPS spectra for lazurite, 1601, $\text{Sr}[(\text{UO}_2)(\text{AsO}_4)_2](\text{H}_2\text{O})$ II synthesis, 723, $\text{Sr}[(\text{UO}_2)(\text{PO}_4)_2](\text{H}_2\text{O})$ II synthesis, 723, statistical classification of REE oxides, 1291, sulfidation–oxidation reactions governing substitution of Cu and Zn in silicate and oxide minerals, 1789, sulfide oxidation, 1147, 1159, 1193, 1226, sulfur oxidation state determination by XANES, 1817, sulfur oxyanion determination by XANES, 1824, sulfur speciation in lazurite and haüyne by XANES, 1597, 1828, sulfur speciation in organic geochemistry by XANES, 1829, sulfur speciation in silicate glass by XANES, 1606, 1826, synthesis of γ - $\text{Cu}_2\text{V}_2\text{O}_7$, 672, synthetic erythrite–annabergite solid-solutions, 1066, T-f(O₂) data for pantellerite, 1338, titanite synthesis, 800, transfer equilibrium (plagioclase–melt), 1349, U–Pb chemical age dating, 1007, water and D/H ratio analysis by ion microprobe, 1748, XANES spectroscopy of sulfur in Earth materials, 1811, (Y,REE,U,Th)–(Nb,Ta,Ti) oxide mineral alteration, 1297, (Y,REE,U,Th)–(Nb,Ta,Ti) oxide mineral identification, 1291

Stable isotopes

boron, 1474, carbon, 1284, hydrogen, 1748, lead, 189, 341, 431, 1325, oxygen, 1284, strontium, 1260, uranium, 189, 341, 431, 1325

SYSTEM

Cu–Ga–S, 1654

INFRARED-ABSORPTION SPECTRA

bobtrallite, 749, calciopesterite, 1397, ilvaite, 1031, manganilvaite, 1031, short-range order in amphiboles, 1895, synthetic erythrite–annabergite solid-solutions, 1066, wiluite, 1464

MICROHARDNESS

kudriavite, 697, manganilvaite, 1030, paire, 910, selenojalpaite, 1374, unidentified pentlandite-like Ir sulfide, 644, unknown Pt-dominant inaglyite, 644, unknown $\text{Pt}_{1.5}\text{Ir}_{0.5}\text{As}_3$, 647

MINERAL DATA (see also Electron-microprobe analyses)

actinolite, 89, aenigmatite, 1337, aeschynite, 1295, aikinite, 904, Al-hydroxide precipitate, 1164, almandine, 38, 163, 245, 498, 779, am pangabeite (discredited), 1302, amphibole (calcic), 574, anilite, 630, anorthite, 1321, argentite, 942, arsenopalladinite (bismuthian), 648, arsenuranospaphite, 990, astrophyllite, 804, Au–Cu solid solutions, 652, Au–Cu–Pd solid solutions, 652, Au–Cu–Pt solid solutions, 652, augite,

1083, augite (Ca-rich), 1767, awaruite (Pt-rich), 1715, banalcite, 804, basalt weathering products, 1083, beidellite, 1098, beryl (cesian), 778, betafite (cerian), 805, betafite (yttrian), 805, biotite (Cl-rich), 357, bismuth, 903, bismuthinite, 903, bobtrallite, 748, bohdanowiczite, 902, boracite, 1475, bornite, 628, 1620, braggite, 1721, brianroustonite, 1475, calciopesterite, 1394, calcite, 574, chalcocite, 630, chalcopyrite, 628, chamberite, 1475, chaméanite, 691, chlorite, 313, chrisstanleyite, 690, chromite (aluminous), 1664, clausenthalite, 902, clinochlore, 1319, clinopyroxene, 449, cobaltarthurite, 1387, colemanite, 1475, colusite (germaniferous), 656, congolite, 1475, cooperite, 1704, copper (zinc-rich), 1678, cordierite, 503, corundum, 1319, covellite, 630, Cu dendrites, 1166, cuproiridsite, 644, 1673, 1702, cuprorhodsite, 644, 1673, danburite, 1476, diamond, 204, digenite, 630, diopside, 574, diopside (synthetic), 1412, diopside (very Al-rich), 858, djurleite, 630, dolomite (excess-Ca), 1256, edenite, 574, elbaite, 783, elsmoreite, 1062, enstatite (synthetic), 1412, epidote, 335, epidote (strontian), 592, epistole, 974, erlichmanite, 645, erythrite–annabergite solid-solutions (synthetic), 1066, esseneite, 858, euxenite, 1295, Fe–Cu sulfate hydroxy-hydrate (secondary), 2131, fergusonite, 1295, ferric sulfo-arsenate (amorphous), 1153, ferroricterite, 1337, florencite-(Ce), 819, fluoraphite, 736, fluor-elbaite, 783, fluorite, 884, fluoropargasite, 1424, foitite, 783, forsterite, 1083, freibergite, 943, froodite, 648, gahnite, 602, garnet, 422, 449, garnet (calderite-rich), 586, gehlenite, 860, gersdorffite (Co-rich), 1366, gold, 941, gold (argentian), 652, gold (palladian), 1677, goyazite, 819, halloysite, 1163, henrymeyerite, 804, hercynite, 608, hessite, 1365, hilgardite, 1478, hjelmitte (discredited), 1302, holfertite, 1546, hollingworthite, 645, hongshiite, 643, hongshiite (palladian), 643, howlite, 1479, hydroboracite, 1479, hydromoromite, 944, hydrowoodwardite, 1166, idaite, 630, “iddingsite”, 1083, illite, 1098, 1162, ilmenite (vanadoan), 501, ilvaite, 1031, inaglyite (rhodian), 644, insizwaite, 648, intermediate diopside–enstatite (synthetic), 1412, irarsite, 645, irarsite–hollingworthite, 1675, iridium, 1690, isoferroplatinum, 641, 1690, 1715, jarosite, 1153, 1232, kaolinite, 1100, 1163, keithconnite, 1676, keithconnite (plumbian), 1676, K-feldspar (Rb-rich), 775, konderite, 644, kotulskite, 649, kudriavite, 696, kurgantaite, 1479, labradorite, 1083, laflammite, 1672, lanthanite, 946, laurite, 645, laurite–erlichmanite, 1673, lazurite, 1594, lazurite (synthetic), 1594, lepidolite (Rb,Cs-rich), 777, liddicoatite, 770, lizardite, 1994, luzonite, 681, maghemite (in calcine), 1213, magnesiohastingsite (igneous), 1747, magnesiohornblende, 1319, malanite, 644, manganilvaite, 1028, 1044, manganano ilmenite, 1665, mangancolumbite, 775, manganotantalite, 776, matildite, 904, melanotekite, 589, melanterite (cuprian), 1174, merenskyite, 1362, milotaite, 690, monazite, 817, monazite-(Ce), 428, moncheite, 1364, murmanite, 974, muscovite, 312, muscovite (Rb-rich), 777, natrolite, 804, nepheline, 1114, nevskite, 902, neyite, 926, “nickelalumite”, 1512, nickelferroplatinum, 1715, olgite, 1522, orthoclase, 574, orthoclase (etch pits), 1161, orthopyroxene, 449, Os–Ir–Ru–Pt solid solutions, 642, osmium, 642, 1690, oxykinoshitalite, 1502, paarite, 910, palladium, 1676, palladoarsenide, 1362, paragonite, 312, pascoite, 1380, pautovite, 966, penobskite, 1480, phengite, 312, platinum, 1721, platinum (Fe-rich), 1690, platinum (ferroan), 641, polygonal serpentine, 514, polyphite, 1528, potassiccarpholite, 1125, prehnite, 558, pringleite, 1480, pyrite (leached), 1167, pyrite (sector zoned), 955, pyrochlore, 1295, rhodium, 1723, rouxelite, 920, rozenite, 1178, ruitenbergite, 1480, rustenburgite, 649, rutheniridosmine, 1690, ruthenium, 1721, rutile (vanadoan), 501, salzburgite, 910, samarskite, 1295, sapphirine, 467, scapolite, 574, 1594, scawtite, 1490, schorl, 783, scorodite, 1246, selenojalpaite, 1374, shkatkalite, 974, siderotil (cuprian), 1174, sillimanite (vanadoan), 498, skaergaardite, 1676, smectite, 1098, 1162, sobolevite, 1528, sobolevskite, 648, sperrylite, 645, 1721, sperrylite

(ferrous rhodian sulfurian), 1703, spertiniite (secondary), 2131, spessartine, 779, spinel, 608, 1319, spinel (chromian), 1307, spinel (Fe–Cr), 1083, spinel (Fe–Ti), 1083, spinel (franklinite–jacobsite-rich), 589, spionkopite, 630, spurrite, 1490, strontioginorite, 1020, 1480, sudburyite, 648, synthetic $\text{Al}_{0.6}\square_{0.33}[(\text{UO}_2)(\text{PO}_4)]_2(\text{H}_2\text{O})_{15.5}$, 990, szabiélyite, 1481, tennantite (Cu-rich), 680, terlinguacreekite, 1056, tetraplatinum, 643, 1690, 1720, tilleyite, 1490, titanite, 331, 796, titanite (Nb,Na-rich), 801, titanite (Zr-rich), 801, trembachite, 1481, tulameenite, 643, 1690, 1720, tyrrellite, 690, ungavaite, 1736, unidentified ferric sulfo-arsenate (amorphous), 1246, unidentified konditerite-like, 1675, unidentified Pb-rich Fe-silicate, 1678, unidentified $(\text{Pd},\text{Pt})_3(\text{Sb},\text{Bi},\text{As})$, 647, unidentified pentlandite-like Ir sulfide, 644, unidentified platarsite-like, 1704, unidentified Pt oxide, 1721, unidentified PtCu-Sn alloys, 649, unidentified Pt–Fe oxide, 1721, unidentified Ru oxide, 1721, unidentified Ru–Rh oxide, 1721, unidentified zvyagintsevite-like, 1668, unknown Ir–Os oxide, 650, unknown Ir–Rh hydroxide, 650, unknown Ir–Rh oxide, 650, unknown Pd_2Ge , 649, unknown $\text{Pd}_3(\text{Bi},\text{Sb})$, 648, unknown Pd_3Bi_2 , 648, unknown Pd_5Bi_2 , 648, unknown $(\text{Pd},\text{Ag})(\text{Te},\text{Bi})_2$, 1364, unknown Pd-Au-Bi sulfide, 644, unknown Pd–Bi plumbite, 649, unknown Pd–Cu oxide, 650, unknown PdSbTe , 649, unknown $(\text{Pt},\text{Pd})(\text{Bi},\text{Sb})$, 648, unknown Pt–Cu oxide, 650, unknown Pt-dominant inaglyite, 644, unknown Pt–Fe hydroxide, 650, unknown Pt–Fe oxide, 650, unknown $\text{Pt}_{1.5}\text{Ir}_{0.5}\text{As}_3$, 647, unnamed Cu-dominant bohdanowiczite, 906, unnamed $\text{CuPbBi}_4\text{S}_8$, 904, unnamed ferrian Ca-Tschermakite, 858, unnamed $(\text{Ir},\text{Rh},\text{Pt})\text{S}$, 1704, unnamed $\text{Pb}_4\text{O}(\text{VO}_4)_2$, 1678, unnamed $\text{Pd}_3(\text{As},\text{Te},\text{Sn},\text{Pb})_2$, 1677, unnamed Pd_2PbO_8 , 1668, unnamed Rh(Ni,Fe,Cu) $_2\text{S}_3$, 1675, unnamed $(\text{Th},\text{Ca})(\text{V},\text{Si},\text{P})\text{O}_4$, 1678, unnamed UK53A (NaBSiO_4), 765, uraninite, 943, 1005, uranospathite, 990, veatchite, 1482, vermiculite, 1994, “viethofingite” (discredited), 1302, volkovskite, 1482, vurroite, 704, vysotskite-braggite, 1665, walkerite, 1482, watanabeite (bismuthian), 681, waterhouseite, 1402, watkinsonite, 902, wiluite, 1458, wittichenite, 902, yarrowite, 630, yttriotantalite-(Y), 1302, zircon, 189, 1319, zvyagintsevite, 1665

MINERALOGICAL ASSOCIATION OF CANADA

errata, 847, 1443

MÖSSBAUER SPECTROSCOPY

ilvaite, 1047, manganiilvaite, 1047

NEW MINERAL SPECIES

New minerals approved in 2004 by the Commission on New Minerals and Mineral Names, International Mineralogical Association, (Burke & Ferraris), 829, Potassic-carpholite and the myth of Centerville, Idaho, (Van Laer), 1125, bobtraillite, 748, calcipetersite, 1394, elsmoreite, 1062, fluoropargasite, 1424, kudriavite, 696, manganiilvaite, 1028, milotaite, 690, oxykinoshitalite, 1502, paarite, 910, pautovite, 966, rouxelite, 920, salzburgite, 910, selenojalpaite, 1374, terlinguacreekite, 1056, ungavaite, 1736, vurroite, 704, waterhouseite, 1402

NOMENCLATURE

Nomenclature modifications approved in 2004 by the Commission on New Minerals and Mineral Names, International Mineralogical Association, (Burke & Ferraris), 835, A-type granite, 2038, bobtraillite, 748, calcipetersite, 1394, chemical-element adjectival modifiers, 1431, chemical-element suffixes, 1431, chemical-element symbol prefixes (discouraged), 1432, elsmoreite, 1062, fluoropargasite, 1424, granite pegmatite classification, 2006, 2028, kudriavite, 696, manganiilvaite, 1028, milotaite, 690, olgite, 1522, oxykinoshi-

talite, 1502, pautovite, 966, rouxelite, 920, Schaller modifiers, 1430, selenojalpaite, 1374, terlinguacreekite, 1056, ungavaite, 1736, vurroite, 704, waterhouseite, 1402

OPTICAL PROPERTIES

General

bobtraillite, 749, calcipetersite, 1395, fluoropargasite, 1424, optical analysis of minerals, 543, oxykinoshitalite, 1502, waterhouseite, 1403, wiluite, 1458

Reflectance

ilvaite, 1033, kudriavite, 697, manganiilvaite, 1030, milotaite, 692, paarite, 911, pautovite, 969, rouxelite, 920, salzburgite, 911, selenojalpaite, 1375, terlinguacreekite, 1059, ungavaite, 1738, vurroite, 707

PETROLOGY

General (see also Experimental)

Alaskan-Uralian-type complex, 1688, alkali feldspar microtextures, 1960, alkali feldspar weathering, 1978, Athabasca Basin uranium deposit, 1005, 1566, Au–PGE placer deposits, 1688, 1712, authigenic clay minerals, 1097, basalt alteration during weathering, 1086, basalt trace-element behavior during weathering, 1089, borate deposits, 1482, Broken Hill, 479, 2029, Bushveld Complex, 1712, carbonation reactions in serpentine, 228, carbonatite classification, 2050, carbonatite-genesis models, 2060, Charlevoix impact structure, 553, chondrite-normalized PGE, 1367, 2083, chondrite-normalized REE, 198, 270, 340, 890, 1037, 1461, chromian spinel (peridotitic), 1308, contact metamorphic aureole, 394, copper sulfide crystallization temperatures, 631, core–mantle boundary, 1554, core–mantle electrochemical transfer, 1560, core–mantle geochemical transfer, 1554, Cu–Au–PGE deposit, 1356, diamond, 204, East Alligator River Uranium Field, 814, Erzgebirge, 884, 900, fibrous sillimanite, 398, fluid-inclusion data, 887, 970, gahnite in metamorphosed VMS deposits, 602, garnet chemical-zoning, 163, 245, 373, 420, 449, garnet thermobarometry, 41, 145, 257, 419, 459, 488, geobarometry, 41, 77, 145, 204, 257, 414, 459, 473, 505, 1338, geochronology, 192, 426, 1005, 1318, geothermobarometry, 41, 76, 145, 298, 343, 414, 459, 473, 505, geothermometry, 41, 145, 257, 414, 459, 473, 486, 505, 1338, gold (palladian), 1677, gold mineralization, 952, 1142, 1158, 1356, gold ore (roasted), 1208, granitic pegmatite classification, 2006, 2028, graphite–diamond transition, 211, highly acidic hydrothermal fluid, 952, hornblende geobarometer, 77, 145, host–inclusion system model for diamond, 204, hydrogen metasomatism, 399, immiscible melts, 2082, immiscible sulfide liquid, 1369, 2081, invisible gold, 952, 1208, Iron Mountain, California, 1226, Kirakkajuppura PGE deposit, 1664, Kola Peninsula, 736, 796, 966, 1524, 1528, 2037, Kondor alkali-ultrabasic massif, 638, layered-intrusion PGE deposit, 1663, 1712, magma degassing, 1751, 1770, magmatic Ni–Cu sulfide deposit genesis, 2070, mantle plumes, 1554, metamictization, 1292, miarolitic cavities, 1093, Mont Saint-Hilaire, 748, Ni–Cu–PGE deposit, 1736, Niederschlema deposit, 900, obduction, 210, perthite, 1963, PGE mobility, 1368, 1682, 1728, 1741, PGE oxides, 1668, 1724, PGE sulfides oxidation, 1729, PGM alloy alteration, 1712, Pikes Peak batholith, 1093, polygonal serpentine, 514, polymetallic sulfide melt, 491, porphyry copper deposit (PGM-rich), 1356, pseudocoticles, 626, Pt:Pd fractionation, 1741, pyroxene geothermometry, 486, radiation-induced damage in chlorapatite, 1582, radiation-induced damage in quartz, 1566, REE distribution coefficients, 275, ruby deposit (marble-hosted), 1315, S/Se for magmatic sulfides, 1770, Skrikern Cu–Ag–Tl–Se deposit, 1374, slaty cleavage, 312, spinifex augite, 1767, structure of silicate melts from

a glass perspective, 1921, titanite geochronometry, 343, unconformity-type uranium deposit, 1005, VMS deposit, 602, 657, yellow fluorite (MREE-enriched), 890, zincian spinel-forming reactions, 614

Igneous

A-type granite, 2035, albitite, 738, anatetic felsic pegmatites, 2030, basalt (weathered), 1078, basanite (weathered), 1078, biotite syenite (gneissic), 1108, Boston Creek ferropicrite, 1746, 1760, calcite kimberlite, 2054, carbonatite, 2050, carbothermal residua, 2056, clinopyroxene spinifex texture, 1765, comenditic trachyte, 1333, diorite, 861, dunite, 641, eclogite, 106, 184, 213, 444, granitic pegmatite, 770, 1062, 1093, 1291, 2005, 2028, nepheline syenite, 1108, ophiolite, 184, 227, 264, 937, pantellerite, 1332, pantelleritic trachyte, 1333, peridotite (Alpine-type), 130, 1308, tonalite, 391

Metamorphic

actinolite in prehnite-pumpellyite facies, 89, albitite, 353, amphibolite, 570, 586, 1115, anatetic pegmatites, 2028, *blackwall* formation, 135, conjugate pairs of thermodynamic variables, 23, contact metamorphism, 53, 130, 773, coronitic rocks, 368, 447, 464, crossing isograds, 13, decompression reactions, 119, dehydration isograd, 301, depletion halo, 368, dissolution-reprecipitation reactions during metamorphism, 319, 328, 356, endoskarn, 861, epidote-out isograd, 264, exoskarn, 864, foliation development, 342, granoblastic rocks, 448, greenschist metamorphism, 89, 316, Grenville Province, 444, 570, 1108, 1424, 2058, high-pressure granulite, 444, 1424, isobaric surface, 296, isochemical P-T sections, 41, isograd, 13, 296, isogradic surface, 296, isothermal surface, 296, kyanite eclogite, 106, 188, listwanite, 226, marble, 1316, marble-amphibolite reaction zone, 570, metapelite, 36, 52, 242, 353, 394, 414, 465, 479, 496, metastable equilibrium, 14, mineral equilibria (calculated), 24, 41, 71, Mn-Zn rich garnet-spinel rocks, 586, plagioclase-dominant corona on garnet, 371, prehnite-pumpellyite facies, 89, retrograde metamorphism, 113, 188, 328, 402, 481, 507, 1030, serpentinite (carbonated), 226, sillimanite zone, 604, skarn, 242, 858, 1030, symplectite, 106, synkinematic growth of garnet porphyroblasts, 158, thermodynamic constraints, 15, 52, thermodynamic modeling, 11, 22, 41, 71, 90, 109, 145, 296, 338, 373, 402, 414, 455, 474, 487, 505, water activity, 29, Whetstone Lake, 13

RAMAN SPECTRA

fluorite (yellow), 887, lithium germanate glass, 1648, sillimanite (vanadoan), 498, synthetic erythrite-annabergite solid-solutions, 1066, waterhouseite, 1404

SCANNING-ELECTRON MICROGRAPHS

Al-hydroxide precipitate, 1166, alkali feldspar microtextures, 1967, alkali feldspar weathering, 1980, annabergite, 1068, argentite, 490, arsenuranospathite, 991, awaruite (Pt-rich), 1714, belovite-(Ce), 967, beryl (Cs-rich), 777, biotite-quartz symplectite, 500, bohdanowiczite, 900, braggite, 1719, calcipetersite, 1395, clausenthalite, 900, colusite (germaniferous), 660, cooperite, 1694, 1719, Cu dendrites, 1166, cuproiridisite, 1669, 1692, cuprorhodsite, 1669, dolomite (excess-Ca), 1276, dyscrasite, 490, erythrite, 1068, eucairite, 901, florencite-(Ce), 818, fluorcaphtite, 739, frambooidal pyrite, 940, freibergite, 945, garnet, 777, garnet chemical zoning, 164, 378, 425, gladite, 914, gold, 944, 1363, gold (palladian), 1674, goyazite, 818, halloysite, 1166, henrymeyerite, 799, hessite, 1363, hydrromarchite, 947, hydrowoodwardite, 1166, illite, 1162, iridium, 1693, isoferroplatinum, 1692, jarosite, 1233, kaolinite, 1166, krupkaite, 914, kudriavite, 699, laflammite, 1674, laurite-erlichmanite,

1674, listwanite, 230, luzonite, 681, manganilvaite, 1034, manganocolumbite, 777, margarite-paragonite-muscovite, 141, merenskyite, 1363, monazite, 818, monazite-(Ce), 429, moncheite, 1363, nevskite, 900, nickelferroplatinum, 1714, orthoclase etch pits, 1161, osmium, 1694, oxykinoshitalite, 1504, paarite, 914, pautovite, 967, plagioclase-cordierite symplectite, 500, plagioclase zoning, 380, platinum, 1719, platinum (Fe-rich), 1692, prehnite, 565, pyrite (leached), 1167, rhodium, 1723, rouxelite, 921, ruby, 1321, salzburgite, 914, secondary chalcopyrite on carbon, 2131, secondary pyrite on magnetite, 2131, sillimanite (vanadoan), 499, sperrylite, 1719, sperrylite (ferrous rhodian sulfurian), 1693, spinifex clinopyroxene, 1770, synthetic erythrite-annabergite solid-solution, 1068, tennantite (Cu-rich), 681, tetraferroplatinum, 1692, titanite, 333, titanite (zoned), 799, tulameenite, 1692, 1717, ungavaite, 1739, unidentified ferric sulfo-arsenate (amorphous), 1246, unidentified Pt oxide, 1718, unidentified Pt-Fe oxide, 1716, unidentified Ru oxide, 1723, unidentified Ru-Rh oxide, 1723, unidentified zvyagintsevite-like, 1668, unknown Pd₂Ge, 650, unnamed Pd₂PbO₈, 1668, unnamed Rh(Ni,Fe,Cu)₂S₃, 1674, uraninite, 946, 1009, vurroite, 706, vysotskite-braggite, 1667, watanabeite (bismuthian), 681, waterhouseite, 1403, watkinsonite, 900, zircon, 1322, zvyagintsevite, 1668, 1716

TEXTURES

Al-hydroxide precipitate, 1166, alkali feldspar microtextures, 1967, basalt, 1081, basalt (weathered), 1081, basanite, 1081, basanite (weathered), 1081, biotite-quartz symplectite, 500, *blackwall*, 139, clinopyroxene spinifex texture, 1765, copper sulfides under supergene alteration, 630, coronitic rocks, 368, 447, 466, Cu dendrites, 1166, garnet-mica schist, 138, granoblastic rocks, 448, halloysite, 1166, hydrowoodwardite, 1166, illite, 1162, kaolinite, 1166, lherzolite, 134, maghemite (in calcine), 1213, margarite-paragonite-muscovite in *blackwall*, 141, nanotunnels in albite, 1979, orthoclase (tweed), 1970, orthoclase etch-pits, 1161, 1965, perthite, 1975, plagioclase-cordierite symplectite, 500, plagioclase-dominant corona on garnet, 377, pyrite (leached), 1167, shocked quartz, 557, skarn (Mn-rich), 1037, symplectite, 466, 500, 629, 861, unidentified ferric sulfo-arsenate (amorphous), 1246, uraninite, 1009, zircon recrystallization, 190

THERMOGRAVIMETRIC ANALYSIS

elsmoreite, 1062

TRACE-ELEMENT DATA

amphibolite, 573, basalt, 1081, basalt (weathered), 1081, basanite, 1081, basanite (weathered), 1081, biotite, 1785, biotite syenite (gneissic), 1109, *blackwall*, 136, chlorite, 1785, clinopyroxene, 1785, copper sulfide deposits, 938, epidote, 272, epidote amphibolite, 268, feldspar, 1785, ferropicrite, 1763, fluorite (yellow), 889, garnet-mica schist, 136, greenschist, 268, hornblende, 272, 1785, ilmenite, 1785, jarosite stalactites, 1236, magnesiohastingsite (igneous), 1750, magnetite, 1785, marble, 573, marble-amphibolite reaction zone, 573, mica schist, 136, Mn-Zn rich garnet-spinel rocks, 597, nepheline syenite, 1109, PGE in porphyry copper ore, 1360, plagioclase, 272, plagioclase amphibolite, 268, pyrite (auriferous), 953, pyrite (sector zoned), 955, titanite, 272, water dripping from jarosite stalactites, 1231, wiluite, 1459, zircon, 195

TRANSMISSION ELECTRON MICROSCOPY

epistolite, 976, *geobacter sulfurreducens* surface characterization, 1634, lizardite, 1994, lizardite scrolls, 1996, murmanite, 976, nanotunnels in albite, 1979, orthoclase, 1970, polygonal serpentine, 514, vermiculite, 1994

TWINNING (see also Crystallography)

terlinguacreekite, 1057, uranospathite, 994, waterhouseite, 1403

X-RAY DIFFRACTION (see also Crystal Structure)*Cell dimensions*

ankerite, 1266, bobtraillite, 752, calciopetersite, 1396, cobaltarthurite, 1388, Cu–Ga alloy (synthetic), 1657, γ -Cu₂V₂O₇, 672, diopside (synthetic), 1416, dolomite (excess-Ca), 1263, elsmoreite, 1062, enstatite (synthetic), 1416, epistolite, 981, fluorocaprite, 742, fluoropargasite, 1425, gallite (synthetic), 1657, Ga₂S₃ (synthetic), 1657, hauyne (synthetic), 1592, holfertite, 1548, ilvaite, 1033, 1045, intermediate diopside–enstatite (synthetic), 1416, kudriavite, 697, lazurite (synthetic), 1592, manganilvaite, 1033, 1045, milotaite, 693, murmanite, 981, “nickelalumite”, 1513, olgite, 1522, oxykinoshitalite, 1505, pascoite, 1380, pautovite, 969, polyphite, 1529, rouxelite, 921, scawtite, 1491, scorodite, 1248, selenojalpaite, 1376, sobolevite, 1529, spinel (chromian), 1308, spurrite, 1491, strontioginorite, 1020, synthetic Al_{0.67} \square _{0.33}[UO₂(PO₄)₂(H₂O)_{15.5}, 994, synthetic Cs₂[(UO₂)(MoO₄)₂](H₂O), 715, synthetic Cs₂[(UO₂)(MoO₄)₂](H₂O), 715, synthetic erythrite–anna-

bergite solid-solutions, 1070, synthetic heinrichite, 724, synthetic meta-uranocircite I, 724, synthetic NaBSiO₄, 760, synthetic Sr[(UO₂)(AsO₄)₂(H₂O)₁₁, 724, synthetic Sr[(UO₂)(PO₄)₂(H₂O)₁₁, 724, tennantite (Cu-rich), 682, terlinguacreekite, 1057, tilleyite, 1491, ungavaite, 1741, unidentified Cu₁₀Ga₃₂S₅₈ (synthetic), 1657, uranospathite, 994, vurroite, 707, waterhouseite, 1404, wiluite, 1461

Powder data

ankerite, 1267, bobtraillite, 752, calciopetersite, 1396, Cu–Ga alloy (synthetic), 1657, γ -Cu₂V₂O₇, 673, diopside (synthetic), 1415, dolomite (excess-Ca), 1263, elsmoreite, 1063, enstatite (synthetic), 1415, epistolite, 980, fluoropargasite, 1426, gallite (synthetic), 1657, Ga₂S₃ (synthetic), 1657, kudriavite, 698, maghemite (in calcine), 1214, manganilvaite, 1033, milotaite, 693, murmanite, 980, oxykinoshitalite, 1504, paarite, 916, pautovite, 969, rouxelite, 923, salzburgite, 915, scorodite, 1252, selenojalpaite, 1376, synthetic erythrite–annabergite solid-solutions, 1069, synthetic NaBSiO₄, 761, terlinguacreekite, 1059, ungavaite, 1740, unidentified Cu₁₀Ga₃₂S₅₈ (synthetic), 1657, unnamed Pd₇PbO₈, 1671, vurroite, 710, waterhouseite, 1404