

# THE CANADIAN MINERALOGIST

## Volume 8, Index

- ABBEY, S. Determination of potassium, sodium and calcium in feldspars, 347  
ABBOTT, D. with Boorman, R. S., 661  
Absorption coefficients, 68  
Accuracy of quantitative electron-probe microanalyses (Springer), 673  
Adamellite, 339  
Additional data on the composition of spencite (Joensuu, Ingamells), 647  
Adsumillit, M. S. with Rao, A. B., 390  
Aegirine-augite,  $x$ -ray, anal., opt., physical prop., Seal Lake, Labrador, 185  
age dating, K-Ar method, on amphiboles, 115  
determinations, K-Ar, Ontario, 198  
determinations, U-Pb, Ontario, 198  
of alkaline and carbonatite magmatism in Ontario and Quebec, (Gittins, Macintyre, York), 665  
of the Chatham-Grenville intrusive, Quebec, (Philpotts and Miller), 114  
Ag<sub>3</sub>Sb, (Cobalt),  $x$ -ray, etch, microhardness, temp., 610  
Alberta, bentonite, 354  
clay minerals, 354  
shale, 354  
Albite, solubility in super-critical water (Currie), 664  
Alexo nickel mine, Ont., heazlewoodite, 383  
alkaline rocks, 135  
anal, Ontario, 159  
alkaline-syenite, Seal Lake, Labrador, 40  
Alkali metal cation equilibria with chabazite (Ames), 572  
Allard, G. O. and Fujimori, S. A new occurrence of sapphirine in Salvador, Bahia, Brazil, 660  
Allen, R. V., Braman, R. W., McConnell, R. K. Jr., and O'Brien, J. L. Transmission electron microscopy of fine-grained rocks, 393, 522  
alunite group, 133  
Ames, L. L. Jr. Alkali metal cation equilibria with chabazite, 572  
Exchange of alkali metal cations on a natural stilbite, 582  
Unit cell size and cesium loading on type A and type X zeolites, 515  
Zeolite cation selectivity, 325  
Amphibole, spec. anal., 632  
age, 115  
amphibolites, anal, discriminant functions, 139  
Amstutz, G. C. and Park, W. C. New mineralogic observations on stylolite seams, 131  
analysis of rocks and ores by  $x$ -ray diffractometer, (Petrruk), 68  
 $x$ -ray spectrographic, 471  
Anorthosite-mangerite rocks in southern Quebec (Philpotts), 401  
Antimonial silver, 610  
Apatite, anal., opt., I.R.,  $x$ -ray, 394  
Aplites, anal., Saskatchewan, 493  
Aploelite,  $x$ -ray, spec. opt., Nova Scotia, 166  
Appleyard, E. C. Desilication of alkali-syenite from the Wolfe nepheline belt, Ontario, 159  
Aragonite-strontianite, system  $x$ -ray det. curve, 556  
Ardennite,  $x$ -ray, Belgium, 262  
Arfvedsonite and aegirine-augite from Seal Lake, Labrador (Nickel and Mark), 185  
 $x$ -ray, anal, opt., phys, Seal Lake, Labrador, 185  
Arnold, R. G. Composition, structure and temperature of stability of natural and synthetic pyrrhotites, 660  
arsenic in Newfoundland (Papezik), 670  
Atomic coordination in sulphides (Nickel), 670  
Aumento, F.  $X$ -ray studies on Nova Scotia zeolites, 132  
Auricahalcite,  $x$ -ray, 385  
Awaruite, Quebec, 519  
BACON, C. S. Chemical study of Indonesia's volcanic rocks, 393  
Barnes, W. H. with Qurashi, M. M., 23  
Belgium, ardennite, 262  
Bentonite, Alberta, 354

- Berry, L. G., biographical sketch of J. E. Hawley, 404
- Crystallography of hatchite, 661
- Berryite from Greenland (Karup-Møller), 414
- new sulpho-salt, 400
  - $\alpha$ -ray, spec., 407
  - $\alpha$ -ray, phys. prop., electron probe anal., Greenland, 414
- Bertossaite,  $(\text{Li}, \text{Na})_2(\text{Ca}, \text{Fe}, \text{Mn})\text{Al}_4(\text{PO}_4)_4(\text{OH}, \text{F})_4$ , a new mineral from Rwanda (Africa) (Knorring, Mrose), 668
- Beryl, anal., opt. & phys. prop.,  $\alpha$ -ray, Saskatchewan, 493
- anal., Colorado, 493
  - from Birch Portage, Saskatchewan (Radcliffe and Campbell), 493
- Bicroft mine, Ontario, cenoosite, 1 gneisses, 593
- Biographical sketches of deceased members, 404
- Biotite, anal., Ontario, 204
- decrepitation, 447
  - pleochroism, 136
  - cordierite-almandite subfacies of the hornblende-granulite facies (de Waard), 481
- Bismoclite from Brazil (Rao and Adusumilli), 390
- Diff. Thermal, Brazil, 390
- Boissonnault, J. and Perrault, G. Serandite from St. Hilaire, Quebec, 132
- Eucolite from St. Hilaire, P.Q., 393
- Book reviews, 266
- Boone, G. M., Kramer, J. R., and Peacor, D. R. Composition of some Grenville apatites, 394
- Boorman, R. S. and Abbott, D. Indium in co-existing minerals from the Mount Pleasant tin deposit, 661
- Subsolidus studies in the  $\text{ZnS}-\text{FeS}-\text{FeS}_2$  system, 661
- Boutcher, S. M. A., Davis, G. L., and Moorhouse, W. W. Potassium-argon and uranium-lead ages from two localities, 198
- and Moorhouse, W. W. Nature and distribution of iron silicates in the Gun-flint iron formation, Port Arthur, 132
- Boyle, R. W. with Jambor, J. L., 116, 166
- Origin of the gold and silver in the gold deposits of the Meguma Series, Nova Scotia, 662
- Bradley, J. with Mandarino, J. A., 398
- Braman, R. W. with Allen, R. V., 393, 522
- Braun, H. A treatise on the genesis of the marine sedimentary iron ores, (Book review), 268
- Brazil, bismoclite, 390
- sapphirine, 660
- Bright N. F. H. (Book Review) 540
- British Columbia basic zinc carbonate, 94
- biotite, 136
  - carbonatite, 138
  - clay minerals, 111
  - Lilloet district, poitevinite, 109
  - nephiline syenite-iolite-jacupirangite complex, 138
  - nickel hydroxide, 116
- Brooker, E. J. with Harris, D. C., 135, 471
- The interpretation of the reciprocal lattice in randomly oriented single crystals, 394
- Brophy, G. P. Cationic substitutions in the alunite group, 133
- Molybdenum mineralization near Death Valley, 395
- Brydon, J. E. A reappraisal of the mixed-layer clay minerals in the marine clays near Alberni, B.C., 111
- Buchan, R. with Graham, A. R., 135
- Burley, B. J. A water deficient Leonhardite from Labrador with notes on extinction angles in random section, 395
- Butschliite, Ontario, 380
- CABRI, L. J. and Traill, R. J. New palladium minerals from Noril'sk, western Siberia, 541, 662
- Cacoclasite, discredited, Quebec, 527
- Calcite-aragonite system, 554
- Calcium in feldspar anal., 347
- Campbell, F. A. with Maiklem, W. R., 354
- with Radcliffe, D., 493
- cancrinites, Ontario, 64
- New Hampshire, 64
  - Scotland, 65
  - $\alpha$ -ray, 57, 60
- carbonatite, 135
- B.C., 138
  - of India (Sukheswala, Udas, and Heinrich), 397
- Carlson, H. D. Notes on potassium metasomatism and  $\text{K}^{40}/\text{Ar}^{40}$  dating of Precambrian granites, 395
- Carpenter, A. B. Geology of a portion of the Contwoyo Lake area, Northwest Territories, 133
- Carrison, L. C. with Sclar, C. B., 139
- catapleite, opt., 121

- x-ray, opt. 397  
 St. Hilaire mountain, Quebec, (Pendlebury), 120  
 St. Hilaire, P.Q. (Machairas and Perault), 398  
 Cation exchange, chabazite, 572  
 stilbite, 582  
 zeolites, 325, 515  
 Cationic substitutions in the alunite group (Brophy), 138  
 Cenosite from Bancroft, Ontario (Pouliot, Maxwell, Robinson), 1  
 anal., 8  
 Phys., macro-cryst, 4  
 x-ray, 5  
 infrared, 8  
 Chabazite, equilibria, anal., 572  
 Chalcogenides of the transition elements. IV. Pentlandite, a natural  $\pi$  phase (Knop, Ibrahim, and Sutarno), 291  
 Chalcopyrite and pyrite nodules, Ontario, 317  
 Chamberlain, J. A. Heazlewoodite and awaruite in serpentinites of the Eastern Townships, Quebec, 519  
 Chao, G. Y. and Hounslow, A. W. Minerals from the Desourdy quarry, Mt. St. Hilaire, Quebec, 662  
 The first Canadian occurrence of geikelite, 664  
 Charette, D. J. with Nickel, E. H. and Rowland, J. F., 40  
 Chemical study of Indonesia's volcanic rocks (Bacon), 393  
 Chemistry of some New Brunswick pyrites (Sutherland), 674  
 Chlorite, anal., specific mag. susceptibility, 372  
 decrepitation, 447  
 Clark, L. A. with Somanchi, S., 610  
 clay minerals, Alberni, B.C., x-ray, 111  
 x-ray, spec., Alberta, 354  
 Clays from upper Cretaceous bentonites and shales in Alberta (Maiklem and Campbell), 354  
 clinopyroxenes, anal, opt., x-ray, 140  
 Cobalt, silver-antimony, 610  
 textural relationships of minerals, 671  
 Co-existing pyroxenes in a tholeiite sill, Grand Manan, N.B. (Helmstaedt, Lee Trembath, Pajari), 667  
 Coleman, L. C., biographical sketch of J. B. Mawdsley, 405  
 Colorado, beryl, 493  
 berryite, 407  
 Composition of some Grenville apatites (Boone, Kramer, and Peacor), 394  
 Computation and plotting of liquidus isotherms in multi-component silicate systems, (Smith), 424  
 Computation of liquidus relationships in multicomponent binary salt systems (Smith), 141  
 Constituents of cacoclasite (Jambor), 527  
 Copper, in sphalerite, 567  
 Copper telluro-selenide from Moctezuma, Mexico (Harris and Nuffield), 397  
 Core from Bras D'or Lake, Nova Scotia (Prakash), 638  
 Courville, S. with Jambor, J. L. and Lachance, G. R., 109  
 Crain, I. K. with Gray, N. H., 666  
 Critical analysis of the Gladstone-Dale rule and its constants (Mandarino), 137  
 Crystal settling in thin sills: a model (Gray, Grain), 666  
 Crystal structure, descloizite, 23  
 Dawsonite,  $\text{NaAl}(\text{CO}_3)(\text{OH})_2$  (Frueh), 134  
 Cu(II) in octahedral sites in sphalerite (Manning), 567  
 Cuba, orientite, 262  
 Currie, K. L. On the solubility of albite in supercritical water, 664  
 Variations in the hafnium-zirconium ratio of granite rocks from eastern Ontario: Part II, the Crow Lake dome, 396  
 DAVIS, G. L. with Boutcher, S. M. A., 198  
 Davyne, synthesis, 58  
 x-ray, 59  
 dawsonite, cryst. struct., 134  
 petr., Quebec, 249  
 X-ray, St. Bruno, Quebec, 378  
 Decrepitation of micas (Hutchison), 437  
 Descloizite, crystal structure, 23  
 Desilication of alkali-syenite from the Wolfe nepheline belt, Ontario (Appleby), 159  
 Development of *lit-par-lit* gneiss at the Bicroft Uranium Mine, Ontario, (Evans), 593  
 de Waard, D. The biotite-cordierite-almandite subfacies of the hornblende-granulite facies, 481  
 Differential thermal analyses, zinc carbonates, 96  
 Diffusion in solids, 271

- Diopside, chromian x-ray, opt., anal., Quebec, 241  
and uvarovite near Thetford, Quebec (Grubb), 241
- Disler, G. S. (Book review), 268
- Distribution of minor elements in coexisting hornblades and biotites (Moxham), 204
- Dolomites, optical method for determining Fe content, 253
- EDGAR, A. D. Lattice parameter studies of synthetic nepheline solid solutions and other tridymite-type structures, 134
- Studies on cancrinites: II-stability fields and cell dimensions of calcium and potassium-rich cancrinites, 53  
with Piotrowski, J. M., 401, 672
- Epidymite, Quebec, 398
- Epsomite, Ontario, 378
- Erdosh, G. Evaluation of infra-red absorption spectroscopy for quantitative analysis of rocks, 664
- Eurolite from St. Hilaire, P.Q. (Boissonault and Perrault), 393  
opt., D.T.A., nomenclature, Quebec, 393
- Eucryptite, Ontario, 377
- Eudialyte, proved to be zircon, 382
- Evans, A. M. The development of *lit-par-lit* gneiss at the Bicroft Uranium Mine, Ontario, 593
- Exchange of alkali metal cations on a natural stilbite (Ames), 582
- Experimental stability fields, calcium and potassium-rich cancrinites, 53
- FAIRCHILDITE, Ontario, 380
- Fayalite, anal., 339
- Fayalitic olivine in northern Newfoundland-Labrador (Wheeler), 339
- Feldspars, anal. method, 347  
from a tholeiite sill, Grand Manan, N.B. (Gunter, Pajari, Trembath), 666
- Flame photometry, feldspars, 347
- Fleet, M. E. L. with Piotrowski, J. M., 401
- Fleming, J. M. Detailed petrography of some Ordovician volcanic rocks around the Whalesback mine, Newfoundland, 665
- Foreman, D. W. Jr. with McConnell, D., 431
- Francolite from microsauro teeth, Joggins, Nova Scotia (Stevenson, Stevenson), 673
- Froese, E. and Winkler, H. G. F. The system  $\text{CaCO}_3\text{-SrCO}_3$  at high pressures and 500 °C to 700 °C, 551
- Frohberg, M. H. with Harris, D. C., 172
- Fruh, A. J. The crystal structure of Dawsonite,  $\text{NaAl}(\text{CO}_3)(\text{OH})_2$ , 134
- Fujimori, S. with Allard, G. O., 660
- GARNETS and hydrogarnets, calculated indexes of refraction, unit-cell dimensions, 14  
tin-bearing, 669
- Geikielite, first Canadian occurrence (Chao, Hounslow), 664
- Geology of a portion of the Contwoyo Lake area, Northwest Territories (Carpenter), 133
- geothermometry, 138
- Germany, zinckenite, 381
- Gittins, J., Macintyre, R. M. and York, D. The age of alkaline and carbonatite magmatism in Ontario and Quebec, 665
- York, D. and Mayatsu, A. A reconsideration of the strontium isotope method of distinguishing carbonatites from melted limestones, 396
- Gladstone-Dale rule, 137
- Gneiss, biotite-cordierite-garnet, 485  
anal., 593
- Gold Centre Porphyry of the Porcupine syncline (Parrish), 400
- Gold, Nova Scotia, 662
- Gold, D. P. Some minerals from the Oka alkaline complex, Oka, 135
- Goodsprings, Nevada, hydrozincite, 385
- Graham, A. R., Buchan, R. and Lee, C. R. Millerite at Strathcona Mine, Sudbury district, 135  
Quantitative determination of monoclinic and hexagonal pyrrhotites by X-ray diffraction, 665
- Graham, R. P. D. an appreciation, 675
- Grand Manan, N.B., 666, 667
- Granitic suite, modal anal., 628  
spec. anal., 633
- Granite dykes, Bicroft mine, Ontario, 605
- Gray, N. H. and Crain, I. K. Crystal settling in thin sills: a model, 666
- Greenland, xenoliths in iron-bearing basalt, 399
- Greenland, berryite, 414
- Grubb, P. L. C. An unusual occurrence of diopside and uvarovite near Thetford, Quebec, 241

- Gunflint iron formation, 132  
 Gunter, W., Pajari, G. E. Jr., and Trem-  
 bath, L. T. The feldspars from a  
 tholeiite sill, Grand Manan, N. B., 666
- HAFNIUM-zirconium ratio of granitic rocks  
 from eastern Ontario: Part II, the  
 Crow Lake dome (Currie), 396  
 Harada, K., Kodama, H., and Sudo, T.  
 New mineralogical data for xantho-  
 phyllite from Japan, 255  
 Harris, D. C. and Brooker, E. J. X-ray  
 spectrographic analysis of minute min-  
 eral samples, 135, 471  
 Jambor, J. L., Lachance, G. R., and  
 Thorpe, R. I. New observations on  
 kobellite, 667  
 with Mandarino, J. A., 377, 398  
 and Nuffield, E. W. A copper telluro-  
 selenide from Moctezuma, Mexico,  
 397  
 Nuffield, E. W. and Frohberg, M. H.  
 Studies of mineral sulpho-salts: XIX—  
 selenian polybasite, 172  
 with Nuffield, E. W., 400, 407  
 Some observations on pharmacolite, 530  
 Zinckenite, 381  
 Hatchite crystallography (Berry), 661  
 Hawley, J. E., biographical sketch, 404  
 Heazlewoodite and awaruite in serpentines  
 of the Eastern Townships, Quebec  
 (Chamberlain), 519  
 Heazlewoodite in the Porcupine district  
 (Ontario) (Naldrett), 383  
 Heimlich, R. A. The Hope Lake stock,  
 Lake of the Woods region, Ontario,  
 620  
 Heinrich, E. W. Lithium metasomatism  
 around pegmatites, 136  
 with Sukheswala, R. N., 397  
 Helmstaedt, H., Lee, D., Trembath, L. T.,  
 and Pajari, G. E. Jr. Co-existing  
 pyroxenes in a tholeiite sill, Grand  
 Manan, N.B., 667  
 High-pressure studies in the system  $MgO$ —  
 $SiO_2$  and the constitution of the  
 Upper Mantle (Sclar, Garrison, and  
 Schwartz), 139  
 Hoffer, J. M. An improvement of the plagioclase glass fusion method, 643  
 Hogarth, D. D. Normal and reverse pleo-  
 chroism in biotite, 136  
 Hope Lake stock, Lake of the Woods  
 region, Ontario (Heimlich), 620  
 Hornblende, anal., Ontario, 204  
 Hounslow, A. W. with Chao, G. Y., 662,  
 664  
 Hutchison, W. W. Two stages of decrepitation of micas, 437  
 Hydrogarnets, refr. indices, 11  
 Hydroxyapatite, synthetic, x-ray, opt., 431  
 Hydrozincite  
 Algeria, 94  
 anal., 95  
 classification, 652  
 differential therm., 98  
 infrared absorp., 103, 648  
 Japan, 94  
 Mexico, 94  
 Missouri, 94  
 Nevada, 94  
 Quebec, 94  
 Tasmania, 94  
 Tennessee, 94  
 thermogravimetric, 97  
 x-ray, 103, 385
- IBRAHIM, M. A. with Knop, O., 291  
 Identification of clinopyroxenes by x-ray  
 diffraction and optical methods (Tan-  
 guay), 140  
 Improvement of the plagioclase glass  
 fusion method (Hoffer), 643  
 India, carbonatite, 397  
 titanomaghemite, 334  
 Indium in co-existing minerals from the  
 Mount Pleasant tin deposit (Boorman,  
 Abbott), 661  
 Infrared absorption spectroscopy for quan-  
 titative analysis of rocks (Erdosh),  
 664  
 xanthophyllite, 259  
 cenosite, 8  
 zinc carbonates, 103  
 Ingamells, C. O. with Joensuu, O. I., 647  
 Intrusive carbonate in the Ice River com-  
 plex, British Columbia (Rapson), 138  
 iron formation, (Gunflint), 132  
 iron silicates, in Gunflint iron formation,  
 132  
 Iron-titanium oxide mineral from Hearst,  
 Ontario (van Loan), 674
- JAMBOR, J. L. and Boyle, R. W. A nickel  
 hydroxide mineral from Rock Creek,  
 British Columbia, 116  
 and Boyle, R. W. Moorhouseite and  
 aploelite, new cobalt minerals from  
 Nova Scotia, 166  
 Constituents of cacoclasite, 527

- with Harris, D.C., 667  
 Lachance, G. R. and Courville, S.  
     Poitevinite, a new mineral, 109  
     with Mulligan, R., 669  
 Natural and synthetic hydrozincites, 652  
     and Pouliot, G. X-ray crystallography  
     of aurichalcite and hydrozincite, 385  
 Re-examination of yukonite, 667  
 Studies of basic copper and zinc carbonates: I-synthetic zinc carbonates and their relationship to hydrozincite, 92  
 Japan, xanthophyllite, 255  
 Jensen, M. L. The rational and geological aspects of solid diffusion, 271  
 Joensuu, O. I. and Ingamells, C. O. Additional data on the composition of spencite, 647  
 KAHN, J. S. with Miller, R. L., 125  
 Kanehira, K. A note on the texture of pyrrhotite in some rocks of the Muskox intrusion, 531  
 Karup-Møller, S. Berryite from Greenland, 414  
 Knop, O., Ibrahim, M. A., and Sutarno, Chalcogenides of the transition elements. IV. Pentlandite, a natural  $\pi$  phase, 291  
 Knorring, O. von, and Mrose, M. E. Bertossaite,  $(\text{Li},\text{Na})_2(\text{Ca},\text{Fe},\text{Mn})\text{Al}_4(\text{PO}_4)_4(\text{OH},\text{F})_4$ , a new mineral from Rwanda, (Africa), 668  
 Kobellite, new observations (Harris, Jambor, Lachance, Thorpe), 667  
 Kodama, H. with Harada, K., 255  
 Kramer, J. R. with Boone, G. M., 394  
 Kudo, A. M. with Shaw, D. M., 139  
 LABRADOR, adamellite, 339  
     arfvedsonite aegirine-augite, 185  
     fayalite, 339  
     leonardite, 395  
     niobophyllite, 40  
 Lachance, G. R. with Harris, D. C., 667  
     with Jambor, J. L. and Courville, S., 109  
 Lake sediment, anal., 638  
 Latrappite—a proposed new name for the perovskite-type calcium niobate mineral from the Oka area of Quebec, (Nickel), 121  
 Lattice parameter studies of synthetic nepheline solid solutions and other tridymite-type structures (Edgar), 134  
 Lee, C. R. with Graham, A. R., 135  
 Lee, D. with Helmstaedt, H., 667  
 Leonhardite, Labrador, 395  
 Lepidolite, decrepitation, 447  
 Liquidus isotherms, calc., 424  
 Liquidus relationships, calculation, 141  
 Lithium metasomatism around pegmatites (Heinrich), 136  
*Lit-par-lit* gneiss, anal., 593  
 MACHAIRAS, G. and Perrault, G. Cataclase from St. Hilaire, P.Q., 397  
 Macintyre, R. M. with Gittins, J., 665  
 Magnetite-ulvöspinel and hematite-ilmenite compositions in a differentiated alkaline intrusive (Pajari), 670  
 Maiklem, W. R. and Campbell, F. A. A study of the clays from upper Cretaceous bentonites and shales in Alberta, 354  
 Mandarino, J. A. Critical analysis of the Gladstone-Dale rule and its constants, 137  
     and Harris, D. C. New Canadian mineral occurrences: I. Eucryptite, pollucite, rozenite, epsomite, dawsonite, fairchildite and butschliite, 377  
 Harris, D. C., and Bradley, J. Manganese-neptunite, epididymite and new species from Mont St. Hilaire, Quebec, 398  
 Molybdomenite from the Ranwick uranium mine, Montreal River area, Ontario, 149  
 Pyroaurite and stichtite from Langmuir Township, Ontario, 668  
 Mangan-neptunite, epididymite and new species from Mont St. Hilaire, Quebec (Mandarino, Harris, and Bradley), 398  
 Manning, P. G. Cu(II) in octahedral sites in sphalerite, 567  
 Mark, E. with Nickel, E. H., 185  
 Mawdsley, J. B., biographical sketch, 405  
 Maxwell, J. A. with Pouliot, G., 1  
 Mayatsu, A. with Gittins, J., 396  
 McConnell, D. Refringence of garnets and hydrogarnets, 11  
     and Foreman, D. W. Jr. The properties and structure of  $\text{Ca}_{10}(\text{PO}_4)_6(\text{OH})_2$ ; its relation to tin (II) apatite, 431  
 McConnell, R. K. with Allen, R. V., 393, 522  
 McDougall, D. J. Notes on the relationship of composition to thermoluminescence of plagioclase and pyrrhotite, 399

- Meen, V. B. (Book review), 266  
 Melson, W. G. and Switzer, G. Plagioclase-spinel-graphite xenoliths in metallic iron-bearing basalts, Disko Island, Greenland, 399  
 Melting relations in alkaline rocks (Piotrowski, Edgar), 672  
 Metallic lustre and the forbidden energy gap (Nickel), 399  
 Metamorphic tourmaline overgrowths in the Oak Hill series of southern Quebec, (Rickard), 86  
 metasomatism, (lithium), around pegmatites, 136  
 Mexico, aurichalcite, 385  
 copper telluro-selenide, 397  
 Micas, decrepitation, anal., 437  
 Miller, J. A. with Philpotts, A. R., 114  
 Miller, R. L. and Kahn, J. S. Statistical analysis in the geological sciences (Book Review), 125  
 Millerite at Strathcona Mine, Sudbury district (Graham, Buchan, and Lee), 135  
 anal., x-ray, 135  
 Milton, C. Note on the occurrence of eudialyte in Canada, 382  
 Mineral analysis by x-ray diffraction, 68  
 Mineralogical Association of Canada, proceedings, 130, 392, 654  
 Mineralogy for amateurs, Sinkankas, J., (Book review), 266  
 Mineralogy of the Mount Pleasant tin deposit in New Brunswick (Petruk), 138  
 Minerals from the Desourdy quarry, Mt. St. Hilaire, Quebec (Chao, Hounslow), 662  
 Minor elements in hornblende, biotite, 204  
 mixed-layer clay minerals in the marine clays near Alberni, B.C., (Brydon), 111  
 Molybdenum mineralization and subsequent volcanism near Death Valley (Brophy), 395  
 Molybdomenite from the Ranwick uranium mine, Montreal River area, Ontario (Mandarino), 149  
 x-ray, spec. phys., opt., 149  
 Montreal, Que. dawsonite, 249  
 Moore, P. B. Cell data of orientite and its relation to ardennite and zoisite, 262  
 Moorhouse, W. W. with Boucher, S. M. A., 132, 198  
 Presidential address, 656  
 with Vos, M. A., 402  
 Moorhouseite and aplowite, new cobalt minerals from Walton, Nova Scotia (Jambor, Boyle), 166  
 x-ray, spec., opt., Nova Scotia, 166  
 Mount Pleasant deposit, mineralogy, 138  
 Moxham, R. L. Distribution of minor elements in coexisting hornblendes and biotites, 204  
 Mrose, M. E. with Knorrung, O. von, 668  
 Mulligan, R. and Jambor, J. L. Tin-bearing garnet and pyroxene from skarn in the Cassiar district, B.C., 669  
 Muscovite, decrepitation, 447  
 K-Ar age, Ontario, 198  
 Muskox, intrusion, pyrrhotite, 531  
 NAIDU, M. G. C. and Rao, G. V. S. R. A new occurrence of titanomaghemitite from south India, 334  
 Nakashiro, F. M. Undulatory range and crystal size of quartz, 640  
 Naldrett, A. J. Heazlewoodite in the Porcupine district (Ontario), 383  
 Talc-carbonate alteration of some serpentinized ultramafic rocks south of Timmins, Ontario, 669  
 Narsarsukite from Mont St. Hilaire, Quebec, Canada (Rajasekaran), 506  
 x-ray, opt., anal., Quebec, 506  
 National mineral collection (Steacy), 140  
 Natural and synthetic hydrozincites (Jambor), 652  
 Nature and distribution of iron silicates in the Gunflint iron formation, Port Arthur (Boutcher and Moorhouse), 132  
 New Brunswick, basic zinc carbonate, 94  
 Mount Pleasant deposit, 138  
 pyrite, 674  
 tholeiite sill, 666, 667  
 tin deposit, 661  
 New Canadian mineral occurrences: I. Eucryptite, pollucite, rozenite, epsomite, dawsonite, fairchildite and butschilitte (Mandarino and Harris), 377  
 Newfoundland-Labrador, adamellite, 339  
 fayalite, 339  
 Whalesback mine, 665, 670  
 nepheline-sodalite-syenite, 120  
 nepheline solid solutions, synthetic, 134  
 Nevada, hydrozincite, 385, 94  
 New mineralogical observations on stylvite seams (Amstutz and Park), 131

- New minerals and mineral names, 122  
 New minerals  
     aplowite, 166  
     berryite, 400, 407, 414  
     latrappite, 121  
     moorhouseite, 166  
     niobophyllite, 40  
     St. Hilaire minerals, 662  
 New palladium minerals from Noril'sk,  
     western Siberia (Cabri, Traill), 541,  
     662  
 New sulpho-salt mineral (Nuffield and  
     Harris), 400  
 Nickel, E. H. Atomic coordination in sul-  
     phides, 670  
     Latrappite—a proposed new name for  
         the perovskite-type calcium niobate  
         mineral from the Oka area of Quebec,  
         121  
     and Mark, E. Arfvedsonite and aegirine-  
         augite from Seal Lake, Labrador, 185  
 Rowland, J. F., and Charette, D. J.  
     Niobophyllite—the niobium analogue  
         of astrophyllite; a new mineral from  
         Seal Lake, Labrador, 40  
     Metallic lustre and the forbidden energy  
         gap, 399  
 Nickel distribution in serpentinites from  
     Puddy Lake, Ontario (Simpson), 673  
 nickel hydroxide, British Columbia, 116  
     x-ray, 118  
 mineral from Rock Creek, British Colum-  
     bia, (Jambor and Boyle), 116  
 niobophyllite, opt., phys., 43  
     anal., 45  
     x-ray, 46  
     new niobium analogue of astrophyllite; a  
         new mineral from Seal Lake, Labra-  
          dor (Nickel, Rowland, and Charette),  
         40  
 Normal and reverse pleochroism in biotite  
     (Hogarth), 136  
 Normandie pit, Thetford  
     chromian diopside, 241  
     uvarovite, 241  
 Noril'sk, Siberia, palladium minerals, 541,  
     662  
 Northwest Territories, geology of Cont-  
     woyo Lake area, 133  
     pyrrhotite, 531  
 Note on the occurrence of eudialyte in  
     Canada (Milton), 382  
 Nova Scotia, aplowite, 166  
     chabazite, 572  
     gold, 662  
     lake sediment, 638  
     moorhouseite, 166  
     stilbite, 582  
     zeolites, 132  
 Nuffield, E. W. with Harris, D. C., 172, 397  
     and Harris, D. C. Studies of mineral  
         sulpho-salts: XX Berryite, a new  
         species, 407, 400  
 O'BRIEN, J. L. with Allen, R. V., 393, 522  
 Observations on pharmacolite (Harris),  
     530  
 Occurrence of an Ag<sub>6</sub>Sb phase at Cobalt,  
     Ontario (Somanchi, Clark), 610  
 Oka, Quebec, clinopyroxenes, 140  
     latrappite, 121  
     minerals, 135  
     pyrochlore, 137  
 Olivine, fayalitic, Labrador, 339  
     pyroxene, intergrowths, Labrador, 343  
 Ontario, alkali rocks, 159  
     amphibolites, 139  
     apatites, 394  
     biotite, 204  
     butschliite, 380  
     cancrinites, 64  
     cenosite, 1  
     Cobalt, Ag<sub>6</sub>Sb mineral, 610  
     epsomite, 378  
     eucryptite, 377  
     fairchildite, 380  
     gneiss, 593  
     granitic stock, 620  
     heazlewoodite, 383  
     hornblende, 204  
     iron silicates, 132  
     millerite, 135  
     molybdomenite, 149  
     muscovite, 198  
     nepheline syenites, 401  
     pollucite, 377  
     pyrite, 317  
     rozenite, 378  
     zircon, 198, 382  
 Optical identification of iron-bearing dolo-  
     mites: a modification and an evalua-  
     tion (Trendall), 253  
 Orientite and its relation to ardennite and  
     zoisite (Moore), 262  
     x-ray, Cuba, 262  
 Origin of certain iron-titanium oxide and  
     apatite rocks (Philpotts), 671  
     of the gold and silver in the gold deposits  
         of the Meguma Series, Nova Scotia  
         (Boyle), 662

- PAJARI, G. E. JR. The variation of magnetite-ulvöspinel and hematite-ilmenite compositions in a differentiated alkaline intrusive, 670  
with Gunter, W., 666  
with Helmstaedt, H., 667
- Palladium minerals, 541
- Papezik, V. S. Native arsenic in Newfoundland, 670
- Park, W. C. with Amstutz, G. C., 131
- Parrish, I. S. The Gold Centre Porphyry of the Porcupine syncline, 400
- Peacor, D. R. with Boone, G. M., 394
- Pearceite classification, x-ray, 180
- pegmatites, lithium metasomatism, 136  
anal., Saskatchewan, 493
- Pelitic gneiss, anal., 593
- Pendlebury, G. B. Catapleiite from St. Hilaire mountain, Quebec, 120
- pentlandite, x-ray, anal., synthesis, heat treatment, 291
- Perrault, G. with Boissonnault, J., 132, 393  
with Machairas, G., 397
- Polylithionite from St. Hilaire, P.Q., 671
- Pyrochlore from Oka, Province of Quebec, Canada, 137
- Petrography and diagenesis of relict evaporite beds from the Permian Ranger Canyon and Mowitch formations of the southern Canadian Rocky Mountains (Rapson), 672  
of some Ordovician volcanic rocks around the Whalesback mine Newfoundland (Fleming), 665
- Petrology of dawsonite at the type locality, Montreal (Stevenson and Stevenson), 249  
and melting relations of the Blue Mountain, Ontario, litchfieldites (Piotrowski, Edgar, and Fleet), 401
- Petruk, W. The analysis of rocks and ores by x-ray diffractometer, 68
- Mineralogy of the Mount Pleasant tin deposit in New Brunswick, 138
- Relationship between the specific magnetic susceptibility and the iron plus manganese content of chlorite, 372
- Some textural relationships of the minerals in the Cobalt area in Ontario, and interpretations of the relationships, 671
- Pd(Bi,Pb), micro-anal., opt., 548
- Pd<sub>3</sub>Pb, micro-anal., x-ray, microhardness, reflect, etch, synth, 545
- Pharmacolite, 530
- Phase relations. system MnTa<sub>2</sub>O<sub>8</sub> 461 in the join NaAlSiO<sub>4</sub>-CaCO<sub>3</sub>-(25%)-H<sub>2</sub>O and the origin of some carbonatite-alkalic rock complexes (Watkinson and Wyllie), 402
- Phases of silica, Sosman, R. B., (Book Review), 540
- Philpotts, A. R. and Miller, J. A. The age of the Chatham-Grenville intrusive, Quebec, 114
- Origin of certain iron-titanium oxide and apatite rocks, 671
- Origin of anorthosite-mangerite rocks in southern Quebec, 401
- Phlogopite, decrepitation 447  
pleochroism, 136
- Piotrowski, J. M., Edgar, A. D. and Fleet, M. E. L. A preliminary investigation of the petrology and melting relations of the Blue Mountain, Ontario, litchfieldites, 401  
and Edgar, A. D. Melting relations in alkaline rocks, 672
- Plagioclase,  
fusion method for An content, 643  
spinel-graphite xenoliths in metallic iron-bearing basalts, Disko Island, Greenland (Melson and Switzer), 399
- pleochroism, biotite, 136  
phlogopite, 136
- Poitevinite, a new mineral (Jambor, Lachance, and Courville), 109  
anal., 110  
opt., 110
- Pollucite, Ontario, 377
- Polybasite, selenian, classification, x-ray 172
- Polylithionite from St. Hilaire, P.Q. (Perrault), 671
- Potassium-argon and uranium-lead ages from two localities (Boutcher, Davis and Moorhouse), 198  
metasomatism and K<sup>40</sup>/Ar<sup>40</sup> dating of Precambrian granites (Carlson), 395  
sodium and calcium in feldspars (Abbey) 347
- Pouliot, G. (Book Review), 537  
with Jambor, J. L., 385
- Maxwell, J. A. and Robinson, S. C. Cenosite from Bancroft, Ontario, 1
- Prakash, D. Study of a core from Bras D'or Lake, Nova Scotia, 638
- Presidential address (Moorhouse), 656
- Proceedings of the ninth annual meeting of

- the Mineralogical Association of Canada, 130
- Tenth annual meeting, 392
- Eleventh annual meeting, 654
- Properties and structure of  $\text{Ca}_{10}(\text{PO}_4)_6(\text{OH})_2$ ; its relation to tin (II) apatite (McConnell and Foreman), 431
- Pyrite anal., 674
- nodules of the Timagami copper-nickel deposit (Rose), 317
- Pyroaurite and stichtite from Langmuir Township, Ontario (Mandarino), 668
- Pyrochlore from Oka, Quebec, Canada (Perrault), 137
- Pyroxene-olivine intergrowths Labrador, 343
- in tholeiite, N.B., 667
- Pyrrhotites, composition, structure, and temperature of stability (Arnold), 660
- quantitative determination of monoclinic and hexagonal by x-ray diffraction (Graham), 665
- Northwest Territory, 531
- QUARTZ,**
- size, undulatory range, 640
  - diorites from the North Range, Sudbury (Vos and Moorhouse), 402
  - syenite, 114
- Quebec, age of Chatham-Grenville intrusive, 114
- anorthosite-mangerite rocks, 401
- apatites, 394
- awaruite, 519
- cacoxlasite, 527
- catapleite, 120, 397
- clinopyroxenes, 140
- dawsonite, 134, 249, 378
- diopside, 241
- epididymite, 398
- eucolite, 393
- heazlewoodite, 519
- hydrozincite, 94
- laptrappite, 121
- magnetite, 519
- mangan-neptunite, 398
- minerals from Oka, 135
- narsarsukite, 506
- phlogopite, 136
- pyrochlore, 137
- serandite, 132
- St. Hilaire minerals, 662
- tourmaline, detrital, 86
- uvavrite, 241
- Wakefield, giekielite, 664
- Qurashi, M. M. and Barnes, W. H. The structures of the minerals of the descloizite and adelite groups: V—descloizite and conichalcite (part 3). The structure of descloizite, 23
- RADCLIFFE, D. and Campbell, F. A. Beryl from Birch Portage, Saskatchewan, 493
- Rajasekaran, K. C. Narsarsukite from Mont St. Hilaire, Quebec, Canada, 506
- Ranwick mine, Ontario, molybdomenite, 149
- Rao, A. B. and Adusumilli, M. S. Bismoclite from Brazil, 390
- Rao, G. V. S. R. with Naidu, M. G. C., 334
- Rapson, J. E. Intrusive carbonate in the Ice River complex, British Columbia, 138
- Petrography and diagenesis of relict evaporite beds from the Permian Ranger Canyon and Mowitch formations of the southern Canadian Rocky Mountains, 672
- Rare-earth analysis, spencite, 648
- Rational and geological aspects of solid diffusion (Jensen), 271
- Reciprocal lattice in randomly oriented single crystals (Brooker), 394
- Refringence of garnets and hydrogarnets (McConnell), 11
- Rickard, M. J. Metamorphic tourmaline in the Oak Hill series of southern Quebec, 86
- Robinson, S. C. with Pouliot, G., 1
- Roches alcalines et les carbonatites du Kaiserstuhl (Van Wambeke and others) (Book Review), 537
- Roeder, P. L. (Book Review), 127
- Rose, E. R. Pyrite nodules of the Timagami copper-nickel deposit, 317
- Rowland, J. F. with Nickel, E. H. and Charette, D. J., 40
- Rozenite, Ontario, 378
- Rutile type tantalates, 465
- SAPPHİRINE** occurrence in Salvador, Bahia, Brazil, (Allard, Fujimori), 660
- Saskatchewan, beryl, 493
- Sclar, C. B., Garrison, L. C. and Schwartz, C. M. High-pressure studies in the system  $\text{MgO}-\text{SiO}_2$  and the constitution of the Upper Mantle, 139
- Schwartz, C. M. with Sclar, C. B., 139
- Seal Lake, Labrador, aegirine-augite, 185

- arfvedsonite, 185  
 niobophyllite, 40  
 Selenian polybasite, *x-ray*, spec., 172  
 Serandite from St. Hilaire, Quebec (Bois-  
 sonnault and Perrault), 132  
 Shaw, D. M. (Book Review), 125  
 (Editor) Studies in analytical geochem-  
 istry (Book Review), 127  
 and Kudo, A. M. Test of the discrimi-  
 nant function in the amphibolite prob-  
 lem, 139  
 Silver-antimony, Cobalt, 610  
 Silver-gold alloys, micro-anal., assoc., 546  
 Simpson, P. R. Nickel distribution in  
 serpentinites from Puddy Lake, On-  
 tario, 673  
 Sinkankas, J. Mineralogy for amateurs,  
 (Book Review), 266  
 Smith, F. G. Computation of liquidus  
 relationships in multi-component bi-  
 nary salt systems, 141  
 Computation and plotting of liquidus  
 isotherms in multicomponent silicate  
 systems, 424  
 Sodium in feldspar, anal., 347  
 solid diffusion, 271  
 Somanchi, S. and Clark, L. A. The occur-  
 rence of an Ag<sub>6</sub>Sb phase at Cobalt,  
 Ontario, 610  
 Some minerals from the Oka alkaline com-  
 plex, Oka, Quebec (Gold), 135  
 Sosman, R. B. The phases of silica, (Book  
 Review), 540  
 Specific magnetic susceptibility and the  
 iron plus manganese content of  
 chlorite (Petruk), 372  
 Spectrophotometry, Cu(II) in sphalerite,  
 567  
 Spencite, anal., 647  
 Sphalerite Cu(II) in octahedral sites, 567  
 Springer, G. The accuracy of quantitative  
 electronprobe microanalyses, 673  
 Stacking-order in natural hydrozincite  
 (Zabinski), 648  
 St. Bruno, Que. dawsonite, 378  
 Steacy, H. R. National mineral collection,  
 140  
 Stevenson, J. S. and Stevenson, L. S. The  
 petrology of dawsonite at the type  
 locality, Montreal, 249  
 with Stevenson, L. S., 249, 673  
 An appreciation of R. P. D. Graham, 675  
 Stevenson, L. S. and Stevenson, J. S.  
 Francolite from microsaur teeth,  
 Joggins, Nova Scotia, 673  
 St. Hilaire, Quebec, catapleiite, 120  
 epididymite, 398  
 mangan-neptunite, 398  
 minerals, 662, 671  
 new species, 398  
 serandite, 132  
 Stichtite, Ontario, 668  
 Stilbite, anal., cation exchange react, 582  
 Strontianite-aragonite, system, *x-ray* det.  
 curve, 556  
 Strontium isotope method of distinguishing  
 carbonatites from melted limestones  
 (Gittens, York, and Mayatsu), 396  
 Structures of the minerals of the desclo-  
 iozite and adelite groups: V—desclo-  
 iozite and conichalcite (part 3). The  
 structure of descloizite (Qurashi and  
 Barnes), 23  
 Studies of basic copper and zinc carbonates  
 I—synthetic zinc carbonates and their  
 relationship to hydrozincite, (Jambor), 92  
 on cancrinites: II—stability fields and  
 cell dimensions of calcium and potas-  
 sium-rich cancrinites (Edgar), 53  
 of mineral sulpho-salts: XIX—selenian  
 polybasite (Harris, Nuffield, and  
 Frohberg), 172  
 Sudbury, Ontario, quartz diorites, 402  
 Subsolidus studies in the ZnS-FeS-FeS<sub>2</sub>  
 system (Boorman), 661  
 Sudo, T. with Harada, K., 255  
 Sukheswala, R. N., Udas, G. R. and  
 Heinrich, E. W. Geology of the newly  
 discovered carbonatite of India, 397  
 Sulpho-salts: XX Berryite, a new species  
 (Nuffield and Harris), 407  
 classification, 172  
 selenian polybasite, 172  
 Sutarno, with Knop, O., 291  
 Sutherland, J. K. The chemistry of some  
 New Brunswick pyrites, 674  
 Sweden, berryite, 407  
 Switzer, G. with Melson, W. G., 399  
 Synthetic wodginite, tapiolite, and tanta-  
 lite (Turnock), 402  
 System CaCO<sub>3</sub>, calcite-aragonite transi-  
 tion, 555  
 CaCO<sub>3</sub>-SrCO<sub>3</sub> at high pressures and  
 500 °C to 700 °C (Froese, Winkler),  
 551  
 CaCO<sub>3</sub>-SrCO<sub>3</sub>, *x-ray* det. curve, 556  
 CaCO<sub>3</sub>-SrCO<sub>3</sub>-MgCO<sub>3</sub>, 559  
 Fe-Co-Ni-S, pentlandite, 291  
 MgO-SiO<sub>2</sub>, 139

- TALC-CARBONATE alteration of some serpentized ultramafic rocks south of Timmins, Ontario (Naldrett), 669
- Tanguay, M. G. Identification of clinopyroxenes by x-ray diffraction and optical methods, 140
- Tantalite, synthetic, 402, 461
- Tapiolite, synthetic, 461, 402  
cell dimensions, 465
- Test the discriminant function in the amphibolite problem (Shaw and Kudo), 139
- Textural relationships of minerals in the Cobalt area, Ontario, and interpretations (Petruk), 671
- Texture of pyrrhotite in some rocks of the Muskox intrusion (Kanehira), 531
- Thermogravimetric analyses, zinc carbonates, 96
- Thermoluminescence of plagioclase and pyrrhotite (McDougall), 399
- Thetford, Quebec, diopside, uvarovite, 241
- Thorpe, R. I. with Harris, D. C., 667
- Timagami Is., Ontario, pyrite nodules, 317
- Tin apatite, synthesis, x-ray, 431
- Tin-bearing garnet and pyroxene from skarn in the Cassiar district, B.C. (Mulligan, Jambor), 669
- Titanomaghemit from south India (Naidu and Rao), 334
- tourmaline, detrital, Quebec, 86
- Trail, R. J. with Cabri, L. J., 541, 662
- Transmission electron microscopy of fine-grained rocks (Allen, Braman, McConnell, and O'Brien), 393, 522
- A treatise on the genesis of the marine sedimentary iron ores, Braun, H. (Book Review), 268
- Trambath, L. T. with Gunter, W., 666  
with Helmstaedt, H., 667
- Trendall, A. F. Technique for optical identification of iron-bearing dolomites: a modification and an evaluation, 253
- Turnock, A. C. Synthetic wodginite, tapiolite, and tantalite, 402, 461
- UDAS, G. R. with Sukheswala, R. N., 397
- Undulatory range and crystal size of quartz (Nakashiro), 640
- Unit cell size and cesium loading on type A and type X zeolites (Ames), 515
- USSR, Noril'sk, palladium mineral, 541, 662
- Uvarovite, x-ray, anal., Quebec, 241
- VALERIITE, anal., 478
- van Loan, P. R. An iron-titanium oxide mineral from Hearst, Ontario, 674
- Van Wambeke, L. and others. Les roches alcalines et les carbonatites du Kaiserstuhl, (Book Review), 537
- Vos, M. A. and Moorhouse, W. W. Quartz diorites from the North Range, Sudbury, 402
- WAKEFIELD, Que. giekielite, 664
- Walton, N. S. moorhouseite aplowite, 166
- Water deficient Leonhardite from Labrador with notes on extinction angles in random selection (Burley), 395
- Watkinson, D. H. and Wyllie, P. J. Phase relations in the join  $\text{NaAlSiO}_4\text{-CaCO}_3\text{-}(25\%)H_2O$  and the origin of some carbonatite-alkalic rock complexes, 402
- Whalesback mine, Newfoundland, 665, 670
- Wheeler, E. P. 2nd. Fayalitic olivine in northern Newfoundland-Labrador, 339
- Winkler, H. G. F. with Froese, E., 551
- Wodginite, tapiolite and tantalite (Turnock), 461  
synthetic, 461, 402  
cell dimensions, 465
- Wyllie, P. J. with Watkinson, D. H., 402
- XANTHOPHYLLITE from Japan (Harada, Kodama, and Sudo), 255  
x-ray, anal., I. R., and heat treatment, Japan, 255
- X-ray crystallography of aurichalcite and hydrozincite (Jambor and Pouliot), 385
- crystallography, niobophyllite, 46  
powder data  
aegirine-augite, 193  
aplowite, 170  
ardennite, 265  
arfvedsonite, 189  
aurichalcite, 386  
berryite, 412, 421  
beryl, 499  
cancrinite, (synth), 57  
cenosite, 5  
davyne (synth), 59  
dawsonite, 379  
diopside, 244  
hydroxyapatite, 435  
hydrozincite, 388

- methods, 68  
molybdomenite, 149  
moorhouseite, 168  
narsarsukite, 512  
nickel hydroxide, 118  
niobophyllite, 48  
orientite, 259  
palladium-lead, 546  
silver-antimony, 617  
uvarovite, 243  
xanthophyllite, 258  
spectrographic analysis of minute mineral samples (Harris and Brooker), 135, 471  
studies on Nova Scotia zeolites (Aumento), 132  
YORK, D. with Gittins, J., 396, 665
- Yukon, basic zinc carbonate, 94  
Yukonite, re-examined (Jambor), 667
- ZABINSKI, W. The problem of stacking order in natural hydrozincite, 648
- Zeolite, cation selectivity (Ames), 325  
X-ray, 132, 515
- Zinc carbonate, basic,  
New Brunswick, 94  
Yukon, 94  
British Columbia, 94
- Zinckenite, spec., 381
- Zinnwaldite, decrepitation, 447
- Zircon, thought to be eudialyte, Ontario, 382  
U-Pb age, Ontario, 198
- ZnS-FeS-FeS<sub>2</sub> system, 661
- Zvyagintsivite, USSR, 541