

THE CANADIAN MINERALOGIST

Volume 9, Index

NOTE REGARDING INDEX TO VOLUME 9

LOUIS J. CABRI

Mines Branch, Ottawa

Numerous changes have been made to the present Index in order to increase its usefulness. After studying the indexing format in the leading mineralogical journals, the present Index evolved through discussions with the Editor and several colleagues. The principal changes are the greater concentration of entries under subject headings in bold face type and the grouping under "Geographical localities". New minerals under the subheadings "mineral data" and "mineral occurrences" also appear in bold face type. Suggestions for further improvements or objections to the present Index would be welcome.

- ABBEY, S. with Forman, S. A., 25
ABBOTT, D. with Boorman, R. S., 166
Absorption spectra of the manganese-bearing chain silicates pyroxmangite, rhodonite, bustamite and serandite (Manning), 348
Absorption spectra of Fe(III)—octahedral sites in sphalerite (Manning), 57
Absorption Spectrophotometry
Electronic, almandine pyrope, 240
andradite, 723; apatite, 294
astrophyllite, 663
biotite, 403; bustamite, 353
chlorite, 403; clintonite, 663
erythrite, 493
garnets, 301; grossular, 723
lepidolite, 417
phlogopite, 403; pyrope, 242
pyroxmangite, 352
rhodonite, 353
serandite, 353; spessartine, 243
sphalerite, 59, 427
tourmaline, 678
uvarovite, 723
vivianite, 403
Infra-red dawsonite, 55
lemoynite, 585
weloganite, 472
Accessories for locating microscopical fields in polished sections (Kaiman), 132
Albite of secondary origin, after perthite, in sandstones of the Charny formation, Quebec (Middleton), 300
ALLARD, G. O. and Assad, R. Discovery of vanadium in Chibougamau, Quebec, 569
AMSTUTZ, G. C. and Giger, H. Geometrical properties of mineral intergrowths in rocks and ores, 282
Analytical techniques
density curves, sulfosalts, 11
micro-anal. sulfosalts, 9
ore-microscopy, accessories, 132
petrofabric analysis, 303
quant. X-ray powder diff., 285
scanning electron microscope, 573
stratigraphic correlation, 307
wide field petrographic microscope, 716
ANDERSON, P. A. M. and Burley, B. J. The System $\text{NaAlSiO}_4\text{-NaOH}\text{-H}_2\text{O}$, 569
ANTHONY, J. W. with Williams, S. A., 310
APPLEYARD, E. C. Syn-orogenic nepheline rocks in eastern Ontario and northern Norway, 283
Application of thermoluminescence to geological problems (McDougall), 298
ARNOLD, R. G. Range in composition and structure of 82 natural terrestrial pyrrhotites, 31
ASSAD, R. with Allard, G. O., 569
AUMENTO, F. The space group of prehnite, 485
BAHAT, D. Structural changes at 100° temperature of heated anorthoclases, 531
BALESHTA, T. M., with Keys, J. D., 453
BARAGAR, W. R. A. Geochemistry of Noranda, Quebec, volcanic rocks, 283
BARKER, D. S. Texture, composition, and origin of graphite granite, 284

- BASHINSKI, D. with Kanehira, K., 124
 Barite-quartz phase in the Firesand River carbonatite, Wawa, Ontario (Heinrich and Vian), 252
- BARNES, H. L. with Scott, S. D., 306
- BAVLISS, P. The different crystal structures of gersdorffite (NiAsS), 570
- BEGER, R. M. and Buerger, M. J. The structure of polucite, 284
- Beryllium in a granitisation cycle (Hughes 293
- BIKOVA, A. V. with Perrault, G., 585
- Biomineralogy: its applications (McConnell), 298
- Biotite-cordierite-almandite subfacies of the hornblende-granulite facies: a discussion (Chesworth), 263
- Bismuthian robinsonite (Jambor and La chance), 426
- BLACKBURN, W. H. Zoned and unzoned garnets from the Grenville gneisses around Gananoque, Ontario, 691
- Book Reviews**
- ANGER, G. Genetic relationship between German and Norwegian pyrite deposits giving special consideration to the sulphur isotope ratios (in German), reviewed by G. Disler, 274
- BHAGAVANTHAM, S. Crystal symmetry and physical properties, reviewed by A. J. Frueh, Jr., 437
- BURRI, C., Parker, R. L., Wenk, E., and Wenk, H. R. Die orientierung der Plagioklase, reviewed by C. G. I. Friedlander, 565
- DAVIES, E. N. and Northedge, G. A. Mining and minerals, reviewed by A. P. Sabina, 566
- FANG, J. H. and Bloss, F. D. X-ray diffraction tables, reviewed by L. G. Berry, 139
- GRIGOR'EV, D. P. Ontogeny of Minerals, reviewed by C. G. I. Friedlander, 136
- HORBACK, H. and Olsen, E. J. Catalog of the collection of meteorites, reviewed by L. G. Berry, 438
- KRÚTA, T. Moravian minerals and their literature 1940-1965, reviewed by J. A. Mandarino, 140
- NUFFIELD, E. W. X-ray diffraction methods, reviewed by R. B. Ferguson, 272
- RAMDOHR, P. and Strunz, H. Klockmann's Lehrbuch der Mineralogie, reviewed by J. Rinsaite, 436
- SCHAFFER, O. A. and Zahringer, J. Potassium argon dating, reviewed by E. Farrow, 271
- SHADMON, A. Marble in Israel, reviewed by L. G. Berry, 438
- VANDERS, I. and Kerr, P. F. Mineral recognition, reviewed by A. P. Sabina, 435
- WEIBEL, M. Guide to the minerals of Switzerland, reviewed by A. P. Sabena, 139
- WOLFF, D. Investigations on the genesis of the sulphide deposits of Cyprus (in German), reviewed by G. Disler, 274
- ZUSSMAN, J. (Ed.). Physical methods in determinative mineralogy, reviewed by E. H. Nickel, 564
- BOORMAN, R. S. and ABBOTT, D. Indium in co-existing minerals from the Mount Pleasant tin deposit, 166
- Bonding properties of sulphur in bornite (Manning), 85
- BRISTOL, C. C. The quantitative x-ray powder diffraction determination of minerals in some metamorphosed volcanic rocks, 285
- BRYDON, J. E. and Singh, S. S. The nature of the synthetic crystalline basic aluminium sulphates as compared with basaluminite, 644
- BUERGER, M. J. with Beger, R. M., 284
- BURLEY, B. J. with Anderson, P. A. M., 569
- CABRI, L. J. A new copper-iron sulfide, 285 with Keys, J. D., 453
- and Rucklidge, J. C. Gold-Silver tellurides: relation between composition and X-ray diffraction data, 547
- Canadian platinum metal minerals (Rucklidge), 580
- CAPITONOVA, T. A. with Perrault, G., 585
- Carbonate substitution in the apatite structure (LeGeros, Trautz, LeGeros and Klein), 294
- CHAKRABARTI, A. K. Trace element geochemistry of Zawar sulphides and its relation to metallogenesis, 258
- CHAMBERLAIN, J. A. Some geochemical factors in the formation of nickel sulphides in ultramafic rocks, 570
- CHAO, G. Y. with Hounslow, A. W., 95
- Harris, D. C., Hounslow, A. W., Mandarino, J. A., and Perrault, G. Minerals from the nepheline syenite, Mont St. Hilaire, Quebec, 109

- and Hounslow, A. W., Monoclinic chlorapatite from Bob's Lake, Ontario, 286
- Leucopahmite, elpidite, and narsarsukite from the Desourdy Quarry, Mont St. Hilaire, Quebec, 286
- Chemical and x-ray study of omphacitic pyroxenes (Edgar, Mottana and Church), 288
- Chemistry of safflorite-löellingite (Radcliffe), 579
- Chemistry of some New Brunswick pyrites (Sutherland), 71
- CHESWORTH, W.** The biotite-cordierite-almandite subfacies of the hornblende-granulite facies: a discussion, 263
- Metamorphism in the Haliburton highlands of Ontario, 570
- CHURCH, W. R.** The occurrence of kyanite, andalusite, pyrophyllite and kaolinite in lower proterozoic (Huronian) rocks of Ontario, 287
with Edgar, A. D., 288
- Cleavage and etching of barite (Patel and Koshy), 539
- Cleavelandite and the signs of the optic directions (Fisher), 289
- COATS, C. J. A.** Serpentine minerals from Manitoba, 322
- Coexisting feldspars from some charnockite-like rocks in New Jersey, U.S.A. (Vogel and Smith), 309
- Colour and pleochroism in pink and brown tourmalines (Manning), 678
- Colour and pleochroism of astrophyllite and brown clintonite (Manning), 663
- Complex silver ores from Morey, Nevada, 478 (Williams)
- Composition chimique et la structure cristalline du pyrochlore d'Oka, P.Q. (Perrault), 383
- Composition of the Canadian precambrian shield and the upper mantle, with particular reference to U, Th, and K (Shaw), 307
- Computer program concerned with statistics of rock fabrics (Winchell), 310
- Computer program for determining optical parameters and optical and crystallographic directions directly from universal stage readings (Wenban-Smith), 269
- Computer program**
- liquidus, binary salt system, 180
 - ternary, salt system, 180
- rock fabric, statistics, 310
- universal stage, 269
- Copper Mountain** intrusions near Princeton, B. C. (Montgomery), 577
- Copper-nickel mineralization associated with dioritic intrusions in the Bancroft-Madoc area, Ontario (Lumbers), 295
- Covariance analysis of K-Rb fractionation trends (Shaw), 306
- Crystal-chemical calculations (McCon nell), 298
- Crystal chemistry and geochemistry of scandium (Frondel and Ito), 289
- Crystal chemistry of the skutterudite minerals (Nickel), 578
- Crystal Chemistry**
- andradite, 723; anorthoclase, 531
 - arsenopyrite, 311; astrophyllite, 663
 - biotite, 403; bornite, 85
 - bustamite, 348
 - calculations, 298; cattierite, 311
 - chlorite, 403; clintonite, 663
 - cobaltite, 311
 - erythrite, 493
 - gersdorffite, 311; grossular, 723
 - lepidolite, 407; löllingite, 311
 - marcasite, 311
 - patronite, 320; phlogopite, 403
 - pyrite, 311; pyrochlor, 399
 - pyroxmangite, 348; pyrrhotite, 699
 - rammelsbergite, 311; rhodonite, 348
 - safflorite, 311; scandium, 289
 - scapolite, 214; serandite, 348
 - skutterudite, 320, 578; sphalerite, 57, 427, 453
 - tourmaline, 678
 - uvarovite, 723
 - vaesite, 311; vivianite, 403
- Crystallographic polarity in chalcopyrite (Mariano), 297
- Crystal Structure** of borax (Giese), 572
- Crystal Structure of dawsonite $\text{NaAl}(\text{CO}_3)(\text{OH})_2$ (Frueh and Golightly), 51
- Crystal structure of kernite (Giese), 290
- Crystal structure of gersdorffite (NiAsS) (Bayliss), 570
- DA CUNHA E SILVA, J.** with Rao, A. B., 303
- DANNER, W. R.** Origin of the siderite coprolite-like bodies of the Wilkes formation, late Miocene of south-western Washington, 571
- DAVIDSON, A.** Nepheline K-feldspar intergrowth from Kaminak Lake, N.W.T., 571

- Decomposition of an orthochlorite (Ross), 522
- DE PABLO, L. Electron microscopy and diffraction on kaolinitic clays, 287
- Devonian batholithic associations from New Brunswick, (Martin), 576
- Distribution of major minerals in a stock of Nelson plutonic rock, south-central British Columbia (Sinclair and Libby) 308
- DOLAR-MANTUANI, L. M. Petrography of an alkali-silica reactive rock in the Canadian Shield, 287
- DONNAY, G. and Donnay, J. D. H. More precession goniometry, 288
- DONNAY, J. D. H., with Donnay, G., 288
- D.T.A.**
- antigorite, 344
 - basaluminite, 650
 - clinochlore, 527
 - serpentine, 3-layer-ortho-type, 343
 - weloganite, 473
- EDGAR, A. D., Mottana, A. and Church, W. R. A chemical and x-ray study of omphacitic pyroxenes, 288
with Mottana, A., 302
with Sood, M. K., 308
- Electrical conductivity**, sphalerite, 453
- Electron microprobe investigations of platinum metal minerals from Ontario (Rucklidge), 617
- Electron microscopy and diffraction on kaolinitic clays (de Pablo), 287
- Electron probe studies of some Canadian telluride minerals (Rucklidge), 305
- Eleven new minerals from Långban, Sweden (Moore), 301
- Epididymite from Mont St. Hilaire, Quebec (Mandarino and Harris), 706
- Etching**, barite, 539
- EUGSTER, H. P. with Rutherford, M. J., 305
- Experimental determination of the stability of aluminous iron biotites (Rutherford and Eugster), 305
- Experimental studies on ariegites (Mottana, Edgar and Church), 302
- Experimental**
- ariegites, 302
 - biotites, 305
 - polymorphism, celsian, 295
 - sphalerite, 306
 - undersat. alk. rocks, 308
 - wurtzite, 306
- synthesis*
- madocite, 19
 - $\text{SrMg}(\text{CO}_3)_2$, 65
 - $(\text{Sr,Ca})\text{Mg}(\text{CO}_3)_2$, 65
 - system
 - $\text{CaCO}_3\text{-SrCO}_3\text{-MgCO}_3$, 68
 - $\text{NaAlSiO}_4\text{-NaOH}\text{-H}_2\text{O}$, 569
 - Pb-Sb-As-S, 505
- FAWCETT, J. J., Rucklidge, J. C., and Gasparini, E. Chemistry of some tertiary basalts from east Greenland, 572
- FAYE, G. H. The optical absorption spectra of iron in six-coordinate sites in chlorite, biotite, phlogopite and vivianite. Some aspects of pleochroism in the sheet silicates, 403
- and Nickel, E. H. The origin of pleochroism in erythrite, 493
- FERGUSON, R. B. Memorial to Robert Mitchell Thompson, 4
- FISHER, D. J. Cleavelandite and the signs of the optic directions, 289
- FLEET, M. E. and Macrae, N. Two-phase hexagonal pyrrhotites, 699
- Fluid contents of apatites from the Oka complex, Quebec, and possible genetic implications (Girault), 290
- FORMAN, S. A., Kodama, H., and Abbey, S. Re-examination of xanthophyllite (clintonite) from the type locality, 25
- FOSTER, W. R. with Lin, H. C., 295
- Framboidal pyrite and concentric textures in ores of the Tilt Cove mine, northeastern Newfoundland (Kanehira and Bachinski), 124
- FRIEDLAENDER, C. G. I. Tridymite in mineralized zone at Dunbrack, Musquodoboit River, Nova Scotia, 572
- FROHBERG, M. H. Presidential address, 278
- Frobergite, montbrayite, and a new Pb-Bi telluride (Rucklidge), 709
- FRONDEL, C. and Ito, J. Crystal chemistry and geochemistry of scandium, 289
- FRUEH, A. J., Jr. and Golightly, J. P. Crystal structure of dawsonite $\text{NaAl}(\text{CO}_3)(\text{OH})_2$, 51
- FUCHS, L. H. Stanfieldite, a new phosphate mineral in stony-iron meteorites, 289
- Garnets from the Grenville Gneisses around Gananoque, Ontario (Blackburn), 691
- GASPARRINI, E. with Fawcett, J. J., 572
- Geikelite, a new Canadian occurrence (Hounslow and Chao), 95
- Geochemical factors in the formation of

- nickel sulphides in ultramafic rocks
 (Chamberlain), 570
Geochemical patterns and their economic significance, N.W.T. (Mursky), 577
Geochemistry of Noranda, Quebec, volcanic rocks (Baragar), 283
Geographical localities
Australia
 New South Wales, bustamite, 351
 Victoria, anorthoclase, 531
Brazil, diopside, 303
 pegmatites, 303
Canada
British Columbia
 andradite, stanniferous, Cassiar, 358
 Copper Mountain intrusions, 577
 epidote, stanniferous, Cassiar, 358
 ferroactinolite, Cassiar, 358
 frohbergite, Lindquist Lake, 305, 709
 hedenbergite, Cassiar, 358
 minnesotaite, Bluebell mine, 579
 minor elements, Slocan, 581
 monzonite, 308
 nuffieldite, Alice Arm, 439
 robinsonite, Salmo, 426
 skarn, Cassiar, 358
 staurolite, 292
 stützite, Lindquist Lake, 712
 sylvanite, Lindquist Lake, 712
 Wark-Colquitz Complex, 575
Manitoba
 antigorite, 322
 bravoite, 629
 chalcopyrite, 629
 English Lake volcanic unit, 629
 hematite, 629; hornblende, 629
 lizardite, 322
 marcasite, 629
 "nickel belt", 322
 pyrite, 629; pyroxenite, 629
 serpentine, 3-layer ortho-type, 322
 serpentinite, 322
 ultramafics, 322
 violarite, 629
New Brunswick
 arsenopyrite, 166
 cassiterite, 166; chalcopyrite, 166
 Coldbrook group, 292
 digenite, 166
 galena, 166; granites, 576
 indium, 166
 molybdenite, 166
 pyrite, 71, 166
 sphalerite, 166
 stannite (hex), (tot), 166
 stibnite, 505
Newfoundland
 arsenic, 101; arsenolite, 103
 löllingite, 102
 rammelsbergite, 103
North West Territories
 alkalic pluton, 571
 bismite, 656; bismuth, 655
 chalcopyrite, 656; cobaltite, 656
 geochemistry, 577
 gersdorffite, 656
 matildite, 655
 niccolite, 656
 pararammelsbergite, 656
 rammelsbergite, 656
 safflorite, 656; silver, 655
 skutterudite, 656
Nova Scotia
 grontite, 718
 ramsdellite, 718
 tridymite, 572
Ontario
 alkaline rocks, 283
 andalusite, 291; argillites, 287
 barite, 252
 baumhauerite, antimonian, Madoc, 16, 191
 biotite, Bancroft, 302; 405
 biotite-garnet-cordierite gneiss, 692
 bismuthinite, Cobalt-Gowganda, 597
 boulangerite, Madoc, 16, 191
 bournonite, 16
 bravoite, Cobalt-Gowganda, 597
 carbonatite, 252
 chalcopyrite, 600; chlorapatite, 286
 chlorite, 405
 Cobalt group sediments, 599
 cobalt pentlandite, Cobalt-Gowganda, 597
 cubanite, 700
 Cu-Ni sulphides, Bancroft-Madoc, 295
 garnet, 691
 Grenville gneisses, 691
 geocromite, Madoc, 16, 191
 greywackes, 287
 guettardite, Madoc, 16, 191
 Haliburton Highlands, 570
 hessite, Falconbridge, 623
 hollingworthite, Werner Lake, 580, 617
 irarsite, Werner Lake, 580, 617
 iron-titanium oxide, Hearst, 581
 jamesonite, Madoc, 16, 191
 kaolinite, 287
 Keewatin volcanics, 599
 kyanite, 287

- langisite, Cobalt-Gowganda, 597
 launayite, Madoc, 16, 191
 Lorrain formation, 287
 mackinawite, 700; madocite, Madoc, 7
 marcasite, Cobalt-Gowganda, 597
 maucherite, Cobalt-Gowganda, 597
 melonite, palladium bismuthian, Fal-
 conbridge, 617
 merenskyite, nickeloan Strathcona,
 Werner Lake, 617
 micas, 304; millerite, 624
 mineral QM, Madoc, 191
 nepheline, Bancroft, 302
 parkerite, Cobalt-Gowganda, 597
 pentlandite, 624
 $(\text{Pd}, \text{Ni}, \text{Pt})(\text{Te}, \text{Bi})_2$, 580
 Penokean orogeny, 287
 phlogopite, 405
 playfairite, Madoc, 16, 191
 platinum metal minerals, 580
 pyrite, Cobalt-Gowganda, 597
 pyrophyllite, 287
 pyroxene-garnet gneiss, 692
 pyrrhotite, 699
 rauhaugite, 252
 robinsonite, Madoc, 16, 191
 safflorite, Cobalt-Gowganda, 597;
 Mississagi, 559
 scapolite, 229
 semseyite, Madoc, 16, 191
 siegenite, Cobalt-Gowganda, 597
 skutterudite, Cobalt, Mississagi, 559
 sodalite, Bancroft, 574
 sorbyite, Madoc, 16, 191
 sövite, 252; spessartine, 238
 sphalerite, 57
 sterryite, Madoc, 16, 191
 Sudbury irruptive, 578
 sulphides, 16
 tellurbismuth, Falconbridge, 617
 tetrahedrite, 16; troilite, 700
 twinnite, Madoc, 16, 191
 veenite, Madoc, 7
 zinckenite, Madoc, 16, 191
Quebec
 actinolite, St. Hilaire, 112
 aegirine, St. Hilaire, 112
 albite, 300; St. Hilaire, 112
 almandine, St. Hilaire, 112
 analcime, St. Hilaire, 112
 ancylite, St. Hilaire, 112
 andradite, St. Hilaire, 112
 andradite, yttrian, Gatineau, 552
 ankerite, St. Hilaire, 112 a
 apatite, Oka, 290; St. Hilaire, 112
 apophyllite, St. Hilaire, 112
- arsenopyrite, St. Hilaire, 112
 augite, St. Hilaire, 112
 astrophyllite, St. Hilaire, 112
 barite, St. Hilaire, 112
 bastnaesite, St. Hilaire, 112
 bentonite, Gaspé, 141
 beryl, 580
 biotite, St. Hilaire, 112
 birnessite, St. Hilaire, 112
 brookite, St. Hilaire, 112
 burbankite, St. Hilaire, 112
 calaverite, Robb Montbray, 305, 709
 calcite, St. Hilaire, 112
 cancrinite, St. Hilaire, 112
 catapleite, St. Hilaire, 112
 chalcopyrite, St. Hilaire, 112
 Charny Formation, 300
 chlorites, St. Hilaire, 112
 clay minerals, Gaspé, 141
 cleavelandite, 580
 datolite, St. Hilaire, 112
 dawsonite, Montreal, 51, St. Hilaire,
 112
 diopside, St. Hilaire, 112
 dolomite, St. Hilaire, 112
 Dore Lake complex, 569
 elpidite, St. Hilaire, 112, 286, 593
 epididymite, St. Hilaire, 112, 706
 eudialyte-eucolite, St. Hilaire, 112
 eudialyte, St. Hilaire, 593
 fluorite, St. Hilaire, 112
 frohbergite, Noranda, Robb Mont-
 bray, 305, 709
 galena, St. Hilaire, 112
 geikielite, Wakefield, 95
 genthelvite, St. Hilaire, 113
 goethite, St. Hilaire, 113
 gotzenite, St. Hilaire, 113
 grossular, St. Hilaire, 113
 grunerite, St. Hilaire, 113
 gypsum, St. Hilaire, 113
 helvite, St. Hilaire, 113
 hematite, St. Hilaire, 113
 hornblende, St. Hilaire, 113
 idocrase, St. Hilaire, 113
 ilmenite, St. Hilaire, 113
 karpinskyite, St. Hilaire, 113
 leifite, St. Hilaire, 113
 lemoynite, St. Hilaire, 585
 lepidolite, 405, 580
 leucophanite, St. Hilaire, 113, 286
 leucosphenite, St. Hilaire, 113
 limonite, St. Hilaire, 113
 magnetite, St. Hilaire, 113
 magnetite, vanadiferous, 569
 mangan-neptunite, St. Hilaire, 113

- marcasite, St. Hilaire, 113
 melonite, Robb Montbray, 709
 micas, Oka, 304
 microcline, 580, St. Hilaire, 113
 molybdenite 3R, 6H, St. Hilaire, 113
 montbrayite, Robb Montbray, 305, 709
 muscovite, 580, St. Hilaire, 113
 narsarsukite, St. Hilaire, 113, 286
 natrolite, St. Hilaire, 113
 nepheline, St. Hilaire, 113
 $(\text{Pb}, \text{Bi})_3\text{Te}_4$, Robb Montbray, 305, 709
 pectolite, St. Hilaire, 113
 petzite, Noranda, 305, 711
 phlogopite, 405; St. Hilaire, 113
 polylithionite, St. Hilaire, 113
 pyrite, St. Hilaire, 113
 pyrochlore, Oka, 383; St. Hilaire, 113
 pyrolusite, St. Hilaire, 113
 pyrophanite, St. Hilaire, 113
 pyrrhotite, St. Hilaire, 113
 quartz, St. Hilaire, 113
 ramsayite, St. Hilaire, 113
 rhodochrosite, St. Hilaire, 113
 riebeckite(crocidolite) St. Hilaire, 113
 rinkite, St. Hilaire, 113
 rutile, St. Hilaire, 113
 sanidine, St. Hilaire, 113
 sapolite, 229
 serandite, St. Hilaire, 113, 351
 siderite, St. Hilaire, 113
 soda amphiboles, St. Hilaire, 113
 sodalite (hackmanite), St. Hilaire, 113
 sphalerite, Gaspé, 453; St. Hilaire, 113
 sphene, St. Hilaire, 113
 spodumene, 580
 synchysite, St. Hilaire, 113
 thomsonite, St. Hilaire, 113
 unidentified (ten), St. Hilaire, 109
 volcanics, Noranda, 283
 weloganite, Montreal Is., 468
 willemite, St. Hilaire, 113
 wohlerite, St. Hilaire, 113
 wurtzite, St. Hilaire, 113
 zircon, Gaspé, 141
 zircon, St. Hilaire, 113
Yukon
 bournonite, 373
 galena, 373
 jamesonite, 373
 owyheeite, 373
 sphalerite, 373
 tetrahedrite, 373; tintinaite, 371
Czechoslovakia, pyrope, 238
Great Britain, barite, Westmorland, 539
Greenland, basalts, 572
India, albite, 712; sodalite, 721
Japan, pyroxmangite, 350
 xanthophyllite, 27
Malagasy, almandine-pyrope, 238
 pyroxenes, 575
 scapolite, 229
Mexico, kaolinite, 287
 sphalerite, 57; Chihuahua, 453
Morocco, erythrite, 493
Norway, alkaline rocks, 283
 chlorapatite, 286
South Africa, parkerite, 597
Spain, sphalerite, 57
Sweden
 ericssonite, Långban, 301
 eveite, Långban, 301
 gabrielsonite, Långban, 301
 joesmithite, Långban, 301
 julgoldite, Långban, 301
 kobellite, 371
 parwelite, Långban, 301
 stenhuigarite, Långban, 301
 welinitite, Långban, 301
 wickmanite, Långban, 301
U.S.A.
 Arizona, hemihedrite, 310
 wickenburgite, 582
 California, andalusite, 291
 ultramafics, 576
 Connecticut, prehnite, 485
 Maine, pollucite, 284
 Massachusetts, cleavelandite, 289
 Minnesota, sulfides, 291
 New Jersey, charnockite, 309
 rhodonite, 351
 Nevada, andorite, 478
 bindheimite, 478; boulangerite, 478
 bournonite, 478
 canfieldite, 478; chlorargyrite, 478
 diaphorite, 478
 fizelyite, 408; frieslebenite, 478
 gypsum, 478
 jamesonite, 478
 manganese oxides, 478
 owyheeite, 478
 pyrargyrite, 478
 rhodochrosite, 478; rozenite, 478
 silver, 478; stephanite, 478
 tetrahedrite, 478
 wurtzite, 478
 New York, clinochlore, 522
 galena, 505
 North Carolina, bixmuthinite, 374
 kobellite, 371
 tetrahedrite, 374

- Pennsylvania*, antigorite, 322
Texas, graphic granite, 284
Utah, vivianite, 405
Washington, siderite, 571
U.S.S.R., orpiment, Yakutiya, 505
 sherandrite, 30
 xanthophyllite, 25
- GROSS, E. B. Geometrical properties of mineral intergrowths in rocks and ores (Amstutz and Giger), 282
- GIESE, R. F., Jr. The crystal structure of kernite, 290
 A refinement of the crystal structure of borax $\text{Na}_2\text{B}_4\text{O}_5(\text{OH})_4 \cdot 8\text{H}_2\text{O}$, 573
- GIGER, G. with Amstutz, 282
- GILLOTT, J. E. The scanning electron microscope in fabric investigations, 573
- GIRAUULT, J. Fluid contents of apatites from the Oka complex, Quebec, and possible genetic implications, 290
- GITTINS, J. with Ingamells, C. O., 214
- Gold-silver tellurides: relation between composition and X-ray diffraction data (Cabri and Rucklidge), 547
- GOLIGHTLY, J. P. with Frueh, A. J., Jr., 51
- GROSS, E. B. Phosphate-sulfate mineralization at White Mt. andalusite deposit, Mono Co., Cal., 291
- HAN, TSU-MING. Ore mineral relations in the Cuyuna sulfide deposit, Minnesota, 291
- HARRIS, D. C., Jambor, J. L., Lachance, G. R., and Thorpe, R. I. Tintinaite, the antimony analogue of kobellite, 371
 with Chao, G. Y., 109
 with Keys, J. D., 453
 with Mandarino, J. A., 706
 with Petruk, W., 597
 and Thorpe, R. I. New observations on matildite, 655
- Hemihedrite. A new mineral from Arizona (Williams and Anthony), 310
- HÉBERT, P. with Perrault, G., 579
- HEINRICH, E. W. and Vian, R. W. A barite-quartz phase in the Firesand River carbonatite, Wawa, Ontario, 252
- HELMSTAEDT, H. Mineral lineation and "Tectonic Transport" in Coldbrook rocks, Beaver Harbour, New Brunswick, 292
- HOGARTH, D. D. with Kasowski, 552
- HOLLISTER, L. S. Sector zoning in staurolite, Kwoiek area, British Columbia, 292
- HORWOOD, J. L. with Keys, J. D., 453
- HOUNSLAW, A. W. and Chao, G. Y. Geikielite, a new Canadian occurrence, 95
 with Chao, G. Y., 109
 with Chao, G. Y., 286
- HUGHES, C. J. Beryllium in a granitisation cycle, 293
- INGAMELLS, C. O. and GITTINS, J. The stoichiometry of scapolite, 214
- Indium in co-existing minerals from the Mount Pleasant tin deposit (Boorman and Abbott), 166
- Intergrowth between albite and sodalite Subbarao), 721
- Iron-iron interaction in iron-containing zinc sulphide (Keys, Horwood, Balleshta, Cabri, and Harris), 453
- ITO, J. with Frondel, C., 289
- JAMBOR, J. L. New lead sulfantimonides from Madoc, Ontario—Part I, 7
 New lead sulphantimonides from Madoc Ontario, Part 2—Mineral descriptions, 191
 New lead sulphantimonides from Madoc, Ontario. Part 3—synthesis, paragenesis, origin, 505
 with Harris, D. C., 371
 and Lachance, G. R. Bismuthian robinsonite, 426
 with Mulligan, R., 358
 with Sabina, A. P., 468
- JAMES, R. S. An occurrence of sodalite at the Princess Quarry, Bancroft, Ontario, 574
- KAIMAN, S. Accessories for locating microscopical fields in polished sections, 132
- KANEHIRA, K. and Bashinski, D. Frambooidal pyrite and concentric textures in ores of the Tilt Cove mine northeastern Newfoundland, 124
- KARUP-MØLLER, S. Secondary violarite and bravoite, English Lake, Manitoba, 629
- KASOWSKI, M. A. and Hogarth, D. D. Yttrian andradite from the Gatineau Park, Quebec, 552
- KEYS, J. D., Horwood, J. L., Balleshta, T. M., Cabri, L. J., and Harris, D. C. Iron-iron interaction in iron-containing zinc sulphide, 453
- KINGSTON, P. W. Studies of mineral sul-

- phosalts: XXI—Nuffieldite, a new species, 439
- KLEIN, E., Trautz, O. R., LeGeros, R. Z. and Rosenbaum, C. Polarized infrared study of single crystals of apatites, 294
with LeGeros, R. Z., 294
- KODAMA, H. with Forman, S. A., 25
- KOSHY, J. with Patel, A. R., 539
- KWAK, T. Partition coefficients as metamorphic indicators in rocks from Sudbury, Ontario, 574
- LACHANCE, G. R. with Harris, D. C., 371
with Jambor, J. L., 426
- Langisite, a new mineral, and the rare minerals cobalt pentlandite, siegenite, parkerite and bravoite from the Langis mine, Cobalt-Gowganda area, Ontario (Petrush, Harris, and Stewart), 597
- Large nepheline and biotite crystals in calcite veins near Bancroft, Ontario (Moyd), 302
- LAWRENCE, D. E. A wide field technique for viewing rock textures, 716
- Lead sulphantimonides from Madoc (Jambor). Part I, 7; Part 2, 191; Part 3, 505
- LEGEROS, J. P. with LeGeros, R. Z., 294
with Klein, E., 294
- LEGEROS, R. Z., Trautz, O. R., LeGeros, J. P. and Klein, E. Carbonate substitution in the apatite structure, 294
with Klein, E., 294
- Lemoynite, un nouveau silicate hydraté de sodium de St. Hilaire, Québec (Perault, Semenov, Bikova, and Capitonova), 585
- Leucophanite, elpidite, and narsarsukite from the Desourdy Quarry, Mont St. Hilaire, Quebec (Chao), 286
- LIBBY, W. G. Petrography of the Wark-Colquitz complex, southern Vancouver Island, British Columbia, 575
with Sinclair, A. J., 308
- LIN, H. C. and Foster, W. R. The polymorphism of celsian, 295
- LUMBERS, S. B. Copper-nickel mineralization associated with dioritic intrusions in the Bancroft-Madoc area, Ontario, 295
- Machine plotting of liquidus data of binary and ternary salt systems (Smith), 180
- MACRAE, N. with Fleet, M. E., 699
- Magnetic Susceptibility**, sphalerite, 453
- MAJMUNDAR, H. H. Ramsdellite and grotite from Nova Scotia, 718
New data on the optical properties and the chemical composition of the pyroxenes of S. E. Madagascar, 575
- MANDARINO, J. A. Reflectance spectrophotometry in mineralogy, 295
The Royal Ontario Museum's gallery of mineralogy, 296
with Chao, G. Y., 109
and Harris D. C. Epididymite from Mont. St. Hilaire, Quebec, 706
- MANNARD, G. W. The surface expression of kimberlite pipes, 297
- MANNING, P. G. Absorption spectra of Fe(III) in octahedral sites in sphalerite, 57
Absorption spectra of the manganese-bearing chain silicates pyroxmangite, rhodonite, bustamite and serandite, 348
An optical absorption study of the origin of colour and pleochroism in pink and brown tourmalines, 678
- A study of the bonding properties of sulphur in bornite, 85
- On the origin of colour and pleochroism of astrophyllite and brown clintonite, 663
- Optical absorption studies of the mixed-ion (Cu and Al) doping of sphalerite, 429
- Optical absorption studies of grossular, andradite (var. colophonite) and uvarovite, 723
- The optical absorption spectra of the garnets almandine-pyrope, pyrope, and spessartine and some structural interpretations of mineralogical significance, 237
- MARIANO, A. N. Crystallographic polarity in chalcopyrite, 297
- MARTIN, R. F. Significance of two contrasting Devonian batholithic associations from New Brunswick, 576
- MATHEWS, W. H. with Sinclair, A. J., 581
- MCCONNELL, D. Biomineralogy: its applications, 298
Crystal-chemical calculations, 298
- McDOUGALL, D. J. Application of thermoluminescence to geological problems, 298
The role of excited electrons in "Ground Preparation" for replacement ore deposits, 299

- Melting relations in undersaturated alkali rocks II (Sood and Edgar), 308
 Memorial to Robert Mitchell Thompson Ferguson), 4
 Merismitic diopside-microcline-hornblende rock in northeastern Brazil, (Rao), 303
 Metamorphism in the Haliburton highlands of Ontario (Chesworth), 570
 Micas and associated minerals from two Li-pegmatites (Rimsaite), 580
Microhardness, aikinite, 441
 cobalt pentlandite, 607
 guettardite, 203
 langisite, 605; launayite, 193
 madocite, 17; matildite, 659
 niccolite, 605; nuffieldite, 441
 parkerite, 611; playfairite, 195
 siegenite, 610; sorbyite, 205
 twinnite, 200
 veenite, 22
MIDDLETON, G. V. Albite of secondary origin, after perthite, in sandstones of the Charny Formation, Quebec, 300
MIGUES, R. Petrology of rodingites in ultramafics, Klamath Mountains, California, 576
Minerals
mineral data
 almandine-pyrope, 237
 andradite, 723; stanniferous, 358
 yttrian, 552
 anorthoclases, 531; apatite, 290, 294
 arsenic, 104; arsenopyrite, 311
 astrophyllite, 663
 barite, 539; basaluminite, 644
 biotite, 403; borax, 573
 bornite, 85; bravoite, 612, 629
 bustamite, 348
 calaverite, 305, 547; cattierite, 311
 celsian, 295; chalcopyrite, 166, 297
 chlorapatite, 286; chlorite, 403
 clay minerals, 141; cleavelandite, 289
 clinochlore, 522; clintonite, 663
 cobalt pentlandite, 606
 dawsonite, 51; diaphorite, 480
 digenite, 166
 elpidite, 286, 593; epididymite, 706
 epidote, stanniferous, 358
ericssonite, 301; erythrite, 493
 eudialyte, 593; eveite, 301
 fizelyite, 481; frohbergite, 305, 709
gabrielssonite, 301; garnet, 301, 691
 geikielite, 96; gersdorffite, 311, 570
 grossular, 723; groutite, 718
guettardite, 191
hemihedrite, 310
 hollingworthite, 617; hessite, 305
 irarsite, 617
iron-titanium oxide, 581
joesmithite, 301; **ulgodite**, 301
 kernite, 290; kobellite, 371
 krennerite, 547
 langisite, 601; launavite, 191
lemoynite, 585; lepidolite, 417
 leucophanite, 286; löllingite, 311, 579
madocite, 17; marcasite, 311
 matildite, 655
 melonite, palladian bismuthian, 617
 merenskyite, nickelloan, 617
 micas, 304; mineral Q.M., 191
 minnesotaite, 579; montbrayite, 305, 709
 narsarsukite, 286; niccolite, 605
nuffieldite, 439
 omphacites, 288; owyheeite, 483
 pararammelsbergite, 128; parkerite, 610
parwelite, 301
 $(\text{Pb}, \text{Bi})_3\text{Te}_4$, 305, 709
 petzite, 305; phlogopite, 403
playfairite, 191; pollucite, 284
 prehnite, 485; pyrite, 71, 311
 pyrochlore, 383; pyrope, 237
 pyroxmangite, 348; pyrrhotite, 31, 699
 rammelsbergite, 128, 311; ramsdellite, 718
 rhodonite, 348
 robinsonite, bismuthian, 426
 safflorite, 311, 559, 579, 601
 scapolite, 229; serandite, 348
 serpentine, 3-layer ortho-type, 332
 sherdanite, 30; siegenite, 609
 skutterudite, 559, 578; **sorbyite**, 191
 spessartine, 237
 sphalerite, 57, 166, 453, 599
stanfieldite, 289; stannite (tet), 166
 staurolite, 292; **stenhuggarite**, 301
sterryite, 191; sylvanite, 547
talnakhite, 285; **tintinaite**, 371
 tourmaline, 678; troilite, 31
twinnite, 191
unidentified (ten), 109
 uvarovite, 723
 vaesite, 311
 valuecrite, discredited, 25
veenite, 19; violarite, 629
 vivianite, 403
welinite, 301; **weloganite**, 468
wickenburgite, 582; **wickmanite**, 301
 xanthophyllite, 27
 zircon, 141
mineral occurrences
 actinolite, St. Hilaire, 112

- aegirine, St. Hilaire, 112
 albite, India, 721; St. Hilaire, 112
 almandine, St. Hilaire, 112
 analcime, St. Hilaire, 112
 ancyllite, St. Hilaire, 112
 andalusite, Ont., 287
 andorite, Nevada, 478
 andradite, St. Hilaire, 112
 stanniferous, B.C., 358
 yttrian, Que., 552
 ankerite, St. Hilaire, 112
 antigorite, Manitoba, 322
 apatite, Oka, Que., 290
 St. Hilaire, 112
 apophyllite, St. Hilaire, 112
 arsenic, Newfoundland, 101
 arsenolite, Newfoundland, 103
 arsenopyrite, N.B., 166; St. Hilaire, 112
 astrophyllite, St. Hilaire, 112
 augite, St. Hilaire, 112
 barite, St. Hilaire, 112; Wawa, Ont., 252
 bastnaesite, St. Hilaire, 112
 baumhauerite, antimonian, Madoc, Ont., 16, 191
 bindheimite, Nevada, 478
 biotite, Bancroft, Ont., 302
 St. Hilaire, 112
 birnessite, St. Hilaire, 112
 bismuth, N.W.T., 655
 bismuthinite, Cobalt-Gowganda, Ont., 597
 North Carolina, 374
 boulangerite, Madoc, Ont., 7, 191;
 Nevada, 478
 bournonite, Madoc, Ont., 16; Nevada,
 478; Yukon, 373
 bravoite, Cobalt-Gowganda, Ont., 597
 English Lake, Man., 629
 brookite, St. Hilaire, 112
 burbankite, St. Hilaire, 112
 calaverite, Robb Montbray, Que., 305,
 709
 calcite, St. Hilaire, 112
 cancrinite, St. Hilaire, 112
 canfieldite, Nevada, 478
 cassiterite, N. B., 166
 catapleite, St. Hilaire, 112
 chalcopyrite, English Lake, Man., 629;
 N.B., 166; Newfoundland, 124;
 N.W.T., 655; Ont., 600; St. Hilaire,
 112
 chlorapatite, Ont., 286
 chlorargite, Nevada, 478
 chlorites, St. Hilaire, 112
 clay minerals, Gaspé, Que., 141
 cobaltite, N.W.T., 655
 cobalt pentlandite, Cobalt-Gowganda,
 Ont., 597
 cubanite, Ont., 699
 datolite, St. Hilaire, 112
 dawsonite, Montreal, 51; St. Hilaire, 112
 diaphorite, Nevada, 478
 digenite, N.B., 166
 diopside, Brazil, 303; St. Hilaire, 112
 dolomite, St. Hilaire, 112
 elpidite, St. Hilaire, Que., 112, 286, 593
 epidimdyite, St. Hilaire, 112, 706
 epidote, stanniferous, B.C., 358
ericssonite, Sweden, 301
 eudialyte, St. Hilaire, Que., 593
 eudialyte-eucolite, St. Hilaire, 112
eveite, Sweden, 301
 ferroactinolite, B.C., 358
 fizelyite, Nevada, 478
 fluorite, St. Hilaire, 112
 freieslebenite, Nevada, 478
 frohbergite, B.C., 305, 709; Noranda,
 Que., 709; Robb Montbray, Que., 305,
 709
gabrielsonite, Sweden, 301
 galena, N.B., 166; New York, 505; St.
 Hilaire, 112; Yukon, 373
 garnet, Ont., 691
 geikielite, Quebec, 95
 genthelvite, St. Hilaire, 113
 geocronite, Madoc, Ont., 16, 191
 gersdorffite, N.W.T., 655
 goethite, St. Hilaire, 113
 gotzenite, St. Hilaire, 113
 grossular, St. Hilaire, 113
 groutite, N.S., 718
 grunerite, St. Hilaire, 113
guettardite, Madoc, Ont., 191
 gypsum, Nevada, 478; St. Hilaire, 113
 hedenbergite, B.C., 358
 helvite, St. Hilaire, 113
 hematite, English Lake, Man., 629; St.
 Hilaire, 113
hemihedrite, Arizona, 310
 hessite, Falconbridge, Ont., 623
 hollingworthite, Ont., 580; Werne Lake,
 Ont., 617
 hornblende, St. Hilaire, 113
 irarsite, Werner Lake, Ont., 580, 617
 idocrase, St. Hilaire, 113
 ilmenite, St. Hilaire, 113
iron-titanium oxide, Ont., 581
 jamesonite, Madoc, Ont., 16, 191; Ne-
 vada, 478; Yukon, 373
joesmithite, Sweden, 301
ulgodite, Sweden, 301
 kaolinite, Mexico, 287; Ont., 287

- karpinskyite, St. Hilaire, 113
 kyanite, Ont., 287
langisite, Cobalt-Gowganda, Ont., 597
launayite, Madoc, Ont., 191, 16
 leifite, St. Hilaire, 113
leymoynite, St. Hilaire. Que., 585
 leucophanite, St. Hilaire, 113, 286
 leucosphenite, St. Hilaire, 113
 limonite, St. Hilaire, 113
 lizardite, Manitoba, 322
 löllingite, Newfoundland, 102
 mackinawite, Ont., 700
madocite, Madoc, Ont., 7
 magnetite, St. Hilaire, 113; vanadiferous, Que., 569
 manganese oxides, Nevada, 478
 mangan-neptunite, St. Hilaire, 113
 marcasite, Cobalt-Gowganda, Ont., 597; English Lake, Man., 629; St. Hilaire, 113
 matildite, N.W.T., 655
 maucherite, Cobalt-Gowganda, Ont., 597
 melonite, Robb Montbray, Que., 709
 palladian bismuthian, Falconbridge, Ont., 617
 merenskyite, nickeloan, Strathcona, Werner Lake, Ont., 617
 micas, Que., 304; Ont., 304
 microcline, St. Hilaire, 113
 mineral Q.M., Madoc, Ont., 191
 minnesotaite, B.C., 579
 molybdenite, N.B., 166; 3R, 6H, St. Hilaire, 113
 montbrayite, Robb Montbray, Que., 305, 709
 muscovite, St. Hilaire, 113
 narsarsukite, St. Hilaire, 113, 286
 natrolite, St. Hilaire, 113
 nepheline, Bancroft, Ont., 302; St. Hilaire, 113
nuffieldite, B.C., 439
 owyheeite, Nevada, 478; Yukon, 373
 pararammelsbergite, N.W.T., 655
 parkerite, Cobalt-Gowganda, Ont., 597
parwelite, Sweden, 301
 $(\text{Pb}, \text{Bi})_8\text{Te}_4$, Robb Montbray, Que., 305, 709
 $(\text{Pd}, \text{Ni}, \text{Pt})(\text{Te}, \text{Bi})_2$, Ont., 580
 pectolite, St. Hilaire, 113
 pentlandite, Ont., 624
 petzite, Noranda, Que., 305, 711
 phlogopite, St. Hilaire, 113
playfairite, Madoc, Ont., 16, 191
 poly lithionite, St. Hilaire, 113
 prehnite, Conn., 485
- pyrargyrite, Nevada, 478
 pyrite, Cobalt-Gowganda, Ont., 597; English Lake, Man., 629; Newfoundland, 124; St. Hilaire, 113
 pyrochlore, Oka, Que., 383; St. Hilaire, 113
 pyrolusite, St. Hilaire, 113
 pyrophanite, St. Hilaire, 113
 pyrophyllite, Ont., 287
 pyroxenes, Malagasy Rep., 575
 pyrrhotite, Ont., 699; St. Hilaire, 113
 quartz, St. Hilaire, 113
 rammelsbergite, Newfoundland, 103; N.W.T., 655
 ramsayite, St. Hilaire, 113
 ramsdellite, N.S., 718
 riebeckite (crocidolite), St. Hilaire, 113
 rinkite, St. Hilaire, 113
 rhodochrosite, Nevada, 478; St. Hilaire, 113
 robinsonite, Madoc, Ont., 16, 191
 bismuthian, B. C., 426
 rozenite, Nevada, 478
 rutile, St. Hilaire, 113
 safflorite, Cobalt-Gowganda, Ont., 597; N.W.T., 655
 sanidine, St. Hilaire, 113
 semseyite, Madoc, Ont., 16, 191
 serandite, St. Hilaire, 113, 351
 serpentine, 3-layer ortho-type, Manitoba, 322
 siderite, St. Hilaire, 113; Wash., 571
 siegenite, Cobalt-Gowganda, Ont., 597
 silver, Nevada, 478; N.W.T., 655
 skutterudite, N.W.T., 655
 soda amphiboles, St. Hilaire, 113
 sodalite, India, 721; Ont., 574; St. Hilaire, 113; (hackmanite), St. Hilaire, 113
sorbyite, Madoc, Ont., 16, 191
 sphalerite, N. B., 166; Newfoundland, 124; St. Hilaire, 113; Yukon, 373
 sphene, St. Hilaire, 113
stanfieldite, meteorite, 289
 stannite (hex), (tet), N.B., 166
 staurolite, B.C., 292
stenhuggarite, Sweden, 301
 stephanite, Nevada, 478
sterryite, Madoc, Ont., 16, 191
 stibnite, N.B., 505
 stützite, B.C., 712
 sulphides, Madoc, Ont., 7
 synchysite, St. Hilaire, 113
 sylvanite, B.C., 712
 tellurbismuth, Falconbridge, Ont., 617

- tetrahedrite, Madoc, Ont., 16; Nevada, 478; North Carolina, 374; Yukon, 373
- thomsonite, St. Hilaire, 113
- tintinaite**, Yukon, 371
- tridymite, Nova Scotia, 572
- troilite, Ont., 700
- twinnite**, Madoc, Ont., 7, 191
- violarite, English Lake, Man., 629
- veenite, Madoc, Ont., 7
- unidentified (ten), St. Hilaire, 109
- welinitite, Sweden, 301
- weloganite**, Que., 468
- wickenburgite**, Arizona, 582
- wickmanite**, Sweden, 301
- willemite, St. Hilaire, 113
- wöhlerite, St. Hilaire, 113
- wurtzite, Nevada, 478; St. Hilaire, 113
- zinckenite, Madoc, Ont., 16, 191
- zircon, Gaspé, Que., 141; St. Hilaire, 113
- Mineral Lineation and "Tectonic Transport" in Coldbrook rocks, Beaver Harbour, New Brunswick (Helmstaedt), 292
- Mineralogical Association of Canada, Proceedings*, 276, 567
- Minerals from the Nepheline, syenite, Mont St. Hilaire, Quebec (Chao, Harris, Hounslow, Mandarino, and Perrault), 109
- Minerals across a section of the Sudbury nickel igneous (Naldrett and Rucklidge), 578
- Minnesotaite from the Bluebell mine, Riondel, B.C. (Perrault and Hébert), 579
- Monoclinic chlorapatite from Bob's Lake, Ontario (Chao and Hounslow), 286
- MONTGOMERY, J. H. Petrology of the Copper Mountain intrusions near Princeton, B.C., 577
- MOOKHERJEE, A. and Suffell, G. G. Some sulphide-diabase relationships in Ontario and Quebec, 300
- MOORE, P. G. Eleven new minerals from Långban, Sweden, 301
- MOORE, R. K. and White, W. B. Optical spectra of iron in garnets, 301
- MOTTANA, A., Edgar, A. D., and Church, W. R. Experimental studies on arietites, 302
with Edgar, A. D., 288
- MOYD, L. Large nepheline and biotite crystals in calcite veins near Bancroft, Ontario, 302
- MULLIGAN, R. and Jambor, J. L. Tin-bearing silicates from skarn in the Cassiar District, northern British Columbia, 358
- MURSKY, G. Geochemical patterns and their economic significance in the north-central district of Mackenzie, N.W.T., 577
- NALDRETT, A. J. and Rucklidge, J. C. Electron microprobe studies of minerals across a section of the Sudbury nickel igneous, 578
- Native arsenic in Newfoundland (Papezik), 101
- Nepheline K-feldspar intergrowth from Kaminak Lake, N.W.T. (Davidson), 571
- New copper-iron sulfide (Cabri), 285
- New iron-titanium oxide mineral from Hearst, Ontario (Van Loan), 581
- New observations on matildite (Harris and Thorpe), 655
- NICKEL, E. H. Crystal chemistry of the skutterudite minerals, 578
- Structural stability of minerals with the pyrite, marcasite, arsenopyrite and löllingite structures, 131
- Sulphide research contributions from the Mineral Sciences Division, Mines Branch, Department of Energy, Mines and Resources, 729
with Faye, G. H., 493
- Nonstoichiometric phase changes in sphalerite and wurtzite (Scott and Barnes), 306
- Nuffieldite, a new species—Studies of mineral sulphosalts: XXI (Kingston), 439
- Occurrence of kyanite, andalusite, pyrophyllite and kaolinite in lower proterozoic (Huronian) rocks of Ontario (Church), 287
- Optical absorption spectra of iron in six-coordinate sites in chlorite, biotite, phlogopite and vivianite. Some aspects of pleochroism in the sheet silicates (Faye), 403
- Optical absorption spectra of the garnets almandine-pyrope, pyrope, and spessartine and some structural interpretations of mineralogical significance (Manning), 237
- Optical absorption studies of the mixed-ion (Cu and Al) doping of sphalerite (Manning), 429

- Optical absorption studies of grossular, andradite (var. colophonite) and uvarovite (Manning), 723
- Optical Properties**, aikinite, 441
 astrophyllite, 663
 clintonite, 663; cobalt pentlandite, 607
 epididymite, 706; erythrite, 493
 guettardite, 203
 kobellite, 380
 langisite, 506; launayite, 193
 lemoynite, 585
 madocite, 17; matildite, 660
 niccolite, 605; nuffieldite, 441
 parkerite, 611; playfairite, 195
 pyroxenes, 575
 scapolite, 235; sheet silicates, 403
 siegenite, 610; sorbyite, 205
 sterryite, 196
 tourmaline, 678; twinnite, 200
 unidentified (four), 184
 veenite, 22
 weloganite, 471
- Optical properties and chemical composition of the pyroxenes of S. E. Madagascar (Majmundar), 575
- Optical spectra of iron in garnets (Moore and White), 301
- Ore deposits**
 Cuyuna, Minn., 291
 English Lake, Man., 629
 Langis mine, Ont., 597
 Little Bay mine, Newfoundland, 101
 Mount Pleasant, N.B., 166
 Noranda, volcanic geochemistry, 283
 Pine Point, 304
 stratabound, Sweden, 309
 sulphurization, 570
 thermoluminescence, 299
 Tilt Cove mine, Newfoundland, 124
 Whalesback mine, Newfoundland, 101
 White Mountain Calif., 291
 Zawar, India, 258
- Ore mineral relations in the Cuyuna sulfide deposits, Minnesota (Han), 291
- PAPEZIK, V. S. Native arsenic in Newfoundland, 101
- Partition coefficients as metamorphic indicators in rocks from Sudbury, Ontario (Kwak), 574
- PATEL A. R. and Koshy, J. Cleavage and etching of barite, 539
- PAULITSCH, P. Results of petrofabric analysis by an X-ray universal stage, 303
- PERRAULT, G. La composition et la struc-
 ture cristalline du pyrochlore d'Oka, P.Q., 383
 and Hébert, P. Minnesotaite from the Bluebell mine, Riondel, B.C., 579
 with Chao, G. Y., 109
 Semenov, E. I., Bikova, A. V., and Capitonova, T. A. La lemoynite, un nouveau silicate hydraté de zirconium et de sodium de St. Hilaire, Québec, 585
- Petrofabrics**
 Coldbrook Group, N.B., 292
 rock fabric statistics, 310
 X-ray universal stage, 303
- Petrography of an alkali-silica reactive rock in the Canadian Shield (Dolar-Mantuani), 287
- Petrography of the Wark-Colquitz complex, southern Vancouver Island, British Columbia (Libby), 575
- Petrology**
 albite-sodalite intergrowth, 721
 alkalic pluton, 571
 basalts, 572
 charnockite, 309
 Copper Mountain intrusions, 577
 fabric analysis, 573
 gneisses, Ont., 691
 granites, 576
 granitization, 293
 K-Rb fractionation, 306
 Li-pegmatites, 580
 metamorphism, 570
 monzonite, 308
 partition coefficients, 574
 pegmatites, 303
 rodingite, 576
 Sudbury eruptive, 578
 ultramafics, 576
 Wark-Colquitz complex, 575
- Petrology and mineralogy of some lower devonian bentonites from Gaspe, P.Q., (Smith), 141
- PETRUK, W., Harris, D. C., and Stewart, J. M. Langsite, a new mineral, and the rare minerals cobalt pentlandite, siegenite, parkerite, and bravoite from the Langis mine, Cobalt-Gowganda area, Ontario, 597
- Phosphate-sulfate mineralization at the White Mountain andalusite deposit, Mono County, California (Gross), 291
- PLANT, A. G. with Sabina, A. P., 468
 Pleochroism in erythrite (Faye and Nickel), 493
 Polarized infrared study of single crystals

- of apatites (Klein, Trautz, LeGeros, LeGeros, and Rosenbaum), 294
- Polymorphism of celsian (Lin and Foster), 295
- Precession goniometry (Donnay and Donnay), 288
- Prehnite space group (Aumento), 485
- Presidential address (Frohberg), 278
- Proceedings of the twelfth annual meeting of the Mineralogical Association of Canada*, 276
- Proceedings of the thirteenth annual meeting of the Mineralogical Association of Canada*, 367
- Quantitative X-ray powder diffraction determination of minerals in some metamorphosed volcanic rocks (Bristol), 285
- RADCLIFFE, D. Chemistry of safflorite-loellingite, 579
- Some properties of rammelsbergite and pararammelsbergite, 128
- Structural formula and composition of skutterudite, 559
- RAO, A. B. Merismitic diopside-microcline-hornblende rock in northeastern Brazil, 303
and Da Cunha E Silva, J. A structural concept of Borborema pegmatite, northeastern Brazil, 303
- Rammelsbergite and Pararammelsbergite (Radcliffe), 128
- Ramsdellite and groutite from Nova Scotia (Majmundar), 718
- Range in composition and structure of 82 natural terrestrial pyrrhotites (Arnold), 31
- Re-examination of xanthophyllite (clintonite) from the type locality (Forman, Kodama, and Abbey), 25
- Regional metamorphism of the palaeozoic strata-bound sulphide ore deposits of Norway (Vokes), 309
- Regional variations of minor elements in sulphides, Slocan district, B.C. (Sinclair and Mathews), 581
- Reflectance spectrophotometry in mineralogy (Mandarino), 295
- Results of petrofabric analysis by an X-ray universal stage (Paulitsch), 303
- RIMSAITE, J. Micas and associated minerals from two Li-pegmatites, 580
Studies of micas from uncommon rocks. I. Micas from nepheline syenite, Blue Mountain, Ontario, and from carbonatite, Oka, Quebec, 304
- Rodingites in ultramafics, Klamath Mountains, California (Migues), 576
- ROEDDER, E. Temperature and salinity of the ore-forming fluids at Pine Point, Northwest Territories, Canada, from fluid inclusion studies, 304
- Role of excited electrons in "Ground Preparation" for replacement ore deposits (McDougall), 299
- ROSENBAUM, C. with Klein, E., 294
- Ross, G. J. Structural decomposition of an orthochlorite during its acid dissolution, 522
- Royal Ontario Museum's new gallery of mineralogy (Mandarino), 296
- RUCKLIDGE, J. C. Electron probe studies of some Canadian telluride minerals, 305
Frohbergite, montbrayite, and a new Pb-Bi telluride, 709
- Electron microprobe investigations of platinum metal minerals from Ontario, 617
- Electron-probe data for some Canadian platinum metal minerals, 580
with Cabri, L. J., 547
with Fawcett, J. J., 572
with Naldrett, A. J., 578
- RUTHERFORD, M. J. and Eugster, H. P. Experimental determinations of the stability of aluminous iron biotites, 305
- SABINA, A. P., Jambor, J. L., and Plant, A. G. Weloganite, a new strontium zirconium carbonate from Montreal Island, Canada, 468
- Scanning electron microscope in fabric investigations (Gillott), 573
- SCOTT, S. D. and Barnes, H. I. Non-stoichiometric phase changes in sphalerite and wurtzite, 306
- Secondary violarite and bravoite, English Lake, Manitoba (Karup-Møller), 629
- Sector zoning in staurolite, Kwoiek area, British Columbia (Hollister), 292
- SEMENOV, E. I. with Perrault, G., 585
- Serpentine minerals from Manitoba (Coats), 322
- SHAW, D. M. Covariance analysis of K-Rb fractionation trends, 306
- The Composition of the Canadian Precambrian Shield and the Upper Mantle, with particular reference to U, Th, and K, 307

- SHILTS, W. X-ray diffraction as a stratigraphic tool in the pleistocene of northern Vermont and southeastern Quebec, 307
- Siderite coprolite-like bodies of the Wilkes formation, late Miocene of southwestern Washington (Danner), 571
- SINCLAIR, A. J. and Libby, W. G. Distribution of major minerals in a stock of Nelson plutonic rock, south-central British Columbia, 308
- and Mathews, W. H. Regional variations of minor elements in sulphides, Slocan district, B.C., 581
- SINGH, S. S. with Brydon, J. E., 644
- SMITH, B. L. with Vogel, T. A., 309
- SMITH, D. G. W. The petrology and mineralogy of some lower Devonian bentonites from Gaspe, P.Q., 141
- SMITH, F. G. Machine plotting of liquidus data of binary and ternary salt systems, 180
- Sodalite at Bancroft, Ontario (James), 574
- Some sulphide-diabase relationships in Ontario and Quebec (Mookherjee and Suffell), 300
- SOOD, M. K. and Edgar, A. D. Melting relations in undersaturated alkaline rocks II, 308
- Stanfieldite, a new phosphate mineral in stony-iron meteorites (Fuchs), 289
- STEWART, J. M., with Petruk, W., 597
- Stoichiometry of scapolite (Ingamells and Gittins), 214
- Strontrium magnesium carbonate (Froese), 65
- Structural changes of heated anorthoclases (Bahat), 531
- Structural concept of Borborema pegmatite, North Eastern Brazil (Rao, Cunha E Silva), 303
- Structural formula and composition of skutterudite (Radcliffe), 559
- Structural stability of minerals with the pyrite, marcasite, arsenopyrite, and löllingite structures (Nickel), 311
- Structure of pollucite (Beger and Buerger), 284
- Studies of micas from uncommon rocks. I. Micas from nepheline syenite, Blue Mountain, Ontario, and from carbonatite, Oka, Quebec (Rimsaite), 304
- SUBBARAO, K. V. An intergrowth between albite and sodalite, 721
- SUFFELL, G. G. with Mookherjee, A., 300
- Sulphide research contributions from the Mineral Sciences Division, Mines Branch, Department of Energy, Mines and Resources (Nickel), 729
- Surface expression of kimberlite pipes (Mannard), 297
- SUTHERLAND, J. K. Chemistry of some New Brunswick, pyrites, 71
- Syn-orogenic nepheline rocks in eastern Ontario and northern Norway (Appleby), 283
- System $\text{NaAlSiO}_4\text{-NaOH-H}_2\text{O}$ (Anderson and Burley), 569
- Synthetic crystalline basic aluminium sulphates as compared with basalusite (Brydon and Singh), 644
- Tectonics, Coldbrook Group, N.B., 292
- Temperature and salinity of the ore-forming fluids at Pine Point, Northwest Territories, Canada, from fluid inclusion studies (Roedder), 304
- Tertiary basalts from East Greenland (Fawcett, Rucklidge, and Gasparrini), 572
- Texture, composition, and origin of graphic granite (Barker), 284
- Textures, albite, vermicular, 721
chalcopyrite, concentric, 127
granite, graphic, 284
pyrite, concentric, 127, frambooidal, 124
sodalite, vermicular, 721
sphalerite, concentric, 127
- Thermoelectric power, sphalerite, 453
- Thermoluminescence, 298, 299
- T.G.A., clinochlore, 527
weloganite, 473
- THORPE, R. I. with Harris, D. C., 371
with Harris, D. C., 655
- Tin-bearing silicates from skarn in the Cassiar district, northern British Columbia (Mulligan and Jambor), 358
- Tintinaite, the antimony analogue of kobellite (Harris, Jambor, Lachance, and Thorpe), 371
- Trace element geochemistry of Zawar sulphides and its relation metallogenesis (Chakrabarti), 258
- Trace elements, arsenic, 104
arsenopyrite, 168
chalcopyrite, 168, 172
Can. Shield, 307
clay minerals, 160
digenite, 172
galena, 168, 259

- geochemical patterns, 577
 groatite, 718
 molybdenite, 168
 pyrite, 79, 168, 259
 pyrrhotites, 33
 ramsdellite, 718
 Slocan district, 581
 sphalerite, 58, 168, 172, 259
 stannite, 172
 Upper mantle, 307
- TRAUTZ, O. R. with Klein, E., 294
 with LeGeros, R. Z., 294
- Tridymite at Dunbrack, Nova Scotia (Friedlaender), 572
- Two-phase hexagonal pyrrhotites (Fleet and Macrae), 699
- Vanadium in Chibougamau, Quebec (Allard and Assad), 569
- VAN LOAN, P. R. A new iron-titanium oxide mineral from Hearst, Ontario, 581
- VIAN, R. W. with Heinrich, E. W., 252
- VOGEL, T. A. and Smith, B. L. Coexisting feldspars from some charnockite-like rocks in New Jersey, U.S.A., 301
- VOKES, F. M. Regional metamorphism of the palaeozoic strata-bound sulphide ore deposits of Norway, 309
- Weloganite, a new strontium zirconium carbonate from Montreal Island, Canada (Savina, Jambor, and Plant), 468
- WENBAN-SMITH, A. K. A computer programme for determining optical parameters and optical crystallographic directions directly from universal stage readings, 269
- WHITE, W. B. with Moore, R. K., 301.
- Wickenburgite, a new mineral from Arizona (Williams), 582
- Wide field technique for viewing rock textures (Lawrence), 716
- WILLIAMS, S. A. Complex silver ores from Morey, Nevada, 478
 and Anthony, J. W. Hemihedrite, a new mineral from Arizona, 310
- Wickenburgite, a new mineral from Arizona, 582
- WINCHELL, H. A computer program concerned with statistics of rock fabrics, 310
- X-ray diffraction**
Crystal Structure, borax, 573
- dawsonite, 51
 gersdorffite, 570
 kernite, 290
 pollucite, 284
- powder data*, actinolite, 121
 aegirine, 120; analcime, 121
 albite, 121; ancylyte, 122
 andradite, 120; ankerite, 120
 anorthoclase, 532; antigorite, 341
 apatite, 120; apophyllite, 122
 arsenopyrite, 120; astrophyllite, 122
 basaluminite, 646; bastnaesite, 122
 baumhauerite (antimonian), 210
 birnessite, 122; brookite, 122
 burbankite, 120
 calcite, 121; cancrinite, 121
 catapleite, 122; chalcopyrite, 121
 chlorite, 122
 datolite, 121; dawsonite, 52, 122
 diopside, 120; dolomite, 120
 elpidite, 121; epididymite, 121, 708
 eudialyte-eucolite, 120
 fluorite, 121
 galena, 120; geikielite, 99
 genthelvite, 121; goethite, 122
 götzenite, 121; grossular, 120
 groutite, 718; guethardite, 202
 helvite, 121; hematite, 120
 idocrase, 120; ilmenite, 120
 jordanite, synthetic, 510
 karpinskyite, 122; kobellite, 378
 langisite, 603; launayite, 192
 lead sulfantimonide, synthetic, 513
 lemoynite, 590; leucophanite, 120
 leucosphenite, 122
 madocite, 18; magnetite, 120
 marcasite, 120; matildite, 658
 melonite, palladian, 626
 microcline, 121; mineral Q.M., 207
 molybdenite 3R, 6H, 122
 muscovite, 122
 narsarsukite, 122; natrolite, 120
 nepheline, 120; neptunite, 121
 niccolite, 603; nuffieldite, 442
 pectolite, 121; phlogopite, 122
 playfairite, 194; polylithionite, 122
 pyrite, 120; pyrochlore, 120, 392
 pyrophanite, 120; pyrrhotite, 121
 quartz, 121
 ramsayite, 120; ramsdellite, 718
 rhodochrosite, 120; rinkite, 121
 robinsonite, bismuthian, 427
 rutile, 121
 sanidine, 121; serandite, 120
 serpentine, 3-layer ortho-type, 339
 siderite, 120; sodalite, 122

- sorbyite, 206; sphalerite, 121
spheine, 121; SrMg(CO₃)₂, 66
stannite (tet), 174; sterryite, 197
synchysite, 122
talnakhite, 285; thomsonite, 120
tintinaite, 378; twinnite, 200
unidentified (ten), St. Hilaire, 109
veenite, 21
weloganite, 469; willemite, 120
- wöhlerite, 120; wurtzite, 121
xanthophyllite, 28
zircon, 121
- X*-ray diffraction as a stratigraphic tool in
the pleistocene of northern Vermont
and southeastern Quebec (Shilts), 307
- Yttrian andradite from the Gatineau Park,
Quebec (Kasowski and Hogarth), 552