


# Musgravite



©2001-2005 Mineral Data Publishing, version 1

**Crystal Data:** Hexagonal. *Point Group:*  $\bar{3} 2/m, 3m$ , or  $32$ . Crystals platy on {0001}, to 0.5 mm; massive.

**Physical Properties:** *Cleavage:* Perfect, {0001}, or a parting; another, {10 $\bar{1}$ 1}, less perfect. Hardness = [8–8.5] (by analogy to taaffeite).  $D(\text{meas.}) = 3.68(2)$   $D(\text{calc.}) = 3.69$

**Optical Properties:** Semitransparent. *Color:* Pale olive-green; in thin section, nearly colorless.

*Optical Class:* Uniaxial (-).  $\omega = 1.739(2)$   $\epsilon = 1.735(2)$

**Cell Data:** *Space Group:*  $R\bar{3}m, R3m$ , or  $R32$ .  $a = 5.682(1)$   $c = 41.13(1)$   $Z = 6$

**X-ray Powder Pattern:** Musgrave Ranges, Australia.

2.408 (100), 1.4189 (80), 2.052 (70), 2.658 (55), 4.57 (40), 1.4868 (40), 2.271 (35b)

<b>Chemistry:</b>	(1)	(2)	(1)	(2)
SiO <sub>2</sub>	0.30		ZnO	5.18
TiO <sub>2</sub>	0.02		BeO	5.50 [5.50]
Al <sub>2</sub> O <sub>3</sub>	71.44	68.45	MgO	15.76 10.64
Fe <sub>2</sub> O <sub>3</sub>	0.40		CaO	0.00 0.09
Cr <sub>2</sub> O <sub>3</sub>		0.01	K <sub>2</sub> O	0.04
FeO	6.78	9.69	P <sub>2</sub> O <sub>5</sub>	0.02
MnO	0.02	0.01	<hr/>	
			Total	100.24 [99.61]

(1) Musgrave Ranges, Australia; Be by colorimetric methods, corresponds to  $(\text{Mg}_{1.66}\text{Fe}_{0.40}^{2+})_{\Sigma=2.06}(\text{Al}_{5.95}\text{Si}_{0.02}\text{Fe}_{0.02}^{3+})_{\Sigma=5.99}\text{Be}_{0.93}\text{O}_{12}$ . (2) Enderby Land, Antarctica; by electron microprobe; Be assumed from (1), total Fe as FeO, original total given as 99.62%; corresponds to  $(\text{Mg}_{1.17}\text{Fe}_{0.60}\text{Zn}_{0.28})_{\Sigma=2.05}\text{Al}_{5.97}\text{Be}_{0.98}\text{O}_{12}$ .

**Polymorphism & Series:** 9R, 18R polytypoids.

**Occurrence:** In a nodule, perhaps formerly a corundum crystal, in high-grade metapyroxenite, associated with metaperidotites and granulites (Musgrave Ranges, Australia); in pegmatite cutting granulite (Enderby Land, Antarctica).

**Association:** Spinel, sapphirine, phlogopite (Musgrave Ranges, Australia); quartz, sillimanite, garnet, biotite, surinamite, sapphirine (Enderby Land, Antarctica).

**Distribution:** From 16 km north-northeast of Ernabella Mission, Musgrave Ranges, South Australia. Along Casey Bay, Enderby Land, Antarctica. Found at Dove Bugt, northeast Greenland.

**Name:** For the Musgrave Ranges, South Australia, from where it was first recognized.

**Type Material:** Western Australian Museum, Perth, M.70.1991; University of Queensland, Brisbane, Australia, V014820; National Museum of Natural History, Washington, D.C., USA, 147436.

; musgravite = magnesiotaaffeite-6N'3S; [full list given under högböhmite];