© 2001 Mineral Data Publishing, version 1.2

Crystal Data: Triclinic. Point Group: 1. Tabular crystals, rarely prismatic to stocky, to 1 cm, in compact aggregates. Twinning: Present.

**Physical Properties:** Cleavage: Perfect in two perpendicular directions. Hardness = n.d. D(meas.) = 3.47 D(calc.) = 3.51

**Optical Properties:** Transparent to translucent. *Color:* Bright orange. *Luster:* Resinous to greasy.

Optical Class: Biaxial (-). Pleochroism: Strong; X = deep orange; Y = lemon-yellow; Z = yellow-orange.  $\alpha = 1.715-1.725$   $\beta = 1.740-1.745$   $\gamma = 1.745-1.750$   $2V(\text{meas.}) = 40^{\circ}-48^{\circ}$ 

Cell Data: Space Group:  $P\overline{1}$ . a = 9.741(5) b = 9.974(7) c = 9.108(5)  $\alpha = 92.70(4)^{\circ}$   $\beta = 117.11(4)^{\circ}$   $\gamma = 105.30(4)^{\circ}$  Z = 1

X-ray Powder Pattern: Val Graveglia, Italy. 3.06 (s), 2.83 (s), 2.70 (s), 3.01 (m), 2.98 (m), 2.62 (m), 2.20 (m)

Chemistry:

$$\begin{array}{ccc} & & (1) \\ \mathrm{SiO}_2 & 39.33 \\ \mathrm{Fe}_2\mathrm{O}_3 & 0.36 \\ \mathrm{As}_2\mathrm{O}_5 & 0.29 \\ \mathrm{V}_2\mathrm{O}_5 & 6.60 \\ \mathrm{MnO} & 40.13 \\ \mathrm{CaO} & 0.25 \\ \mathrm{Na}_2\mathrm{O} & 4.53 \\ \mathrm{H}_2\mathrm{O}^+ & 5.00 \\ \hline \mathrm{Total} & 96.49 \\ \end{array}$$

(1) Val Graveglia, Italy; by electron microprobe, average of data collected on two zones of differing color,  $H_2O$  by TGA, valences from crystal structure analysis; corresponds to  $Na_{2.40}$  ( $Mn_{9.32}^{2+}Fe_{0.07}^{3+}Ca_{0.07}$ ) $_{\Sigma=9.46}(Si_{10.77}V_{1.19}^{5+}As_{0.04}^{5+})_{\Sigma=12.00}O_{35.30} \cdot 4.57H_2O$ .

Occurrence: In veins in manganese ores associated with low-grade prehnite-pumpellyite facies metamorphic recrystallization of siliceous-hematitic sediments (Val Graveglia, Italy).

Association: Quartz, barite, caryopilite, ganophyllite (Val Graveglia, Italy); medaite, palenzonaite, pyrobelonite, fianelite, parsettensite, rhodochrosite, kutahorite, aegirine, quartz (Fianel mine, Switzerland).

**Distribution:** In Italy, at the Gambatesa and Molinello manganese mines, near Chiavari, Val Graveglia, Liguria, Italy. From the Fianel mine, Val Ferrera, Graubünden, Switzerland.

Name: For Edoardo Sanero, formerly Professor of Mineralogy at the University of Genoa, Genoa, Italy.

**Type Material:** University of Genoa, Genoa; Municipal Museum of Natural History, Genoa, Italy.

References: (1) Lucchetti, G., A.M. Penco, and R. Rinaldi (1981) Saneroite, a new natural hydrated Mn-silicate. Neues Jahrb. Mineral., Monatsh., 4, 161–168. (2) Basso, R. and A. Della Guista (1980) The crystal structure of a new manganese silicate. Neues Jahrb. Mineral., Abh., 138, 333–342. (3) (1981) Amer. Mineral., 66, 1277–1278 (abs. refs. 1 and 2).