

## AUTHOR INDEX, VOLUME 77, 1992

- Adams, P.M. *see* Kampf, A.R., 1107  
Ahsbahs, H. *see* Zhang, L., 480  
Akasaka, M. *see* Ikeda, K., 251  
Alpers, C.N. *see* Stoffregen, R.E., 1092  
Anderson, A.T., Jr. *see* Qin, Z., 565  
Andrew, A.S., Morrison, G.W., Whitford, D.J., Bird, M.I.:  
Origin of alunite- and jarosite-group minerals in the  
Mt. Leyshon epithermal gold deposit, northeast  
Queensland, Australia—Discussion, 857  
Angel, R.J.: Order-disorder and the high-pressure  $P\bar{1}-I\bar{1}$   
transition in anorthite, 923  
Annersten, H. *see* O'Neill, H.St.C., 725  
Arculus, R.J.: Review of *Intraplate Volcanism in Eastern  
Australia and New Zealand*. By R.W. Johnson, J.  
Knutson, and S.R. Taylor, 1312  
Ariskin, A.A., Boudase, K.V., Meshalkin, S.S.,  
Tsekhnonya, T.I.: Inforex: A data base on experimental  
studies of phase relations in silicate systems, 668  
Armbruster, T. *see* Ross, C.R., II, 507  
Armbruster, T., Czank, M.: H<sub>2</sub>O ordering and super-  
structures in armenite, BaCa<sub>2</sub>Al<sub>6</sub>Si<sub>9</sub>O<sub>30</sub>·2H<sub>2</sub>O: A single-  
crystal X-ray and TEM study, 422  
Armbruster, T., Geiger, C.A., Lager, G.A.: Single-crystal  
X-ray structure study of synthetic pyrope almandine  
garnets at 100 and 293 K, 512  
Armstrong, J.T. *see* Donovan, J.J., 444  
Artioli, G.: The crystal structure of garronite, 189  
Åsheim, A. *see* Larsen, A.O., 438  
Ayers, J.C., Brenan, J.B., Watson, E.B., Wark, D.A.,  
Minarik, W.G.: A new capsule technique for hydro-  
thermal experiments using the piston-cylinder  
apparatus, 1080  
Bacon, C.R., Newman, S., Stolper, E.: Water, CO<sub>2</sub>, Cl, and  
F in melt inclusions in phenocrysts from three  
Holocene explosive eruptions, Crater Lake, Oregon,  
1021  
Banfield, J.F., Dyar, M.D., McGuire, A.V.: The defect  
microstructure of oxidized mantle olivine, Dish Hill,  
California, 977  
Banfield, J.F., Veblen, D.R.: Conversion of perovskite to  
anatase and TiO<sub>2</sub> (B): A TEM study and the use of  
fundamental building blocks for understanding  
relationships among the TiO<sub>2</sub> minerals, 545  
Barbey, P. *see* Holtz, F., 1223  
Bartelmehs, K.L. *see* Downs, R.T., 751  
Barton, M.D.: Acceptance of the Mineralogical Society of  
America Award for 1991, 869  
Baumgartner, L.P. *see* Olsen, S.N., 1031  
Beane, R.E. *see* Li, G., 1275  
Becker, S.W. *see* Speer, J.A., 821  
Beckett, M.F. *see* Gittins, J., 666  
Birch, W.D., Pring, A., Gatehouse, B.M.: Segnitite,  
PbFe<sub>3</sub>H(AsO<sub>4</sub>)<sub>2</sub>(OH)<sub>6</sub>, a new mineral in the lusungite  
group from Broken Hill, New South Wales, Australia,  
656  
Bird, M.I. *see* Andrew, A.S., 857  
Bish, D.L., Burnham, C.W.: Rietveld refinement of the  
crystal structure of fibrolitic sillimanite using neu-  
tron powder diffraction data, 374  
Bohlen, S.R. *see* Koziol, A.M., 765  
Bohlen, S.R. *see* Pasternak, M.P., 901  
Bohlen, S.R., Peacor, D.R., Lawrence, V.: Report of the  
Editors for 1991, 877  
Boisen, M.B., Jr. *see* Downs, R.T., 751  
Boisen, M.B., Jr. *see* Gibbs, G.V., 741  
Bonazzi, P., Menchetti, S., Caneschi, A., Magnanelli, S.:  
Bottinoite, Ni(H<sub>2</sub>O)<sub>6</sub>[Sb(OH)<sub>6</sub>]<sub>2</sub>, a new mineral from  
the Bottino mine, Alpi Apuane, Italy, 1301  
Boudase, K.V. *see* Ariskin, A.A., 668  
Brenan, J.B. *see* Ayers, J.C., 1080  
Brosnahan, D.R. *see* Li, G., 1275  
Brown, P.E. *see* Olsen, S.N., 1031  
Bryndzia, L.T. *see* Popp, R.K., 1250  
Burnham, C.W. *see* Bish, D.L., 374  
Buseck, P.R. *see* Wang, S., 758  
Calas, G. *see* Galois, L., 677  
Caneschi, A. *see* Bonazzi, P., 1301  
Canil, D. *see* Ross, C.R., II, 507  
Carey, J.W., Navrotsky, A.: The molar enthalpy of  
dehydration of cordierite, 930  
Carpenter, M.A. *see* Phillips, B.L., 484  
Castor, S.B. *see* Price, J.G., 1067  
Catlow, C.R.A. *see* Collins, D.R., 1172  
Chalokwu, C.I., Kuehner, S.M.: Mineral chemistry and  
thermobarometry of a southern Appalachian  
amphibolite with epidote + quartz symplectite, 617  
Chappell, B.W. *see* Johnston, C., 303  
Christy, A.G., Phillips, B.L., Güttler, B.K., Kirkpatrick,  
R.J.: A <sup>27</sup>Al and <sup>29</sup>Si MAS NMR and infrared spectro-  
scopic study of Al-Si ordering in natural and syn-  
thetic sapphirine, 8  
Circone, S., Navrotsky, A.: Substitution of <sup>164</sup>Al in

- phlogopite: High-temperature solution calorimetry, heat capacities, and thermodynamic properties of the phlogopite-eastonite join, 1191
- Clare, A. *see* Hovis, G.L., 19
- Clemens, J.D. *see* Vielzeuf, D., 1206
- Collerson, B. *see* Williams, Q., 1158
- Collins, D.R., Catlow, C.R.A.: Computer simulation of structures and cohesive properties of micas, 1172
- Cooney, T.F. *see* Williams, Q., 1
- Craig, J.R.: Review of *Handbook of Mineralogy: Volume 1. Elements, Sulfides, Sulfosalts*. By J.W. Anthony, R.A. Bideaux, K.W. Bladh, and M.C. Nichols, 1122
- Czank, M. *see* Armbruster, T., 422
- Dai, Y., Harlow, G.E.: Description and crystal structure of vonbezingite, a new Ca-Cu-SO<sub>4</sub>-H<sub>2</sub>O mineral from the Kalahari manganese field, South Africa, 1292
- Dang, M.-Z. *see* Rancourt, D.G., 34
- Daniels, P.: Structural effects of the incorporation of large-radius alkalis in high cordierite, 407
- Davies, G.R.: Review of *Igneous Petrogenesis: A Global Tectonic Approach*. By M. Wilson, 214
- Dingwell, D.B.: Shear viscosity of alkali and alkaline earth titanium silicate liquids, 270
- Dingwell, D.B., Knoche, R., Webb, S.L., Pichavant, M.: The effect of B<sub>2</sub>O<sub>3</sub> on the viscosity of haplogranitic liquids, 457
- Dingwell, D.B., Webb, S.L.: The fluxing effect of fluorine at magmatic temperatures (600–800 °C): A scanning calorimetric study, 30
- Dipple, G.M. *see* Ferry, J.M., 577
- Dirken, P.J., Jansen, J.B.H., Schuiling, R.D.: Influence of octahedral polymerization on <sup>23</sup>Na and <sup>27</sup>Al MAS NMR in alkali fluoroaluminates, 718
- Dixon, J.E. *see* Holloway, J.R., 643
- Donovan, J.J., Rivers, M.L., Armstrong, J.T.: PRSUPR: Automation and analysis software for wavelength dispersive electron-beam microanalysis on a PC, 444
- Douglass, D.L., Shing, C., Wang, G.: The light-induced alteration of realgar to pararealgar, 1266
- Dove, M.T., Winkler, B., Leslie, M., Harris, M.J., Salje, E.K.H.: A new interatomic potential model for calcite: Applications to lattice dynamics studies, phase transition, and isotope fractionation, 244
- Downs, R.T., Gibbs, G.V., Bartelmehs, K.L., Boisen, M.B., Jr.: Variations of bond lengths and volumes of silicate tetrahedra with temperature, 751
- Drits, V.A. *see* Manceau, A., 1133, 1144
- Dunn, P.J. *see* Grice, J.D., 1285
- Dunn, P.J. *see* Kampf, A.R., 843
- Durben, D.J., Wolf, G.H.: High-temperature behavior of metastable MgSiO<sub>3</sub> perovskite: A Raman spectroscopic study, 890
- Dyar, M.D. *see* Banfield, J.F., 977
- Dyar, M.D. *see* McGuire, A.V., 1087
- Eberhardt, P. *see* Perny, B., 534
- Edgar, A.D. *see* Thibault, Y., 784
- Eggleston, C.M., Hochella, M.F., Jr.: Scanning tunneling microscopy of pyrite {100}: Surface structure and step reconstruction, 221
- Eggleston, C.M., Hochella, M.F., Jr.: The structure of hematite {001} surfaces by scanning tunneling microscopy: Image interpretation, surface relaxation, and step structure, 911
- Essene, E.J.: Review of *A Handbook of Silicate Rock Analysis*. By P.J. Potts, 676
- Essene, E.J.: Review of *Introduction to Optical Mineralogy*, Second Edition. By W.D. Nesse, 889
- Essene, E.J. *see* Li, G., 1275
- Essene, E.J. *see* Treiman, A.H., 663
- Evstigneeva, T.L., Genkin, A.D., Sandomirskaya, S.M., Trubkin, N.V.: Vyalsovite, a new sulfide-hydroxide of iron, calcium, and aluminum, 201
- Ewing, R.C. *see* Lumpkin, G.R., 179
- Ferry, J.M., Dipple, G.M.: Models for coupled fluid flow, mineral reaction, and isotopic alteration during contact metamorphism: The Notch Peak aureole, Utah, 577
- Finger, L.W. *see* Hazen, R.M., 217
- Finger, L.W. *see* McCammon, C.A., 937
- Fitzgerald, P.G. *see* Paul, T.A., 336
- Fleet, M.E.: Tetrahedral-site occupancies in reedmergnerite and synthetic boron albite (NaBSi<sub>3</sub>O<sub>8</sub>), 76
- Flohr, M.J.K. *see* Ross, M., 685
- Flotow, H.E. *see* Johnson, G.K., 85
- Foord, E.E. *see* Kampf, A.R., 843, 1107
- Fram, M.S., Longhi, J.: Phase equilibria of dikes associated with Proterozoic anorthosite complexes, 605
- Francis, C.A. *see* McGuire, A.V., 1087
- Franz, G., Selverstone, J.: An empirical phase diagram for the clinozoisite-zoisite transformation in the system Ca<sub>2</sub>Al<sub>3</sub>Si<sub>3</sub>O<sub>12</sub>(OH)-Ca<sub>2</sub>Al<sub>2</sub>Fe<sup>3+</sup>Si<sub>3</sub>O<sub>12</sub>(OH), 631
- Frost, B.R. *see* Lindsley, D.H., 987
- Frost, B.R., Lindsley, D.H.: Equilibria among Fe-Ti oxides, pyroxenes, olivine, and quartz: Part II. Application, 1004
- Galoisy, L., Calas, G.: Network-forming Ni in silicate glasses, 677
- Gan, H., Hess, P.C.: Phosphate speciation in potassium aluminosilicate glasses, 495
- Gaspar, J.C.: Titanian clinohumite in the carbonatites of the Jacupiranga Complex, Brazil: Mineral chemistry and comparison with titanian clinohumite from other environments, 168

- Gasparik, T. *see* Phillips, B.L., 704
- Gatehouse, B.M. *see* Birch, W.D., 656
- Geiger, C.A. *see* Armbruster, T., 512
- Geiger, C.A., Merwin, L., Sebold, A.: Structural investigation of pyrope garnet using temperature-dependent FTIR and  $^{29}\text{Si}$  and  $^{27}\text{Al}$  MAS NMR spectroscopy, 713
- Genkin, A.D. *see* Evstigneeva, T.L., 201
- Gibbs, G.V. *see* Downs, R.T., 751
- Gibbs, G.V., Spackman, M.A., Boisen, M.B., Jr.: Bonded and promolecule radii for molecules and crystals, 741
- Gier, T.E. *see* Shannon, R.D., 101
- Gittins, J., Beckett, M.F., Jago, B.C.: Composition of the fluid phase accompanying carbonatite magma: A critical examination—Reply, 666
- Glass, B.P.: Review of *The Cretaceous/Tertiary Boundary Interval, Raton Basin, Colorado and New Mexico, and Its Content of Shock-metamorphosed Minerals; Evidence Relevant to the K/T Boundary Impact-Extinction Theory*. By G.A. Izett, 214
- Goh, M.C. *see* Rachlin, A.L., 904
- Goldsmith, J.R.: Presentation of the Mineralogical Society of America Award for 1991 to Mark D. Barton, 867
- Gorshkov, A.I. *see* Manceau, A., 1133, 1144
- Grambling, J.A. *see* Williams, M.L., 188
- Green, H.W., II, *see* Tingle, T.N., 296
- Grew, E.S. *see* Jambor, J.L., 207
- Grice, J.D. *see* Hawthorne, F.C., 1112
- Grice, J.D., Dunn, P.J.: Attakolite: New data and crystal-structure determination, 1285
- Griffen, D.T., Hatch, D.M., Phillips, W.R., Kulaksiz, S.: Crystal chemistry and symmetry of a birefringent tetragonal pyrope<sub>75</sub>-grandite<sub>25</sub> garnet, 399
- Guggenheim, S.: Report of the Secretary for 1991, 874
- Guthrie, G.D., Jr.: Biological effects of inhaled minerals, 225
- Güttler, B.K. *see* Christy, A.G., 8
- Hafner, S.S. *see* Zhang, L., 462, 474, 480
- Harada-Kondo, H. *see* Hiroi, Y., 1099
- Harlov, D.E., Newton, R.C.: Experimental determination of the reaction  $2\text{magnetite} + 4\text{quartz} = 2\text{almandine} + \text{O}_2$  at high pressure on the magnetite-hematite buffer, 558
- Harlow, G.E. *see* Dai, Y., 1292
- Harris, M.J. *see* Dove, M.T., 244
- Hatch, D.M. *see* Griffen, D.T., 399
- Hawthorne, F.C., Oberti, R., Ungaretti, L., Grice, J.D.: Leakeite,  $\text{NaNa}_2(\text{Mg}_2\text{Fe}_2^{3+}\text{Li})\text{Si}_8\text{O}_{22}(\text{OH})_2$ , a new alkali amphibole from the Kajlidongri manganese mine, Jhabua district, Madhya Pradesh, India, 1112
- Hazen, R.M. *see* McCammon, C.A., 937
- Hazen, R.M., Finger, L.W., Ko, J.: Crystal chemistry of Fe-bearing anhydrous phase B: Implications for transition zone mineralogy, 217
- Hemley, R.J. *see* Kubicki, J.D., 258
- Henderson, G.S. *see* Rachlin, A.L., 904
- Hess, P.C. *see* Gan, H., 495
- Hewat, A.W. *see* Mereiter, K., 839
- Hewitt, D.A., Nord, G.L., Rumble, D., Stout, J.H., Whitney, J.A.: Report of the Financial Advisory Committee for 1991, 877
- Hiroi, Y., Harada-Kondo, H., Ogo, Y.: Cuprian manganoan phlogopite in highly oxidized Mineoka siliceous schists from Kamogawa, Boso Peninsula, central Japan, 1099
- Hochella, M.F., Jr. *see* Eggleston, C.M., 221, 911
- Hofmeister, A.M. *see* Kubicki, J.D., 258
- Holland, T., Powell, R.: Plagioclase feldspars: Activity-composition relations based upon Darken's quadratic formalism and Landau theory, 53
- Holloway, J.R., Dixon, J.E., Pawley, A.R.: An internally heated, rapid-quench, high-pressure vessel, 643
- Holtz, F., Pichavant, M., Barbey, P., Johannes, W.: Effects of  $\text{H}_2\text{O}$  on liquidus phase relations in the haplogranite system at 2 and 5 kbar, 1223
- Houk, L. *see* Robinson, P.D., 834
- Hovis, G.L., Spearing, D.R., Stebbins, J.F., Roux, J., Clare, A.: X-ray powder diffraction and  $^{23}\text{Na}$ ,  $^{27}\text{Al}$ , and  $^{29}\text{Si}$  MAS-NMR investigation of nepheline-kalsilite crystalline solutions, 19
- Howell, D.A. *see* Phillips, B.L., 704
- Hu, M. *see* Luo, G., 115
- Hu, M., Wenk, H.-R., Sinitsyna, D.: Microstructures in natural perovskites, 359
- Hughes, J.M.: Review of *X-ray Structure Determination, A Practical Guide*, Second Edition. By G.H. Stout and L.H. Jensen, 215
- Humbert, G. *see* Scaillet, B., 647
- Hume, L.A., Rimstidt, J.D.: The biodegradability of chrysotile asbestos, 1125
- Hunter, B.K. *see* Millard, R.L., 44
- Ikeda, K., Schneider, H., Akasaka, M., Rager, H.: Crystal-field spectroscopic study of Cr-doped mullite, 251
- Jackson, L.L. *see* Kampf, A.R., 1107
- Jago, B.C. *see* Gittins, J., 666
- Jambor, J.L.: New mineral names, 670, 1305
- Jambor, J.L., Grew, E.S.: New mineral names, 207
- Jambor, J.L., Puziewicz, J.: New mineral names, 1116
- Jambor, J.L., Vanko, D.A.: New mineral names, 446
- Jan, M.Q., Khan, M.A., Windley, B.F.: Exsolution in Al-Cr-Fe<sup>3+</sup>-rich spinels from the Chilas mafic-ultramafic complex, Pakistan, 1074
- Jansen, J.B.H. *see* Dirken, P.J., 718
- Jeanloz, R. *see* Pasternak, M.P., 901
- Johannes, W. *see* Holtz, F., 1223

- Johnson, G.K., Tasker, I.R., Flotow, H.E., O'Hare, P.A.G., Wise, W.S.: Thermodynamic studies of mordenite, dehydrated mordenite, and gibbsite, 85
- Johnston, C., Chappell, B.W.: Topaz-bearing rocks from Mount Gibson, North Queensland, Australia, 303
- Kampf, A.R.: Berylllophosphate chains in the structures of fransoletite, parafransoletite, and ehrlite and some general comments on berylllophosphate linkages, 848
- Kampf, A.R., Dunn, P.J., Foord, E.E.: Parafransoletite, a new dimorph of fransoletite from the Tip Top Pegmatite, Custer, South Dakota, 843
- Kampf, A.R., Jackson, L.L., Sidder, G.B., Foord, E.E., Adams, P.M.: Ferrisurite, the Fe<sup>3+</sup> analogue of surite, from Inyo County, California, 1107
- Keppeler, H.: Crystal field spectra and geochemistry of transition metal ions in silicate melts and glasses, 62
- Khan, M.A. *see* Jan, M.Q., 1074
- Kieffer, S.W.: Presentation of the Roebling Medal of the Mineralogical Society of America for 1991 to E-an Zen, 863
- Kirkpatrick, R.J. *see* Christy, A.G., 8
- Kirkpatrick, R.J. *see* McMillan, P.F., 898
- Kirkpatrick, R.J. *see* Phillips, B.L., 484, 704
- Knittle, E. *see* Williams, Q., 1158
- Knoche, R. *see* Dingwell, D.B., 457
- Ko, J. *see* Hazen, R.M., 217
- Koziol, A.M., Bohlen, S.R.: Solution properties of almandine-pyrope garnet as determined by phase equilibrium experiments, 765
- Krauskopf, K.B.: Memorial of Charles F. Park, Jr., 1903–1990, 1310
- Kruse, O.: Phase transitions and kinetics in natural FeS measured by X-ray diffraction and Mössbauer spectroscopy at elevated temperatures, 391
- Kubicki, J.D., Hemley, R.J., Hofmeister, A.M.: Raman and infrared study of pressure-induced structural changes in MgSiO<sub>3</sub>, CaMgSi<sub>2</sub>O<sub>6</sub>, and CaSiO<sub>3</sub> glasses, 258
- Kuehner, S.M. *see* Chalokwu, C.I., 617
- Kulaksiz, S. *see* Griffen, D.T., 399
- Kutoglu, A. *see* Zhang, L., 480
- Lager, G.A. *see* Armbruster, T., 512
- Lalonde, A.E. *see* Rancourt, D.G., 34
- Larsen, A.O., Åsheim, A., Raade, G., Taftø, J.: Tvedalite, (Ca,Mn)<sub>4</sub>Be<sub>3</sub>Si<sub>6</sub>O<sub>17</sub>(OH)<sub>4</sub>·3H<sub>2</sub>O, a new mineral from syenite pegmatite in the Oslo Region, Norway, 438
- Lawrence, V. *see* Bohlen, S.R., 877
- Lefèvre, A. *see* Scaillet, B., 647
- Lennie, A.R., Vaughan, D.J.: Kinetics of the marcasite-pyrite transformation: An infrared spectroscopic study, 1166
- Leslie, M. *see* Dove, M.T., 244
- Li, G., Peacor, D.R., Essene, E.J., Brosnahan, D.R., Beane, R.E.: Walthierite, Ba<sub>0.5</sub>□<sub>0.5</sub>Al<sub>3</sub>(SO<sub>4</sub>)<sub>2</sub>(OH)<sub>6</sub>, and huangite, Ca<sub>0.5</sub>□<sub>0.5</sub>Al<sub>3</sub>(SO<sub>4</sub>)<sub>2</sub>(OH)<sub>6</sub>, two new minerals of the alunite group from the Coquimbo region, Chile, 1275
- Lindsley, D.H. *see* Frost, B.R., 1004
- Lindsley, D.H., Frost, B.R.: Equilibria among Fe-Ti oxides, pyroxenes, olivine, and quartz: Part I. Theory, 987
- Liu, M., Yund, R.A.: NaSi-CaAl interdiffusion in plagioclase, 275
- Livi, K.J.T., Veblen, D.R.: An analytical electron microscopy study of pyroxene-to-pyroxenoid reactions, 380
- Lloyd, F.E. *see* Thibault, Y., 784
- London, D.: Phosphorus in S-type magmas: The P<sub>2</sub>O<sub>5</sub> content of feldspars from peraluminous granites, pegmatites, and rhyolites, 126
- Longhi, J.: Comparative liquidus equilibria of hypersthene-normative basalts at low pressure (v. 76, p. 785), 1066 [erratum]
- Longhi, J. *see* Fram, M.S., 605
- Lu, F. *see* Qin, Z., 565
- Lumpkin, G.R., Ewing, R.C.: Geochemical alteration of pyrochlore group minerals: Microlite subgroup, 179
- Luo, G., Xue, J., Xu, Hongwu, Xu, Huifang, Hu, M.: Confirmation of the terrestrial occurrence of orthopyroxene with space group *P2<sub>1</sub>ca*, 115
- Magnanelli, S. *see* Bonazzi, P., 1301
- Manceau, A., Gorshkov, A.I., Drits, V.A.: Structural chemistry of Mn, Fe, Co, and Ni in manganese hydrous oxides: Part I. Information from XANES spectroscopy, 1133
- Manceau, A., Gorshkov, A.I., Drits, V.A.: Structural chemistry of Mn, Fe, Co, and Ni in manganese hydrous oxides: Part II. Information from EXAFS spectroscopy and electron and X-ray diffraction, 1144
- Mariano, A.N. *see* Shannon, R.D., 101
- Marr, R.A., Wood, S.A.: Preliminary petrogenetic grids for sodium and calcium zirconosilicate minerals in felsic peralkaline rocks: The SiO<sub>2</sub>-Na<sub>2</sub>ZrO<sub>3</sub> and SiO<sub>2</sub>-CaZrO<sub>3</sub> pseudobinary systems, 810
- Mason, B., Mumme, W.G., Sarp, H.: Capgaronnite, HgS·Ag(Cl,Br,I), a new sulfide-halide mineral from Var, France, 197
- McCammon, C.A., Rubie, D.C., Ross, C.R., II, Seifert, F., O'Neill, H.St.C.: Mössbauer spectra of <sup>57</sup>Fe<sub>0.05</sub>-Mg<sub>0.95</sub>SiO<sub>3</sub> perovskite at 80 and 298 K, 894
- McCammon, C.A., Zhang, J., Hazen, R.M., Finger, L.W.: High-pressure crystal chemistry of cubanite, CuFe<sub>2</sub>S<sub>3</sub>, 937
- McGuire, A.V. *see* Banfield, J.F., 977
- McGuire, A.V., Francis, C.A., Dyar, M.D.: Mineral

- standards for electron microprobe analysis of oxygen, 1087
- McMillan, P.F., Kirkpatrick, R.J.: Al coordination in magnesium aluminosilicate glasses, 898
- Menchetti, S. *see* Bonazzi, P., 1301
- Mereiter, K., Zemann, J., Hewat, A.W.: Eglestonite, [Hg<sub>2</sub>]<sub>3</sub>Cl<sub>3</sub>O<sub>2</sub>H: Confirmation of the chemical formula by neutron powder diffraction, 839
- Merwin, L. *see* Geiger, C.A., 713
- Meshalkin, S.S. *see* Ariskin, A.A., 668
- Millard, R.L., Peterson, R.C., Hunter, B.K.: Temperature dependence of cation disorder in MgAl<sub>2</sub>O<sub>4</sub> spinel using <sup>27</sup>Al and <sup>17</sup>O magic-angle spinning NMR, 44
- Miller, D.M. *see* Price, J.G., 1067
- Miller, J.A. *see* Petford, N., 529
- Minarik, W.G. *see* Ayers, J.C., 1080
- Montana, A. *see* Nelson, S.T., 1242
- Mora, C.I., Ramseyer, K.: Cathodoluminescence of coexisting plagioclases, Boehls Butte anorthosite: CL activators and fluid flow paths, 1258
- Morrison, G.W. *see* Andrew, A.S., 857
- Mukasa, S.B.: Review of *An Introduction to Metamorphic Petrology*. By B.W.D. Yardley, 1122
- Mullis, J. *see* Perny, B., 534
- Mumme, W.G. *see* Mason, B., 197
- Mustard, J.F.: Chemical analysis of actinolite from reflectance spectra, 345
- Mysen, B.O.: Memorial of Arnulf Muan, 1923–1990, 886
- Nash, W.P.: Analysis of oxygen with the electron microprobe: Applications to hydrated glass and minerals, 453
- Navrotsky, A. *see* Carey, J.W., 930
- Navrotsky, A. *see* Circone, S., 1191
- Nekvasil, H.: Ternary feldspar crystallization in high-temperature felsic magmas, 592
- Nelson, S.T., Montana, A.: Sieve-textured plagioclase in volcanic rocks produced by rapid decompression, 1242
- Newman, S. *see* Bacon, C.R., 1021
- Newton, R.C. *see* Harlov, D.E., 558
- Nickel, E.H.: Nomenclature for mineral solid solutions, 660
- Nord, G.L. *see* Hewitt, D.A., 877
- Oberti, R. *see* Hawthorne, F.C., 1112
- Ogo, Y. *see* Hiroi, Y., 1099
- O'Hare, P.A.G. *see* Johnson, G.K., 85
- Ohkawa, M., Yoshiasa, A., Takeno, S.: Crystal chemistry of vesuvianite: Site preferences of square-pyramidal coordinated sites, 945
- Olsen, E.J.: Memorial of Louis H. Fuchs, 1915–1991, 1123
- Olsen, S.N., Baumgartner, L.P., Brown, P.E.: Possible prograde fluid inclusions in recrystallized chert nodules in a contact aureole, Christmas Mountains, Texas, 1031
- O'Neill, H.St.C. *see* McCammon, C.A., 894
- O'Neill, H.St.C., Annersten, H., Virgo, D.: The temperature dependence of the cation distribution in magnesioferrite (MgFe<sub>2</sub>O<sub>4</sub>) from powder XRD structural refinements and Mössbauer spectroscopy, 725
- Pacalo, R.E.G., Parise, J.B.: Crystal structure of superhydrous B, a hydrous magnesium silicate synthesized at 1400 °C and 20 GPa, 681
- Pankrath, R. *see* Perny, B., 534
- Papke, K.G. *see* Rice, S.B., 314
- Parise, J.B. *see* Pacalo, R.E.G., 681
- Pasternak, M.P., Taylor, R.D., Jeanloz, R., Bohlen, S.R.: Magnetic ordering transition in Mg<sub>0.9</sub>Fe<sub>0.1</sub>SiO<sub>3</sub> orthopyroxene, 901
- Paul, T.A., Fitzgerald, P.G.: Transmission electron microscopic investigation of fission tracks in fluorapatite, 336
- Pawley, A.R. *see* Holloway, J.R., 643
- Peacor, D.R. *see* Bohlen, S.R., 877
- Peacor, D.R. *see* Li, G., 1275
- Pearce, T.H. *see* Stimac, J.A., 795
- Perkins, D., Vielzeuf, D.: Experimental investigation of Fe-Mg distribution between olivine and clinopyroxene: Implications for mixing properties of Fe-Mg in clinopyroxene and garnet-clinopyroxene thermometry, 774
- Perny, B., Eberhardt, P., Ramseyer, K., Mullis, J., Pankrath, R.: Microdistribution of Al, Li, and Na in  $\alpha$  quartz: Possible causes and correlation with short-lived cathodoluminescence, 534
- Peterson, R.C. *see* Millard, R.L., 44
- Peterson, R.C. *see* Roelofsen, J.N., 522
- Petford, N., Miller, J.A.: Three-dimensional imaging of fission tracks using confocal scanning laser microscopy, 529
- Phillips, B.L. *see* Christy, A.G., 8
- Phillips, B.L., Howell, D.A., Kirkpatrick, R.J., Gasparik, T.: Investigation of cation order in MgSiO<sub>3</sub>-rich garnet using <sup>29</sup>Si and <sup>27</sup>Al MAS NMR spectroscopy, 704
- Phillips, B.L., Kirkpatrick, R.J., Carpenter, M.A.: Investigation of short-range Al,Si order in synthetic anorthite by <sup>29</sup>Si MAS NMR spectroscopy, 484
- Phillips, W.R. *see* Griffen, D.T., 399
- Pichavant, M. *see* Dingwell, D.B., 457
- Pichavant, M. *see* Holtz, F., 1223
- Pichavant, M. *see* Scaillet, B., 647
- Plesko, E.P., Scheetz, B.E., White, W.B.: Infrared

- vibrational characterization and synthesis of a family of hydrous alkali uranyl silicates and hydrous uranyl silicate minerals, 431
- Popp, R.K., Bryndzia, L.T.: Statistical analysis of Fe<sup>3+</sup>, Ti, and OH in kaersutite from alkalic igneous rocks and mafic mantle xenoliths, 1250
- Powell, R. *see* Holland, T., 53
- Powell, R. *see* Will, T.M., 954
- Pownceby, M.I. *see* Taylor, J.R., 284
- Price, J.G., Castor, S.B., Miller, D.M.: Highly radioactive topaz rhyolites of the Toano Range, northeastern Nevada, 1067
- Pring, A. *see* Birch, W.D., 656
- Puziewicz, J. *see* Jambor, J.L., 1116
- Qin, Z., Lu, F., Anderson, A.T., Jr.: Diffusive reequilibration of melt and fluid inclusions, 565
- Raade, G. *see* Larsen, A.O., 438
- Rachlin, A.L., Henderson, G.S., Goh, M.C.: An atomic force microscope (AFM) study of the calcite cleavage plane: Image averaging in Fourier space, 904
- Rager, H. *see* Ikeda, K., 251
- Ramseyer, K. *see* Mora, C.I., 1258
- Ramseyer, K. *see* Perny, B., 534
- Rancourt, D.G., Dang, M.-Z., Lalonde, A.E.: Mössbauer spectroscopy of tetrahedral Fe<sup>3+</sup> in trioctahedral micas, 34
- Raudsepp, M. *see* Roelofsen, J.N., 522
- Redfern, S.A.T., Wood, B.J.: Thermal expansion of brucite, Mg(OH)<sub>2</sub>, 1129
- Reeder, R.J. *see* Ross, N.L., 412
- Rice, S.B., Papke, K.G., Vaughan, D.E.W.: Chemical controls on ferrierite crystallization during diagenesis of silicic pyroclastic rocks near Lovelock, Nevada, 314
- Rimstidt, J.D. *see* Hume, L.A., 1125
- Rivers, M.L. *see* Donovan, J.J., 444
- Robinson, P.D., Sen Gupta, P.K., Swihart, G.H., Houk, L.: Crystal structure, H positions, and the Se lone pair of synthetic chalcogenite, Cu(H<sub>2</sub>O)<sub>2</sub>[SeO<sub>3</sub>], 834
- Roedder, E. *see* Tingle, T.N., 296
- Roelofsen, J.N., Peterson, R.C., Raudsepp, M.: Structural variation in nickel aluminate spinel (NiAl<sub>2</sub>O<sub>4</sub>), 522
- Rosenberg, P.E. *see* Yang, W., 1182
- Ross, C.R., II *see* McCammon, C.A., 894
- Ross, C.R., II, Armbruster, T., Canil, D.: Crystal structure refinement of a spinelloid in the system Fe<sub>3</sub>O<sub>4</sub>-Fe<sub>2</sub>SiO<sub>4</sub>, 507
- Ross, D.R. *see* Ross, M., 685
- Ross, M., Flohr, M.J.K., Ross, D.R.: Crystalline solution series and order-disorder within the natrolite mineral group, 685
- Ross, N.L., Reeder, R.J.: High-pressure structural study of dolomite and ankerite, 412
- Rossman, G.R. *see* Shannon, R.D., 94, 101
- Roux, J. *see* Hovis, G.L., 19
- Roux, J. *see* Scaillet, B., 647
- Rubie, D.C. *see* McCammon, C.A., 894
- Rumble, D. *see* Hewitt, D.A., 877
- Salje, E.K.H. *see* Dove, M.T., 244
- Sandomirskaya, S.M. *see* Evstigneeva, T.L., 201
- Sarp, H. *see* Mason, B., 197
- Saxena, S.K. *see* Shi, P., 1038
- Scaillet, B., Pichavant, M., Roux, J., Humbert, G., Lefèvre, A.: Improvements of the Shaw membrane technique for measurement and control of hydrogen fugacity at high temperatures and pressures, 647
- Scheetz, B.E. *see* Plesko, E.P., 431
- Schneider, H. *see* Ikeda, K., 251
- Schuiling, R.D. *see* Dirken, P.J., 718
- Scott, K.M.: Origin of alunite- and jarosite-group minerals in the Mt. Leyshon epithermal gold deposit, north-east Queensland, Australia—Reply, 860
- Sebald, A. *see* Geiger, C.A., 713
- Seifert, F. *see* McCammon, C.A., 894
- Selverstone, J. *see* Franz, G., 631
- Sen Gupta, P.K. *see* Robinson, P.D., 834
- Shannon, R.D., Rossman, G.R.: Dielectric constants of silicate garnets and the oxide additivity rule, 94
- Shannon, R.D., Subramanian, M.A., Mariano, A.N., Gier, T.E., Rossman, G.R.: Dielectric constants of diaspore and B-, Be-, and P-containing minerals, the polarizabilities of B<sub>2</sub>O<sub>3</sub> and P<sub>2</sub>O<sub>5</sub>, and the oxide additivity rule, 101
- Shi, P.: Fluid fugacities and phase equilibria in the Fe-Si-O-H-S system, 1050
- Shi, P., Saxena, S.K.: Thermodynamic modeling of the C-H-O-S fluid system, 1038
- Shimobayashi, N.: Direct observation on the formation of antiphase domain boundaries in pigeonite, 107
- Shing, C. *see* Douglass, D.L., 1266
- Sidder, G.B. *see* Kampf, A.R., 1107
- Simmons, W.B.: Review of *Chemical and Determinative Tables of Mineralogy—Silicates*. By R.M. Pierrot and F. Cesbron, 216
- Sinityna, D. *see* Hu, M., 359
- Skinner, H.C.W.: Acceptance of the Distinguished Public Service Medal for 1991, 872
- Spackman, M.A. *see* Gibbs, G.V., 741
- Spearing, D.R. *see* Hovis, G.L., 19
- Speer, J.A., Becker, S.W.: Evolution of magmatic and subsolidus AFM mineral assemblages in granitoid rocks: Biotite, muscovite, and garnet in the Cuffy-town Creek pluton, South Carolina, 821
- Stebbins, J.F. *see* Hovis, G.L., 19
- Stel, H.: Diagnostic microstructures for primary and

- deformational quartz rods in graphic granite, 329
- Sternner, S.M.: Synthetic fluid inclusions: Part XI. Notes on the application of synthetic fluid inclusions to high *P-T* experimental aqueous geochemistry, 156
- Stimac, J.A., Pearce, T.H.: Textural evidence of mafic-felsic magma interaction in dacite lavas, Clear Lake, California, 795
- Stoffregen, R.E., Alpers, C.N.: Observations on the unit-cell dimensions, H<sub>2</sub>O contents, and  $\delta D$  values of natural and synthetic alunite, 1092
- Stolper, E. *see* Bacon, C.R., 1021
- Stout, J.H. *see* Hewitt, D.A., 877
- Subramanian, M.A. *see* Shannon, R.D., 101
- Swihart, G.H. *see* Robinson, P.D., 834
- Taftø, J. *see* Larsen, A.O., 438
- Tait, S.: Selective preservation of melt inclusions in igneous phenocrysts, 146
- Takeno, S. *see* Ohkawa, M., 945
- Tasker, I.R. *see* Johnson, G.K., 85
- Taylor, J.R., Wall, V.J., Pownceby, M.I.: The calibration and application of accurate redox sensors, 284
- Taylor, R.D. *see* Pasternak, M.P., 901
- Thibault, Y., Edgar, A.D., Lloyd, F.E.: Experimental investigation of melts from a carbonated phlogopite lherzolite: Implications for metasomatism in the continental lithospheric mantle, 784
- Tingle, T.N., Roedder, E., Green, H.W., II.: Formation of fluid inclusions and etch tunnels in olivine at high pressure, 296
- Towe, K.M.: Presentation of the Distinguished Public Service Medal for 1991 to H. Catherine. W. Skinner, 870
- Treiman, A.H., Essene, E.J.: Composition of the fluid phase accompanying carbonatite magma: A critical examination—Discussion, 663
- Trubkin, N.V. *see* Evstigneeva, T.L., 201
- Tsekhonya, T.I. *see* Ariskin, A.A., 668
- Ungaretti, L. *see* Hawthorne, F.C., 1112
- Vanko, D.A. *see* Jambor, J.L., 446
- Vasseur, G. *see* Velde, B., 967
- Vaughan, D.E.W. *see* Rice, S.B., 314
- Vaughan, D.J. *see* Lennie, A.R., 1166
- Veblen, D.R. *see* Banfield, J.F., 545
- Veblen, D.R. *see* Livi, K.J.T., 380
- Velde, B., Vasseur, G.: Estimation of the diagenetic smectite to illite transformation in time-temperature space, 967
- Vielzeuf, D. *see* Perkins, D., 774
- Vielzeuf, D., Clemens, J.D.: The fluid-absent melting of phlogopite + quartz: Experiments and models, 1206
- Virgo, D. *see* O'Neill, H.St.C., 725
- Wall, V.J. *see* Taylor, J.R., 284
- Wang, G. *see* Douglass, D.L., 1266
- Wang, S., Buseck, P.R.: Cyndrite: The relation between its cylindrical shape and modulated structure, 758
- Wark, D.A. *see* Ayers, J.C., 1080
- Watson, E.B. *see* Ayers, J.C., 1080
- Webb, S.L. *see* Dingwell, D.B., 30, 457
- Wenk, H.-R. *see* Hu, M., 359
- White, W.B. *see* Plesko, E.P., 431
- Whitford, D.J. *see* Andrew, A.S., 857
- Whitney, J.A.: Report of the Treasurer for 1991, 875
- Whitney, J.A. *see* Hewitt, D.A., 877
- Will, T.M., Powell, R.: Activity-composition relationships in multicomponent amphiboles: An application of Darken's quadratic formalism, 954
- Williams, M.L., Grambling, J.A.: Manganese, ferric iron, and the equilibrium between garnet and biotite (v. 75, p. 886), 188 [erratum]
- Williams, Q., Collerson, B., Knittle, E.: Vibrational spectra of magnesite (MgCO<sub>3</sub>) and calcite-III at high pressures, 1158
- Williams, Q., Cooney, T.F.: Cation field effects on orthosilicate glass vibrations, 1
- Windley, B.F. *see* Jan, M.Q., 1074
- Winkler, B. *see* Dove, M.T., 244
- Wise, W.S. *see* Johnson, G.K., 85
- Wolf, G.H. *see* Durben, D.J., 890
- Wood, B.J. *see* Redfern, S.A.T., 1129
- Wood, S.A. *see* Marr, R.A., 810
- Xu, Hongwu *see* Luo, G., 115
- Xu, Huifang *see* Luo, G., 115
- Xue, J. *see* Luo, G., 115
- Yang, W., Rosenberg, P.E.: The free energy of formation of searlesite, NaBSi<sub>2</sub>O<sub>5</sub>(OH)<sub>2</sub>, and its implications, 1182
- Yoshiasa, A. *see* Ohkawa, M., 945
- Yund, R.A. *see* Liu, M., 275
- Zemann, J. *see* Mereiter, K., 839
- Zen, E.: Acceptance of the Roebling Medal of the Mineralogical Society of America for 1991, 865
- Zevin, L.S.: Stacking faults in synthetic celsian, 121
- Zhang, J. *see* McCammon, C.A., 937
- Zhang, L., Ahsbahs, H., Kutoglu, A., Hafner, S.S.: Compressibility of grunerite, 480
- Zhang, L., Hafner, S.S.: Gamma resonance of <sup>57</sup>Fe in grunerite at high pressures, 474
- Zhang, L., Hafner, S.S.: High-pressure <sup>57</sup>Fe  $\gamma$  resonance and compressibility of Ca(Fe,Mg)Si<sub>2</sub>O<sub>6</sub> clinopyroxenes, 462