

SUBJECT INDEX, VOLUME 78, 1993

- Al₂O₃-SiO₂-H₂O, 285
Ar, 1135
Au, 877
Au₉₄₋₈₈Hg₆₋₁₂, 1108
α-β quartz, 694
Abhurite, 233
Aeschynite, 419
Alaska, 143, 1066
Alberta, 225, 230
Algebraic analysis, 1257
Alkali feldspar, 952
Almandine, 405
Aluminosilicate, 594, 911
Aluminum silicate, 298
Alumotantite, 845
Amazonite, 500
Amorphous silica, 1066
Amphibole, 96, 405, 733, 746, 968, 1117
Amphibole activities, 1174
Amphibolite, 988
Analcime, 225, 230
Analysis, chemical (mineral)
 aeschynite, 419
 algebraic analysis, 1257
 amphibole, 96, 733, 746, 968
 analcime, 225, 230
 annite, 665, 669
 anorthite, 601
 anthophyllite, 511
 antigorite, 391, 844 [erratum]
 aquamarine, 762
 arfvedsonite, 733
 augite, 1230
 bastnäsite-(Ce), 415
 bernalite, 827
 beryl, 762
 biotite, 113, 158, 665, 669, 826 [erratum], 1031
 brucite, 271
 calcite, 49
 chamosite, 1208
 chlorite-smectite, 377
 chromite, 68, 724
 chromium clinocllore, 68
 chrysotile, 391, 844 [erratum]
 clinocllore, 1208
 clinopyroxene, 132
 columbite, 419
 cordierite, 1041
 diamond, 753
 diaphorite, 85
 dravite, 265
 Fe-Pt, 178
 Fe₂O₃-FeTiO₃, 941
 fangite, 1096
 feldspar, 158
 fergusonite, 419
 fluid inclusions, 657, 804
 foitite, 1299
 forsterite + monticellite, 42
 galena, 85
 garnet, 113, 132, 158, 338, 345, 826 [erratum], 988, 1002, 1041
 gedrite, 511
 halogen, 641
 hornblende, 968
 ilmenite, 113, 826 [erratum]
 jacobsite, 1304
 kaersutite, 968, 1230
 kosnarite, 653
 lindqvistite, 1304
 lizardite, 391, 844 [erratum]
 lunar rocks, 360
 magnetite + ulvöspinel, 565
 mahlmoodyite, 437
 morganite, 762
 muscovite, 782
 olivine, 132, 794, 1230
 orthoamphibole, 1041
 orthopyroxene, 921, 1016
 paragonite, 782
 phengite, 158
 phlogopite, 665, 669, 1056
 pitchblende, 1262
 plagioclase, 1041, 1066
 poldervaartite, 1082
 potassium iron silicate, 627
 potassium magnesium silicate, 627
 potassium zinc silicate, 627
 povondraite, 433
 preiskwite, 1290
 pyroxene, 1002, 1066
 quenched liquid, 1016
 rutile, 1181
 samarskite, 419
 sanidine, 601
 serendibite, 195
 smectite, 1217
 sodium-potassium mica, 782
 spinel, 873, 1002
 staurolite, 345, 988, 1041
 taikanite, 1088
 tengerite-(Y), 425
 tourmaline, 1299
 tremolite-richterite, 23
 tschernichite, 822
 uraninite, 1262
 widgiemoolthalite, 819
 zircon, 36
Analysis, chemical (rock)
 amphibolite, 988
 basalt, 794
 basanite, 1230
 lunar rocks, 360
 magnesian-arfvedsonite, 96
 manganese cummingtonite, 96
 microspheres, 873
 pelite, 158, 345
 PIXE, 893
 rhyolite, 612
 trachybasalt, 1230
Andalusite, 298, 594
Andalusite + corundum + quartz, 594
Andradite, 957
Angola, 1217
Annite, 665, 669
Anorthite, 601
Anorthite-orthoclase, 601
Anorthite-sanidine, 601
Anorthosite, 1016
Anthophyllite, 511
Antigorite, 75, 391, 844 [erratum]
Apatite, 210, 213, 441, 446, 641, 1275
Apatite fission tracks, 210, 213, 441, 446
Aquamarine, 762
Arfvedsonite, 733
Arizona, 968, 1230
Arkansas, 437
Arsenoflorencite-(La), 672

- Arsenoflorencite-(Nd), 672
 Augite, 1230
 Austria, 260
 Awards
 Mineralogical Society of America
 Award, acceptance of, 856
 Mineralogical Society of America
 Award, presentation of, 853
 Roebbling Medal, acceptance of,
 851
 Roebbling Medal, presentation of,
 850

 Ba-dominant brewsterite, 1314
 BaSO₃, 1314
 BaS₂O₃·H₂O, 1314
 Ba₂Al₂S₃(OH)₈·8H₂O, 1314
 Ba₂S₂O₃F₂, 1314
 Bannisterite, 233
 Baratovite (= discredited
 katayamalite), 450
 Basalt, 794
 Basanite, 1230
 Bastnäsite-(Ce), 415
 Bearthite, 1314
 Bernalite, 827, 1108
 Beryl, 762
 Betpakdalite, 845
 Biotite, 113, 158, 665, 669, 826
 [erratum], 1031
 Bolivia, 433
 Bond-valence theory, 884
 Brazil, 68, 762
 British Columbia, 391, 844 [erratum]
 Brookins, Douglas G., Memorial of,
 870
 Brucite, 271
 Buckhornite, 1108
 Buddingtonite, 204
 Bystrite, 450

 CaCl₂, 1108
 4CaO·3Al₂O₃·SO₃, 672
 Cl-dominant kettnerite, 233
 Cs analogue of gainesite, 653
 Cu-Pb-Fe sulfide, 1314
 Cu₆Bi₂S₆, 1314
 Cu₆Fe₃Ag₇S₁₁, 672
 Calcite, 49, 775
 California, 204, 415, 968, 1117,
 1230, 1299
 Cancrisilite, 1314
 Cannonite, 845

 Cathodoluminescence, 1113
 Cebaite, 1108
 Central Pacific, 1217
 Chamosite, 607, 1208
 Chelyabinskite, 1108
 Chile, 988
 China, 1056, 1275
 Chlorite, 607, 1197, 1208
 Chlorite-chromite intergrowth, 68
 Chlorite-H₂O, 1208
 Chlorite-smectite, 377
 Chromite, 68, 724
 Chromium clinochlore, 68
 Chrysotile, 391, 844 [erratum]
 Clinochlore, 1208
 Clinoptilolite, 260
 Clinopyroxene, 132, 456, 1117
 Clinotobermorite, 672
 Cohen, Alvin Jerome, Memorial of,
 1340
 Columbite, 419
 Compressibility measurements
 H₂O, 271
 hollandite (KAlSi₃O₈), 493
 mullite, 1192
 Computer programs
 PTMAFIC, 840
 XPOW, 1104
 XPOWPLOT, 1104
 Connecticut, 338
 Coquandite, 845
 Cordierite, 1041
 Coronas, 331
 Cowlesite, 845
 Crystal growth
 chlorite-chromite intergrowth, 68
 diamond, 753
 garnet, 345
 magnesio-arfvedsonite, 96
 manganese cummingtonite, 96
 microspheres, 873
 olivine, 794
 plagioclase, 143
 staurolite, 345
 topotaxy, 68
 Crystal structure
 amphibole, 746
 anthophyllite, 511
 antigorite, 75
 aquamarine, 762
 arfvedsonite, 733
 bastnäsite-(Ce), 415
 bernalite, 827

 Crystal structure, *cont.*
 beryl, 762
 calcite, 775
 chlorite, 1197
 chromite, 724
 clinoptilolite, 260
 dolomite, 769
 dravite, 265
 fangite, 1096
 foitite, 1299
 garnet, 583
 gedrite, 511
 hollandite (KAlSi₃O₈), 493
 leakeite, 733
 lindqvistite, 1304
 mahlmoodite, 437
 majorite, 1165
 moctezumite, 835
 morganite, 762
 mullite, 1192
 nickel magnesium cobalt richterite,
 633
 orthopyroxene, 921
 poldervaartite, 1082
 potassium iron silicate, 627
 potassium magnesium silicate, 627
 potassium richterite, 980
 potassium zinc silicate, 627
 povondraite, 433
 preiswerkite, 1290
 ribbeite, 190
 rutile, 1181
 samarskite, 419
 sartorite, 619
 serendibite, 195
 silicate spinel, 1320
 sillimanite, 461
 spangolite, 649
 staurolite, 477
 taikanite, 1088
 tengerite-(Y), 425
 tolbachite, 187
 topaz-OH, 285
 tourmaline, 1299
 tridymite, 241
 ZrSiO₄, 245
 Crystal synthesis
 anorthite, 601
 brucite, 271
 chlorite, 1208
 garnet, 583, 1002
 nickel magnesium cobalt richterite,
 633

- Crystal synthesis, *cont.*
 sanidine, 601
 silicate spinel, 1320
 spinel, 1002
 tolbachite, 187
 topaz-OH, 285
 tremolite-richterite, 23
 Cuproaurite, 672
- Danburite, 911
 Decarbonation reactions, 804
 Diamond, 753
 Diaphorite, 85
 Diopside, 1246
 Discredited minerals
 baratovite (= discredited
 katayamalite), 450
 katayamalite (= discredited
 baratovite), 450
 kehoite (= mineral mixture), 233
 Dolomite, 769
 Dravite, 265
 DTA, TGA
 aquamarine, 762
 beryl, 762
 brucite, 271
 buddingtonite, 204
 chamosite, 1208
 clinocllore, 1208
 kaolinite, 904
 morganite, 762
 silicate melts, 325
- Edenharterite, 845
 Editors, 1992 Report of the, 861
 Electrical properties, 877
 Electron diffraction
 calcite, 775
 chromite, 724
 diaphorite, 85
 franckeite, 85
 galena, 85
 halloysite, 1066
 magnesio-arfvedsonite, 96
 majorite, 1165
 manganese cummingtonite, 96
 muscovite, 782
 paragonite, 782
 plagioclase, 1066
 pyroxene, 1066
 samarskite, 419
 sartorite, 619
 smectite, 1217
 smectite-illite, 465
 sodium-potassium mica, 782
 staurolite, 345
 topaz, 641
 tremolite-richterite, 23
 tridymite, 241
 uraninite, 1262
 zircon, 36
 Enstatite, 1246
 EPR spectroscopy
 amazonite, 500
 calcite, 49
 microcline, 500
 Erniggliite, 845
- Electron diffraction, *cont.*
 smectite, 1066
 sodium-potassium mica, 782
 tremolite-richterite, 23
 Electron microscopy
 aeschynite, 419
 amorphous silica, 1066
 anthophyllite, 511
 antigorite, 75
 apatite, 641
 buddingtonite, 204
 calcite, 775
 chromite, 724
 columbite, 419
 diamond, 753
 diaphorite, 85
 diopside, 1246
 dolomite, 769
 enstatite, 1246
 fergusonite, 419
 fluorite, 641
 franckeite, 85
 galena, 85
 gedrite, 511
 illite, 1217
 kaolinite, 904
 magnesio-arfvedsonite, 96
 majorite, 1165
 manganese cummingtonite, 96
 mica, 158
 microspheres, 873
 muscovite, 782
 paragonite, 782
 pitchblende, 1262
 plagioclase, 143, 1066
 pyroxene, 1066
 samarskite, 419
 sartorite, 619
 smectite, 1217
 smectite-illite, 465
 sodium-potassium mica, 782
 staurolite, 345
 topaz, 641
 tremolite-richterite, 23
 tridymite, 241
 uraninite, 1262
 zircon, 36
- Errata
 lizardite and magnetite in
 serpentinite, 844
 mixing properties in biotite, 826
 Expansivity measurements
 chlorite, 1197
 silicate melts, 325
 Experimental apparatus, 1286
 Experimental petrology
 Ar, 1135
 aluminum silicate, 298
 andalusite + corundum + quartz, 594
 anorthite, 601
 anorthosite, 1016
 biotite, 113, 826 [erratum]
 brucite, 271
 experimental apparatus, 1286
 Fe-Pt, 178
 gabbro, 1016
 garnet, 113, 826 [erratum], 1002
 H₂O, 271
 halogen diffusion, 316
 ilmenite, 113, 826 [erratum]
 kimberlite, 132
 kyanite + corundum + quartz, 594
 monzonorite, 1016
 Na₂Si₄O₉ melt, 574
 olivine, 469
 potassium richterite, 980
 sanidine, 601
 silicate liquid, 1135
 silicate melts, 325, 1324
 spinel, 1002
 tremolite-richterite, 23
 Xe, 1135
- 2FeCl₃·5H₂O, 1108
 FeO-Fe₂O₃-SiO₂-Al₂O₃, 1002
 Fe-Pt, 178
 Fe₂(OH)₃Cl, 450
 Fe₂O₃-FeTiO₃, 941
 Fe₂SiO₄ spinel, 456
 Fe³⁺, 500
 Fangite, 1096
 Feldspar, 158
 Fergusonite, 419, 672
 Fergusonite-(Nd), 672
 Ferrocapholite, 450
 Ferrowodginite, 845
 Financial Advisory Committee, 1992
 Report of the, 860
 Fluid flow, 804

- Fluid immiscibility, 804
 Fluid inclusions, 216, 220, 338, 657, 804
 Fluorite, 641
 Foitite, 1299
 Fontanite, 845
 Former officers, medal recipients, and meeting places, 863
 Forsterite, 1143
 Forsterite + monticellite, 42
 France, 968, 1117, 1275
 Franckeite, 85
 Franklinphilitite, 672
- γ -CrO(OH), 233
 Gabbro, 1016
 Galápagos, 1217
 Galena, 85, 877
 Garnet, 113, 132, 158, 338, 345, 583, 826 [erratum], 988, 1002, 1041
 Garnet isograd, 1257
 Gedrite, 511
 Geobarometry
 Al₂O₃-SiO₂-H₂O, 285
 aluminosilicate, 594
 basalt, 794
 garnet + biotite + plagioclase + muscovite, 338, 345
 H₂O fugacity, 1031
 mafic rocks, 840
 pelite, 113, 158, 681, 826 [erratum]
 ultramafic rocks, 840
 Geochemistry
 amphibole, 968, 1117
 amphibolite, 988
 andalusite, 594
 chromite, 68
 clinopyroxene, 1117
 diamond, 753
 fangite, 1096
 halogen diffusion, 316
 hornblende, 968
 kaersutite, 968
 kyanite, 594
 lunar rocks, 360
 melt inclusions, 612
 metapelite, 988
 peridotite, 1117
 PIXE, 893
 potassium richterite, 980
 silicate melts, 325
 smectite, 1217
- Geothermometry, 113, 826 [erratum]
 aluminosilicate, 594
 apatite, 210, 213, 441, 446
 garnet + biotite, 338, 345
 graphite, 533
 mafic rocks, 840
 orthopyroxene, 921
 pelite, 158, 681
 ultramafic rocks, 840
 Germany, 968
 Granite, 733
 Granulite, 331
 Graphite, 533
 Greenland, 377
 Grossular, 957, 1149
 Grossular-andradite garnet, 957
 Guarinoite, 1314
- H₂O, 271
 H₂O diffusion, 1324
 H₂O fugacity, 1031
 H₂O-CO₂, 558
 H₂O-CO₂-(Na,K)Cl, 804
 H₆Si₂O₇, 253
 Halloysite, 1066
 Halogen, 316, 641
 Halogen diffusion, 316
 Hawaii, 794, 873
 High-pressure phases
 α - β quartz, 694
 Fe-Pt, 178
 Fe₂SiO₄ spinel, 456
 garnet, 1002
 H₂O-CO₂, 558
 KAlSi₃O₈ (hollandite), 493
 kaolinite, 904
 kimberlite, 132
 (Mg,Fe)₂SiO₄ spinel, 456
 magnesite, 1328
 majorite, 456, 1165
 Na₂Si₄O₉ melt, 574
 olivine, 469
 orthopyroxene, 1336
 peridotite, 1332
 silicate spinel, 1320
 smectite, 904
 spinel, 1002
 topaz-OH, 285
 wadsleyite, 456
 ZrSiO₄, 245
 Hornblende, 968
 Huanghoite, 1108
 Huanghoite-(Ce), 1314
- Hydrogrossular, 1149
 Hydroxycancrinite, 1314
- IrAsSb, 233
 IrO₂, 1108
 Igneous petrology
 analcime, 225, 230
 anorthosite, 1016
 granite, 733
 kimberlite, 132
 lunar rocks, 360
 mantle metasomatism, 1117
 megacryst, 1230
 olivine leucitite, 1056
 peralkaline melts, 316
 PIXE, 893
 plagioclase, 143
 rhyolite, 1031
 rhyolitic magma, 612
 silicate melts, 325, 1324
- Illite, 1217
 Ilmenite, 113, 826 [erratum]
 India, 96
 IR spectroscopy
 andradite, 957
 basalt, 794
 buddingtonite, 204
 diamond, 753
 fluid inclusions, 338
 garnet, 338
 grossular, 957, 1149
 grossular-andradite garnet, 957
 kaolinite, 904
 olivine, 469
 potassium richterite, 980
 rhyolite, 1324
 rutile, 1181
 smectite, 904
 topaz-OH, 285
- Italy, 75
- Jacobsite, 1304
 Japan, 425
- KAlSi₃O₈-Xe, 1135
 K₂Si₄O₉-Xe, 1135
 K₂TiSi₃O₉, 1108
 Kaersutite, 968, 1230
 Kaluginite, 450
 Kaolinite, 904
 Katayamalite (= discredited baratovite), 450
 Kehoite (= mineral mixture), 233

- Kenya, 265
 Kimberlite, 132
 Kinetics
 apatite fission tracks, 210, 213,
 441, 446
 brucite, 271
 coronas, 331
 garnet, 345
 H₂O diffusion, 1324
 muscovite, 158
 Na₂Si₄O₉ melt, 574
 olivine, 794
 orthopyroxene, 921, 1016
 Pb diffusion, 500
 silicate melts, 325, 1324
 weathering, 405
 Klyuchevskite, 450
 Komkovite, 450
 Kopeiskite, 1108
 Korkinoite, 1108
 Kosnarite, 653
 Koutekite, 672
 Krasnogorite, 672
 Krasnoselskite, 672
 KREEP, 360
 Kyanite, 285, 298, 594, 952
 Kyanite + andalusite, 594
 Kyanite + corundum + quartz, 594
- Labrador, 1016
 Laterite, 405
 Laumontite, 450
 Lazurite, 845
 Leakeite, 733
 Leucite, 486
 Leucophanite, 672
 Liebauite, 672
 Lindqvistite, 1304
 Lizardite, 391, 844 [erratum]
 Lorettoite, 672
 Luberoite, 450
 Lunar rocks, 360
 Lutecite, 233
- (Mg,Fe)₂SiO₄ spinel, 456
 Mg[(UO₂)(AsO₄)₂·4H₂O], 450
 Mg₂SiO₄-CaMgSiO₄, 42
 Mn analogue of arseniosiderite, 672
 Mn silicate, 672
 Mafic rocks, 840
 Magnesio-arfvedsonite, 96
- Magnesite, 1328
 Magnetic properties
 bernalite, 827
 chromite, 724
 Fe₂O₃-FeTiO₃, 941
 Magnetite, 391, 844 [erratum]
 Magnetite + ulvöspinel, 565
 Mahlmoödite, 437
 Maine, 653
 Majorite, 456, 1165
 Manaksite, 1314
 Manganese cummingtonite, 96
 Mantle metasomatism, 1117
 Massachusetts, 533
 Mather, Katharine, Memorial of, 239
 Matveevite, 450
 McConnell, Duncan, Memorial of,
 679
 Mckelveyite-(Nd), 233
 Mckelveyite-(Y), 233
 Mechanical properties
 fangite, 1096
 mullite, 1192
 Na₂Si₄O₉ melt, 574
 silicate melts, 325
 Megacryst, 1230
 Melt inclusions, 612
 Melt structure
 halogen, 316
 high temperature, 699
 Na₂Si₄O₉, 574
 silicate glasses, 253
 silicate melts, 1324
 Memorials
 Brookins, Douglas G., 870
 Cohen, Alvin Jerome, 1340
 Mather, Katharine, 239
 McConnell, Duncan, 679
 Metamorphic petrology
 amphibolite, 988
 coronas, 331
 fluid flow, 804
 garnet, 338, 345
 garnet isograd, 1257
 granulite, 331
 graphite, 533
 kyanite + andalusite, 594
 magnetite, 391, 844 [erratum]
 metapelite, 988
 pelite, 113, 826 [erratum]
 P-T paths, 1041
 staurolite, 345, 477
 Metapelite, 988
- Meta-uranocircite II, 672
 Mexico, 85, 225, 230, 641, 804, 835,
 1230
 Mica, 1, 158
 Microcline, 500
 Microspheres, 873
 Mineralogical Society of America
 Award
 acceptance of, 856
 presentation of, 853
 Moctezumite, 835
 Moganite, 672
 Molecular-orbital theory, 884
 Monzonorite, 1016
 Moon, 360
 Morganite, 762
 Mössbauer spectroscopy
 amphibole, 968
 annite, 665, 669
 antigorite, 391, 844 [erratum]
 bernalite, 827
 biotite, 665, 669
 chrysotile, 391, 844 [erratum]
 clinopyroxene, 456
 Fe₂SiO₄ spinel, 456
 garnet, 1002
 hornblende, 968
 kaersutite, 968
 lizardite, 391, 844 [erratum]
 (Mg,Fe)₂SiO₄ spinel, 456
 majorite, 456
 mica, 1
 orthopyroxene, 8
 phlogopite, 665, 669
 wadsleyite, 456
 Mullite, 1192
 Mummeite, 845
 Muscovite, 158, 782
- (NH₄)₂Mg(SO₄)₂·4H₂O, 1108
 NaAlSiO₄-SiO₂, 710
 NaAlSi₃O₈-Xe, 1135
 NaBSiO₄, 233
 Na-Ba-Mn fluorosilicate, 672
 Na₂Si₄O₉ melt, 574
 Na₃Sr(PO₄)(CO₃), 233
 Na₁₆K₂[Si₁₈O₃₆(OH)₁₈]·38H₂O, 672
 Namansilite, 1314
 Native brass, 1314
 Neptunite, 233
 Neutron diffraction
 aquamarine, 762

Neutron diffraction, *cont.*

beryl, 762
 chromite, 724
 morganite, 762
 XPOW, 1104
 XPOWLOT, 1104
 Nevada, 957, 968, 1230
 New Hampshire, 511
 New Mexico, 733

New mineral data (abstracts)

abhurite, 233
 alumotantite, 845
 bannisterite, 233
 betpakdalite, 845
 cebaite, 1108
 cowlesite, 845
 cuproaurite, 672
 fergusonite, 672
 fergusonite-(Nd), 672
 ferrocapholite, 450
 huanghoite, 1108
 huanghoite-(Ce), 1314
 klyuchevskite, 450
 komkovite, 450
 koutekite, 672
 laumontite, 450
 lazurite, 845
 leucophanite, 672
 lorettoite, 672
 lutcite, 233
 mckelveyite-(Nd), 233
 mckelveyite-(Y), 233
 meta-uranocircite II, 672
 morganite, 672
 native brass, 1314
 neptunite, 233
 revdite, 1108
 russellite, 450
 spertiniite, 233
 taikanite, 845
 tantalowodginite, 845
 wittite, 233
 zhonghuacerite, 1108

New minerals (abstracts)

Au₉₄₋₈₈Hg₆₋₁₂, 1108
 arsenoflorencite-(La), 672
 arsenoflorencite-(Nd), 672
 Ba-dominant brewsterite, 1314
 BaSO₃, 1314
 BaS₂O₃·H₂O, 1314
 Ba₂Al₂S₃(OH)₈·8H₂O, 1314
 Ba₂S₂O₃F₂, 1314
 bearthite, 1314

New minerals (abstracts), *cont.*

bernalite, 1108
 buckhornite, 1108
 bystrite, 450
 CaCl₂, 1108
 4CaO·3Al₂O₃·SO₃, 672
 Cl-dominant kettnerite, 233
 Cu-Pb-Fe sulfide, 1314
 Cu₆Bi₂S₆, 1314
 Cu₆Fe₃Ag₇S₁₁, 672
 cancrisilite, 1314
 cannonite, 845
 chelyabinskite, 1108
 clinotobermorite, 672
 coquandite, 845
 edenharterite, 845
 erniggliite, 845
 2FeCl₃·5H₂O, 1108
 Fe₂(OH)₃Cl, 450
 ferrowodginite, 845
 fontanite, 845
 franklinphilite, 672
 γ-CrO(OH), 233
 guarinoite, 1314
 hydroxycancrinite, 1314
 IrAsSb, 233
 IrO₂, 1108
 K₂TiSi₃O₉, 1108
 kaluginite, 450
 kopeiskite, 1108
 korkinoite, 1108
 krasnogorite, 672
 krasnoselskite, 672
 liebauite, 672
 luberoite, 450
 Mg[(UO₂)(AsO₄)₂·4H₂O], 450
 Mn analogue of arseniosiderite, 672
 Mn silicate, 672
 manaksite, 1314
 matveevite, 450
 mummeite, 845
 (NH₄)₂Mg(SO₄)₂·4H₂O, 1108
 NaBSiO₄, 233
 Na-Ba-Mn fluorosilicate, 672
 Na₃Sr(PO₄)(CO₃), 233
 Na₁₆K₂[Si₁₈O₃₆(OH)₁₈]·38H₂O, 672
 namansilite, 1314
 olekminkite, 450
 PbO, 1108
 (Pd,Ag,Cu)₄S₃, 672
 Pd-Bi chloride, 1314
 Pd-Bi sulfide, 1314

New minerals (abstracts), *cont.*

(Pd,Cu,Pt,Fe)₉Sn(Te,S)₄, 672
 (Pd,Cu)₃Sn, 233
 (Pd,Pt,Ag)₈(Te,Bi)₃, 672
 Pd₂(Sb,As), 845, 1108
 Pd₂(Sn,Sb), 672
 Pd₄Cu₂Sn₃, 1108
 Pd₆AgTe₄, 672
 Pd₈Sb₃, 672
 PtBi, 1108
 (Pt,Ir)₂(As,S)₃, 672
 Pt₂(As,S)₃, 233
 Pt₂(Sb,Bi)₃, 233
 Pt₃Cu, 1108
 Pt₃Sb, 1108
 Pt₃(Sb,Sn,Bi)₄, 233
 padmaite, 450
 paranite-(Y), 450
 peprossite-(Ce), 1108
 polyphite, 1314
 quadruphite, 1314
 RhNiAs, 1108
 RhSbS, 1108
 redikortsevite, 1108
 reppiaite, 450
 Si-dominant cancrinite, 233
 simferite, 450
 sitinakite, 1314
 stalderite, 845
 sulfalumite, 1108
 swaknoite, 1108
 theresemanganite, 1314
 tinnunculite, 450
 titanowodginite, 845
 trembathite, 233
 unnamed (Ir,Pt,Rh)₂S₂, 672
 unnamed Pd PGM, 672
 wadalite, 1314
 weinebeneite, 845
 wodginite group, 845
 Zn analogue of ktenasite, 672
 Zn schulenbergite, 233
 (Zn,Cu,Fe)S, 450

New minerals (descriptions)

bernalite, 827
 fangite, 1096
 foitite, 1299
 kosnarite, 653
 lindqvistite, 1304
 mahlmoodite, 437
 poldervaartite, 1082
 povondraite, 433
 tschernichite, 822

- New minerals (descriptions), *cont.*
 widgiemoolthalite, 819
- New South Wales, 391, 827, 844
 [erratum]
- New York, 195
- New Zealand, 968
- Nickel magnesium cobalt richterite, 633
- NMR spectroscopy
 aluminosilicate, 911
 grossular, 1149
 hydrogrossular, 1149
 olivine, 16
 sillimanite, 461
 tridymite, 241
- Noble gas, 1135
- Nomenclature, 1313
- North Carolina, 1197
- North Korea, 957
- Northern Territory, 533
- Norway, 331, 641, 1016
- O, 988
- Officers of MSA
 Former officers, medal recipients,
 and meeting places, 863
 Officers and committees for 1993,
 867
- Olekminkite, 450
- Olivine, 16, 132, 405, 469, 794,
 1230
- Olivine leucite, 1056
- Ontario, 1
- Optical properties
 alkali feldspar, 952
 bernalite, 827
 cathodoluminescence, 1113
 fangite, 1096
 fluid inclusions, 657
 foitite, 1299
 kosnarite, 653
 kyanite, 952
 lindqvistite, 1304
 mahlmoodyite, 437
 orthopyroxene, 8
 plagioclase, 143, 952
 poldervaartite, 1082
 povondraite, 433
 spindle stage, 657
 tengerite-(Y), 425
 topaz-OH, 285
 tschernichite, 822
- Optical properties, *cont.*
 widgiemoolthalite, 819
 wollastonite, 952
- Order-disorder
 aluminosilicate, 911
 calcite, 775
 chromite, 724
 clinoptilolite, 260
 dolomite, 769
 dravite, 265
 Fe₂O₃-FeTiO₃, 941
 forsterite + monticellite, 42
 leucite, 486
 orthopyroxene, 921, 1336
 Si-Fe, 627
 Si-Mg, 627
 Si-Zn, 627
 sartorite, 619
 silicate spinel, 1320
 sillimanite, 461
 smectite, 1217
 smectite-illite, 465
 taikanite, 1088
 tridymite, 241
- Oregon, 822
- Orthoamphibole, 1041
- Orthopyroxene, 8, 921, 1016, 1336
- Pb¹⁺, 500
- Pb diffusion, 500
- Pb²⁺, 500
- PbO, 1108
- (Pd,Ag,Cu)₄S₃, 672
- Pd-Bi chloride, 1314
- Pd-Bi sulfide, 1314
- (Pd,Cu,Pt,Fe)₉Sn(Te,S)₄, 672
- (Pd,Cu)₃Sn, 233
- (Pd,Pt,Ag)₈(Te,Bi)₃, 672
- Pd₂(Sb,As), 845, 1108
- Pd₂(Sn,Sb), 672
- Pd₄Cu₂Sn₃, 1108
- Pd₆AgTe₄, 672
- Pd₈Sb₃, 672
- PtBi, 1108
- (Pt,Ir)₂(As,S)₃, 672
- Pt₂(As,S)₃, 233
- Pt₂(Sb,Bi)₃, 233
- Pt₃Cu, 1108
- Pt₃Sb, 1108
- Pt₃(Sb,Sn,Bi)₄, 233
- Padmaite, 450
- Paragonite, 782
- Paranite-(Y), 450
- Pelite, 113, 158, 345, 681, 826
 [erratum]
- Pennsylvania, 216, 220, 657, 1208
- Peprossite-(Ce), 1108
- Peralkaline melts, 316
- Peridotite, 1117, 1332
- Phase equilibria
 α-β quartz, 694
 algebraic analysis, 1257
 aluminum silicate, 298
 andalusite, 298
 andalusite + corundum + quartz, 594
 anorthite-sanidine, 601
 brucite, 271
 chamosite, 607, 1208
 chlorite, 607
 clinochlore, 1208
 decarbonation reactions, 804
 fluid immiscibility, 804
 garnet, 1002
 kyanite, 285, 298
 kyanite + corundum + quartz, 594
 leucite, 486
 magnetite + ulvöspinel, 565
 noble gas, 1135
 pelite, 158
 plagioclase, 143
 pyroxene, 1002, 1246
 sillimanite, 298
 spinel, 1002
 thermodynamic data, 107
 topaz-OH, 285
- Phase transitions
 leucite, 486
 tridymite, 241
- Phengite, 158
- Phlogopite, 665, 669, 1056
- Pitchblende, 1262
- PIXE, 893
- Plagioclase, 143, 952, 1041, 1066
- Poldervaartite, 1082
- Polyphite, 1314
- Potassium iron silicate, 627
- Potassium magnesium silicate, 627
- Potassium richterite, 980
- Potassium tourmaline, 433
- Potassium zinc silicate, 627
- Povondraite, 433
- Preiswerkite, 1290
- P-T* paths, 1041
- PTMAFIC, 840
- Pyroxene, 1002, 1066, 1246

- Quadruphite, 1314
 Quantum mechanical calculations, 253
 Quebec, 1, 391, 665, 669, 844
 [erratum], 957, 1149
 Queensland, 968
 Quenched liquid, 1016
- RhNiAs, 1108
 RhSbS, 1108
 Raman spectroscopy
 aluminosilicate, 911
 fluid inclusions, 216, 220, 338
 forsterite, 1143
 garnet, 338
 graphite, 533
 Mg₂SiO₄-CaMgSiO₄, 42
 magnesite, 1328
 olivine, 469
 potassium richterite, 980
 preiswerkite, 1290
 silicate melts, 699
 ZrSiO₄, 245
 Redikortsevite, 1108
 REE
 apatite, 1275
 bastnäsite-(Ce), 415
 clinopyroxene, 1117
 melt inclusions, 612
 peridotite, 1117
 samarskite, 419
 scheelite, 1275
 tengerite-(Y), 425
 Reports for 1992
 Editors, 861
 Financial Advisory Committee,
 860
 Secretary, 858
 Treasurer, 859
 Reppiaite, 450
 Revdite, 1108
 Reviewers for *American Mineralogist*
 in 1992, 862
 Rhode Island, 533
 Rhyolite, 612, 1031, 1324
 Rhyolitic magma, 612
 Ribbeite, 190
 Rietveld refinement, 187, 633, 932
 Roebling Medal
 acceptance of, 851
 presentation of, 850
 Russellite, 450
 Russia, 195, 500
 Rutile, 1181
- Si-dominant cancrinite, 233
 Si-Fe, 627
 Si-Mg, 627
 Si-Zn, 627
 Samarskite, 419
 Sanidine, 601
 Sapolite, 405
 Sartorite, 619
 Saskatchewan, 1262
 Saudi Arabia, 968
 Scanning electron microscopy, 405
 Scanning tunneling microscopy, 877
 Scheelite, 1275
 Scotland, 331
 Secretary, 1992 Report of the, 858
 Serendibite, 195
 Sierra Leone, 724
 Silicate glasses, 253
 Silicate liquid, 1135
 Silicate melts, 325, 699, 710, 1324
 Silicate spinel, 1320
 Sillimanite, 298, 461
 Simferite, 450
 Sitinakite, 1314
 Smectite, 904, 1066, 1217
 Smectite-illite, 465
 Sodium-potassium mica, 782
 Software notices
 PTMAFIC, 840
 XPOW, 1104
 XPOWPLOT, 1104
 South Africa, 132, 1041, 1082, 1088,
 1181
 Spain, 158
 Spangolite, 649
 Spertiniite, 233
 Spindle stage, 657
 Spinel, 873, 1002
 Stable isotopes
 garnet, 988
 O, 988
 pitchblende, 1262
 staurolite, 988
 uraninite, 1262
 Stalderite, 845
 Staurolite, 56, 345, 477, 988, 1041
 Structure-energy calculations
 aluminosilicate, 911
 danburite, 911
 fangite, 1096
 olivine, 16
 Sulfalumite, 1108
 Swaknoite, 1108
- Sweden, 425, 1113, 1208, 1304
 Switzerland, 619, 1290
 Systems (chemical)
 Al₂O₃-SiO₂-H₂O, 285
 anorthite-orthoclase, 601
 chlorite-H₂O, 1208
 FeO-Fe₂O₃-SiO₂-Al₂O₃, 1002
 H₂O-CO₂, 558
 H₂O-CO₂-(Na,K)Cl, 804
 KAlSi₃O₈-Xe, 1135
 K₂Si₄O₉-Xe, 1135
 Mg₂SiO₄-CaMgSiO₄, 42
 NaAlSiO₄-SiO₂, 710
 NaAlSi₃O₈-Xe, 1135
 Na₂Si₄O₉, 574
 silicate melts, 710
 viscosity, 710
 zirconium phosphate, 437
- Tadjikistan, 500
 Taikanite, 845, 1088
 Tantalowodginite, 845
 Tanzania, 1149
 Tengerite-(Y), 425
 Thersemagnanite, 1314
 Thermodynamic data, 107
 amphibole activities, 1174
 aluminum silicate, 298
 andalusite, 298, 594
 biotite, 113, 826 [erratum]
 chamosite, 607
 chlorite, 607
 garnet, 583, 1002
 H₂O, 271
 H₂O-CO₂, 558
 kyanite, 298, 594
 magnetite + ulvöspinel, 565
 Pb diffusion, 500
 silicate melts, 325
 sillimanite, 298
 staurolite, 56
 tremolite-richterite, 23
 Tinnunculite, 450
 Titanowodginite, 845
 Tolbachite, 187
 Topaz, 641
 Topaz-OH, 285
 Topotaxy, 68
 Tourmaline, 1299
 Trace elements
 calcite, 49
 diamond, 753
 Fe³⁺, 500

Trace elements, *cont.*

- KREEP, 360
- magnetite + ulvöspinel, 565
- melt inclusions, 612
- Pb¹⁺, 500
- Pb²⁺, 500
- PIXE, 893
- rhyolitic magma, 612
- rutile, 1181
- staurolite, 477
- zircon, 1113
- Trachybasalt, 1230
- Treasurer, 1992 Report of the, 859
- Trembathite, 233
- Tremolite-richterite, 23
- Tridymite, 241
- Tschernichite, 822
- Tunneling microscopy, 877
- Ultramafic rocks, 840
- Unit-cell data
 - amphibole, 746
 - aquamarine, 762
 - bastnäsite-(Ce), 415
 - bernalite, 827
 - beryl, 762
 - calcite, 49
 - chlorite, 1197
 - chromite, 724
 - clinoptilolite, 260
 - dravite, 265
 - Fe-Pt, 178
 - Fe₂O₃-FeTiO₃, 941
 - fangite, 1096
 - foitite, 1299
 - garnet, 583, 1002
 - hollandite (KAISi₃O₈), 493
 - kosnarite, 653
 - lindqvistite, 1304
 - mahlmoodyite, 437
 - moctezumite, 835
 - morganite, 762
 - mullite, 1192
 - nickel magnesium cobalt richterite, 633
 - poldervaartite, 1082
 - potassium richterite, 980
 - povondraite, 433
 - preiswerkite, 1290
 - ribbeite, 190
 - Rietveld refinement, 932
 - rutile, 1181
 - sartorite, 619

Unit-cell data, *cont.*

- serendibite, 195
- silicate spinel, 1320
- spangolite, 649
- spinel, 1002
- staurolite, 56
- taikanite, 1088
- tengerite-(Y), 425
- tolbachite, 187
- topaz-OH, 285
- tremolite-richterite, 23
- tschernichite, 822
- widgiemoolthalite, 819
- United Arab Emirates, 769
- United Kingdom, 782
- Unnamed (Ir,Pt,Rh)S₂, 672
- Unnamed minerals
 - Au₉₄₋₈₈Hg₆₋₁₂, 1108
 - Ba-dominant brewsterite, 1314
 - BaSO₃, 1314
 - BaS₂O₃·H₂O, 1314
 - Ba₂Al₂S₃(OH)₈·8H₂O, 1314
 - Ba₂S₂O₃F₂, 1314
 - CaCl₂, 1108
 - 4CaO·3Al₂O₃·SO₃, 672
 - Cl-dominant kettnerite, 233
 - Cs analogue of gainesite, 653
 - Cu-Pb-Fe sulfide, 1314
 - Cu₆Bi₂S₆, 1314
 - Cu₆Fe₃Ag₇S₁₁, 672
 - 2FeCl₃·5H₂O, 1108
 - Fe₂(OH)₃Cl, 450
 - γ-CrO(OH), 233
 - IrAsSb, 233
 - IrO₂, 1108
 - K₂TiSi₃O₉, 1108
 - Mg[(UO₂)(AsO₄)₂·4H₂O], 450
 - Mn analogue of arseniosiderite, 672
 - Mn silicate, 672
 - (NH₄)₂Mg(SO₄)₂·4H₂O, 1108
 - NaBSiO₄, 233
 - Na-Ba-Mn fluorosilicate, 672
 - Na₃Sr(PO₄)(CO₃), 233
 - Na₁₆K₂[Si₁₈O₃₆(OH)₁₈]·38H₂O, 672
 - PbO, 1108
 - (Pd,Ag,Cu)₄S₃, 672
 - Pd-Bi chloride, 1314
 - Pd-Bi sulfide, 1314
 - (Pd,Cu,Pt,Fe)₉Sn(Te,S)₄, 672
 - (Pd,Cu)₃Sn, 233
 - (Pd,Pt,Ag)₈(Te,Bi)₃, 672
 - Pd₂(Sb,As), 845, 1108

Unnamed minerals, *cont.*

- Pd₂(Sn,Sb), 672
- Pd₄Cu₂Sn₃, 1108
- Pd₆AgTe₄, 672
- Pd₈Sb₃, 672
- PtBi, 1108
- (Pt,Ir)₂(As,S)₃, 672
- Pt₂(As,S)₃, 233
- Pt₂(Sb,Bi)₃, 233
- Pt₃Cu, 1108
- Pt₃Sb, 1108
- Pt₃(Sb,Sn,Bi)₄, 233
- potassium tourmaline, 433
- RhNiAs, 1108
- RhSbS, 1108
- Si-dominant cancrinite, 233
- unnamed (Ir,Pt,Rh)S₂, 672
- unnamed Pd PGM, 672
- Zn analogue of ktenasite, 672
- Zn schulenbergite, 233
- (Zn,Cu,Fe)S, 450
- Unnamed Pd PGM, 672
- Uraninite, 1262
- Utah, 641, 657, 1031, 1096
- Vermont, 338, 957, 1208
- Victoria, 968
- Viscosity, 710
- Wadalite, 1314
- Wadsleyite, 456
- Weathering, 405
- Weinebeneite, 845
- Western Australia, 533, 819
- Widgiemoolthalite, 819
- Wittite, 233
- Wodginite group, 845
- Wollastonite, 952
- Xe, 1135
- XPOW, 1104
- XPOWPLOT, 1104
- XRD data
 - aquamarine, 762
 - bastnäsite-(Ce), 415
 - bernalite, 827
 - beryl, 762
 - calcite, 49, 775
 - chlorite, 1197
 - chlorite-smectite, 377
 - chromite, 724
 - fangite, 1096
 - foitite, 1299

XRD data, *cont.*

garnet, 583
kosnarite, 653
lindqvistite, 1304
mahlmoodite, 437
morganite, 762
mullite, 1192
muscovite, 782
nickel magnesium cobalt richterite,
633
orthopyroxene, 1336
paragonite, 782
peridotite, 1332
potassium richterite, 980

XRD data, *cont.*

povondraite, 433
preiswerkite, 1290
ribbeite, 190
Rietveld refinement, 932
silicate spinel, 1320
smectite, 1217
smectite-illite, 465
sodium-potassium mica, 782
taikanite, 1088
tengerite-(Y), 425
topaz-OH, 285
tschernichite, 822
widgiemoolthalite, 819

XPOW, 1104

XPOWPLOT, 1104

XRF data

basanite, 1230
rhyolitic magma, 612
trachybasalt, 1230

Zn analogue of ktenasite, 672

Zn schulenbergite, 233

(Zn,Cu,Fe)S, 450

ZrSiO₄, 245

Zhonghuacerite, 1108

Zircon, 36, 1113

Zirconium phosphate, 437