

THE CANADIAN MINERALOGIST

Volume 18, Index

Author Index

- ANSELL, H.G., Roberts, A.C., Plant, A.G. & Sturman, B.D. Gittinsite, a new calcium zirconium silicate from the Kipawa apatitic syenite complex, Québec, 201.
- ANSELL, H.G. with Roberts, A.C., 325
- BAILEY, S.W. Summary of recommendations of the AIPEA Nomenclature Committee, 143.
- BAKER, J. with Chao, G.Y., 497
- BARNETT, R.L. with Fleet, M.E., 89
- BAYLISS, P. with Stout, M.Z., 339
- BELSKY, H. with Dunn, P.J., 37
- BENTLEY, S.P., Clark, N.J. & Smalley, I.J. Mineralogy of a Norwegian postglacial clay and some geotechnical implications, 335
- BÉTOURNAY, M. with Donnay, G., 31
- BILCOX, G.A. with Fleet, M.E., 89
- BIRCHALL, T. with Manning, P.G., 291
- BLAAUW, C. with Stroink, G., 285
- BONARDI, M. with Roberts, A.C., 325
- BONIN, B. with Giret, A., 481
- BRACCI, G., Dalena, D., Orlandi, P., Duchi, G. & Vezzalini, G. Guettardite from Tuscany, Italy: a second occurrence, 13
- BRUMMER, J.J. with Dunn, P.J., 37
- BURKE, E.A.J. & Kieft, C. Rognesite and Cu-In bearing sphalerite from Långban, Bergslagen, Sweden, 361
- _____, with Zakrzewski, M.A., 165
- CERNY, P., Hawthorne, F.C. & Jarosewich, E. Crystal chemistry of milarite, 41
- _____, & Siivola, J. The Tanco pegmatite at Bernic Lake, Manitoba. XII. Hafnian zircon, 313
- CHAO, G.Y. Paranatrolite, a new zeolite from Mont St-Hilaire, Québec, 85
- _____, Chen, T.T. & Baker, J. Petarosite, a new hydrated sodium zirconium hydroxychlorosilicate mineral from Mont St-Hilaire, Québec, 497
- _____, with Chen, T.T., 77
- _____, with Ghose, S., 503
- CHEN, T.T. & Chao, G.Y. Tetranatrolite from Mont St-Hilaire, Québec, 77
- _____, Dutrizac, J.E., Owens, D.R. & Laflamme, J.H.G. Accelerated tarnishing of some chalcopyrite and tennantite specimens, 173
- _____, with Chao, G.Y., 497
- CHE'NG Wan with Ghose, S., 503
- CLARK, N.J. with Bentley, S.P., 335
- CRIDDLE, A.J. Editorial Policy for the second issue of the IMA/COM quantitative data file, 553
- CURTIS, L. with Hawthorne, F.C., 275
- DALENA, D. with Bracci, G., 13
- DESJARDINS, L.E. with Steger, H.F., 365
- DONNAY, G., Bétournay, M. & Hamill, G. McGillite, a new manganese hydroxychlorosilicate, 31
- DOWSETT, F.R. & Ewing, R.C. High-temperature alkali feldspars: a compositional gap, 71
- DUCHI, G. with Bracci, G., 13
- DUNN, P.J., Brummer, J.J. & Belsky, H. Sugilite, a second occurrence: Wessels mine, Kalahari manganese field, Republic of South Africa, 37
- _____, Peacor, D.R., Newberry, N. & Ramik, R.A. Goosecreekite, a new calcium aluminum silicate hydrate possibly related to brewsterite and epistibite, 323
- _____, with Ramik, R.A., 185
- _____, with Sturman, B.D., 197
- DUTRIZAC, J.E. with Chen, T.T., 173
- _____, with Jambor, J.L., 191
- _____, with Kaiman, S., 329
- DWORNIK, E.J. with Pavich, M.J., 529
- EALLES, H.V. The application of reflectivity measurements to the study of chromiferous spinels, 17
- ELIAS, P. with Papezik, V.S., 73
- EWING, R.C. with Dowsett, F.R., 71
- FERGUSON, R.B. From unit cell parameters to Si/Al distribution in K-feldspars, 443
- FLEET, M.E., Bilcox, G.A. & Barnett, R.L. Oriented magnetite inclusions in pyroxenes from the Grenville province, 89
- FRANCIS, D.M. with Stamateopoulou-Seymour, K., 265
- GASPARRINI, C. with Lefebvre, J.-J., 301
- GHOSE, S., Che'ng Wan, & Chao, G.Y. Petarosite, $\text{Na}_2\text{Zr}_2\text{Si}_6\text{O}_{18}(\text{Cl}, \text{OH})\cdot 2\text{H}_2\text{O}$, a zeolite-type zirconosilicate, 503
- GIRET, A., Bonin, B. & Léger, J.-M. Amphibole compositional trends in over-saturated and undersaturated alkaline plutonic ring-complexes, 481
- GOBLE, R.J. Copper sulfides from Alberta: yarrowite Cu_9S_8 and spionkopite $\text{Cu}_{39}\text{S}_{28}$, 511
- _____, & Robinson, G. Geerite, $\text{Cu}_{1.60}\text{S}$, a new copper sulfide from Dekalb Township, New York, 519
- GOLE, M.J. Low temperature retrograde minerals in metamorphosed Archean banded iron-formations, Western Australia, 205
- GOTTARDI, G. with Hey, M.H., 261
- GRIEP, J.L. with Hawthorne, F.C., 275
- GRIFFIN, W.L. with Hogarth, D.D., 59
- GROSS, G.A. A classification of iron formations based on depositional environments, 215
- _____, & McLeod, C.R. A preliminary assessment of the chemical composition of iron formations in Canada, 223
- HALL, M.G. & Lloyd, G.E. Electron channeling and its potential for petrofabric discussion, 599
- HAMILL, G. with Donnay, G., 31
- HARRIS, D.C. with Kaiman, S., 329
- HAWTHORNE, F.C., Griep, J.L. & Curtis, L. A three-amphibole assemblage from the Tallon Lake sill, Peterborough County, Ontario, 275
- _____, with Černý, P., 41
- HAYCOCK, M.H. Memorial of Hugh Swaine Spence, 263
- HELMSTAEDT, H. with Saimoto, S., 251
- _____, with Saimoto, S., 561
- HENRY, N.F.M. IMA/COM report on symbols and definitions, 549
- HEY, M.H. & Gottardi, G. On the use of names, prefixes and suffixes, and adjacent modifiers in the mineralogical literature, 261
- HOGARTH, D.D. & Griffin, W.L. Contact-metamorphic lapis lazuli: the Italian Mountain deposits, Colorado, 59
- HOLLISTER, L.S. with Selverstone, J., 119
- HUGGINS, C.W. with Wylie, A.G., 101
- JAMBOR, J.L., Owens, D.R. & Dutrizac, J.E. Solid solution in the adelite group of arsenates, 191
- _____, Sturman, B.D. & Weatherly, G.C. Sabinaite, a new anhydrous zirconium-bearing carbonate mineral from Montreal Island, Québec, 25
- JAROSEWICH, E. with Černý, P., 41
- JONES, W. with Manning, P.G., 291
- KAIMAN, S., Harris, D.C. & Dutrizac, J.E. Stibivanite, a new mineral from the Lake George antimony deposit, New Brunswick, 329
- KEMPSON, D. with Saimoto, S., 251
- _____, with Saimoto, S., 561
- KIEFT, C. with Burke, E.A.J., 361
- KODAMA, H. & Dean, R.S. Illite from Eldorado, Saskatchewan, 109
- LAFLAMME, J.H.G. with Chen, T.T., 173
- LEFEBVRE, J.-J. & Gasparriani, C. Florencite, an occurrence in the Zairian copperbelt, 301
- LÉGER, J.-M. with Giret, A., 481
- LEIPER, W. with Stroink, G., 285
- LLOYD, G.E. with Hall, M.G., 559
- MANNING, P.G., Jones, W. & Birchall, T. Mössbauer spectral studies of iron-enriched sediments from Hamilton harbour, Ontario, 291
- MARKEWICH, H.W. with Pavich, M.J., 529
- MARTIN, R.F. with Wares, R.P., 231
- _____, with White, N.V.W., 459
- MASSEY, N.W.D. Petrographic and geochemical evidence for crustal contamination in some Keweenaw flows and dykes from Mamaine Point, Ontario, 271
- McLEOD, C.R. with Gross, G.A., 223
- MEYER, H.O.A. with Mitchell, R.H., 241
- MITCHELL, R.H. & Meyer, H.O.A. Mineralogy of micaceous kimberlite from the Jos dyke, Somerset Island, N.W.T., 241

- MUMME, W.G. Weibullite $\text{Ag}_{0.32}\text{Pb}_{5.09}\text{Bi}_{8.55}\text{Se}_{6.08}\text{S}_{11.92}$
 from Falun, Sweden: a higher homologue of galenobismutite, 1
 The crystal structure of nordstromite, CuPb_3Bi_7
 (S, Se)₁₄ from Falun, Sweden: a member of the juelite
 homologous series, 343
- NEWBERRY, N. with Dunn, P.J., 323
- NUFFIELD, E.W. Cupropavonite from Hall's Valley, park County,
 Colorado, 181
- NUGTEREN, H.W. with Zakrzewski, M.A., 165
- ORLANDI, P. with Bracci, G., 13
- OWENS, D.R. with Chen, T.T., 173
- OWENS, D.R. with Jambor, J.L., 191
- PAPEZIK, V.S. & Elias, P. Tetragonal analcime from southeastern
 Newfoundland, 73
- PAVICH, M.J., Markewich, H.W. & Dwornik, E.J. Hollandite and
 lithiophorite in burrows of Late Cretaceous age, northeastern
 South Carolina, 529
- PEACOR, D.R. with Dunn, P.J., 323
- PETERSON, R.C. with Swanson, D.K., 153
- PLANT, A.G. with Ansell, H.G., 201
- POVARENNYKH, A.S. with Ramik, R.A., 185
- PRINGLE, G.J. & Thorpe, R.I. Bohdanowiczite, junoitte and
 iaitakoirite from the Kidd Creek mine, Timmins, Ontario, 333
- RAMIK, R.A., Sturman, B.D., Dunn, P.J. & Povarennykh, A.S.
 Tancoite, a new lithium sodium aluminum phosphate from the
 Tanco pegmatite, Bernic Lake, Manitoba, 185
- RAMIK, R.A. with Dunn, P.J., 323
- ROBERTS, A.C., Ansell, H.G. & Bonardi, M. Pararealgar, a new
 polymorph of As₂S₃ from British Columbia, 525
- with Ansell, H.G., 201
- ROBINSON, G. with Goble, R.J., 519
- SAIMOTO, S., Helmstaedt, H., Kempson, D. & Schulson, E.M.
 Electron channeling and its potential for petrofabric studies,
 251
- _____, Electron channeling and
 its potential for petrofabric studies: reply, 561
- SCHIMMANN, K. & Smith, D.G.W. The optical fusion of whole-rock
 powders and their analysis by an electron-microprobe
 technique, 131
- SCHULSON, E.M. with Saimoto, S., 251
- _____, 561
- SELVERSTONE, J. & Hollister, L.S., Cordierite-bearing granulites
 from the Coast Ranges, British Columbia: P-T conditions of
 metamorphism, 119
- SIIVOLA, J. with Černý, P., 313
- SMALLEY, I.J. with Bentley, S.P., 535
- SMITH, D.G.W. The mineral chemistry of the Innisfree meteorite,
 433
- SMITH, D.G.W. with Schimann, K., 131
- STAMATELOPOULOU-SEYMOUR, K. & Francis, D.M. Metamorphic
 olivine in peridotitic komatiite flows, Lac Guyer, Québec, 265
- STEGER, H.F. & Desjardins, L.E. Oxidation of sulfide minerals.
 V. Galena, sphalerite and chalcocite, 365
- STOUT, M.Z. & Bayliss, P. Crystal structure of two ferrian
 ulvospinel from British Columbia, 339
- STROINK, G., Blaauw, C., White, C.G. & Leiper, W. Mössbauer
 characteristics of UICC standard reference asbestos samples,
 285
- STURMAN, B.D. & Dunn, P.J. Gaitite, $\text{H}_2\text{Ca}_2\text{Zn}(\text{AsO}_4)_2(\text{OH})_2$,
 a new mineral from Tsumeb, Namibia (South West Africa), 197
- _____, with Ansell, H.G., 201
- _____, with Jambor, J.L., 25
- _____, with Ramik, R.A., 185
- SWANSON, D.K. & Peterson, R.C. Polyhedral volume
 calculations, 153
- SZYMAŃSKI, J.T. A redetermination of the structure of Sb_2VO_5 ,
 stibivanite, a new mineral, 333
- _____. The crystal structure of platarsite, $\text{Pt}(\text{As}, \text{S})_2$,
 and a comparison with sperryllite, PtAs_2 : corrigendum, 563
- TAYLOR, F.C. Two sapphirine localities in New Quebec, 373
- THORPE, R.I. with Pringle, G.J., 353
- TOSELL, J.A. with Vaughan, D.J., 157
- VAUGHAN, D.J. & Tossell, J.A. The chemical bond and the
 properties of sulfide minerals. I. Zn, Fe and Cu in tetrahedral
 and triangular coordinations with sulfur, 157
- VEZZALINI, G. with Bracci, G., 13
- WARES, R.P. & Martin, R.F. Rodingitization of granite and
 serpentinite in the Jeffrey mine, Asbestos, Québec, 231
- WEATHERLY, G.C. with Jambor, J.L., 25
- WHITE, N.V.W. and Martin, R.F. The metasomatic changes that
 accompany uranium mineralization in the nonorogenic
 rhyolites of the Upper Aillik Group, Labrador, 459
- WHITE, C.G. with Stroink, G., 285
- WYLIE, A.G. & Huggins, C.W. Characteristics of a potassian
 winchite-asbestos from the Allamore talc district, Texas, 101
- ZAKRZEWSKI, M.A., Burke, E.A.J., & Nugteren, H.W. Cobalt
 minerals in the Hallefors area, Bergslagen, Sweden: new
 occurrences of costibite, paracostibite, nisbite, cobaltian
 ullmanite, 165

Subject Index

- A classification of iron formations based on depositional environments (Gross), 215
- A preliminary assessment of the chemical composition of iron formations in Canada (Gross & McLeod), 223
- A redetermination of the structure of Sb_2VO_5 , stibivanite, a new mineral (Szymanski), 333
- A three amphibole assemblage from the Tallan Lake sill, Peterborough County, Ontario (Hawthorne et al.), 275
- Accelerated tarnishing of some chalcopyrite and tennantite specimens (Chen et al.), 173
- Amphibole compositional trends in oversaturated and undersaturated alkaline plutonic ring-complexes (Giret et al.), 481
- Bohdanowiczite, junonite and laitakarite from the Kidd Creek mine, Timmins, Ontario (Pringle & Thorpe), 353
- Characteristics of a potassium winchite-asbestos from the Allamore talc district, Texas (Wylie & Huggins), 101
- CHEMICAL ANALYSIS (see also Electron microprobe analysis)
- Minerals*
- hollandite, 530, illite, 113, lapis lazuli, 66, milarite, 43, winchite, 103
- Rocks*
- ignimbrite, 473, iron formation, 224, lapis lazuli, 66, metasomatized tuff, 468, peridotitic komatiite, 266, rodingite, 233, sensitive clay, 537, spilite, 277
- Cobalt minerals in the Hallfors area, Bergslagen Sweden: new occurrences of costibite, paracostibite, nisbite and cobaltian ullmannite (Zakrzewski et al.), 165
- Contact-metamorphic lapis lazuli: the Italian Mountain deposits, Colorado (Hogarth & Griffin), 59
- Copper sulfides from Alberta: yarrowite Cu_9S_8 and spionkopite $Cu_{39}S_{28}$ (Goble), 511
- Cordierite-bearing granulites from the Coast Ranges, British Columbia: P-T conditions of metamorphism (Selverstone & Hollister), 119
- Crystal chemistry of milarite (Černý et al.), 41
- CRYSTALLOGRAPHY (see also Twinning)
- blaubleibender covelline, 516, Cu-Pb-Bi sulfosalts, 349, cupropavonite, 182, electronic structure of sulfides, 157, epitaxial geerite, 323, epitaxial paratrolite, 86, epitaxial pararealgar, 526, pearceite, 174, petarasite, 499, phlogopite, 63, 235, 244, plagioclase, 122, 436, pyroxene, 435, pyrrhotite, 65, rock glasses, 139, roquesite, 362, sabinaitite, 27, sample preparation for, 132, saponite, 63, sapphirine, 373, serpentine, 208, sphalerite, 362, spinel group, 18, spionkopite, 513, stibivanite, 331, stilpnomelane, 206, stromeyerite, 174, sugilite, 38, taenite, 438, tancoite, 188, tennantite, 179, tetranatrolite, 81, thomsonite, 65, titanomagnetite, 339, tremolite, 267, troilite, 438, ulvospinel, 246, weibullite, 2, yarrowite, 513, zircon, 316
- EXPERIMENTAL (see also Petrology)
- General*
- air oxidation of sulfides, 365, chalcocite oxidation, 365, electron channeling, 251, galena oxidation, 365, garnet-cordierite geothermometer, 125, microprobe correction factors, 440, polyhedral volume calculation, 153, preparation of homogeneous samples, 132, sphalerite oxidation, 365, tetrahedral Al in K-feldspars, 443, 467, whole-rock analysis, 131, System
- sapidine-anorthoclase, 71, sphalerite-roquesite, 362, $ZrSiO_4$ - $HfSiO_4$, 318,
- Florencite, an occurrence in the Zairian copperbelt (Lefebvre & Gasparrini), 301,
- From unit cell parameters to Si/Al distribution in K-feldspars (Ferguson), 443
- Gaitite, $H_2Ca_2Zn(AsO_4)_2(OH)_2$, a new mineral from Tsumeb, Namibia (South West Africa) (Sturman & Dunn), 197
- Geerite, $Cu_{160}S_5$, a new copper sulfide from Dekalb Township, New York (Goble & Robinson), 519
- Gittinsite, a new calcium zirconium silicate from the Kipawa apatitic syenite complex, Québec (Ansell et al.), 201
- Goosecreekite, a new calcium aluminum silicate hydrate possibly related to brewsterite and epistibite (Dunn et al.), 323
- Guettardite from Tuscany, Italy: a second occurrence (Bracci et al.), 13
- High-temperature alkali feldspars: a compositional gap (Dowsett & Ewing), 71
- Hollandite and lithiophorite in burrows of Late Cretaceous age, northeastern South Carolina (Pavich et al.), 529
- Illite from Eldorado Saskatchewan (Kodama & Dean), 109
- IMA/COM report on symbols and definitions (Henry), 549
- INFRARED SPECTRA
- illite, 110, natrolite, 82, petarasite, 500, sabinaitite, 28, tancoite, 189, tetranatrolite, 82
- Low-temperature retrograde minerals in metamorphosed Archean banded iron-formations, Western Australia (Gole), 205
- McGillite, a new manganous hydroxychlorosilicate (Donnay et al.), 31
- Metamorphic olivine in peridotitic komatiite flows, Lac Guey, Québec (Stamatelopoulos-Seymour & Francis), 265
- tetranatrolite, 80, gaitite, 198, lillianite homologues, 8, metal ordering in seleno-sulfosalts, 4, milarite group, 48, optimal phase boundary theory, 95, oriented magnetite inclusions in augite, 89, sulfide tarnishing mechanism, 174, tancoite, 187
- CRYSTAL STRUCTURE (see also X-ray Diffraction)
- ferrian ulvospinel, 339, hornblende, 278, McGillite, 35, milarite, 45, nordstromite, 343, petarasite, 503, Sb_2VO_5 , 333, sodium type-A zeolite, 155, stibivanite, 333, titanomagnetite, 339, weibullite, 2
- Crystal structure of two ferrian ulvospinels from British Columbia (Stout & Bayliss), 339
- Cupropavonite from Hall's Valley, Park County, Colorado (Nuffield), 181
- D.T.A.
- gaitite, 200, illite, 114, milarite, 52, sabinaitite, 27, sugilite, 38, tancoite, 188
- Editorial policy for the second issue of the IMA/COM quantitative data file (Criddle), 553
- Electron channeling and its potential for petrofabric studies (Saimoto et al.), 251
- Electron channeling and its potential for petrofabric studies: discussion (Hall & Lloyd), 559
- Electron channeling and its potential for petrofabric studies: reply (saimoto et al.), 561
- ELECTRON MICROPROBE ANALYSIS
- amphiboles, 481, analcime, 74, antigorite, 209, bohdanowiczite, 356, calcite, 65, chalcopyrite, 174, chlorapatite, 436, chlorite, 63, chromite, 235, 246, 436, clinohypersthene, 435, clinopyroxene, 235, cobaltian ullmannite, 168, cobaltite, 168, conicalcrite, 192, cordierite, 122, costibite, 168, cum-mingtonite, 277, cupropavonite, 182, diopside, 63, dufite, 193, ferroactinolite, 208, florencite, 304, forsterite, 63, gaitite, 199, garnet, 64, 122, gedrite, 277, geerite, 521, gittinsite, 203, goosecreekite, 327, greenalite, 208, guettardite, 14, hisingerite, 63, hornblende, 277, ilmenite, 436, junonite, 357, kamacite, 438, laitakarite, 359, lazurite, 62, lizardite, 209, McGillite, 32, mckinstryite, 174, merrillite, 436, microcline, 235, milarite, 43, natrolite, 81, nisbite, 168, olivine, 267, 435, paracostibite, 168, ullmannite Sweden, 165, conicalcrite S.W. Africa 191, cordierite B.C. 119, costibite Sweden, 165, cupropavonite Colo., 181, dufite S.W. Africa 191, florencite Zaire, 301, gaitite S.W. Africa 197, geerite U.S.A. 519, gittinsite Que. 201, goosecreekite, U.S.A. 323, greenalite Aust. 208, guettardite Italy, 13, hafnian zircon Man. 313, hollandite U.S.A. 529, illite Sask. 109, junonite Ont. 353, laitakarite Ont. 353, lapis lazuli U.S.A., 62, lazurite U.S.A., 62, lithiophorite U.S.A., 529, McGillite B.C., 31, Japan, 32, microcline Que., 235, nisbite Sweden, 165, nordstromite Sweden, 343, paracostibite Sweden, 165, paratrolite Que., 85, pararealgar B.C. 525, petarasite Que. 497, roquesite Sweden 361, sabinaitite Quebec, 25, sapphirine Que. 373, spinel South Africa, 17, spionkopite Alberta, 511, stibivanite, N.B. 329, stilpnomelane Aust. 206, sugilite South Africa, 37, tancoite Man. 185, tennantite Ont. 173, tetranatrolite Que., 77, titanomagnetite B.C., 339, weibullite Sweden, 1, winchite U.S.A., 101, yarrowite Alberta, 511
- Mossbauer characteristics of UICC standard reference asbestos sample (Stroink et al.), 285
- Mossbauer spectral studies of iron-enriched sediments from Hamilton harbour, Ontario (Manning et al.), 291
- MÖSSBAUER SPECTROSCOPY
- amosite, 288, anthophyllite, 288, crocidolite, 288, iron-enriched sediments, 291, reference asbestos, 285
- NEW MINERALS
- gaitite, 197, geerite, 519, gittinsite, 201, goosecreekite, 323, McGillite, 31, paratrolite, 85, pararealgar, 525, petarasite, 497, 503, sabinaitite, 25, spionkopite, 511, stibivanite, 329, tancoite, 185, yarrowite, 511
- NOMENCLATURE
- adelite group, 191, As₅ polymorphs, 526, blaubleibender covelline, 511, celadonite, 146, conicalcrite-austinite-dufite series, 194, cupropavonite, 183, dioctahedral chlorite, 146, gaitite-talmessite series, 197, geerite, 519, gittinsite, 201, glauconite, 147, goosecreekite, 323, guettardite, 14, halloysite, 146, heulandite group, 326, illite, 109, imogolite, 146, iron-formations, 216, junonite homologous series, kimberlite, 241, McGillite, 31, milarite, 41, mineralogical nomenclature, 261, paratrolite, 85, pararealgar, 525, petarasite, 497, phyllosilicates, 144, phyllosilicate structural terms, 144, potassium winchite-asbestos, 101, sabinaitite, 25, seleniferous Pb-Bi sulfosalts, 1, spionkopite, 511, stibivanite, 329, tancoite, 187, tetranatrolite, 77, trioc-tahedral chlorite, 146, yarrowite, 511
- On the use of names, prefixes and suffixes, and adjectival modifiers in the mineralogical literature (Hey & Gottardi), 261
- OPTICAL ABSORPTION SPECTRA
- chalcocite, 369, covellite, 369, CuO, 369, illite, 114
- OPTICAL PROPERTIES
- General*
- analcime, 74, florencite, 306, gaitite, 198, gittinsite, 203,

MICROHARDNESS

bohdanowiczite, 356, guettardite, 14, IMA/COM report on symbols and definitions, 550, McGillite, 34, spionkopite, 513, stibivanite, 331, yarrowite, 513

MINERALOGICAL ASSOCIATION OF CANADA

Hawley award, 376, list of members, 381, memorial of Hugh Swaine Spence, 263, Neutron activation analysis in the geosciences, Short Course announcement, 152, proceedings of the twenty-fifth annual meeting, 375

Mineralogy of a Norwegian postglacial clay and some geotechnical implications (Bentley et al.), 535

Mineralogy of micaceous kimberlite from the Jos dyke, Somersset Island, N.W.T. (Mitchell & Meyer), 241

MINERALS**Mineral Data**

albite, 234, analcime, 73, bohdanowiczite, 353, chalcocite, 368, chalcopyrite, 159, 173, cobaltian ullmannite, 165, conicalcrite, 191, cordierite, 122, costibite, 165, covellite, 159, Cu-in-rich sphalerite, 362, cupropovonite, 181, Duftite, 191, ferroan sphalerite, 159, florencite, 303, gaitite, 197, galena, 368, geerite, 519, gittinsite, 201, goosecreekite, 323, greenalite, 208, guettardite, 13, hafnian zircon, 314, hollandite, 530, illite, 109, junonite, 353, laitakarite, 353, lapis lazuli, 59, lazurite, 62, lithiophorite, 531, mcGillite, 31, microcline, 235, milarite, 41, nisbite, 165, nordstromite, 343, nukundamite, 159, paracostibite, 165, paranatrolite, 85, pararealgar, 525, petarasite, 497, roquesite, 361, sabinaita, 25, sapphirine, 373, sphalerite, 159, 368, spinel group, 18, spionkopite, 511, stibivanite, 329, stilpnomelane, 206, sugilite, 37, tancoite, 185, tennantite, 173, tetranatrolite, 77, titanomagnetite, 340, weibullite, 2, winchite, 101, yarrowite, 511

Mineral Occurrences

albite Que. 234, analcime Nfld., 73, bohdanowiczite Ont. 353, chalcopyrite Ont. 173, N.B. 173, N.W.T. 173, cobaltian

metamict zircon, 319, metamorphism in meteorites, 433, micaceous kimberlite, 241, oriented magnetite inclusions in augite, 89, petrofabric analysis, 251, rodingitized serpentine, 231, sensitive clay, 535, uranium mobilization, 474

Polyhedral volume calculations (Swanson & Peterson), 153

Proceedings of the twenty-fifth annual meeting of the Mineralogical Association of Canada, 375

Roddingization of granite and serpentine in the Jeffrey mine, Asbestos, Québec (Wares & Martin), 231

Roquesite and Cu-in-bearing sphalerite from Langban, Bergslagen, Sweden (Burke & Kieft), 361

Sabinaita, a new anhydrous zirconium-bearing carbonate mineral from Montreal Island, Québec (Jambor et al.), 25

Solid solution in the adelite group of arsenates (Jambor et al.), 191

Stibivanite, a new mineral from the Lake George antimony deposit, New Brunswick (Kaiman et al.), 329

Sugilite, a second occurrence: Wessels mine, Kalahari manganese field, Republic of South Africa (Dunn et al.), 37

Summary of recommendations of the AIPEA Nomenclature Committee (Bailey), 143

Tancoite, a new lithium sodium aluminum phosphate from the Tanco pegmatite, Bernic Lake, Manitoba (Ramik et al.), 185

Tetragonal analcime from southeastern Newfoundland (Papezik & Elias), 73

Tetranatrolite from Mont St-Hilaire, Québec (Chen & Chao), 77

TEXTURES

acanthite overgrowing chalcopyrite, 174, basalt, 272, chalcocite overgrowing tennantite, 176, garnet-cordierite gneiss, 120, gittinsite, 202, granophyric, 462, greenalite, 207, kimberlite, 242, komatiite flow, 268, lapis lazuli, 66, magnetite in augite, 89, meteorites, 439, milarite sector zoning, 54, perthite, 463, rodingite, 233, sphalerite, 361, spinifex, 269

T.G.A.

amorphous ferric oxide hydrate, 543, clay micas, 542, illite, 110, petarasite, 500, sabinaita, 27, sensitive clay, 541, tancoite, 188, tetranatrolite, 82, winchite, 104

The application of reflectivity measurements to the study of chromiferous spinels (Eales), 17

The chemical bond and the properties of sulfide minerals. I, Zn, Fe and Cu in a tetrahedral and triangular coordinations with sulfur (Vaughan & Tossell), 157

goosecreekite, 324, hafnian zircon, 314, IMA/COM report on symbols and definitions, 551, mcGillite, 33, milarite, 43, paranatrolite, 86, petarasite, 499, sabinaita, 26, stibivanite, 331, sugilite, 38, tancoite, 187, tetranatrolite, 79, winchite, 104

Reflectance

bohdanowiczite, 356, guettardite, 13, IMA/COM quantitative data file, 533, IMA/COM report on symbols and definitions, 549, spinel group, 19, spionkopite, 513, yarrowite, 513

Oriented magnetite inclusions in pyroxenes from the Grenville province (Fleet et al.), 89

Oxidation of sulfide minerals. V. Galena, sphalerite and chalcocite (Steger & Desjardins), 365

Paranatrolite, a new zeolite from Mont St-Hilaire, Québec (Chao), 85

Pararealgar, a new polymorph of AsS, from British Columbia (Roberts et al.), 525

Petarasite, a new hydrated sodium zirconium hydroxychlorosilicate mineral from Mont St-Hilaire, Québec (Chao et al.), 497

Petarasite, Na₅Zr₂Si₆O₁₈(Cl, OH)·2H₂O, a zeolite-type zirconosilicate (Ghose et al.), 503

Petrographic and geochemical evidence for crustal contamination in some Keweenaw flows and dykes from Mamainse Point, Ontario (Massey), 271

PETROLOGY (see also Experimental)

amorphous material in clay, 537, amphibole compositional trends, 489, amphibole solid-solution series, 481, banded iron-formations, 205, 215, 223, cobalt ores, 165, contact-metamorphic lapis lazuli, 59, crustal contamination of basalt flows, 271, cummingtonite-gedrite-hornblende assemblage, 275, desilicification, 469, devitrified glass, 462, garnet-cordierite gneiss, 119, hypersthene-garnet gneiss, 119, illite, 109, komatiite flow, 265, low temperature retrograde minerals, 205, magnetite nucleation temperature, 96, The crystal structure of nordstromite, CuPb₃B₁₇(S, Se)₁₄ from Falun, Sweden: a member of the junonite homologous series (Mumme), 343

The crystal structure of platarsite, Pt(As₂S)₂, and a comparison with sperryite, PtAs₂: corrigendum (Szymanski), 563

The metasomatic changes that accompany uranium mineralization in the nonorogenic rhyolites of the Upper Aillik Group, Labrador (White & Martin), 459

The mineral chemistry of the Innisfree meteorite (Smith), 433

The optical fusion of whole-rock powders and their analysis by an electron-microprobe technique (Schimann & Smith), 131

The Tanco pegmatite at ernic Lake, Manitoba. XII. Hafnian zircon (Cerny & Siivola), 313

TWINNING (see also Crystallography)

analcime, 73, guettardite, 14, natrolite, 80

Two sapphirine localities in New Québec (Taylor), 373

Weibullite Ag_{0.32}Pb_{5.09}Bi_{8.55}Se_{6.06}S_{11.92} from Falun, Sweden: a higher homologue of galenobismutite (Mumme), 1

X-RAY DIFFRACTION (see also Crystal Structure)

Cell Dimensions

albite, 234, analcime, 74, augite, 96, bohdanowiczite, 357, clinopyroxene, 234, conicalcrite, 195, cummingtonite, 277, cupropovonite, 183, Duftite, 195, florencite, 309, gaitite, 198, gedrite, 277, gerrite, 520, gittinsite, 203, goosecreekite, 326, guettardite, 14, hornblende, 277, junonite, 358, K-feldspars, 444, 465, mcGillite, 33, milarite, 45, natrolite, 79, nordstromite, 344, orthoclase, 234, paranatrolite, 86, pararealgar, 527, petarasite, 498, 504, sabinaita, 26, sanidine-anorthoclase series, 71, spionkopite, 513, stibivanite, 332, 334, tancoite, 187, tetranatrolite, 79, weibullite, 2, winchite, 102, yarrowite, 513, zircon, 317

Powder Data

bohdanowiczite, 357, Duftite, 193, florencite, 308, gaitite, 198, geerite, 520, gittinsite, 203, goosecreekite, 324, guettardite, 15, junonite, 358, illite, 111, mcGillite, 34, milarite, 52, natrolite, 81, paranatrolite, 87, pararealgar, 527, petarasite, 499, sabinaita, 27, spionkopite, 513, stibivanite, 332, 337, tancoite, 187, tetranatrolite, 81, winchite, 102, yarrowite, 513

THE CANADIAN MINERALOGIST

**Journal of the
Mineralogical Association
of Canada**



**Editors, L.J. Cabri
R.F. Martin**

Volume 18

THE CANADIAN MINERALOGIST

Volume 18, 1980

Contents

Weibullite $\text{Ag}_{0.32}\text{Pb}_{5.02}\text{Bi}_{8.56}\text{Se}_{6.08}\text{S}_{11.92}$ from Falun, Sweden: a higher homologue of galenobismutite	W.G. MUMME	1
Guettardite from Tuscany, Italy: a second occurrence G. BRACCI, D. DALENA, P. ORLANDI, G. DUCHI & G. VEZZALINI		13
The application of reflectivity measurements to the study of chromiferous spinel	H.V. EALES	17
Sabinaite, a new anhydrous zirconium-bearing carbonate mineral from Montreal Island, Québec J.L. JAMBOR, B.D. STURMAN & G.C. WEATHERLY		25
McGillite, a new manganous hydroxychlorosilicate G. DONNAY, M. BÉTOURNAY & G. HAMILL		31
Sugilite, a second occurrence: Wessels mine, Kalahari manganese field, Republic of South Africa P.J. DUNN, J.J. BRUMMER & H. BELSKY		37
Crystal chemistry of milarite P. ČERNÝ, F.C. HAWTHORNE & E. JAROSEWICH		41
Contact-metamorphic lapis lazuli: the Italian Mountain deposits, Colorado D.D. HOGARTH & W.L. GRIFFIN		59
High-temperature alkali feldspars: a compositional gap F.R. DOWSETT & R.C. EWING		71
Tetragonal analcime from southeastern Newfoundland V.S. PAPEZIK & P. ELIAS		73
Tetranatrolite from Mont St-Hilaire, Québec T.T. CHEN & G.Y. CHAO		77
Paranatrolite, a new zeolite from Mont St-Hilaire, Québec G.Y. CHAO		85
Oriented magnetite inclusions in pyroxenes from the Grenville province M.L. FLEET, G.A. BILCOX & R.L. BARNETT		89
Characteristics of a potassian winchite-asbestos from the Allamoore talc district, Texas A.G. WYLIE & C.W. HUGGINS		101
Illite from Eldorado, Saskatchewan H. KODAMA & R.S. DEAN		109
Cordierite-bearing granulites from the Coast Ranges, British Columbia: P-T conditions of metamorphism J. SELVERSTONE & L.S. HOLLISTER		119
The optical fusion of whole-rock powders and their analysis by an electron-microprobe technique K. SCHIMANN & D.G.W. SMITH		131

Summary of recommendations of the AIPEA Nomenclature Committee	S.W. BAILEY	143
Polyhedral volume calculations	D.K. SWANSON & R.C. PETERSON	153
The chemical bond and the properties of sulfide minerals. I. Zn, Fe and Cu in tetrahedral and triangular coordinations with sulfur	D.J. VAUGHAN & J.A. TOSSELL	157
Cobalt minerals in the Hällefors area, Bergslagen, Sweden: new occurrences of costibite, paracostibite, nisbite and cobaltian ullmannite	M.A. ZAKRZEWSKI, E.A.J. BURKE & H.W. NUGTEREN	165
Accelerated tarnishing of some chalcopyrite and tennantite specimens	T.T. CHEN, J.E. DUTRIZAC, D.R. OWENS & J.H.G. LAFLAMME	173
Cupropavonite from Hall's Valley, Park County, Colorado	E.W. NUFFIELD	181
Tancoite, a new lithium sodium aluminum phosphate from the Tanco pegmatite, Bernic Lake, Manitoba	R.A. RAMIK, B.D. STURMAN, P.J. DUNN & A.S. POVARENENYKH	185
Solid solution in the adelite group of arsenates	J.L. JAMBOR, D.R. OWENS & J.E. DUTRIZAC	191
Gaitite, $H_2Ca_2Zn(AsO_4)_2(OH)_2$, a new mineral from Tsumeb, Namibia (South West Africa)	B.D. STURMAN & P.J. DUNN	197
Gittinsite, a new calcium zirconium silicate from the Kipawa agpaitic syenite complex, Québec	H.G. ANSELL, A.C. ROBERTS, A.G. PLANT & B.D. STURMAN	201
Low-temperature retrograde minerals in metamorphosed Archean banded iron-formations, Western Australia	M.J. GOLE	205
A classification of iron formations based on depositional environments	G.A. GROSS	215
A preliminary assessment of the chemical composition of iron formations in Canada	G.A. GROSS & C.R. MCLEOD	223
Rodingitization of granite and serpentinite in the Jeffrey mine, Asbestos, Québec	R.P. WARES & R.F. MARTIN	231
Mineralogy of micaceous kimberlite from the Jos dyke, Somerset Island, N.W.T.	R.H. MITCHELL & H.O.A. MEYER	241
Electron channeling and its potential for petrofabric studies	S. SAIMOTO, H. HELMSTAEDT, D. KEMPSON & E.M. SCHULSON	251
On the use of names, prefixes and suffixes, and adjectival modifiers in the mineralogical literature	M.H. HEY & G. GOTTARDI	261
Memorial of Hugh Swaine Spence	M.H. HAYCOCK	263
Metamorphic olivine in peridotitic komatiite flows, Lac Guyer, Quebec	K. STAMATELOPOULOU-SEYMOUR & D.M. FRANCIS	265

Petrographic and geochemical evidence for crustal contamination in some Keweenawan flows and dykes from Mamainse Point, Ontario N.W.D. MASSEY	271
A three-amphibole assemblage from the Tallan Lake sill, Peterborough County, Ontario F.C. HAWTHORNE, J.L. GRIEP & L. CURTIS	275
Mössbauer characteristics of UICC standard reference asbestos samples G. STROINK, C. BLAAUW, C.G. WHITE & W. LEIPER	285
Mössbauer spectral studies of iron-enriched sediments from Hamilton harbor, Ontario P.G. MANNING, W. JONES & T. BIRCHALL	291
Florencite, an occurrence in the Zairian copperbelt J.-J. LEFEBVRE & C. GASPARRINI	301
The Tanco pegmatite at Bernic Lake, Manitoba. XII. Hafnian zircon P. ČERNÝ & J. SHIVOLA	313
Goosecreekite, a new calcium aluminum silicate hydrate possibly related to brewsterite and epistilbite P.J. DUNN, D.R. PEACOR, N. NEWBERRY & R.A. RAMIK	323
Stibivanite, a new mineral from the Lake George antimony deposit, New Brunswick S. KAIMAN, D.C. HARRIS & J.E. DUTRIZAC	329
A redetermination of the structure of Sb_2VO_5 , stibivanite, a new mineral J.T. SZYMAŃSKI	333
Crystal structure of two ferrian ulvöspinels from British Columbia M.Z. STOUT & P. BAYLISS	339
The crystal structure of nordströmite, $CuPb_3Bi_7(S,Se)_{14}$ from Falun, Sweden: a member of the junosite homologous series W.G. MUMME	343
Bohdanowiczite, junosite and laitakarite from the Kidd Creek mine, Timmins, Ontario G.J. PRINGLE & R.I. THORPE	353
Roquesite and Cu-In-bearing sphalerite from Långban, Bergslagen, Sweden E.A.J. BURKE & C. KIEFT	361
Oxidation of sulfide minerals. V. Galena, sphalerite and chalcocite H.F. STEGER & L.E. DESJARDINS	365
Two sapphire localities in New Quebec F.C. TAYLOR	373
Proceedings of the twenty-fifth annual meeting of the Mineralogical Association of Canada	375
List of members, Mineralogical Association of Canada	381
The mineral chemistry of the Innisfree meteorite D.G.W. SMITH	433
From unit-cell parameters to Si/Al distribution in K-feldspars R.B. FERGUSON	443
The metasomatic changes that accompany uranium mineralization in the nonorogenic rhyolites of the Upper Aillik Group, Labrador M.V.W. WHITE & R.F. MARTIN	459

Amphibole compositional trends in oversaturated and undersaturated alkaline plutonic ring-complexes	A. GIRET, B. BONIN & J.-M. LÉGER	481
Petarasite, a new hydrated sodium zirconium hydroxychlorosilicate mineral from Mont St-Hilaire, Quebec	G.Y. CHAO, T.T. CHEN & J. BAKER	497
Petarasite, $\text{Na}_5\text{Zr}_2\text{Si}_5\text{O}_{18}(\text{Cl},\text{OH})\cdot 2\text{H}_2\text{O}$, a zeolite-type zirconosilicate	S. GHOSE, CHE'NG WAN & G.Y. CHAO	503
Copper sulfides from Alberta: yarrowite Cu_8S_8 and spionkopite $\text{Cu}_{30}\text{S}_{28}$	R.J. GOBLE	511
Geerite, $\text{Cu}_{1.60}\text{S}$, a new copper sulfide from Dekalb Township, New York	R.J. GOBLE & G. ROBINSON	519
Pararealgar, a new polymorph of AsS, from British Columbia	A.C. ROBERTS, H.G. ANSELL & M. BONARDI	525
Hollandite and lithiophorite in burrows of Late Cretaceous age, northeastern South Carolina	M.J. PAVICH, H.W. MARKEWICH & E.J. DWORNIK	529
Mineralogy of a Norwegian postglacial clay and some geotechnical implications	S.P. BENTLEY, N.J. CLARK & I.J. SMALLEY	535
IMA/COM report on symbols and definitions	N.F.M. HENRY	549
Editorial policy for the second issue of the IMA/COM quantitative data file	A.J. CRIDDLE	553
Electron channeling and its potential for petrofabric studies: discussion	M.G. HALL & G.E. LLOYD	559
Electron channeling and its potential for petrofabric studies: reply	S. SAIMOTO, H. HELMSTAEDT, D. KEMPSON & E.M. SCHULSON	561
The crystal structure of platarsite, $\text{Pt}(\text{As},\text{S})_2$, and a comparison with sperrylite, PtAs_2 : corrigendum	J.T. SZYMANSKI	563
Index	J.D. SCOTT	565



The Geological Association of Canada Special Papers

- 8. A Comparative Atlas of Textures of Archean and Younger Volcanic Rocks**
W.W. Moorhouse – Edited by J.J. Fawcett, 1970 (\$1.00).
- 9. Geoscience Studies in Manitoba**
Edited by A.C. Turnock, 1972 (\$12.00).
- 11. Variations in Tectonic Styles in Canada**
Edited by R.A. Price and R.J.W. Douglas, 1972 (\$9.00).
- 12. Huronian Stratigraphy and Sedimentation**
Edited by G.M. Young, 1973 (\$6.00) (ISBN 0-919216-05-6)
- 13. The Cretaceous System in the Western Interior of North America**
Edited by W.G.E. Caldwell, 1975 (ISBN 0-919216-02-1)
(Members \$14.00; non-members \$18.00).
- 14. Metallogeny and Plate Tectonics**
Edited by D.F. Strong, 1976 (ISBN 0-919216-06-4)
(Members \$18.00; non-members \$24.00).
- 15. Conodont Paleocology**
Edited by C.R. Barnes, 1976 (ISBN 0-919216-09-9)
(Members \$10.00; non-members \$12.00).
- 16. Volcanic Regimes in Canada**
Edited by W.R.A. Baragar, L.C. Coleman and J.M. Hall, 1977 (ISBN 0-919216-10-2)
(Members \$15.00; non-members \$18.00).
- 17. Late Silurian and Early Devonian Graptolite, Brachiopod and Coral Faunas from Northwestern and Arctic Canada**
By D.E. Jackson, A.C. Lenz and A.E.H. Pedder, 1978 (ISBN 0-919216-11-0)
(Members \$10.00; non-members \$12.00).
- 18. Western and Arctic Canadian Biostratigraphy**
Edited by C. R. Stelck and B. D. E. Chatterton, 1978
(ISBN 0-919216-12-9)
(Members \$18.50; non-members \$22.00).
- 19. History of Concepts in Precambrian Geology**
Edited by W.O. Kupsch and W.A.S. Sarjeant
(ISBN 0-919216-13-7)
(Members \$15.00; non-members \$18.00).

Orders and requests for information should be sent to:
Geological Association of Canada Publications,
Business and Economics Service, Ltd.,
111 Peter Street, Suite 509,
Toronto, Ontario M5V 2H1